



DAFTAR PUSTAKA

- Abdullah, A. H. D., Chalimah, S., Primadona, I., & Hanantyo, M. H. G. (2018). Physical and chemical properties of corn, cassava, and potato starchs. *IOP Conference Series: Earth and Environmental Science*, 160, 012003. <https://doi.org/10.1088/1755-1315/160/1/012003>
- Afolayan, M., & Orijajogun, J. (2024). Isolation and physicochemical characterization of starch from Marama Beans (*Tylosema Esculentum*). *African Journal of Biological, Chemical and Physical Sciences*, 3(1), 10–18.
- Agustinisari, I., Luna, P., & Joni Munarso, S. (2023). Physicochemical and Functional Properties of Starch Extracted from Indonesian Specialty Corn: Efforts to Increase the Value of Biodiversity. *IOP Conference Series: Earth and Environmental Science*, 1172(1), 012055. <https://doi.org/10.1088/1755-1315/1172/1/012055>
- Ali, N. S. A., Muda, K., Mohamed Najib, M. Z., Mohd Amin, M. F., Ismail, S., Mohamad Shahimin, M. F., & Dahalan, F. A. (2023). ULTRASOUND-ASSISTED EXTRACTION OF STARCH FROM OIL PALM TRUNK: AN OPTIMIZATION BY RESPONSE SURFACE METHODOLOGY. *ASEAN Engineering Journal*, 13(4), 19–27. <https://doi.org/10.11113/aej.v13.19011>
- Andrade, I. H. P., Otoni, C. G., Amorim, T. S., Camilloto, G. P., & Cruz, R. S. (2020). Ultrasound-assisted extraction of starch nanoparticles from breadfruit (*Artocarpus altilis* (Parkinson) Fosberg). *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 586, 124277. <https://doi.org/10.1016/j.colsurfa.2019.124277>
- Anggela, A., Nabila, Y. S., Ananda, R., & Nainggolan, E. P. (2023). Comparison of chemical characteristics in chips and porang flour typical East Kalimantan with commercial porang flour as a functional food. *Jurnal Agrotek Ummat*, 10(4), 351. <https://doi.org/10.31764/jau.v10i4.19373>
- Anwar, B., Nurjanah, E., Aprilia, R. P., Fatimah, S. S., & Mudzakir, A. (2022). *Karakteristik Pati dari Limbah Biji Salak (Salacca zalacca)*. 2.
- AOAC. (2005). *Official methods of analysis of the Association of Analytical Chemist*. Association of Official Analytical Chemists, Inc.
- Aruna, M., & Parimalavalli, R. (2022). Influence of acid on isolation of starch from pearl millet (underutilized crop) and its characteristics. *Materials Today: Proceedings*, 66, 920–927. <https://doi.org/10.1016/j.matpr.2022.04.650>

Aryanti, N., & Abidin, K. Y. (2015). EKSTRAKSI GLUKOMANAN DARI PORANG LOKAL (*Amorphophallus oncophyllus* dan *Amorphophallus muerelli blume*). *METANA*, 11(01), 21–30.

Asben, A., Syukri, D., Nguyen, N. N. T., & Kasim, F. (2024). Application of Flour Extracted from Porang (*Amorphophallus muelleri Blume*) in Formulating Peel-Off Mask. *Asian Journal of Plant Sciences*, 23(3), 377–385. <https://doi.org/10.3923/ajps.2024.377.385>

Azhar, B., Gunawan, S., Febriana Setyadi, E. R., Majidah, L., Taufany, F., Atmaja, L., & Aparamarta, H. W. (2023). Purification and separation of glucomannan from porang tuber flour (*Amorphophallus muelleri*) using microwave assisted extraction as an innovative gelatine substituent. *Heliyon*, 9(11), e21972. <https://doi.org/10.1016/j.heliyon.2023.e21972>

Azima, F., Nazir, N., & Efendi, H. C. (2020). Characteristics of physico-chemical and functional properties of starch extracts from tubers. *Journal of Physics: Conference Series*, 1469(1), 012002. <https://doi.org/10.1088/1742-6596/1469/1/012002>

Babu, A. S., & Parimalavalli, R. (2014). Effect of Starch Isolation Method on Properties of Sweet Potato Starch. *The Annals of the University Dunarea de Jos of Galati. Fascicle VI - Food Technology*, 38(1), 48–63.

Baena-Jurado, N., Sanchez, L. T., Pinzon, M. I., & Villa, C. C. (2021). Data from the synthesis and characterization of banana starch nanoparticles from different botanical varieties. *Data in Brief*, 37, 107167. <https://doi.org/10.1016/j.dib.2021.107167>

Barua, S., Tudu, K., Rakshit, M., & Srivastav, P. P. (2021). Characterization and digestogram modeling of modified elephant foot yam (*AMORPHOPHALLUS PAEONIIFOLIUS*) starch using ultrasonic pretreated autoclaving. *Journal of Food Process Engineering*, 44(11), e13841. <https://doi.org/10.1111/jfpe.13841>

Bist, Y., Sharanagat, V. S., & Saxena, D. C. (2024). Synthesis, optimization, and characterization of precipitation derived starch nanoparticles from guinea seeds. *International Journal of Biological Macromolecules*, 265(131010). <https://doi.org/10.1016/j.ijbiomac.2024.131010>

Bonto, A. P., Tiozon, R. N., Sreenivasulu, N., & Camacho, D. H. (2021). Impact of ultrasonic treatment on rice starch and grain functional properties: A review. *Ultrasonics Sonochemistry*, 71, 105383. <https://doi.org/10.1016/j.ultsonch.2020.105383>

Bouhallel, S., Belhadi, B., Souilah, R., Djabali, D., & Nadjemi, B. (2021). Isolation of starch from seven Pearl Millet grain landraces by two processes; wet



milling and Ultrasound application. *Algerian Journal of Environmental Science and Technology*, 7(1), 1687–1697.

Budistastra, I. W., & Noviyanti, A. A. (2023). Determination of Chemical Content of Porang Flour (*Amorphophallus muelleri blume*) by Near Infrared Spectroscopy. *IOP Conference Series: Earth and Environmental Science*, 1187(1), 012027. <https://doi.org/10.1088/1755-1315/1187/1/012027>

Chaves-Morillo, D. M., & Mejía-España, D. F. (2022). Physicochemical and Technofunctional Comparison of Starch from Varieties of Native Potato (*Solanum Phureja*) with Commercial Starches. *TecnoLógicas*, 26(56). <https://doi.org/10.22430/22565337.2455>

Chen, X., Yao, W., Gao, F., Zheng, D., Wang, Q., Cao, J., Tan, H., & Zhang, Y. (2021). Physicochemical Properties Comparative Analysis of Corn Starch and Cassava Starch, and Comparative Analysis as Adhesive. *Journal of Renewable Materials*, 9(5), 979–992. <https://doi.org/10.32604/jrm.2021.014751>

Chen, Y., Sun, X., Fang, L., Jiang, X., Zhang, X., Ge, Z., Wang, R., & Wang, C. (2022). Optimization of Ultrasound-Assisted Extraction of Polyphenols from *Ilex latifolia* Using Response Surface Methodology and Evaluation of Their Antioxidant Activity. *Molecules*, 27(13), 3999. <https://doi.org/10.3390/molecules27133999>

Dash, S., Sahoo, A. C., Sahoo, P. K., Sinhamahapatra, P. K., & Banerjee, M. (2024). Structural and physicochemical characters of starch isolated from tubers of an aquatic plant *Aponogeton natans* using modern analytical tools. *Discover Plants*, 1(1), 23. <https://doi.org/10.1007/s44372-024-00021-2>

Dereje, B. (2021). Composition, morphology and physicochemical properties of starches derived from indigenous Ethiopian tuber crops: A review. *International Journal of Biological Macromolecules*, 187, 911–921. <https://doi.org/10.1016/j.ijbiomac.2021.07.188>

Devereux, S., Shuttleworth, P. S., Macquarrie, D. J., & Paradisi, F. (2011). Isolation and Characterization of Recovered Starch from Industrial Wastewater. *Journal of Polymers and the Environment*, 19(4), 971–979. <https://doi.org/10.1007/s10924-011-0342-0>

Dewanto, J., & Purnomo, B. H. (2009). *Pembuatan konyaku dari umbi iles-iles*. Universitas Sebelas Maret.

Du, C., Jiang, F., Jiang, W., Ge, W., & Du, S. (2020). Physicochemical and structural properties of sago starch. *International Journal of Biological Macromolecules*, 164, 1785–1793. <https://doi.org/10.1016/j.ijbiomac.2020.07.310>

Ermawati, D. E., Tambunan, R. R., & Darojati, U. A. (2024). The Effect of Combination of Porang Tuber Starch (*Amorphophallus muelleri Blume*) with Lactose on the Physical Properties of Bajakah Root (*Spatholobus littoralis Hassk*) Water Extract's Tablet. *Journal of Pharmaceutical Sciences and Community*, 21(1), 17–22. <https://doi.org/10.24071/jpsc.005765>

Ermawati, Y., Harini, N., & Winarsih, S. (2019). The Characteristic of Porang Flour (*Amorphophallus muelleri Blume*) Purification Use Ethanol and The Application as Substitution Agent on Chicken Sausage. *Food Technology and Halal Science Journal*, 1(1), 33. <https://doi.org/10.22219/fths.v1i1.7545>

Estrada-León, R. J., Moo-Huchin, V. M., Ríos-Soberanis, C. R., Betancur-Ancona, D., May-Hernández, L. H., Carrillo-Sánchez, F. A., Cervantes-Uc, J. M., & Pérez-Pacheco, E. (2016). The effect of isolation method on properties of parota (*Enterolobium cyclocarpum*) starch. *Food Hydrocolloids*, 57, 1–9. <https://doi.org/10.1016/j.foodhyd.2016.01.008>

Fadhallah, E. G., Indraningtyas, L., Setiawan, T., Firdaus, I., & Pratama, A. (2023). Synthesis and Characterization of Nanomaterials from Porang (*Amorphophallus muelleri*) and Its Application for Bioplastic: Preliminary. *agriTECH*, 43(4), 321. <https://doi.org/10.22146/agritech.77983>

Falah, Z. K., Suryati, S., Sylvia, N., Meriatna, M., & Bahri, S. (2021). PEMANFAATAN TEPUNG GLUKOMANAN DARI PATI UMBI PORANG (AMORPHOPHALLUS MUELLERI BLUME) SEBAGAI BAHAN DASAR PEMBUATAN EDIBLE FILM. *Chemical Engineering Journal Storage (CEJS)*, 1(3), 50. <https://doi.org/10.29103/cejs.v1i3.5064>

Fathimah, R. N., Ishlahi, A. F. A., Cahyanto, M. N., & Setyaningsih, W. (2021). Ultrasound-assisted production of corn starch: Process design and optimization. *IOP Conference Series: Earth and Environmental Science*, 712(1), 012014. <https://doi.org/10.1088/1755-1315/712/1/012014>

Ferdian, M. A., & Perdana, R. G. (2021). TEKNOLOGI PEMBUATAN TEPUNG PORANG TERMODIFIKASI DENGAN VARIASI METODE PENGGILINGAN DAN LAMA FERMENTASI. *Jurnal Agroindustri*, 11(1), 23–31. <https://doi.org/10.31186/j.agroindustri.11.1.23-31>

Gani, A., Ashwar, B. A., Akhter, G., Gani, A., Shah, A., Masoodi, F. A., & Wani, I. A. (2020). Resistant starch from five Himalayan rice cultivars and Horse chestnut: Extraction method optimization and characterization. *Scientific Reports*, 10(1), 4097. <https://doi.org/10.1038/s41598-020-60770-4>

González-Lemus, L. B., Calderón-Domínguez, G., Salgado-Cruz, Ma. D. L. P., Díaz-Ramírez, M., Ramírez-Miranda, M., Chanona-Pérez, J. J., Güemes-

- Vera, N., & Farrera-Rebollo, R. R. (2018). Ultrasound-assisted extraction of starch from frozen jicama (*P. erosus*) roots: Effect on yield, structural characteristics and thermal properties. *CyTA - Journal of Food*, 16(1), 738–746. <https://doi.org/10.1080/19476337.2018.1462852>
- Hameed, M., Ahmad, S. W., Ahmad, S., Qutab, H. G., Dasih, M., & Imran, M. (2020). Enzymatic extraction of potato starch: A parametric optimization study using response surface methodology. *Polish Journal of Chemical Technology*, 22(3), 48–54. <https://doi.org/10.2478/pjct-2020-0027>
- Handayani, T., Aziz, Y. S., & Herlinasari, D. (2020). PEMBUATAN DAN UJI MUTU TEPUNG UMBI PORANG (*Amorphophallus Oncophyllus Prain*) DI KECAMATAN NGRAYUN. *MEDFARM: Jurnal Farmasi dan Kesehatan*, 9(1), 13–21. <https://doi.org/10.48191/medfarm.v9i1.27>
- Handayani, T., Harmayani, E., & Pranoto, Y. (2023). KARAKTERISTIK GLUKOMANAN TEPUNG PORANG (*Amorphophallus oncophyllus*) DENGAN BERBAGAI METODE EKSTRAKSI KIMIA. *Jurnal Sains dan Teknologi Pangan*, 8(3), 6360–6369.
- Hao, M., Zhu, X., Ji, X., Shi, M., & Yan, Y. (2024). Effect of Konjac Glucomannan on Structure, Physicochemical Properties, and In Vitro Digestibility of Yam Starch during Extrusion. *Foods*, 13(3), 463. <https://doi.org/10.3390/foods13030463>
- Herawati, H., Anggraeni, D., Kurniasari, I., Kusnandar, F., Suparlan, Agustinisari, I., Sunarmani, Bachtiar, M., Zubaidi, T., Misgiyarta, Bin Arif, A., Hernani, & Suhirman, S. (2023). Extraction Quality of Porang Flour Due to Chip Flour Treatment and Ethanol Concentration. *E3S Web of Conferences*, 444, 04002. <https://doi.org/10.1051/e3sconf/202344404002>
- Herawati, H., Kamsiati, E., Budiyanto, A., & Maruji, S. (2021). Physic-chemical characteristics of porang and iles-iles flour used several process production techniques. *IOP Conference Series: Earth and Environmental Science*, 803(1), 012031. <https://doi.org/10.1088/1755-1315/803/1/012031>
- Herawati, H., Zahratunnisa, S., Kamsiati, E., Anggraini, D., Kurniasari, I., Kusnandar, F., Suparlan, Agustinisari, I., Sunarmani, Bachtiar, M., Zubaidi, T., Misgiyarta, & Suhirman, S. (2023). The Effect of Dry Extraction Process Technology on Characteristics of Porang Flour. *E3S Web of Conferences*, 425, 01001. <https://doi.org/10.1051/e3sconf/202342501001>
- Hidayat, F., Indarti, E., Arahman, N., & Rahmi. (2023). The effects of sodium metabisulfite ($\text{Na}_2\text{S}_2\text{O}_5$) on the physicochemical properties of breadnut seeds (*artocarpus camansi*). *IOP Conference Series: Earth and Environmental Science*, 1182(1), 012013. <https://doi.org/10.1088/1755-1315/1182/1/012013>

- Hsu, Y.-C., & Yang, C.-Y. (2024). Assessment of Ethanolic Extraction of Chlorogenic Acid, Cynarin, and Polyphenols from Burdock (*Arctium lappa L.*) Roots Under Ultrasound. *Molecules*, 29(21), 5115. <https://doi.org/10.3390/molecules29215115>
- Huang, X., Liu, H., Ma, Y., Mai, S., & Li, C. (2022). Effects of Extrusion on Starch Molecular Degradation, Order–Disorder Structural Transition and Digestibility—A Review. *Foods*, 11(16), 2538. <https://doi.org/10.3390/foods11162538>
- Huang, X., Zhou, X., Liu, X., Zhong, W., Wang, X., Ju, Z., Yin, Y., Xin, Q., Liu, N., Liu, X., Jin, Y., Wang, G., Wang, J., & Ma, P. (2024). Structural and physicochemical effects on the starch quality of the high-quality wheat genotype caused by delayed sowing. *Frontiers in Nutrition*, 11, 1389745. <https://doi.org/10.3389/fnut.2024.1389745>
- Iskandar, N. F., Cahyono, L. B. C., Harmayani, E., & Witasari, L. D. (2024). High purity glucomannan after ultrasonic-assisted extraction and α -amylaseliquefaction of porang (*Amorphophallus oncophyllus*) flour. *Food Research*, 8(3), 242–251. [https://doi.org/10.26656/fr.2017.8\(3\).212](https://doi.org/10.26656/fr.2017.8(3).212)
- Jingyi, Y., Reddy, C. K., Fan, Z., & Xu, B. (2023). Physicochemical and structural properties of starches from non-traditional sources in China. *Food Science and Human Wellness*, 12(2), 416–423. <https://doi.org/10.1016/j.fshw.2022.07.043>
- Julianti, E., Lubis, Z., Ridwansyah, ., & Yusraini, E. (2020). Physical and Functional Properties of Purple Sweet Potato Starch as Affected by Isolation Methods: *Proceedings of The Food Ingredient Asia Conference (FiAC)*, 166–170. <https://doi.org/10.5220/0010565400003108>
- Julianti, E., Lubis, Z., Yusraini, E., & Ridwansyah. (2021). Physicochemical characteristics of fiber rich flour from solid waste of purple sweet potato starch processing. *IOP Conference Series: Earth and Environmental Science*, 924(1), 012038. <https://doi.org/10.1088/1755-1315/924/1/012038>
- Julianti, E., Rusmarilin, H., Ridwansyah, ., & Yusraini, E. (2018). Effect of Isolation Methods on Physicochemical Properties of Purple-fleshed Sweet Potato Starch: *Proceedings of the International Conference of Science, Technology, Engineering, Environmental and Ramification Researches*, 37–41. <https://doi.org/10.5220/0010079900370041>
- Kale, R., Shere, D., & Ks, G. (2017). Effect of isolation methods on physicochemical and functional properties of sweet potato (*Ipomoea batatas L.*) starch. *Journal of Pharmacognosy and Phytochemistry*, 6(4), 223–227.

Kantari, T. A. P., & Yulianto, K. (2022). ANALISIS KADAR AIR, KADAR PROTEIN DAN ORGANOLEPTIK PADA PENGOLAHAN UMBI PORANG (*Amorphopallus muelleri*) MENJADI TEPUNG KONJAC DENGAN VARIASI WAKTU PENGERINGAN. *Jurnal Ilmu Pangan dan Hasil Pertanian*, 6(2), 141–148. <https://doi.org/10.26877/jiph.v6i2.12188>

Karmakar, B., Saha, S. P., Chakraborty, R., & Roy, S. (2023). Optimization of starch extraction from *Amorphophallus paeoniifolius* corms using response surface methodology (RSM) and artificial neural network (ANN) for improving yield with tenable chemical attributes. *International Journal of Biological Macromolecules*, 237, 124183. <https://doi.org/10.1016/j.ijbiomac.2023.124183>

Kia, A. G., Ganjloo, A., & Bimakr, M. (2018). A Short Extraction Time of Polysaccharides from Fenugreek (*Trigonella foencrem graecum*) Seed Using Continuous Ultrasound Acoustic Cavitation: Process Optimization, Characterization and Biological Activities. *Food and Bioprocess Technology*, 11(12), 2204–2216. <https://doi.org/10.1007/s11947-018-2178-2>

Koswara, S. (2013). *Teknologi Pengolahan Umbi-Umbian Bagian 2: Pengolahan Umbi Porang*. Southeast Asian Food And Agricultural Science and Technology (SEAFAST) Center, Institut Pertanian Bogor.

Krishnakumar, T., & Rawson, A. (2016). *Optimization of Ultrasound-Assisted Extraction (UAE) of Starch from Cassava (*Manihot esculenta* Gratz) using Response Surface Methodology (RSM)*. Unpublished. <http://rgdoi.net/10.13140/RG.2.2.19099.31527>

Krishnakumar, T., & Sajeev, M. (2017). Response Surface Optimization of Bath Type Ultrasound-Assisted Extraction (UAE) of Native Starch from Fresh Cassava Tubers. *Advances in Research*, 12(3), 1–13. <https://doi.org/10.9734/AIR/2017/37317>

Krishnakumar, T., & Sajeev, M. S. (2018). Effect of Ultrasound Treatment on Physicochemical and Functional Properties of Cassava Starch. *International Journal of Current Microbiology and Applied Sciences*, 7(10), 3122–3135. <https://doi.org/10.20546/ijcmas.2018.710.362>

Kumar, R., & Reji, M. (2023). Response surface methodology (RSM): An overview to analyze multivariate data. *Indian Journal of Microbiology Research*, 9(4), 241–248. <https://doi.org/10.18231/j.ijmr.2022.042>

Kumoro, A. C., Retnowati, D. S., & Ratnawati, R. (2019). Chemical Compositions Changes during Hot Extrusion at Various Barrel Temperatures for Porang (*Amorphophallus Oncophyllus*) Tuber Flour Refining. *Journal of Physics:*

Conference Series, 1175, 012279. <https://doi.org/10.1088/1742-6596/1175/1/012279>

Kusnandar, F. (2019). *Kimia Pangan Komponen Makro*. Bumi Aksara.

Li, G., Ge, X., Guo, C., & Liu, B. (2023). Effect of Ultrasonic Treatment on Structure and Physicochemical Properties of Pea Starch. *Foods*, 12(13), 1–9. <https://doi.org/10.3390/foods12132620>

Lizawati, L., Kartika, E., Alia, Y., & Antony, D. (2023). IDENTIFICATION OF MORPHOLOGY AND DIVERSITY OF PORANG PLANTS (AMORPHOPHALLUS MUELLERI BLUME) IN KUMPEH ULU DISTRICT, MUARO JAMBI REGENCY. *AGRIC*, 35(1), 27–44.

Lu, W.-C., Chan, Y.-J., Tseng, F.-Y., Chiang, P.-Y., & Li, P.-H. (2019). Production and Physicochemical Properties of Starch Isolated from Djulis (*Chenopodium formosanum*). *Foods*, 8(551), 1–13.

Maghfirah, A., Mitri, A., & Brahmana, K. (2023). Effect of Gelatinization Temperature on the Physical Properties of Porang (*Amorphophallus oncophyllus*) Starch Bioplastics with Sorbitol Plasticizer. *Journal of Technomaterial Physics*, 05(01), 033–038.

Maghfirah, A., Sudiati, S., Br Sitepu, S. N. K., & Widjanti, M. (2023). The Effect of Using a Combination of Sorbitol and Glycerol Plasticizers on the Characterization of Edible Film from Porang (*Amorphophallus oncophyllus*) Starch. *Journal of Technomaterial Physics*, 5(2), 86–92. <https://doi.org/10.32734/jotp.v5i2.12397>

Maghfirah, A., Susilawati, Sofyan, M. Z., Siambaton, M. W., Sitepu, S. N. K. B., & Putra, O. P. (2023). The Characterization Of Porang Starch (*Amorphophallus Oncophyllus*) Biodegradable Plastic Using Sorbitol Plasticizer With The Glycerol Plasticizer Addition. *Journal of Physics: Conference Series*, 2672(1), 012001. <https://doi.org/10.1088/1742-6596/2672/1/012001>

Manimegalai, P., & Parimalavalli, R. (2020). Effect of Starch Isolation Methods on Chemical, Functional and Structural Properties of Pearl Millet Starch (*Pennisetum typhoidium*). *International Journal of Pharmaceutical Sciences and Research*, 12(8), 4457–4464.

Mieles-Gómez, L., Quintana, S. E., & García-Zapateiro, L. A. (2023). Ultrasound-Assisted Extraction of Mango (*Mangifera indica*) Kernel Starch: Chemical, Techno-Functional, and Pasting Properties. *Gels*, 9(2), 136. <https://doi.org/10.3390/gels9020136>

Milkias, M., Emire, S. A., Abebe, W., & Ronda, F. (2023). Effect of Ecotype and Starch Isolation Methods on the Physicochemical, Functional, and Structural Properties of Ethiopian Potato (*Plectranthus edulis*) Starch. *Molecules*, 28(21), 7260. <https://doi.org/10.3390/molecules28217260>

Nasrullah, M., Purwoko, & Sunarti, T. C. (2020). Acidic and enzymatic hydrolysis of glucomannan agroindustrial waste. *IOP Conference Series: Earth and Environmental Science*, 472(1), 012006. <https://doi.org/10.1088/1755-1315/472/1/012006>

Noor, M. H. M., Ngadi, N., Suhaidi, A. N., Inuwa, I. M., & Opotu, L. A. (2022). Response Surface Optimization of Ultrasound-Assisted Extraction of Sago Starch from Sago Pith Waste. *Starch - Stärke*, 74(1–2), 2100012. <https://doi.org/10.1002/star.202100012>

Novita, G., Supriadi, D., & Fatmawati, F. (2021). Artikel Review: Pengaruh Perlakuan Pada Pati Sebagai Superdisintegran Terhadap Waktu Hancur Fast Disintegrating Tablet. *Indonesia Natural Research Pharmaceutical Journal*, 6(1), 58–75.

Nur'aini, Dari, I. W., Setiawan, A. A., & Laksmiwati, D. R. (2021). Macronutrients Analysis of Porang Tubers (*Amorphophallus muelleri* Blume) Fermentation With *Lactobacillus Bulgaricus* Bacteria: *Dvances in Health Sciences Research*, 33. <https://doi.org/10.2991/ahsr.k.210115.096>

Nurkhamidah, S., Cahyarani Heksa, A., Widjaja, T., Ni'mah, H., & Wardhono, E. (2024). ONE-STEP ETHANOL EXTRACTION FOR PRODUCING PURIFIED GLUCOMANNAN FLOUR FROM PORANG CHIPS (AMORPHOPHALLUS ONCOPHYLLUS). *ASEAN Engineering Journal*, 14(3), 169–174. <https://doi.org/10.11113/aej.v14.21391>

Nurlela, Andriani, D., & Arizal, R. (2020). Ekstraksi Glukomanan Dari Tepung Porang. *Sains dan Terapan Kimia*, 14(2), 88–98.

Nurlela, N., Ariesta, N., Laksono, D. S., Santosa, E., & Muhandri, T. (2021). Characterization of Glucomannan Extracted from Fresh Porang Tubers Using Ethanol Technical Grade. *Molekul*, 16(1), 1–8. <https://doi.org/10.20884/1.jm.2021.16.1.632>

Nurlela, N., Ariesta, N., Santosa, E., & Mulandri, T. (2022). Physicochemical properties of glucomannan isolated from fresh tubers of *Amorphophallus muelleri* Blume by a multilevel extraction method. *Food Research*, 6(4), 345–353. [https://doi.org/10.26656/fr.2017.6\(4\).580](https://doi.org/10.26656/fr.2017.6(4).580)

Nurman, N., Silahudin, M., Muda, N., & Maulani, T. R. (2022). Karakterisasi Fisikokimia Pati Porang Pandeglang Banten. *Gorontalo Agriculture Technology Journal*, 5(2), 55–62. <https://doi.org/10.32662/gatj.v0i0.2423>

Oladebeye, A. O., Oladebeye, A. A., & Arawande, J. O. (2023). Physicochemical Properties of Wild Yam (*Dioscorea villosa*) Starch. *International Journal of Food Science*, 2023, 1–9. <https://doi.org/10.1155/2023/8868218>

Palacios-Fonseca, A. J., Castro-Rosas, J., Gómez-Aldapa, C. A., Tovar-Benítez, T., Millán-Malo, B. M., Del Real, A., & Rodríguez-García, M. E. (2013). Effect of the alkaline and acid treatments on the physicochemical properties of corn starch. *CyTA - Journal of Food*, 11(sup1), 67–74. <https://doi.org/10.1080/19476337.2012.761651>

Pasaribu, G. T., Hastuti, N., Efiyanti, L., Waluyo, T. K., & Pari, G. (2020). OPTIMASI TEKNIK PEMURNIAN GLUKOMANAN PADA TEPUNG PORANG (*Amorphophallus muelleri Blume*). *Jurnal Penelitian Hasil Hutan*, 37(7), 197–203. <https://doi.org/10.20886/jphh.2019.37.3.197-203>

Qi, Y., Du, F., Jiang, Z., Qiu, B., Guan, Q., Liu, J., & Xu, T. (2018). Optimization of starch isolation from red sorghum using response surface methodology. *LWT*, 91, 242–248. <https://doi.org/10.1016/j.lwt.2018.01.014>

Rahaman, A., Kumari, A., Zeng, X.-A., Adil Farooq, M., Siddique, R., Khalifa, I., Siddeeg, A., Ali, M., & Faisal Manzoor, M. (2021). Ultrasound based modification and structural-functional analysis of corn and cassava starch. *Ultrasonics Sonochemistry*, 80, 105795. <https://doi.org/10.1016/j.ultsonch.2021.105795>

Ramos, A. H., Rockenbach, B. A., Ferreira, C. D., Gufkoski, L. C., & De Oliveira, M. (2019). Characteristics of Flour and Starch Isolated from Red Rice Subjected to Different Drying Conditions. *Starch - Stärke*, 71(7–8), 1800257. <https://doi.org/10.1002/star.201800257>

Rashwan, A. K., Younis, H. A., Abdelshafy, A. M., Osman, A. I., Eletmany, M. R., Hafouda, M. A., & Chen, W. (2024). Plant starch extraction, modification, and green applications: A review. *Environmental Chemistry Letters*, 22(5), 2483–2530. <https://doi.org/10.1007/s10311-024-01753-z>

Said, M. A., Chaniago, R.-, Prima, M. R., & Dawaso, F.-. (2023). Effect of soaking time sodium metabisulfite (Na₂S₂O₅) and carboxymethyl cellulose (CMC) on the characteristics of lowe banana starch. *Jurnal Agrotek Ummat*, 10(2), 150. <https://doi.org/10.31764/jau.v10i2.13319>

Salman, Wahyuni, F. S., Suardi, M., & Djamaan, A. (2024). Synthesis and physicochemical characterization of sago starch-porang glucomannan hydrogels crosslinked fumaric acid as a new material for drug delivery system. *IOP Conference Series: Earth and Environmental Science*, 1356(1), 012078. <https://doi.org/10.1088/1755-1315/1356/1/012078>

Santos, T. P. R. dos, Leonel, M., Oliveira, L. A. de, Fernandes, A. M., Leonel, S., & Nunes, J. G. D. S. (2023). Seasonal Variations in the Starch Properties of Sweet Potato Cultivars. *Horticulturae*, 9(3), 303. <https://doi.org/10.3390/horticulturae9030303>

Santos, S. D. J. L., Pires, M. B., Amante, E. R., Da Cruz Rodrigues, A. M., & Da Silva, L. H. M. (2022). Isolation and characterization of starch from purple yam (*Dioscorea trifida*). *Journal of Food Science and Technology*, 59(2), 715–723. <https://doi.org/10.1007/s13197-021-05066-9>

Sanyaolu, N. O., Babalola, L. K., Alabi-Abas, M. O., Ibikunle, A. A., & Yussuf, S. T. (2022). STUDIES ON THE PHYSICOCHEMICAL AND PASTING PROPERTIES OF OXIDIZED SWEET POTATO (*Ipomoea batatas* L. (Lam) STARCH. *Journal of Chemical Society of Nigeria*, 47(4). <https://doi.org/10.46602/jcsn.v47i4.802>

Satiti, R., Utami, T., Widada, J., & Harmayani, E. (2024). Characterization and Prebiotic Activity in Vitro of Hydrolyzed Glucomannan Extracted from Fresh Porang Tuber (*Amorphophallus Oncophyllus*). *Trends in Sciences*, 22(1), 8617. <https://doi.org/10.48048/tis.2024.8617>

Setyaningsih, W., Karmila, Fathimah, R. N., & Cahyanto, M. N. (2021). Process Optimization for Ultrasound-Assisted Starch Production from Cassava (*Manihot esculenta* Crantz) Using Response Surface Methodology. *Agronomy*, 11(1), 117. <https://doi.org/10.3390/agronomy11010117>

Sholichah, E., Purwono, B., Murdiati, A., Syoufian, A., & Sarifudin, A. (2023). Extraction of glucomannan from porang (*Amorphophallus muelleri Blume*) with freeze-thaw cycles pre-treatment. *Food Science and Technology*, 43. <https://doi.org/10.5327/fst.1423>

Singla, D., Singh, A., Dhull, S. B., Kumar, P., Malik, T., & Kumar, P. (2020). Taro starch: Isolation, morphology, modification and novel applications concern - A review. *International Journal of Biological Macromolecules*, 163, 1283–1290. <https://doi.org/10.1016/j.ijbiomac.2020.07.093>

Suriati, L., Mangku, I. G. P., Chindrawati, A. A. S. M., Damayanti, N. L. P. S., Kesumayasa, N. P. G. S., & Putra, I. W. W. (2023). Analysis of The Characteristics of Porang Flour as A Coating Material After Treatment of NaCl Solution: Analysis of konjac flour after treatment of NaCl solution. *SEAS (Sustainable Environment Agricultural Science)*, 7(2), 145–152. <https://doi.org/10.22225/seas.7.2.7167.145-152>

Surin, S., You, S., Seesuriyachan, P., Muangrat, R., Wangtueai, S., Jambrak, A. R., Phongthai, S., Jantanarakulwong, K., Chaiyaso, T., & Phimolsiripol, Y. (2020). Optimization of ultrasonic-assisted extraction of polysaccharides from purple glutinous rice bran (*Oryza sativa* L.) and their antioxidant

activities. *Scientific Reports*, 10(1), 10410. <https://doi.org/10.1038/s41598-020-67266-1>

Tahar, N., Wahyuni, D., Adawiyah, R., Khaerani, & Wahyuddin, M. (2023). Formulation and Antibacterial Activity of Porang (*Amorphophallus muelleri Blume*) Extract Gel Against *Propionibacterium acne*. *Ad-Dawaa' Journal of Pharmaceutical Sciences*, 83–92. <https://doi.org/10.24252/djps.v6i1.38744>

Tan, S. X., Andriyana, A., Lim, S., Ong, H. C., Pang, Y. L., & Ngoh, G. C. (2021). Rapid Ultrasound-Assisted Starch Extraction from Sago Pith Waste (SPW) for the Fabrication of Sustainable Bioplastic Film. *Polymers*, 13(24), 4398. <https://doi.org/10.3390/polym13244398>

Ünlü, E. B., & Aykaç, Ç. (2023). Effect of ultrasound on isolation and properties of oat starch. *Czech Journal of Food Sciences*, 41(2), 111–117. <https://doi.org/10.17221/94/2022-CJFS>

Vithu, P., Dash, S. K., Rayaguru, K., Panda, M. K., & Nedunchezhiyan, M. (2020). Optimization of starch isolation process for sweet potato and characterization of the prepared starch. *Journal of Food Measurement and Characterization*, 14(3), 1520–1532. <https://doi.org/10.1007/s11694-020-00401-8>

Wang, B., Zhong, Z., Wang, Y., Yuan, S., Jiang, Y., Li, Z., Li, Y., Yan, Z., Meng, L., & Qiu, L. (2023). Recent progress of starch modification assisted by ultrasonic wave. *Food Science and Technology*, 43, e107522. <https://doi.org/10.1590/fst.107522>

Wardhani, D. H., Rahayu, L. H., Cahyono, H., & Ulya, H. L. (2020). Purification of Glucomannan of Porang (*Amorphophallus oncophyllus*) Flour using Combination of Isopropyl Alcohol and Ultrasound-Assisted Extraction. *Reaktor*, 20(4), 203–209. <https://doi.org/10.14710/reaktor.20.4.203-209>

Widjanarko, S. B., Ulandari, D., & Fibrianto, K. (2023). Response surface methodology in the optimization of walur (*Amorphophallus paeoniifolius* var. *Sylvestris*) starch pregelatinization process. *Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering*, 6(1), 62–71. <https://doi.org/10.21776/ub.afssaae.2023.006.01.6>

Widjanarko, S. B., Widayastuti, E., & Rozaq, F. I. (2015). Pengaruh Lama Penggilingan Tepung Porang (*Amorphophallus muelleri Blume*) Dengan Metode Ball Mill (Cyclone Separator) Terhadap Sifat Fisik dan Kimia Tepung Porang. *Jurnal Pangan dan Agroindustri*, 3(3), 867–877.

Wijaya, C., Do, Q. D., Ju, Y. H., Santoso, S. P., Putro, J. N., Laysandra, L., Soetaredjo, F. E., & Ismadji, S. (2019). Isolation and characterization of

starch from *Limnophila aromatica*. *Heliyon*, 5(5), e01622.
<https://doi.org/10.1016/j.heliyon.2019.e01622>

Winarno, F. G. (2002). *Kimia Pangan dan gizi*. P.T. Gramedia.

Witoyo, J. E., Argo, B. D., Yuwono, S. S., & Widjanarko, S. B. (2023). The response surface methodology approach successfully optimizes a dry milling process of porang (*Amorphophallus muelleri Blume*) flour production that uses micro mill- assisted by cyclone separator. *AgricEngInt: CIGR Journal*, 25(1).

Witoyo, J. E., Ni'maturohmah, E., & Utomo, P. A. R. (2023). Recent Trends in Porang Research via Bibliometrics Analysis Approach. *Jurnal Ilmiah Universitas Batanghari Jambi*, 23(3), 2723.
<https://doi.org/10.33087/jiubj.v23i3.3903>

Yadav, P., & Bosco, Dr. J. D. (2021). Optimization of isolation parameters for starch extraction from Amaranthus paniculatus (Rajgeera) using response surface methodology. *International Journal of Advanced Engineering Research and Science*, 8(9), 160–170. <https://doi.org/10.22161/ijaers.89.17>

Zhang, B., Wang, K., Hasjim, J., Li, E., Flanagan, B. M., Gidley, M. J., & Dhital, S. (2014). Freeze-Drying Changes the Structure and Digestibility of B-Polymorphic Starches. *Journal of Agricultural and Food Chemistry*, 62(7), 1482–1491. <https://doi.org/10.1021/jf405196m>

Zhu, F. (2015). Isolation, Composition, Structure, Properties, Modifications, and Uses of Yam Starch. *Comprehensive Reviews in Food Science and Food Safety*, 14(4), 357–386. <https://doi.org/10.1111/1541-4337.12134>