

Daftar Pustaka

- Alon, T., Hemo, I., Itin, A., Pe'er, J., Stone, J., and Keshet, E., 1995. Vascular endothelial growth factor acts as a survival factor for newly formed retinal vessel and has implications for retinopathy of prematurity. *Nat Med.*, 1:1024-1028.
- Antonios TFT, Rattray FM, Singer DRJ et al. Rerefaction of skin capillaries in normotensive offspring of individuals with essential hypertension. *Heart* 2003; 9: 175-178
- Beevers, G., Lip, Y.H., and O'Brien, E.G., 2001. ABC of hypertension the pathophysiology of hypertension. *BMJ*; 322 : 912-916.
- Boegehold, M.A. and Kotchen, T.A., 1990. Effect of dietary salt on the skeletal muscle microvasculature in Dahl rats. *Hypertension*; 15: 420-426.
- Bhargva, Pankaj., 2009. VEGF kinase inhibitor: how do they cause hypertension?. *Am J Physiol Regul Integr Comp Physiol* 297: R1-R5
- Boegehold, M.A., 1993. Microvascular changes associated with high salt intake and hypertension in Dahl rats. *Int J Microcirc Clin Exp.*; 12: 143-156.
- Broderick, J.P., Brott, T., and Kothari, R., 1998. The greater Cincinnati / Northern Kentucky stroke study: preliminary first-ever and total incidence rates of stroke among blacks. *Stroke*; 29: 415-21.
- Caballero, A.E., 2003. Endothelial dysfunction in obesity and insulin resistance: a road to diabetes and heart disease. *Obese. Res.* 11: 1278-1289
- Carmeliet, P., and Collen, D., 1998. Vascular development and disorder: molecular analysis and pathogenic insight. *Kidney international* 53: 1519-1529
- Chobanian, A.V., Bakris, G.L., Black, H.R., Cushman, W.C., Green, L.A., Izzo, J.L., Jr., 2003. The Seventh Report of The Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure. *JAMA*; 289: 2560-2572.
- Connor, J.A., and Shuttleworth, C.W.R., 2002. Intracellular Ca²⁺ signals Underlying Rapid and Delayed Excitotoxicity in mature CNS in Rick, C.S.L. *New Concepts in Cerebral Ischemia*. CRC Press. Boca Raton, London, New York, Washington.

- Donnan, G.A., Fishe, M., Macleod, M., and Davis, S.M., 2008. Stroke (seminar). *Lancet*; 371: 1612-1623.
- Ebinc, FA., Haksun, E., Ulver. DB., Koc, E., Erten, Y., Altok, KR., Bali, M., Sindel, S., 2008. The relationship between vascular endothelial growth factor (VEGF) and microalbuminuria in patient with essential hypertension. *Inter Med* 47: 1511-1516
- Ema, M., Taya, S., Yokotani, N., Sogawa, K., Matsuda, Y., and Fujii-Kuriyama, Y., 1997. A novel bHLH-PAS factor with close sequence similarity to hypoxia-inducible factor 1 alpha regulates the VEGF expression and is potentially involved in lung and vascular development. *Proc Natl Acad Sci USA*; 94: 4273- 4278
- Feldemen DC, Spencer CG, Belgore FM. Endothelial Damage and angiogenesis in hypertensive patients : relation to cardiovascular risk factor and risk factor management. *Am J Hypertens* 2003; 16:11-20
- Ferrara, N. and Henzel, W.J., 1989. Pituitary follicular cells secrete a novel heparin-binding growth factor specific for vascular endothelial cells. *Biochem. Biophys. Res. Commun.*; 161: 851-858.
- Ferrara, N., 2004. Vascular endothelial growth factor: basic science and clinical progress. *Endocr. Rev.*; 25: 581-611.
- Forsythe, JO A., Hua, J.B., Narayan, I., Agani, F., Sandra, L.W., Robert, K.D., and Gregg, S.L., 1996. Activation of vascular Endothelial Growth factor gene transcription by hypoxia-inducible Factor-1. *Molecular and cellular biology*. 4604-4613.
- Gelinas DS, Bernatchez PN, Rollin S, Bazan NG, Sirois MG. (2002) Immediate and delayed VEGF-mediated NO synthesis in endothelial cells: role of PI3K PKC and PLC pathways. *Br J Pharmacol.*; 137: 1021-30
- Goetz and Christopher G., 3rd edition. 2007. Text Book Of Neurology. Saunders imprint of Elsevier inc. Philadelphia.
- Gerber, H.P., Hillan, K.J., Ryan, A.M., Kowalski, J., Keller, G.A., Rangell, L., Wright, B.D., Radtke, F., Aguet, M., and Ferrara, N., 1999., VEGF is required for growth and survival in neonatal mice. *Development.*, 126:1149-1159.
- Guyton, A.C., Hall, J.E., 2010. Textbook of Medical Physiology 12th edition. *Elsevier*: Philadelphia

- Henry TD, Annex BH, McKendall GR.2003. The VIVA trial: Vascular endothelial growth factor in Ischemia for vascular angiogenesis. *Circulation*; 107: 1359-1365
- Hood JD, Meininger CJ, Ziche M, Granger HJ. VEGF upregulates eNOS message, protein, and NO production in human endothelial cells. *Am J Physiol* 1998;274:H1051-H1058.
- Horowitz, J., Rivard, A., Zee, Rvd., Hariawala, M., Sheriff, DD., Esakof, DD., Chaudhry, M., Symes, F., Isner, JM., 1997. Vascular endothelial growth factor/vascular permeability factor produces nitric oxide-dependent hypotension. *Arteriosclerosis.Thrombosis. and Vascular biology* 1997; 17:2793-2800
- Isner, J.M., Vale, P.R., Symes, J.F., and Losordo, D.W., 2001. Assessment of risks associated with cardiovascular gene therapy in human subjects. *Circ Res*; 89: 389-400.
- Issa, R., Krupinski, J., Bujny, T., Kumar, S., Kaluza, P. and Kumar, P., 1999. Vascular endothelial growth factor and its receptor, KDR, in human brain tissue after ischemic stroke. *Lab. Invest.*; 79: 417-425
- Klekamp, J.G., Jarzecka, K., and Perkett, E.A., 1999. Exposure to hyperoxia decreases the expression of vascular endothelial growth factor and its receptors in adults rat lungs. *Am J Pathol*; 154: 823-31.
- Ku, D.D., Zaleski, J.K., Liu, S., and Brock, T.A., 1993. Vascular endothelial growth factor induces EDRF dependent relaxation in coronary arteries. *Am J Physiol*. 256:586-592.
- Lenmyr F, Ata KA, Funa K, Olsson Y, Terent A. Expression of vascular endothelial growth factor (VEGF) and its receptors (Flt-1 and Flk-1) following permanent and transient occlusion of the middle cerebral artery in the rat. *J Neuropathol Exp Neurol*. 1998;57:874 - 882.
- Fauci, Braunwald, Kasper, Hauser, Longo, Jameson, Loscalzo. 2008. *Harrison's: Principle of Internal Medicine 17th Edition*. Mc. Graw-Hill's
- Leung, D.W., Cachianes, G., Goeddel, D.V. and Ferrara, N., 1989. Vascular endothelial growth factor is a secreted angiogenic mitogen. *Science*; 246: 1306-9.

- Libby, P., 2002. Inflammation in atherosclerosis. *Nature*;420: 868-74.
- Love, S., 1999. Oxidative stress in brain ischemia. *Brain pathology*;9: 119-131
- Marti, H.J.H., Bernaudin, M., Bellail, A., Schoch, H., Euleur, M., Petit, E., and Risau W., 2000. Hypoxia induced vascular endothelial growth factor expression precedes neovascularization after cerebral ischemis. *Am J Pathol*; 156: 965-976
- Misbach J., 2000. Clinical pattern of hospitalized strokes in 28 hospitals in Indonesia. *Med J Indonesia*; 9: 29-34.
- Neufeld, G., Cohen, T., Gengrinovitch, S., Poltorak, Z. 1999. Vascular endothelial growth factor (VEGF) and its receptors. *The FASEB journal* ; 13 : 9-22
- Noon JP, Walker BR, Webb DJ et al. Impaired microvascular dilatation and capillary rarefaction in young adults with a predisposition to high blood pressure. *J Clin Invest* 1997; 99: 1873-1879
- Oparil, S., Zaman, A.M., and Calhaun, D.A., 2003. Pathogenesis of Hypertension. *Ann intern Med.* 139: 761-776.
- Ogawa, S., Oku, A., Sawano, A., Yamaguchi, S., Yazaki, Y., and Shibuya, M., 1998. A Novel Type of Vascular Endothelial Growth Factor, VEGF-E (NZ-7 VEGF), Preferentially Utilizes KDR/Flk-1 Receptor and Carries a Potent Mitotic
- Otani, A., Takagi, H., Suzuma, K., Honda, Y., 2008. Angiotensin II potentiates vascular endothelial growth factor-induced angiogenic activity in retinal microcapillary endothelial cells. *Circulation.* 82:619-628
- Pepper, M.S., Ferrara, N., Orci, L., and Montesano, R., 1992. Potent synergism between vascular endothelial growth factor and basic fibroblast growth factor in the induction of angiogenesis *in vitro*. *Biochem Biophys Res Commun.*, 189: 824-831.
- Poulet, J., Schilling, J., and Gospodarowicz, D., 1989. Isolation and characterization of a newly identified endothelial cell mitogen produce by AtT20 cell. *EMBO J.*, 8:3801-3808.
- Phillips, S.J., 1994. Pathophysiology and management of hypertension in acute ischemic stroke [clinical conference]. *Hypertension*; 23:131-136.
- Saijonmaa, O., Nyaman, T., Stewen, P., Fyhrquist, F., 2004. Atrovastatin completely inhibits VEGF-

- induced ACE upregulation in human endothelial cells. *Am J Physiol Heart Circ Physiol* 286:H2096-H2102.
- Senger, D.R., Galli, S.J., Dvorak, A.M., Perruzzi, C.A., Harvey, V.S. and Dvorak, H.F., 1983. Tumour cells secrete a vascular permeability factor that promotes accumulation of ascites fluid. *Science*; 219:983-985.
- Slevin, M., Krupinski, J., Slowik, A., Kumar, P., Szczudlik, A., Gaffney, J. 2000. Serial measurement of vascular endothelial growth factor and Transforming Growth factor β -1 in serum patients with acute ischemic stroke. *Stroke*; 3 : 1863-1860.
- Tania, M., Andrew, H.J., and Brindle, N.P.J., 2008. Vascular Endothelial Growth Factor and Angiopoietins in Neurovascular Regeneration and Protection Following Stroke. *Current Neurovascular Research* 5:236-245.
- Touyz, R.M., Mercure, C., He, Y., Javeshghani, D., Yao, G., Callera, G.E., Yogi, A., Loehndorff, N., Reudelhuber, T.L. 2005. Angiotension II-dependent Chronic hypertension and cardiac hypertrophy are unaffected by gp91phox-containing NADPH oxidase. *Hypertension*. 45:530-537
- Tran, J., Rak, J., Sheehan, C., Saibil, S.D., LaCasse, E., Korneluk, R.G., Kerbel, R.S., 1999. Marked induction of the IAP family antiapoptotic proteins surviving and XIAP by VEGF in vascular endothelial cells. *Biochem Biophys Res Commun* 264:781-788.
- Tsai WC, Li YH, Huang YY, Lin CC, Chao TH, Chen JH., 2005. Plasma vascular endothelial growth factor as a marker for early vascular damage in hypertension. *Clin Sci* 109 (1): 39-43.
- Tran, J., Master, Z., Yu, J.L., Rak, J., Dumont, D.J., Kerbel, R.S., 2002. A Role for surviving in chemoresistance of endothelial cells mediated by VEGF. *Proc Natl Acad Sci USA*, 99:4349-4354.
- Sane D.C., Anton L., Broshinan K.N., 2004. Angiogenic Growth Factors and Hypertension. *Angiogenesis* 7:193-201
- Storkebaum, E., and Carmeliet, P., 2004. VEGF : a critical player in neurodegeneration. *J.Clin. Invest* :113: 14-18.
- Yaoming, W., Kilic, E., Kilic, U., Weber, B., Besseti, C.L. Martin, H., Hermann, D.M., 2005. VEGF over

expression induce post-ischaemic neuroprotection, but facilitates haemodynamic steal phenomena. *Brain*; 128 : 52-63.

- Wolf, P.A., Clagett, G.P., Easton, J.D., Goldstein, L.B., Gorelick, P.G., Kelly-Hayes, M., Sacco, R.L., and Whisnant, J.P., 1999. Preventing ischemic stroke in patients with prior stroke and transients ischemic attack. A statement for healthcare professionals from the Stroke Council of the American Heart Association. *Stroke* 30: 1991-94.
- World Health Organization: Departement of Noncommunicable Disease Surveillance. 1999. *Definition, Diagnosis and Classification of Diabetes Mellitus and its Complication: Report of a WHO Consultation*. World Health Organization: Departement of Noncommunicable Disease Surveillance. Geneva
- Vaupel, P., 2004. The role of hypoxia-induced factors in tumor progression. *Oncologist* 9; (Suppl 5): 10-17
- Viazzi F, Leoncini G, Ratto E, et al 2006. Microalbuminuria, blood pressure load, and systemic vascular permeability in primary hypertension. *Am J Hypertens* 19 (11): 1183-1189.
- Zoppo, Gregory., Hallenbeck, J.M., 2000. Advance in the vascular pathophysiology of ischemic stroke : thrombosis research. *Elsevier Science* ; p.73-81.
- Zhu X, Wu S, Dahut WL, Parikh CR., 2007 Risks of proteinuria and hypertension with bevacizumab, an antibody against vascular endothelial growth factor: systematic review and meta-analysis. *Am J Kidney Dis* 49 (2): 186-193.