

DAFTAR PUSTAKA

- Aliah, A., Kuswara, F.F., Limoa, A., Wuyang, G. 2007. Gambaran umum tentang gangguan peredaran darah otak dalam *Kapita Selekta neurologi* hal: 81-115 cetakan keenam editor Harsono. Gadjah Mada Univesity press, Yogyakarta.
- Allen, C.M.C., 1984. Predicting the outcome of acute stroke: a prognostic score. *J Neurol Neurosurgery Psychiatry*; 47: 475-480.
- Amarenco, P., Labreuche, J., 2009. Lipid management in the prevention of stroke: review and updated meta-analysis of statin for stroke prevention. *Lancet Neurol*; 8:453-463.
- Arenillas, J.F., Alvarez-Sabin, J., Montaner, J., Rosell, A., Molina, C.A., Rovira, A., Ribo, M., Sanchez, E., and Quintana, M., 2005. Angiogenesis in Symptomatic Intracranial Atherosclerosis. Predominance of the Inhibitor Endostatin Is Related to a Greater Extent and Risk of Recurrence. *Stroke*; 36: 92-97.
- Bakhai, 2004. The burden of coronary, cerebrovascular and peripheral arterial disease, *Pharmacoeconomics*; 22 (Suppl.4): 11-18.
- Barleon, B., Sozzani, S., D. Zhou, D., H. A. Weich, A. Mantovani dan D. Marme., 1996. Migration of human monocyte in response to vascular endothelial growth factor (VEGF) is mediated via the VEGF receptor flt-1. *Blood*; vol.87, no.8:3336-3343.
- Bhardwaj, S., Roy, H., Gruchala, M., Viita, H., Kholova, I., Kokina, I., Achen, M.G., Stacker, S.A., Hedman, M., Alitalo, K. and Yla-Herttuala S., 2003. Angiogenic responses of vascular endothelial growth factors in periadventitial tissue. *Hum Gene Ther.* 14, 1451-1462.
- Bhardwaj, S., Roy, H., Heikura, T. and Yla-Herttuala, S., 2005. VEGF-A, VEGF-D and VEGF-D (DeltaNDeltaC) induced intimal hyperplasia in carotid arteries. *Eur. J. Clin. Invest.* 35, 669-676.
- Bhardwaj, S., Roy, H., Karpanen, T., He, Y., Jauhiainen, S., Hedman, M., Alitalo, K. and Yla-Herttuala, S., 2005. Periadventitial angiopoietin-1 gene transfer induces angiogenesis in rabbit carotid arteries. *Gene Ther*; 12, 388-394.
- Blann, A.D., Lip, G.Y.H., 1998. The endothelium in atherothrombotic disease. *Blood Coag Fibrinolys.*; 9:297-306.

- Brasen, J.H., Kivela, A., Roser, K., et.al., 2001. Angiogenesis, vascular endothelial growth factor and platelet-derived growth factor-bb expression, iron deposition, and oxidation-specific epitopes in stented human coronary arteries. *Arterioscler Thromb Vasc Biol*; 21: 1720-6.
- Broderick, J.P., Brott, T., and Kothari, R., 1998. The greater Cincinnati / Northern Kentucky stroke study: preliminary first-ever and total incidence rates of stroke among blacks. *Stroke*; 29: 415-21.
- Caballero, A.E., 2003. Endothelial dysfunction in obesity and insulin resistance: a road to diabetes and heart disease. *Obes. Res.* 11: 1278-1289.
- Celletti, F.L., Waugh, J.M., Amabile, P.G., Kao, E.Y., Boroumand, S. and Dake, M.D., 2002. Inhibition of vascular endothelial growth factor-mediated neointima progression with angiostatin or paclitaxel. *J. Vasc. Interv. Radiol.* 13, 703-707.
- Chen, Y-X., Nakashima, Y., Tanaka, K., Shiraishi, S., Nakagawa, K., Sueishi, K., 1999. Immunohistochemical Expression of Vascular Endothelial Growth Factor/Vascular Permeability Factor in Atherosclerotic Intimas of Human Coronary Arteries. *Arterioscler Thromb Vasc Biol.*;19:131-139.
- Cobbs, C.S., Chen J., Greenberg, D.A., Graham, S.H., 1998. Vascular endothelial growth factor expression in transient focal cerebral ischaemia in the rat. *Neurosci Lett.*;249:79-82.
- Cohen, S.N., 2000. The subacute stroke patient: Preventing recurrent stroke in Cohen., S.N., *Management of Ischemic Stroke*. Mc Graw Hill, Health Professions Division. P. 89-109.
- Connor, J.A and Shuttleworth, C.W.R. 2002. Intracellular Ca²⁺ signals Underlying Rapid and Delayed Excitotoxicity in mature CNS in Rick, C.S.L. *New Concepts in Cerebral Ischemia*. CRC Press. Boca Raton, London, New York, Washington.
- Constantinides, P., 1977. The morphological basis for altered endothelial permeability in arteriosclerosis. *Adv Exp Med Biol*;82:969-74.
- Couffinhal, T., Kearney, M., Witzenbichler, B., et al., 1997. Vascular endothelial growth factor/vascular permeability factor (VEGF/VPF) in normal and atherosclerotic human arteries. *Am J Pathol*;150:1673-1685.

- Dulak, J., Jozkowicz, A., 2003. Regulation of vascular endothelial growth factor synthesis by nitric oxide: facts and controversies. *Antioxid Redox Signal.*;5(1):123-132.
- Epstein, S.E., Stabile, E., Kinnaired, T., et al., 2004. Janus phenomenon: the interrelate tradeoffs inherent in therapies designed to enhance collateral formation and those designed to inhibit atherogenesis. *Circulation.*;109:2826-2831.
- Ferrara, N. and Henzel, W.J., 1989. Pituitary follicular cells secrete a novel heparin-binding growth factor specific for vascular endothelial cells. *Biochem. Biophys. Res. Commun.*; 161: 851-858.
- Ferrara, N. and Smith, T.D., 1997. The Biology of Vascular Endothelial Growth Factor. *Endocrine Reviews*; 18(1): 4-24.
- Ferrara, N., 1999. Molecular and biological properties of vascular endothelial growth factor. *J Mol Med*;77:527-543.
- Ferrara, N., 2001. Role of vascular endothelial growth factor in regulation of physiological angiogenesis. *Am J Physiol Cell Physiol*; 280: C1358-C1366.
- Ferrara, N., 2004. Vascular endothelial growth factor: basic science and clinical progress. *Endocr. Rev.*; 25: 581-611.
- Folkman, J. and Shing, Y., 1992. Angiogenesis. *J Biol Chem*; 267: 10931-10934.
- Fong, G., Rossant, J., and Gartsenstein, M., 1995. Role of the Flt-1 receptor tyrosine kinase in regulating the assembly of vascular endothelial. *Nature*; 376: 67-70.
- Frost, H., Hess, H., 1969. Pathogenesis of arterial occlusive diseases. II. Observations with stereoscan electron microscope on the reparations of endothelial defects in arteries. *Klin Wochenschr*;47:245-9.
- Frost, H., 1972. Endothelial lesions and deposits of blood elements as the initial event in the pathogenesis of arteriosclerosis. *Verh Dtsch Ges Inn Med.*;78:1139-45.
- Gau, G.T., Wright, R.S., 2006. Pathophysiology, Diagnosis, and Management of Dyslipidemia. *Curr Probl Cardiol*;31: 445-486.
- Giurgea, A.G., Margeta, C., Maca, T., Rezaie-Majd, A., Bucek, R.A., Manavi, M., et al., 2006.

- Simvastatin reduces serum level of vascular endothelial growth factor in hypercholesterolemic patients. *J Cardiovasc Pharmacol.*;47(1):30-36.
- Glass, C.K., Witztum, J.L., 2001. Atherosclerosis: the road ahead. *Cell*;14:503-16.
- Gorelick, P.B, Schneck, M., Berglund, L.F., Feinberg, W., Goldstone, J., 1997. Status of lipids as a risk factor for stroke. *Neuroepidemiology.*;16:107-115.
- Greenberg, D.A., 1998. Angiogenesis and stroke. *Drug News and Perspectives.*;11:265-270.
- Soubrane C., Mouawad R., Rixe O., Spano J.-P., Gatineau M., Khayat D., 2004. Changes in circulating VEGF-A levels related to clinical response during biochemotherapy in metastatic malignant melanoma. *Journal of Clinical Oncology, 2004 ASCO Annual Meeting Proceedings (Post-Meeting Edition)*. Vol 22, No 14S (July 15 Supplement), 2004: 7531.
- Amoudruz P., Strom M., Khademi M., Brundin L., et al., 2011. The Expression of VEGF-A Is Down Regulated in Peripheral Blood Mononuclear Cells of Patients with Secondary Progressive Multiple Sclerosis. *PLoS ONE* 6(5): e19138. doi:10.1371/journal.pone.0019138
- Greenberg, D.A., Jin, K. 2005. From angiogenesis to neuropathology. *Nature*;438:954-959
- Gu, J.W. and Adair, T.H., 1997. Hypoxia-induced expression of VEGF is reversible in myocardial vascular smooth muscle cells. *Am J Physiol*; 273 (2 Pt 2): H628-33.
- Gutstein, W.H., Farrell, G.A., 1972. Endothelial defects and blood flow disturbance in atherogenesis. *Experientia.*;28:1299-300.
- Hacke, W., Kaste, M., Bogousslavsky, J., Brainin, M., Chamorro, A., Lees, K., Leys, D., and Toni, D., 2003. *Ischemic Stroke Prophylaxis and Treatment - European Stroke Initiative Recommendations 2003*.
- Henry, P.D., 1994. Hyperlipidaemic endothelial injury and angiogenesis. *Basic Res Cardiol.*;1:107-114.
- Hoeben, A., Landuyt, B., Highley, M.S., Wildiers, H., Van Oosterom, A.T., and De Bruijn, E.A., 2004. Vascular Endothelial Growth Factor (VEGF) and angiogenesis. *Pharmacol Rev*;56:549-580.
- Inoue, M., Itoh, H., Tanaka, T., Chun, T.H., Doi, K., Fukunaga, Y., et al., 2001. Oxidized LDL regulates vascular endothelial growth factor expression in human macrophages and endothelial cells through

- activation of peroxisome proliferator-activated receptor-gamma. *Arterioscler Thromb Vasc Biol.*; 21(4): 560-566.
- Inoue. M., Itoh. H., Ueda, M., Naruko, T., Kojima, A., Komatsu, R., Doi, K., Ogawa, Y., Tamura, N., Takaya, K., Igaki, T., Yamashita, J., Chun, T.H., Masatsugu, K., Becker, A.E., Nakao, K., 1998. Vascular endothelial growth factor (VEGF) expression in human coronary atherosclerotic lesions: possible pathophysiological significance of VEGF in progression of atherosclerosis. *Circulation.*;98: 2108-16.
- Irie, S., Tavassoli, M., 1991. Transendothelial transport of macromolecules: the concept of tissue-blood barriers. *Cell Biol Rev.*;25: 317-33, 40-1.
- Isner, J.M., Vale, P.R., Symes, J.F., and Losordo, D.W., 2001. Assessment of risks associated with cardiovascular gene therapy in human subjects. *Circ Res*; 89: 389-400.
- Issa, R., Krupinski, J., Bujny, T., Kumar, S., Kaluza, P. and Kumar, P., 1999. Vascular endothelial growth factor and its receptor, KDR, in human brain tissue after ischemic stroke. *Lab. Invest.*; 79: 417-425.
- Ji, R., Schwamm, L.H, Pervez, A.M., Singhal, A.B., 2012. Ischemic Stroke and Transient Ischemic Attack in Young Adults: Risk Factors, Diagnostic Yield, Neuroimaging, and Thrombolysis. *Arch Neurol.*():1-7 (abstract). <http://archneur.jamanetwork.com/article.aspx?articleid=1387594>
- Josko, J., Gworzd, Z.B., Szypulka, H.J., Hendryk, S., 2000. Vascular Endothelial Growth Factor (VEGF) and its effect on angiogenesis. *Med Sci Monit*; 6(5): 1047-1052.
- Kasprzak, J.D., Klosinska, M., Drozd, J., 2006. Clinical aspects of assessment of endothelial function. *Pharmacol Rep.*;58(Suppl):33-40.
- Klekamp, J.G., Jarzecka, K., and Perkett, E.A., 1999. Exposure to hyperoxia decreases the expression of vascular endothelial growth factor and its receptors in adults rat lungs. *Am J Pathol*; 154: 823-31.
- Krupinski, J., Issa, R., Bujny, T., et al., 1997. A putative role for platelet-derived growth factor

- in angiogenesis and neuroprotection after ischemic stroke in humans. *Stroke*; 28(3): 564-573.
- Krupinski, J., Kaluza, J., Kumar, P., Kumar, S., 1996. Immunocytochemical studies of cellular reaction in human ischemic brain stroke MAB anti-CD68 stains macrophages, astrocytes and microglial cells in infected area. *Folia Neuropathol*; 34(1): 17-24.
- Krupinski, J., Kumar, P., Kumar, S., Wang, J.M., 1994. Role of angiogenesis in patients with cerebral ischemic stroke. *Stroke*; 25(9): 1794-1798.
- Kumamoto, M., Nakashima, Y., Sueishi, K., 1995. Intimal neovascularization in human coronary atherosclerosis: its origin and pathophysiological significance. *Hum Pathol* 26:450-456.
- Lamsudin, R., 1998. Stroke profile in Yogyakarta morbidity, mortality, and risk factor of stroke. In: Lamsudin, R., Wibowo, S., Nuradyo, D., Sutarni, S., (Eds), Recent Management of Stroke. *BKM ; Supl XIV*: 53-69.
- Leung, D.W., Cachianes, G., Goeddel, D.V. and Ferrara, N., 1989. Vascular endothelial growth factor is a secreted angiogenic mitogen. *Science*; 246: 1306-9.
- Li, J., Thorne, L.N., Punjabi, N.M., Sun, C.K., Schwartz, A.R., Smith, P.L., Marino, R.L., Rodriguez, A., Hubbard, W.C., O'Donnell, C.P., Polotsky, V.Y., 2005. Intermittent hypoxia induces hyperlipidemia in lean mice. *Circ Res*; 97(7): 698-706 [PubMed: 16123334].
- Libby, P., 1995. Molecular bases of the acute coronary syndromes. *Circulation*; 91(11): 2844-50.
- Lip, P.L., Belgore, F.M., and Blann, A.D., 2000. Plasma vascular endothelial growth factor and soluble VEGF receptor Flt-1 in proliferative retinopathy: a pilot study of the relationship to endothelial dysfunction and laser treatment. *Invest Ophthalmol Vis Sci*; 41: 2115-9.
- Liu, Y., Cox, S.R., Morita, T., dan Kourembanas, S., 1995. Hypoxia regulates vascular endothelial growth factor gene expression in endothelial cells: identification of a 5' enhancer. *Circulation Research*; vol.77, no.3: 638-643.
- Lizasoain, I., Moro, M.A., Fernandez-Lopez, D., Pradillo, J.M., Sobrino, T., Castillo, J., 2007. Plasticidad, neurogenesis y angiogenesis; Medica books.

- Love, B.B., 1999. *Ischemic Stroke*. In (Gilman S, Goldstein G.W., Waxman, S.G., eds). *Neurobase*, 2nd ed. San Diego: Arbor Publishing.
- Love, S., 1999. Oxidative stress in brain ischemia. *Brain Pathology*; 9: 119-131.
- Marti, H.J.H., Bernaudin, M., Bellail, A., Schoch, H., Euler, M., Petit, E., and Risau, W., 2000. Hypoxia Induced Vascular Endothelial Growth Factor Expression Precedes Neovascularization after Cerebral Ischemia. *Am J Pathol*; 156: 965-976.
- Masaki, I., Yonemitsu, Y., Komori, K., et al., 2001. Recombinant Sendai virus-mediated gene transfer to vasculature: a new class of efficient gene transfer vector to the vascular system. *FASEB J* 15:1294-1296.
- Masaki, I., Yonemitsu, Y., Yamashita, A., et al., 2002. Angiogenic gene therapy for experimental critical limb ischemia; acceleration of limb loss by overexpression of vascular endothelial growth factor 165 but not fibroblast growth factor-2. *Circ Res* 90:966-973.
- Matsumoto, T. and Mugishima, H., 2006. Signal transduction via vascular endothelial growth factor (VEGF) receptors and their roles in atherogenesis. *J. Atheroscler. Thromb.* 13, 130-135.
- Mattson, M.P., Duan, W., Pedersen, W.A. and Culmsee, C., 2001. Neuro-degenerative disorders and ischemic brain diseases. *Apoptosis*; 6: 69-81.
- Misbach, J., 2000. Clinical pattern of hospitalized strokes in 28 hospitals in Indonesia. *Med J Indonesia*; 9: 29-34.
- Moulton, K.S., Vakili, K., Zurakowski, D., et al., 2003. Inhibition of plaque neovascularization reduces macrophage accumulation and progression of advanced atherosclerosis. *Proceedings of the National Academy of Sciences of the United States of America*; vol.100, no.8: 4736-4741.
- Murray, R.K., Granner, D.K., Mayes, P.A., Rodwell, V.W., Lechninger, A.L., 2003. *Harper's Illustrated Biochemistry*, 26 ed., Lange Medical Books/Mc.Graw-Hill.
- Nakano, T., Nakashima, Y., Yonemitsu, Y., et al., 2005. Angiogenesis and lymphangiogenesis and expression of lymphangiogenic factors in the atherosclerotic

- intima of human coronary arteries. *Hum Pathol* 36:330-340.
- Neufeld, G., Cohen, T., Gengrinovitch, S., Poltorak, Z., 1999. Vascular endothelial growth factor (VEGF) and its receptors. *FASEB J.*;13:9-22.
- Ogawa, S., Oku, A., Sawano, A., Yamaguchi, S., Yazaki, Y., and Shibuya, M., 1998. A Novel Type of Vascular Endothelial Growth Factor, VEGF-E (NZ-7 VEGF), Preferentially Utilizes KDR/Flk-1 Receptor and Carries a Potent Mitotic Activity without Heparin-binding Domain. *The Journal of Biological Chemistry*; 273 (47): 31273-31282.
- Ohtani, K., Egashira, K., Hiasa, K., et al., 2004. Blockade of vascular endothelial growth factor suppresses experimental restenosis after intraluminal injury by inhibiting recruitment of monocyte lineage cells. *Circulation*; 110:2444-2452.
- Oltmanns, K.M., Gehring, H., Rudolf, S., Schultes, B., Hackenberg, C., Schweiger, U., Born, J., Fehm, H.L., and Peters, A., 2006. Acute hypoxia decreases plasma VEGF concentration in healthy humans *Am J Physiol Endocrinol Metab*; 290: E434-E439.
- Onimaru, M., Yonemitsu, Y., Tanii, M., et al., 2002. Fibroblast growth factor-2 gene transfer can stimulate hepatocyte growth factor expression irrespective of hypoxia-mediated down regulation in ischemic Umb. *Circ Res* 91:923-930.
- Panutsopoulos, D., Papalambros, E., Sigala, F., Zafiropoulos, A., Arvanitis, D., and Spandidos, D.A., 2005. Protein and mRNA expression levels of VEGF-A and TGF-beta1 in different types of human coronary atherosclerotic lesions. *International Journal of Molecular Med.*;15: 603-610.
- Petrovan, R.J., Kaplan, C.D., Reisfeld, R.A., Curtiss, L.K., 2007. DNA vaccination against VEGF receptor 2 reduces atherosclerosis in LDL receptor-deficient mice. *Arterioscler Thromb Vasc Biol.*;27(5): 1095-1100.
- Plate, K., 1999. Mechanism of angiogenesis in the brain. *J Neuropathol Exp Neurol.*;58: 313-320.
- Rossen, L.S., 2002. Clinical experience with angiogenesis signaling inhibitors focus on Vascular Endothelial Growth Factor (VEGF) blockers. *Cancer control*; 9(supl 12):36-44.

- Roy, H., 2006. Vascular Endothelial Growth Factors (VEGFs)-Role in Perivascular Therapeutic Angiogenesis and Diabetic Macrovascular Disease. [Dissertation]. Kuopio University Publications G.A.I. Virtanen Institut for Molecular Sciences;45: pp81.
- Rutanen, J., Leppanen, P., Tuomisto, T. T., Rissanen, T.T., Hiltunen, M.O., Vajanto, I., Niemi, M., Hakkinen, T., Karkola, K., Stacker, S.A., Achen, M.G., Alitalo, K., dan Yla-Herttuala, S., 2003. Vascular endothelial growth factor-D expression in human atherosclerosis lesions. *Cardiovasc Res*;59: 971-979.
- Schild, L., and Reiser, G., 2005. Oxidative stress is involved in the permeabilization of the inner membrane of brain mitochondria exposed to hypoxia/reoxygenation and low micromolar Ca^{2+} . *FEBS Journal*; 172: 3593-3601.
- Schulman, S.P., Fessler, H.E., 2001. Management of Acute Coronary Syndromes. *Am. J Respir Crit Care Med*, Vol 164: 917-922.
- Senger, D.R., Galli, S.J., Dvorak, A.M., Perruzzi, C.A., Harvey, V.S. and Dvorak, H.F., 1983. Tumour cells secrete a vascular permeability factor that promotes accumulation of ascites fluid. *Science*; 219: 983-985.
- Shimamoto, T., Sunaga, T., Yamashita, Y., Numano, F., 1970. Progress in the study of atherosclerosis by the appearance of scanning electron microscopy-new structure: form and pathological physiology of vascular endothelial folds and intracellular bridge. *Nippon Rinsho.*;28:1529-43.
- Shimotake, J., Derugin, N., Wendland, M., Vexler, Z.S., Ferriero, D.M., 2010. Vascular endothelial growth factor receptor-2 inhibition promotes cell death and limits endothelial cell proliferation in neonatal rodent model of stroke. *Stroke* 2010; 41 (2):343-349.
- Singh, R.B., Mengi, S.A., Xu, Y-J., Arneja, A.S., Dhalla, N.S., 2002. Pathogenesis of atherosclerosis: A multifactorial process. *Exp Clin Cardiol*;7(1):40-53.
- Singh, V., 2004. Critical Care Assessment and Management of Acute Ischemic Stroke. *J Vasc Interv Radiol*; 15: S21-S27.
- Slevin, M., Krupinski, J., Slowik, A., Kumar, P., Szczudlik, A. and Gaffney, J., 2000. Serial

- measurement of vascular endothelial growth factor and transforming growth factor $\beta 1$ in serum of patients with acute ischemic stroke. *Stroke*; 31: 1863-1870.
- Slevin, M., Kumar, P., Gaffney, J., Kumar, S., Krupinski, J., 2006. Can angiogenesis be exploited to improve stroke outcome? Mechanism and Therapeutic potential. *Clin Sci (Lond)*; 111(3):171-183.
- Solenski, N.J., 2004. Transient ischemic attacks: Part I. Diagnosis and evaluation. *American Family Physician*; 69: 1666-74.
- Somay, G., Topaloglu, P., Somay, H., Araal, O., Halaç, G.U., Bulkan, M., 2006. Cerebrovascular Risk Factors and Stroke Subtypes in Different Age Groups: A Hospital-Based Study. *Turk J Med Sci* 36: 23-29.
- Strydom, H.C., Chandler, A.B., Dinsmore, R.E., et al., 1995. A definition of advanced types of atherosclerotic lesions and histological classification of atherosclerosis. *Circulation*; 92(5): 1355-1374.
- Strugar, J., Rothbart, D., Harrington, W, Criscuolo, R., 1994. Vascular permeability factor in brain metastasis: correlation with vasogenic brain edema and tumor angiogenesis. *Journal of neurosurg*; 81:560-566.
- Sutrisno, Alfred., 2007. Stroke? You Must Know Before you Get It!. Jakarta: PT. Gramedia Pustaka Utama. Hal: 1-13.
- Sweiki, D., Itin, A., Soffer, D., dan Keshet, E., 1992. Vascular endothelial growth factor induced by hypoxia may mediate hypoxia-initiated angiogenesis. *Nature*. vol.359;no.6398:843-845.
- Tammela, T., Enholm, B., Alitalo, K. and Paavonen, K., 2005. The biology of vascular endothelial growth factors. *Cardiovasc. Res*; 65: 550-563.
- Taylor, J.M. and Crack, P.J., 2004. Impact of oxidative stress on neuronal survival. *Clin and Experiment Pharmacology and Physiology*; 31: 397-406.
- Thompson, W.R., 1997. Acute cerebrovascular complications in Oh, T.E., *Intensive Care Manual*. Butterworth Heinemann, Oxford, Boston, Johannesburg.
- Tsai, P.T., Ohab, J.J., Kertesz, N., et al., 2006. A critical role of erythropoietin receptor in

- neurogenesis and post stroke recovery. *J Neurosci*; 26(4): 1269-1274.
- Tsutsumi, N., Yonemitsu, Y., Shikada, Y., et al., 2004. Mechanism of angiogenic actions of rapamycin: an essential role of PDGFR α signaling in mesenchymal cells during in vivo angiogenesis. *Circ Res* 94:1186-1191.
- Vaughn, C.J., Murphy, M.B., Buckley, B.M., 1996. Statins do more than just lower cholesterol. *Lancet*; 348 (9034): 1079-1082.
- Vaupel, P., 2004. The Role of Hypoxia-Induced Factors in Tumor Progression. *The Oncologist*;9(supple 5): 10-17.
- Weissberg, P., 1999. Mechanism modifying atherosclerotic disease-from lipids to vascular biology. *Atherosclerosis*;(suppl I):S3-S10.
- WHO MONICA., 1986. *Manual Version 1*: 1.
- Wolf, P.A., Clagett, G.P., Easton, J.D., Goldstein, L.B., Gorelick, P.G., Kelly-Hayes, M., Sacco, R.L., and Whisnant, J.P., 1999. Preventing ischemic stroke in patients with prior stroke and transients ischemic attack. A statement for healthcare professionals from the Stroke Council of the American Heart Association. *Stroke* 30: 1991-94.
- Yonemitsu, Y., Kaneda, Y., Morishita, R., et al., 1996. Characterization of in vivo gene transfer into the arterial wall mediated by the Sendai virus (hemagglutinating virus of Japan) liposomes: an effective tool for the in vivo study of arterial diseases. *Lab Invest*; 75:313-323.