

## DAFTAR PUSTAKA

- Adugna, T., Xu, W., & Fan, J. (2022). Comparison of Random Forest and Support Vector Machine Classifiers for Regional Land Cover Mapping Using Coarse Resolution FY-3C Images. *Remote Sensing*, *14*(3), 1–22. <https://doi.org/10.3390/rs14030574>
- Badan Informasi Geospasial. (2014). Peraturan BIG Nomor 3 Tahun 2014 tentang Pedoman Teknis Pengumpulan dan Pengolahan Data Geospasial Mangrove. *Badan Informasi Geospasial*.
- Boston, T., Van Dijk, A., Larraondo, P. R., & Thackway, R. (2022). Comparing CNNs and Random Forests for Landsat Image Segmentation Trained on a Large Proxy Land Cover Dataset. *Remote Sensing*, *14*(14). <https://doi.org/10.3390/rs14143396>
- Breiman, L. (2001). Random Forests. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. [https://doi.org/10.1007/978-3-030-62008-0\\_35](https://doi.org/10.1007/978-3-030-62008-0_35)
- Chollet, F. (2018). *Deep Learning with Python*. Manning Shelter Island.
- Chowdhury, M. S. (2024). Comparison of accuracy and reliability of random forest, support vector machine, artificial neural network and maximum likelihood method in land use/cover classification of urban setting. *Environmental Challenges*, *14*(October 2023), 100800. <https://doi.org/10.1016/j.envc.2023.100800>
- Congalton, R. G., & Green, K. (2009). Assessing the Accuracy of Remotely Sensed Data: Principles and Practices. In *The Photogrammetric Record* (Vol. 25, Issue 130). [https://doi.org/10.1111/j.1477-9730.2010.00574\\_2.x](https://doi.org/10.1111/j.1477-9730.2010.00574_2.x)
- Eramudadi, D., & Rokhmana, C. A. (2024). Ekstraksi Permukiman dari Kombinasi Citra Sentinel-2 dan Sentinel-1 dengan Pendekatan Object-Based Image Analysis. *JGISE: Journal of Geospatial Information Science and Engineering*, *7*(1), 71. <https://doi.org/10.22146/jgise.91380>
- ESA. (2015). *Sentinel-2 User Handbook*. diakses pada: 16 Oktober 2023. <https://sentiwiki.copernicus.eu/web/document-library>
- Firozjaei, M. K., Sedighi, A., Kiavarz, M., Qureshi, S., Haase, D., & Alavipanah, S. K. (2019). Automated built-up extraction index: A new technique for mapping surface built-up areas using LANDSAT 8 OLI imagery. *Remote Sensing*, *11*(17).

<https://doi.org/10.3390/rs11171966>

- Gislason, P. O., Benediktsson, J. A., & Sveinsson, J. R. (2006). Random Forests for land cover classification. *Pattern Recognition Letters*, 27(4), 294–300. <https://doi.org/10.1016/J.PATREC.2005.08.011>
- Google. (2023). *Classifier smileRandomForest*. Diakses Pada: 16 Oktober 2023. <https://developers.google.com/earth-engine/apidocs/ee-classifier-smilerandomforest>
- Guo, K., Wan, X., Liu, L., Gao, Z., & Yang, M. (2021). *applied sciences Fault Diagnosis of Intelligent Production Line Based on Digital Twin and Improved Random Forest*.
- Hidayati, I. N., Suharyadi, & Danoedoro, P. (2017). Pemetaan Lahan Terbangun Perkotaan Menggunakan Pendekatan NDBI dan Segmentasi Semi-Automatik. *Prosiding Seminar Nasional Geografi UMS 2017*, 19–28.
- Hurwitz, J. (2018). *Machine Learning*. John Wiley & Sons, Inc.
- Jieli, C., Manchun, L., Yongxue, L., Chenglei, S., & Wei, H. (2010). Extract residential areas automatically by New Built-up Index. *2010 18th International Conference on Geoinformatics*, 1–5. <https://doi.org/10.1109/GEOINFORMATICS.2010.5567823>
- Juniati, E. (2018). *2D Semantic Labeling Penutup Lahan Di Area Urban Dengan Analisis Berbasis Objek Dari Data Foto Udara Dan Lidar*. Universitas Gadjah Mada.
- Kawamura, M. (1996). Relation between social and environmental conditions in colombo, sri lanka and the urban index estimated by satellite remote sensing data. *International Archives of Photogrammetry and Remote Sensing*, 7, 321–326.
- Kushardono, D. (2017). Klasifikasi Digital Pada Penginderaan Jauh. In *New Scientist* (Vol. 158). IPB Press.
- LAPAN. (2015). *Pedoman Pengolahan Data Satelit Multispektral Secara Digital Supervised Untuk Klasifikasi*. 1–8.
- Lowe, B., & Kulkarni, A. (2015). Multispectral Image Analysis Using Random Forest. *International Journal on Soft Computing*, 6, 1–14. <https://doi.org/10.5121/ijsc.2015.6101>
- Mardiansjah, F. H., Handayani, W., & Setyono, J. S. (2018). Pertumbuhan Penduduk Perkotaan dan Perkembangan Pola Distribusinya pada Kawasan Metropolitan

Surakarta. *Jurnal Wilayah Dan Lingkungan*, 6(3), 215.  
<https://doi.org/10.14710/jwl.6.3.215-233>

Marini, Y., Emiyati, Hawariyah, S., & Hartuti, M. (2014). Perbandingan Metode Klasifikasi Supervised Maximum Likelihood dengan Klasifikasi Berbasis Objek untuk Inventarisasi Lahan Tambak di Kabupaten Maros. *Seminar Nasional Penginderaan Jauh, November*, 505–516.

Mulyawan, I. (2019). Pola Distribusi Permukiman di Kabupaten Kuningan. *Bappedalitbang Kabupaten Kuningan*, 17.

Nizma Humaidah, Bambang Sudarsono, D. Y. P. (2015). ANALISIS PERBANDINGAN KEPADATAN PEMUKIMAN MENGGUNAKAN KLASIFIKASI SUPERVISED DAN SEGMENTASI (Studi Kasus: Kota Bandung). *Jurnal Geodesi Undip*, 4.

Noraini, A., & Yulianandha Maburur, A. (2020). Perbandingan Visualisasi Hasil Deteksi Area Terbangun Berdasarkan Metode Maximum Likelihood Classification (MLC) dan Normalized Difference Built-Up Index (NDBI). *Buletin Loupe*, 16(01), 21–26.  
<https://doi.org/10.51967/buletinloupe.v16i01.113>

Phiri, D., Simwanda, M., Salekin, S., Ryirenda, V. R., Murayama, Y., Ranagalage, M., Oktaviani, N., Kusuma, H. A., Zhang, T., Su, J., Liu, C., Chen, W. H., Liu, H., Liu, G., Cavur, M., Duzgun, H. S., Kemec, S., Demirkan, D. C., Chairret, R., ... Peerbhay, K. (2020). Remote Sensing Sentinel-2 Data For Land Cover / Use Mapping : A Review. *Mdpi*, 12(2291), 1–35.

Putri, K. A., & Handayani, H. H. (2024). Perbandingan Hasil Klasifikasi Tutupan Lahan Menggunakan Metode Artificial Neural Network ( ANN ), Support Vector Machine ( SVM ), dan Random Forest ( RF ) dengan Bahasa Pemrograman R Pendahuluan Penginderaan jauh ( remote sensing ) merupakan ilmu yang me. *Journal of Geodesy and Geoid*, 19(2), 349–360.

Rahayu, C. U. (2021). *Perbandingan Algoritma (Mlc, Echo, Dan Fisher) untuk Klasifikasi Tutupan Lahan dengan Citra Sentinel 2 di Wilayah Pasuruan dan Probolinggo*. Universitas Jember.

Rahmi, A. T., Pratiwi, K. H., & Deni, D. P. (2023). Analisis Algoritma Random Forest dan Kombinasi Indeks Spektral untuk Identifikasi Lahan Terbangun (Kasus Kota Surakarta). *Jurnal Sains Komputer & Informatika (J-SAKTI)*, 7(2), 865–881.

- Ramadhan Kete, S. C., Suprihatin, Tarigan, S. D., & Effendi, H. (2019). Land use classification based on object and pixel using Landsat 8 OLI in Kendari City, Southeast Sulawesi Province, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 284(1). <https://doi.org/10.1088/1755-1315/284/1/012019>
- Ramezan, C. A., Warner, T. A., Maxwell, A. E., & Price, B. S. (2021). Effects of training set size on supervised machine-learning land-cover classification of large-area high-resolution remotely sensed data. *Remote Sensing*, 13(3), 1–27. <https://doi.org/10.3390/rs13030368>
- Rawat, K. S., Kumar, S., & Garg, N. (2024). Statistical comparison of simple and machine learning based land use and land cover classification algorithms: A case study. *Journal of Water Management Modeling*, 32. <https://doi.org/10.14796/JWMM.H524>
- Richards, J. A. (1999). *Remote Sensing Digital Image Analysis: An Introduction*. Springer-Verlag.
- Rimal, B., Rijal, S., & Kunwar, R. (2020). Comparing Support Vector Machines and Maximum Likelihood Classifiers for Mapping of Urbanization. *Journal of the Indian Society of Remote Sensing*, 48(1), 71–79. <https://doi.org/10.1007/s12524-019-01056-9>
- Rouibah, K., & Belabbas, M. (2020). Applying multi-index approach from sentinel-2 imagery to extract urban areas in dry season (Semi-arid land in north east algeria). *Revista de Teledeteccion*, 2020(56), 89–101. <https://doi.org/10.4995/raet.2020.13787>
- Rudiastuti, A. W., Farda, N. M., & Ramdani, D. (2021). Mapping built-up land and settlements: a comparison of machine learning algorithms in Google Earth engine. *Seventh Geoinformation Science Symposium 2021*, 12082, 42–52.
- Santoso, H., Tani, H., & Wang, X. (2017). Random Forest classification model of basal stem rot disease caused by *Ganoderma boninense* in oil palm plantations. *International Journal of Remote Sensing*, 38, 4683–4699. <https://doi.org/10.1080/01431161.2017.1331474>
- Shao, Z., Fu, H., Fu, P., & Yin, L. (2016). Mapping urban impervious surface by fusing optical and SAR data at the decision level. *Remote Sensing*, 8(11), 1–21. <https://doi.org/10.3390/rs8110945>
- Susetyo, D. B., Syafiudin, M. F., & Perdana, A. P. (2016). Stereokompilasi Unsur Rupabumi

Skala 1:25.000 Menggunakan Data TerraSAR-X dan Citra SPOT-6. *Seminar Nasional Penginderaan Jauh*, 247–254.

Thu Ha, L. T., Huu Long, N., van Trung, N., & Thi Lan, P. (2024). Application of Multi-Spectral Index from Sentinel-2 Data for Extracting Build-up Land of Hanoi Area in the Dry Season. *Inzynieria Mineralna*, 53(2), 63–70. <https://doi.org/10.29227/IM-2024-01-94>

Tran, T. V., Reef, R., & Zhu, X. (2022). A Review of Spectral Indices for Mangrove Remote Sensing. *Remote Sensing*, 14(19). <https://doi.org/10.3390/rs14194868>

Tucker, C. J. (1979). Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*, 8(2), 127–150. [https://doi.org/https://doi.org/10.1016/0034-4257\(79\)90013-0](https://doi.org/https://doi.org/10.1016/0034-4257(79)90013-0)

Vahidi, S., Hatamzadeh, V., Nouri, P., & Far, A. A. (2023). Monitoring Land Cover Changes in Tehran City over 5 years (2018 to 2022) using Remote Sensing based Spatial Information. *Asian Journal of Environment & Ecology*, 20(3), 24–35. <https://doi.org/10.9734/ajee/2023/v20i3440>

Vizzari, M. (2022). Object-Based Land Cover Classification in Google Earth Engine. *Remote Sensing*, 14, 1–19.

Widyaningrum, E., Perdana, A. P., Andari, R., Mayasari, R., & Damayanti, A. P. (2021). Penggunaan Citra Satelit Sentinel-2 Dan Spot 6-7 Dengan Kompilasi Data Keruangan Untuk Pemutakhiran Peta Dasar. *Elipsoida*, 04(02), 100–108.

Xu, H. (2006). Modification of normalised difference water index (NDWI) to enhance open water features in remotely sensed imagery. *International Journal of Remote Sensing*, 27(14), 3025–3033. <https://doi.org/10.1080/01431160600589179>

Yuliasuti, N., & Fatchurochman, A. (2012). Pengaruh Perkembangan Lahan Terbangun Terhadap Kualitas Lingkungan Permukiman (Studi Kasus: Kawasan Pendidikan Kelurahan Tembalang). *Jurnal Presipitasi: Media Komunikasi Dan Pengembangan Teknik Lingkungan*, 9(1), 11.

Zha, Y., Gao, J., & Ni, S. (2003). Use of normalized difference built-up index in automatically mapping urban areas from TM imagery. *International Journal of Remote Sensing*, 24(3), 583–594. <https://doi.org/10.1080/01431160304987>

Zulfajri, Danoedoro, P., & Heru Murti, S. (2021). Klasifikasi Penutup/Penggunaan Lahan Data Landsat-8 OLI Menggunakan Metode Random Forest. *Jurnal Penginderaan Jauh Indonesia*, 03(01), 1–7. <http://jurnal.mapin.or.id/index.php/jpji/issue/archive>