



## REFERENCES

- Amisi, W. G., Nelwan, J. E. and Kolibu, F. K. (2018) 'Hubungan antara Hipertensi dengan Kejadian Penyakit Jantung Koroner pada Pasien yang Berobat di Rumah Sakit Umum Pusat Prof. Dr. R. D. Kandou Manado', *Kesmas*, 7(4), pp. 1–7.
- Arps, K., Blumenthal, R.S. and Martin, S.S. (2018). New Aspects of the Risk Assessment Guidelines: Practical Highlights, Scientific Evidence and Future Goals. [online] American College of Cardiology. Available at: <https://www.acc.org/latest-in-cardiology/articles/2018/11/14/07/10/new-aspects-of-the-risk-assessment-guidelines>.
- Atique, S. M., Ahmed, T., Ahmed, S., Banik, P. C., Chowdhury, M. A. K., Uddin, M. M., ... & Saha, S. (2016). Association between body mass index and age of presentation with symptomatic coronary artery disease. *Clinical Cardiology*, 39(11), 653–657. doi: 10.1002/clc.22576.
- Bagi, Z., Broskova, Z. and Feher, A. (2014). Obesity and Coronary Microvascular Disease – Implications for Adipose Tissue-Mediated Remote Inflammatory Response. *Current Vascular Pharmacology*, 12(3), pp.453–461. doi:<https://doi.org/10.2174/1570161112666140423221843>.
- Borrell, L. N. and Echeverria, S. E. (2024) 'The clustering effects of current smoking status, overweight/obesity, and physical inactivity with all-cause and cause-specific mortality risks in U.S. adults.', *Preventive medicine reports*. United States, 42, p. 102742. doi: 10.1016/j.pmedr.2024.102742.
- DU, S.-M. et al. (2010) 'Relationship of Body Mass Index, Waist Circumference and Cardiovascular Risk Factors in Chinese Adult', *Biomedical and Environmental Sciences*, 23(2), pp. 92–101. doi: [https://doi.org/10.1016/S0895-3988\(10\)60037-2](https://doi.org/10.1016/S0895-3988(10)60037-2).
- Elder, S. J. et al. (2009) 'Genetic and environmental influences on factors associated with cardiovascular disease and the metabolic syndrome.', *Journal of lipid research*. United States, 50(9), pp. 1917–1926. doi: 10.1194/jlr.P900033-JLR200.
- Escobar, E. (2002). Hypertension and coronary heart disease. *Journal of Human Hypertension*, [online] 16(S1), pp.S61–S63. doi:<https://doi.org/10.1038/sj.jhh.1001345>.



- Fantuzzi, G. and Mazzone, T. (2007). Adipose Tissue and Atherosclerosis. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 27(5), pp.996–1003. doi:<https://doi.org/10.1161/atvbaha.106.131755>.
- Frań, W., Wojtasińska, A., Lisińska, W., Młynarska, E., Franczyk, B. and Rysz, J. (2022). Pathophysiology of Cardiovascular Diseases: New Insights into Molecular Mechanisms of Atherosclerosis, Arterial Hypertension, and Coronary Artery Disease. *Biomedicines*, [online] 10(8), p.1938. doi:<https://doi.org/10.3390/biomedicines10081938>.
- Gaggini, M., Gorini, F. and Vassalle, C. (2022). Lipids in Atherosclerosis: Pathophysiology and the Role of Calculated Lipid Indices in Assessing Cardiovascular Risk in Patients with Hyperlipidemia. *International Journal of Molecular Sciences*, 24(1), p.75. doi:<https://doi.org/10.3390/ijms24010075>.
- Goff, D. C. J. et al. (2014) ‘2013 ACC/AHA guideline on the assessment of cardiovascular risk: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines.’, *Journal of the American College of Cardiology*. United States, 63(25 Pt B), pp. 2935–2959. doi: 10.1016/j.jacc.2013.11.005.
- Hackshaw, A., Morris, J. K., Boniface, S., Tang, J. L., & Milenković, D. (2018). Low cigarette consumption and risk of coronary heart disease and stroke: Meta-analysis of 141 cohort studies in 55 study reports. *BMJ (Clinical research ed.)*, 360, j5855. doi: 10.1136/bmj.j5855.
- Haffner, S. M. (2004) ‘Dyslipidemia management in adults with diabetes.’, *Diabetes care*. United States, 27 Suppl 1, pp. S68-71. doi: 10.2337/diacare.27.2007.s68.
- He, Z. et al. (2023) ‘Characteristics and evaluation of atherosclerotic plaques: an overview of state-of-the-art techniques.’, *Frontiers in neurology*. Switzerland, 14, p. 1159288. doi: 10.3389/fneur.2023.1159288.
- Hussain, M. A., Al Mamun, A., Peters, S. A., Woodward, M., & Huxley, R. R. (2016). The burden of cardiovascular disease attributable to major modifiable risk factors in Indonesia. *Journal of Epidemiology*, 26(10), 515–521. doi: 10.2188/jea.JE20150178/.
- Izhar, M. D. and Syukri, M. (2022) ‘Contribution of Age and Risky Food Consumptions Towards Heart Disease in Jambi Province’, *Jurnal Ilmiah Kesehatan (JIKA)*, 4(1), pp. 25–37. doi: 10.36590/jika.v4i1.212.
- Jaiswal, S., et al. (2017). Clonal Hematopoiesis and Risk of Atherosclerotic Cardiovascular Disease. *New England Journal of Medicine*, 377(2), pp.111–121. doi:<https://doi.org/10.1056/nejmoa1701719>.
- Jeong, S.-M. et al. (2018) ‘Effect of Change in Total Cholesterol Levels on



- Cardiovascular Disease Among Young Adults.’, *Journal of the American Heart Association*. England, 7(12). doi: 10.1161/JAHA.118.008819.
- Jones, J. L. et al. (2011) ‘A Mediterranean-style, low-glycemic-load diet reduces the expression of 3-hydroxy-3-methylglutaryl-coenzyme A reductase in mononuclear cells and plasma insulin in women with metabolic syndrome.’, *Nutrition research (New York, N.Y.)*. United States, 31(9), pp. 659–664. doi: 10.1016/j.nutres.2011.08.011.
- Katakami, N. (2018). Mechanism of development of atherosclerosis and cardiovascular disease in diabetes mellitus. *Journal of Atherosclerosis and Thrombosis*, 25(1), 27–39. doi: 10.5551/jat.RV17014
- Kementerian Kesehatan Republik Indonesia. (2018). Hasil Utama Riskesdas 2018. Jakarta: Kemenkes RI.
- Khil, J. et al. (2023) ‘Changes in total cholesterol level and cardiovascular disease risk among type 2 diabetes patients.’, *Scientific reports*. England, 13(1), p. 8342. doi: 10.1038/s41598-023-33743-6.
- Koca, T. T. (2017). Does obesity cause chronic inflammation? The association between complete blood parameters with body mass index and fasting glucose. *Pakistan Journal of Medical Sciences*, 33(1), 65–69. doi: 10.12669/pjms.331.11532.
- Lusis, A.J. (2000). Atherosclerosis. *Nature*, [online] 407(6801), pp.233–241. doi:<https://doi.org/10.1038/35025203>.
- Maas, A.H.E.M. and Appelman, Y.E.A. (2010a). Gender differences in coronary heart disease. *Netherlands heart journal : monthly journal of the Netherlands Society of Cardiology and the Netherlands Heart Foundation*, [online] 18(12), pp.598–602. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3018605/>.
- Maharani, A., Sujarwoto, Praveen, D., Oceandy, D., Tampubolon, G., & Patel, A. (2019). Cardiovascular disease risk factor prevalence and estimated 10-year cardiovascular risk scores in Indonesia: The SMARThealth Extend study. *PLoS One*, 14(4), e0215219. doi: 10.1371/journal.pone.0215219. PMID: 31039155; PMCID: PMC6490907.
- Mahendradhata, Y., Trisnantoro, L., Listyadewi, S., Soewondo, P., Marthias, T., Harimurti, P., et al. (2017). The Republic of Indonesia Health System Review. In K. Hort & W. Patcharanarumol (Eds.), *Health Systems in Transition*. India: World Health Organization.



- Messner, B. and Bernhard, D. (2014). Smoking and Cardiovascular Disease. *Arteriosclerosis, Thrombosis, and Vascular Biology*, [online] 34(3), pp.509–515. doi:<https://doi.org/10.1161/atvbaha.113.300156>.
- Mohammadifard, N. et al. (2013) ‘Body mass index, waist-circumference and cardiovascular disease risk factors in Iranian adults: Isfahan healthy heart program.’, *Journal of health, population, and nutrition. Bangladesh*, 31(3), pp. 388–397. doi: 10.3329/jhpn.v31i3.16831.
- Ng, N., Stenlund, H., Bonita, R., Hakimi, M., Wall, S., & Weinehall, L. (2006). Preventable risk factors for noncommunicable diseases in rural Indonesia: Prevalence study using WHO STEPS approach. *Bulletin of the World Health Organization*, 84(4), 305–313.
- Nugroho, A. S., Astutik, E. and Tama, T. D. (2022) ‘Risk Factors for Coronary Heart Disease in Productive Age Group in Indonesia’, *Malaysian Journal of Medicine and Health Sciences*, 18(2), pp. 99–105.
- Oesterle, A., Laufs, U. and Liao, J. K. (2017) ‘Pleiotropic Effects of Statins on the Cardiovascular System’, *Circulation Research. American Heart Association*, 120(1), pp. 229–243. doi: 10.1161/CIRCRESAHA.116.308537.
- O’Donnell, C.J. (2004). Family History, Subclinical Atherosclerosis, and Coronary Heart Disease Risk. *Circulation*, 110(15), pp.2074–2076. doi:<https://doi.org/10.1161/01.cir.0000145539.77021.ac>.
- Park, C. et al. (2013) ‘Fasting glucose level and the risk of incident atherosclerotic cardiovascular diseases.’, *Diabetes care. United States*, 36(7), pp. 1988–1993. doi: 10.2337/dc12-1577.
- van Popele, N. M. et al. (2006) ‘Impaired fasting glucose is associated with increased arterial stiffness in elderly people without diabetes mellitus: the Rotterdam Study.’, *Journal of the American Geriatrics Society. United States*, 54(3), pp. 397–404. doi: 10.1111/j.1532-5415.2005.00614.x.
- Pradina, D., Rizkifani, S. and Nurbaeti, S. N. (2023) ‘Studi Penggunaan Obat Golongan Statin pada Pasien Penyakit Jantung Koroner di Ruang ICCU RSUD dr. Soedarso Pontianak’, *Jurnal Sains dan Kesehatan*, 5(5), pp. 666–674. doi: 10.25026/jsk.v5i5.1979.
- Pratiwi, S. H., Sari, E. A. and Mirwanti, R. (2018) ‘Faktor Risiko Penyakit Jantung Koroner Pada Masyarakat Pangandaran’, *Jurnal Keperawatan BSI*, 6(2), pp. 176–183. Available at: <http://ejournal.bsi.ac.id/ejurnal/index.php/jk>.
- Riccioni, G., & Sblendorio, V. (2012). Atherosclerosis: From biology to pharmacological treatment. *Journal of Geriatric Cardiology*, 9(3), 305-



317. doi: 10.3724/SP.J.1263.2012.02132. PMID: 23097661; PMCID: PMC3470030.
- Rodgers, J. L. et al. (2019) 'Cardiovascular Risks Associated with Gender and Aging.', *Journal of cardiovascular development and disease*. Switzerland, 6(2). doi: 10.3390/jcdd6020019.
- Rompas, T. C. C. W., Panda, A. L. and Rampengan, S. H. (2013) 'Hubungan Obesitas Umum Dan Obesitas Sentral Dengan Penyakit Jantung Koroner Pada Pasien Di Blu/Rsup. Prof. Dr. R. D. Kandou Manado', *e-CliniC*, 1(2), pp. 1–6. doi: 10.35790/ecl.1.2.2013.3284.
- Sabah, K. M. N. et al. (2014) 'Body mass index and waist/height ratio for prediction of severity of coronary artery disease.', *BMC research notes*. England, 7, p. 246. doi: 10.1186/1756-0500-7-246.
- Salehi, N., Janjani, P., Tadbiri, H., Rozbahani, M. and Jalilian, M. (2021). Effect of cigarette smoking on coronary arteries and pattern and severity of coronary artery disease: a review. *The Journal of International Medical Research*, [online] 49(12), p.03000605211059893. doi:<https://doi.org/10.1177/03000605211059893>.
- Sarwar, N. et al. (2010) 'Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies.', *Lancet* (London, England). England, 375(9733), pp. 2215–2222. doi: 10.1016/S0140-6736(10)60484-9.
- Stanciulescu, L. A., Scafa-Udriste, A. and Dorobantu, M. (2023) 'Exploring the Association between Low-Density Lipoprotein Subfractions and Major Adverse Cardiovascular Outcomes-A Comprehensive Review.', *International journal of molecular sciences*. Switzerland, 24(7). doi: 10.3390/ijms24076669.
- Stewart, R. A. H. et al. (2017) 'Physical Activity and Mortality in Patients With Stable Coronary Heart Disease.', *Journal of the American College of Cardiology*. United States, 70(14), pp. 1689–1700. doi: 10.1016/j.jacc.2017.08.017.
- Stone, N. J., Robinson, J. G., Lichtenstein, A. H., et al. (2014). 2013 ACC/AHA guideline on the treatment of blood cholesterol to reduce atherosclerotic cardiovascular risk in adults: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. *Journal of the American College of Cardiology*, 63, 2889-934.
- Sudharma, N., & Kusumaratna, R. K. (2016). Factors influencing the utilization of community participation (POSBINDU). *OIDA International Journal of Sustainable Development*, 9(3), 77–88.



- Suherwin, S. (2018) 'Hubungan usia, jenis kelamin dan riwayat penyakit dengan kejadian penyakit jantung koroner di instalasi gawat darurat rumah sakit TK.II dr. AK. Gani PAalembang Tahun 2016', *Jurnal 'Aisyiyah Medika*, 1(1), pp. 89–97. doi: 10.36729/jam.v1i1.248.
- Sumberadisid.slemankab.go.id. Tabel Data Kependudukan berdasar Kelompok Umur. (2017). <https://sumberadisid.slemankab.go.id/first/statistik/kelompok-umur>.
- Tanasescu, M. et al. (2002) 'Exercise type and intensity in relation to coronary heart disease in men.', *JAMA. United States*, 288(16), pp. 1994–2000. doi: 10.1001/jama.288.16.1994.
- Tyrrell, D.J. and Goldstein, D.R. (2020). Ageing and atherosclerosis: vascular intrinsic and extrinsic factors and potential role of IL-6. *Nature Reviews Cardiology*, 18(1), pp.58–68. doi:<https://doi.org/10.1038/s41569-020-0431-7>.
- Virdis, A. (2016). Endothelial dysfunction in obesity: Role of inflammation. *High Blood Pressure & Cardiovascular Prevention*, 23, 83–85. doi: 10.1007/s40292-016-0133-8.
- WHO, W. H. O. (2007) *Prevention of Cardiovascular Disease. Guidelines for Assessment and Management of Cardiovascular Risk*. 9789241547178.
- Wong, N.D., Budoff, M.J., Ferdinand, K., Graham, I.M., Michos, E.D., Reddy, T., Shapiro, M.D. and Toth, P.P. (2022). Atherosclerotic cardiovascular disease risk assessment: An American Society for Preventive Cardiology clinical practice statement. *American Journal of Preventive Cardiology*, 10, p.100335. doi:<https://doi.org/10.1016/j.ajpc.2022.100335>.
- [www.nhlbi.nih.gov](http://www.nhlbi.nih.gov). (2022). Coronary Heart Disease - Symptoms | NHLBI, NIH. [online] Available at: <https://www.nhlbi.nih.gov/health/coronary-heart-disease/symptoms>.
- Yang, W. et al. (2014) 'Factors associated with coronary artery disease in young population (age  $\leq$  40): analysis with 217 cases.', *Chinese medical sciences journal = Chung-kuo i hsueh k'o hsueh tsa chih. China*, 29(1), pp. 38–42. doi: 10.1016/s1001-9294(14)60022-5.
- Zhang, X. et al. (2020) 'Physical activity and risk of cardiovascular disease by weight status among U.S adults', *PLoS ONE*, 15(5), pp. 1–13. doi: 10.1371/journal.pone.0232893.