

REFERENCES

- Alam, Md.R. *et al.* (2021) 'Lipid Profile of Coronary Heart Disease Patients: A Prospective Observational Study', *World Journal of Cardiovascular Surgery*, 11(11), pp. 114–124. Available at: <https://doi.org/10.4236/wjcs.2021.1111015>.
- Albarrati, A.M. *et al.* (2018) 'Effectiveness of Low to Moderate Physical Exercise Training on the Level of Low-Density Lipoproteins: A Systematic Review', *BioMed Research International*, 2018, pp. 1–16. Available at: <https://doi.org/10.1155/2018/5982980>.
- Althwaiqeb, S.A., Fakoya, A.O. and Bordoni, B. (2024) *Histology, B-Cell Lymphocyte*. Treasure Island (FL): Statpearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK560905/>.
- Ananta, D.S. and Yuniartika, W. (2024) 'The effect of low-impact aerobic exercise in lowering total cholesterol levels', *JHeS (Journal of Health Studies)*, 8(2), pp. 54–62. Available at: <https://doi.org/10.31101/jhes.3754>.
- Araos, P., Figueroa, S. and Amador, C.A. (2020) 'The Role of Neutrophils in Hypertension.', *International journal of molecular sciences*, 21(22). Available at: <https://doi.org/10.3390/ijms21228536>.
- Balta, S. *et al.* (2016) 'The Relation Between Atherosclerosis and the Neutrophil–Lymphocyte Ratio', *Clinical and Applied Thrombosis/Hemostasis*, 22(5), pp. 405–411. Available at: <https://doi.org/10.1177/1076029615569568>.
- Bauersachs, R. *et al.* (2019) 'Burden of Coronary Artery Disease and Peripheral Artery Disease: A Literature Review', *Cardiovascular Therapeutics*, 2019, pp. 1–9. Available at: <https://doi.org/10.1155/2019/8295054>.
- Belice, T., Demir, I. and Yüksel, A. (2020) 'Role of neutrophil-lymphocyte-ratio in the mortality of males diagnosed with COVID-19.', *Iranian journal of microbiology*, 12(3), pp. 194–197.
- Biasillo, G. *et al.* (2010) 'Inflammatory biomarkers and coronary heart disease: from bench to bedside and back', *Internal and Emergency Medicine*, 5(3), pp. 225–233. Available at: <https://doi.org/10.1007/s11739-010-0361-1>.
- Biswas, M. *et al.* (2022) 'The mechanistic role of neutrophil lymphocyte ratio perturbations in the leading non communicable lifestyle diseases', *F1000Research*, 11, p. 960. Available at: <https://doi.org/10.12688/f1000research.123245.1>.
- Bonacina, F. *et al.* (2021) 'HDL in Immune-Inflammatory Responses: Implications beyond Cardiovascular Diseases', *Cells*, 10(5), p. 1061. Available at: <https://doi.org/10.3390/cells10051061>.
- Brinton, E.A., Eisenberg, S. and Breslow, J.L. (1990) 'A low-fat diet decreases high density lipoprotein (HDL) cholesterol levels by decreasing HDL apolipoprotein transport rates.', *Journal of Clinical Investigation*, 85(1), pp. 144–151. Available at: <https://doi.org/10.1172/JCI114405>.

- British Heart Foundation (2021) *Inflammation: what is it, and how does it affect the heart?*, British Heart Foundation. Available at: <https://www.bhf.org.uk/informationsupport/heart-matters-magazine/research/what-is-inflammation#Heading1>.
- Buonacera, A. *et al.* (2022) 'Neutrophil to Lymphocyte Ratio: An Emerging Marker of the Relationships between the Immune System and Diseases', *International Journal of Molecular Sciences*, 23(7), p. 3636. Available at: <https://doi.org/10.3390/ijms23073636>.
- CDC (2024) *Heart Disease*, Centers for Disease Control and Prevention (CDC). Available at: <https://www.cdc.gov/heart-disease/data-research/facts-stats/index.html>.
- Chen, Y. *et al.* (2016) 'Difference in Leukocyte Composition between Women before and after Menopausal Age, and Distinct Sexual Dimorphism', *PLOS ONE*, 11(9), p. e0162953. Available at: <https://doi.org/10.1371/journal.pone.0162953>.
- Chen, Y. *et al.* (2023) 'Association between the variability of non-high-density lipoprotein cholesterol and the neutrophil-to-lymphocyte ratio in patients with coronary heart disease', *Frontiers in Cardiovascular Medicine*, 10. Available at: <https://doi.org/10.3389/fcvm.2023.1254125>.
- Choudhary, M.K. *et al.* (2019) 'LDL cholesterol is associated with systemic vascular resistance and wave reflection in subjects naive to cardiovascular drugs', *Blood Pressure*, 28(1), pp. 4–14. Available at: <https://doi.org/10.1080/08037051.2018.1521263>.
- Chruściel, P. *et al.* (2022) 'Associations between the lipid profile and the development of hypertension in young individuals - the preliminary study.', *Archives of medical science : AMS*, 18(1), pp. 25–35. Available at: <https://doi.org/10.5114/aoms.2019.86197>.
- Cleveland Clinic (2022a) *Cholesterol Levels*, Cleveland Clinic. Available at: <https://my.clevelandclinic.org/health/articles/11920-cholesterol-numbers-what-do-they-mean>.
- Cleveland Clinic (2022b) *Lymphocytes*, Cleveland Clinic. Available at: <https://my.clevelandclinic.org/health/body/23342-lymphocytes>.
- Cleveland Clinic (2022c) *Neutrophils*, Cleveland Clinic. Available at: <https://my.clevelandclinic.org/health/body/22313-neutrophils>.
- Dean L. (2005) 'Blood and the cells it contains', in *Blood Groups and Red Cell Antigens*. Bethesda (MD): National Center for Biotechnology Information (US). Available at: <https://www.ncbi.nlm.nih.gov/books/NBK2263/>.
- Didevar, N. *et al.* (2023) 'Interleukin-17, C-reactive protein, Neutrophil-to-Lymphocyte ratio, Lymphocyte-to-Monocyte ratio, and lipid profiles in healthy menopausal women with or without hot flashes: A cross-sectional study', *PLOS ONE*, 18(11), p. e0291804. Available at: <https://doi.org/10.1371/journal.pone.0291804>.

- Drechsler, M. *et al.* (2010) 'Hyperlipidemia-Triggered Neutrophilia Promotes Early Atherosclerosis', *Circulation*, 122(18), pp. 1837–1845. Available at: <https://doi.org/10.1161/CIRCULATIONAHA.110.961714>.
- Du, Jun, Deng, S. and Du, Jianlin (2022) 'The Neutrophil/Lymphocyte Ratio is Associated with Different Stages of Development of Coronary Artery Disease', *Cardiovascular Innovations and Applications*, 7(1). Available at: <https://doi.org/10.15212/CVIA.2022.0018>.
- Dziedzic, K. *et al.* (2023) 'Sex- and gender-specific differences in the inflammatory response to COVID-19: the role of the neutrophil-to-lymphocyte ratio', *Disaster and Emergency Medicine Journal*, 8(4), pp. 234–242. Available at: <https://doi.org/10.5603/demj.98191>.
- von Eckardstein, A. *et al.* (2023) 'High-density lipoprotein revisited: biological functions and clinical relevance', *European Heart Journal*, 44(16), pp. 1394–1407. Available at: <https://doi.org/10.1093/eurheartj/ehac605>.
- Eftekharian, M.M. *et al.* (2016) 'Investigation of the correlation between some immune system and biochemical indicators in patients with type 2 diabetes', *Human Antibodies*, 24(1–2), pp. 25–31. Available at: <https://doi.org/10.3233/HAB-150290>.
- Feingold, K.R. (2023) *Obesity and Dyslipidemia*.
- Feingold, K.R. and Grunfeld, C. (2022) *The Effect of Inflammation and Infection on Lipids and Lipoproteins*.
- Félix-Redondo, F.J., Grau, M. and Fernández-Bergés, D. (2013) 'Cholesterol and cardiovascular disease in the elderly. Facts and gaps.', *Aging and disease*, 4(3), pp. 154–69.
- FK-KMK UGM (2021) *Penderita Penyakit Jantung di DIY Masih Tinggi*, FK-KMK UGM. Available at: <https://fkkmk.ugm.ac.id/penderita-penyakit-jantung-di-diy-masih-tinggi/>.
- Forget, P. *et al.* (2017) 'What is the normal value of the neutrophil-to-lymphocyte ratio?', *BMC Research Notes*, 10(1), p. 12. Available at: <https://doi.org/10.1186/s13104-016-2335-5>.
- Frank, A.T.H. *et al.* (2014) 'Racial/Ethnic Differences in Dyslipidemia Patterns', *Circulation*, 129(5), pp. 570–579. Available at: <https://doi.org/10.1161/CIRCULATIONAHA.113.005757>.
- Gagliano-Jucá, T. *et al.* (2020) 'Differential effects of testosterone on circulating neutrophils, monocytes, and platelets in men: Findings from two trials', *Andrology*, 8(5), pp. 1324–1331. Available at: <https://doi.org/10.1111/andr.12834>.
- Gao, J. *et al.* (2022) 'Relationship between the neutrophil to high-density lipoprotein cholesterol ratio and severity of coronary artery disease in patients with stable coronary artery disease', *Frontiers in Cardiovascular Medicine*, 9. Available at: <https://doi.org/10.3389/fcvm.2022.1015398>.
- Goldberg, I.J., Eckel, R.H. and McPherson, R. (2011) 'Triglycerides and Heart Disease', *Arteriosclerosis, Thrombosis, and Vascular Biology*, 31(8), pp. 1716–1725. Available at: <https://doi.org/10.1161/ATVBAHA.111.226100>.

- Gomez-Casado, G. *et al.* (2025) 'Neutrophils as indicators of obesity-associated inflammation: A systematic review and meta-analysis', *Obesity Reviews*, 26(3). Available at: <https://doi.org/10.1111/obr.13868>.
- Gordon, S.M. (2014) 'Proteomic Diversity in HDL', in *The HDL Handbook*. Elsevier, pp. 293–322. Available at: <https://doi.org/10.1016/B978-0-12-407867-3.00012-3>.
- Gordon, S.M. *et al.* (2020) 'Effect of niacin monotherapy on high density lipoprotein composition and function', *Lipids in Health and Disease*, 19(1), p. 190. Available at: <https://doi.org/10.1186/s12944-020-01350-3>.
- Guo, X. and Ma, L. (2022) 'Inflammation in coronary artery disease-clinical implications of novel HDL-cholesterol-related inflammatory parameters as predictors', *Coronary Artery Disease* [Preprint]. Available at: <https://doi.org/10.1097/MCA.0000000000001198>.
- Herink, M. and Ito, M.K. (2018) *Medication Induced Changes in Lipid and Lipoproteins*.
- Herrero-Cervera, A., Soehnlein, O. and Kenne, E. (2022) 'Neutrophils in chronic inflammatory diseases', *Cellular & Molecular Immunology*, 19(2), pp. 177–191. Available at: <https://doi.org/10.1038/s41423-021-00832-3>.
- Holven, K.B. and Roeters van Lennep, J. (2023) 'Sex differences in lipids: A life course approach', *Atherosclerosis*, 384, p. 117270. Available at: <https://doi.org/10.1016/j.atherosclerosis.2023.117270>.
- Hosseini, M. *et al.* (2023) 'The prognostic values of neutrophil to lymphocyte ratio in traumatically injured patients upon admission: A mini-Review', *European Journal of Inflammation*, 21. Available at: <https://doi.org/10.1177/1721727X231197494>.
- Huff, T., Boyd, B. and Jialal, I. (2023) *Physiology, Cholesterol*. Treasure Island (FL): Statpearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470561/>.
- Hulley, S.B. *et al.* (2013) *Designing Clinical Research*. 4th edn. Philadelphia: LIPPINCOTT WILLIAMS & WILKINS. Available at: https://students.aiu.edu/submissions/profiles/resources/onlineBook/L7W6E4_Designing_Clinical_Research.pdf.
- Hussain, A. *et al.* (2019) 'Correlation between Body Mass Index and Lipid Profile in patients with Type 2 Diabetes attending a tertiary care hospital in Peshawar', *Pakistan Journal of Medical Sciences*, 35(3). Available at: <https://doi.org/10.12669/pjms.35.3.7>.
- Jebari-Benslaïman, S. *et al.* (2022) 'Pathophysiology of Atherosclerosis', *International Journal of Molecular Sciences*, 23(6), p. 3346. Available at: <https://doi.org/10.3390/ijms23063346>.
- John Hopkins Medicine (2024) *Lipid Panel*, *John Hopkins Medicine*. Available at: <https://www.hopkinsmedicine.org/health/treatment-tests-and-therapies/lipid-panel#:~:text=Results%20are%20given%20in%20milligrams,200%20to%20239%20mg%20FdL>.

- Larosa, D.F. and Orange, J.S. (2008) '1. Lymphocytes', *Journal of Allergy and Clinical Immunology*, 121(2), pp. S364–S369. Available at: <https://doi.org/10.1016/j.jaci.2007.06.016>.
- Liu, X. *et al.* (2015) 'Blood Neutrophil to Lymphocyte Ratio as a Predictor of Hypertension', *American Journal of Hypertension*, 28(11), pp. 1339–1346. Available at: <https://doi.org/10.1093/ajh/hpv034>.
- Liu, Y. *et al.* (2021) 'Association between low density lipoprotein cholesterol and all-cause mortality: results from the NHANES 1999–2014', *Scientific Reports*, 11(1), p. 22111. Available at: <https://doi.org/10.1038/s41598-021-01738-w>.
- Liu, Z. *et al.* (2021) 'Decrease in Blood Neutrophil-to-Lymphocyte Ratio Indicates Better Survival After Neoadjuvant Chemotherapy in Patients With Advanced Gastric Cancer', *Frontiers in Surgery*, 8. Available at: <https://doi.org/10.3389/fsurg.2021.745748>.
- Long, S.S. and Vodzak, J. (2018) 'Laboratory Manifestations of Infectious Diseases', in *Principles and Practice of Pediatric Infectious Diseases*. Elsevier, pp. 1447–1459.e4. Available at: <https://doi.org/10.1016/B978-0-323-40181-4.00288-7>.
- Mattingly, Q. (2024) *Cardiovascular Diseases*, *World Health Organization*. Available at: https://www.who.int/health-topics/cardiovascular-diseases#tab=tab_1.
- NCI (2024) *Inflammation*, *National Cancer Institute (NCI)*. Available at: <https://www.cancer.gov/publications/dictionaries/cancer-terms/def/inflammation>.
- Nursidika, P., Mahargyani, W. and Anggraeni, F.K. (2018) 'Comparison Analysis of Total Cholesterol Level Examination Between Photometry and 3 Parameters Point of Care Testing Device', *Medical Laboratory Technology Journal*, 4(2), p. 49. Available at: <https://doi.org/10.31964/mltj.v4i2.184>.
- Ooi, B., Goh, B. and Yap, W. (2017) 'Oxidative Stress in Cardiovascular Diseases: Involvement of Nrf2 Antioxidant Redox Signaling in Macrophage Foam Cells Formation', *International Journal of Molecular Sciences*, 18(11), p. 2336. Available at: <https://doi.org/10.3390/ijms18112336>.
- Pappan, N., Awosika, A.O. and Rehman, A. (2024) *Dyslipidemia*. Treasure Island (FL): StatPearls Publishing.
- Patrini, G.N. (2021) *HUBUNGAN ANTARA PROFIL LIPID DENGAN NEUTROPHIL TO LYMPHOCYTE RATIO (NLR) PADA PENYAKIT JANTUNG KORONER STABIL*.
- Patterson, H.B.W. (2009) 'Basic Components and Procedures', in *Bleaching and Purifying Fats and Oils*. 2nd edn, pp. 1–52. Available at: <https://www.sciencedirect.com/science/article/abs/pii/B9781893997912500079>.
- Peters, S.A.E. *et al.* (2016) 'Total cholesterol as a risk factor for coronary heart disease and stroke in women compared with men: A systematic review and meta-analysis', *Atherosclerosis*, 248, pp. 123–131. Available at: <https://doi.org/10.1016/j.atherosclerosis.2016.03.016>.
- Pirahanchi, Y., Sinawe, H. and Dimri, M. (2023) *Biochemistry, LDL Cholesterol*. Treasure Island (FL): Statpearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK519561/>.

- Rader, D.J. (1999) 'Pathophysiology and management of low high-density lipoprotein cholesterol', *The American Journal of Cardiology*, 83(9), pp. 22–24. Available at: [https://doi.org/10.1016/S0002-9149\(99\)00210-6](https://doi.org/10.1016/S0002-9149(99)00210-6).
- Ren, Y. *et al.* (2018) 'Low triglyceride as a marker for increased risk of cardiovascular diseases in patients with long-term type 2 diabetes: A cross-sectional survey in China', *Diabetes/Metabolism Research and Reviews*, 34(2). Available at: <https://doi.org/10.1002/dmrr.2960>.
- Retnoningrum, D., Widyastiti, N.S. and Jaludamascena, A. (2017) 'HUBUNGAN ANTARA NEUTROPHIL/LYMPHOCYTE RATIO (NLR) DAN HIGH DENSITY LIPOPROTEIN (HDL) PADA SINDROM KORONER AKUT', 2(2).
- Riley, L.K. and Rupert, J. (2015) *Evaluation of Patients with Leukocytosis*, *American Academy of Family Physicians*. Available at: <https://www.aafp.org/pubs/afp/issues/2015/1201/p1004.html>.
- Ristinawati, I. *et al.* (2024) 'Correlation between Neutrophil/Lymphocyte Ratio (NLR), lipid profile, lesion location and vascular cognitive impairment in acute ischemic stroke patients', *Jurnal Keperawatan Padjadjaran*, 12(2), pp. 144–152. Available at: <https://doi.org/10.24198/jkp.v12i2.2526>.
- Romes Bittencourt Nogueira de, S. *et al.* (2022) 'Applicability of the Neutrophil/Lymphocyte Ratio in Behavioral Studies', *International Journal of Blood Research and Disorders*, 9(1). Available at: <https://doi.org/10.23937/2469-5696/1410075>.
- Ronchetti, S. *et al.* (2018) 'How Glucocorticoids Affect the Neutrophil Life', *International Journal of Molecular Sciences*, 19(12), p. 4090. Available at: <https://doi.org/10.3390/ijms19124090>.
- Rosales, C. (2018) 'Neutrophil: A Cell with Many Roles in Inflammation or Several Cell Types?', *Frontiers in Physiology*, 9. Available at: <https://doi.org/10.3389/fphys.2018.00113>.
- Ruze, R. *et al.* (2023) 'Obesity and type 2 diabetes mellitus: connections in epidemiology, pathogenesis, and treatments', *Frontiers in Endocrinology*, 14. Available at: <https://doi.org/10.3389/fendo.2023.1161521>.
- Saavedra, D. *et al.* (2023) 'Aging and chronic inflammation: highlights from a multidisciplinary workshop', *Immunity & Ageing*, 20(1), p. 25. Available at: <https://doi.org/10.1186/s12979-023-00352-w>.
- Sarrafan-Chaharsoughi, Z. *et al.* (2025) 'The association of Neutrophil-to-Lymphocyte ratio with metabolic syndrome in U.S. Adults: Findings from the 1999–2018 National Health and Nutrition Examination survey', *Journal of Clinical & Translational Endocrinology*, 39, p. 100382. Available at: <https://doi.org/10.1016/j.jcte.2024.100382>.
- Sauls, R.S., McCausland, C. and Taylor, B.N. (2023) *Histology, T-Cell Lymphocyte*. Treasure Island (FL): Statpearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK535433/>.
- Schoeneck, M. and Iggman, D. (2021) 'The effects of foods on LDL cholesterol levels: A systematic review of the accumulated evidence from systematic reviews and

- meta-analyses of randomized controlled trials', *Nutrition, Metabolism and Cardiovascular Diseases*, 31(5), pp. 1325–1338. Available at: <https://doi.org/10.1016/j.numecd.2020.12.032>.
- Seidell, J.C. *et al.* (1991) 'Fat distribution and gender differences in serum lipids in men and women from four European communities', *Atherosclerosis*, 87(2–3), pp. 203–210. Available at: [https://doi.org/10.1016/0021-9150\(91\)90022-U](https://doi.org/10.1016/0021-9150(91)90022-U).
- Shahjehan, R.D., Sharma, S. and Bhutta, B.S. (2024) *Coronary Artery Disease*. Treasure Island (FL): Statpearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK564304/>.
- Smoot, S. (2023) *What is the neutrophil to lymphocyte ratio and its significance?*, *BioRenew Functional and Integrative Medicine*. Available at: <https://www.biorenewclinic.com/what-is-the-neutrophil-to-lymphocyte-ratio-and-its-significance>.
- Soppert, J. *et al.* (2020) 'Lipoproteins and lipids in cardiovascular disease: from mechanistic insights to therapeutic targeting', *Advanced Drug Delivery Reviews*, 159, pp. 4–33. Available at: <https://doi.org/10.1016/j.addr.2020.07.019>.
- Syadidurrahmah, F. (2021) *HUBUNGAN KARAKTERISTIK INDIVIDU DAN GAYA HIDUP DENGAN PROFIL LIPID DARAH PADA ORANG DEWASA DI INDONESIA (ANALISIS DATA RISKESDAS 2018)*.
- Syauqy, A. *et al.* (2018) 'Association of dietary patterns, anthropometric measurements, and metabolic parameters with C-reactive protein and neutrophil-to-lymphocyte ratio in middle-aged and older adults with metabolic syndrome in Taiwan: a cross-sectional study', *Nutrition Journal*, 17(1), p. 106. Available at: <https://doi.org/10.1186/s12937-018-0417-z>.
- Tietze, K.J. (2012) 'Review of Laboratory and Diagnostic Tests', in *Clinical Skills for Pharmacists*. Elsevier, pp. 86–122. Available at: <https://doi.org/10.1016/B978-0-323-07738-5.10005-5>.
- Tishkowski, K. and Gupta, V. (2023) *Erythrocyte Sedimentation Rate*. Treasure Island (FL): Statpearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK557485/>.
- Tok, D., Iscen, S. and Ozenc, S. (2014) 'Neutrophil–lymphocyte ratio is associated with low high-density lipoprotein cholesterol in healthy young men', *SAGE Open Medicine*, 2. Available at: <https://doi.org/10.1177/2050312114532079>.
- Tucker, B. *et al.* (2023) 'Impact of Impaired Cholesterol Homeostasis on Neutrophils in Atherosclerosis', *Arteriosclerosis, Thrombosis, and Vascular Biology*, 43(5), pp. 618–627. Available at: <https://doi.org/10.1161/ATVBAHA.123.316246>.
- Uribe-Querol, E. and Rosales, C. (2015) 'Neutrophils in Cancer: Two Sides of the Same Coin', *Journal of Immunology Research*, 2015, pp. 1–21. Available at: <https://doi.org/10.1155/2015/983698>.
- Vergès, B. (2015) 'Pathophysiology of diabetic dyslipidaemia: where are we?', *Diabetologia*, 58(5), pp. 886–899. Available at: <https://doi.org/10.1007/s00125-015-3525-8>.

- Wang, Q.-C. and Wang, Z.-Y. (2023) 'Comparative analysis of neutrophil-to-lymphocyte ratio and remnant cholesterol in predicting cardiovascular events and mortality in general adult population', *Scientific Reports*, 13(1), p. 22362. Available at: <https://doi.org/10.1038/s41598-023-49403-8>.
- WHO (2021) *Cardiovascular diseases (CVDs)*, *World Health Organization (WHO)*. Available at: [https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-\(cvds\)?gad_source=1&gclid=Cj0KCQiA3sq6BhD2ARIsAJ8MRwWqCx_A9Jqz zQj625xfKIkcE6Pg81RutShqXzyZVFCzSGH9CshvvF4aAr3WEALw_wcB](https://www.who.int/news-room/fact-sheets/detail/cardiovascular-diseases-(cvds)?gad_source=1&gclid=Cj0KCQiA3sq6BhD2ARIsAJ8MRwWqCx_A9Jqz zQj625xfKIkcE6Pg81RutShqXzyZVFCzSGH9CshvvF4aAr3WEALw_wcB).
- Xia, W., Yu, H. and Wang, G. (2023) 'Coronary Artery Disease with Elevated Levels of HDL Cholesterol Is Associated with Distinct Lipid Signatures', *Metabolites*, 13(6), p. 695. Available at: <https://doi.org/10.3390/metabo13060695>.
- Yanai, H. and Tada, N. (2018) 'Which Nutritional Factors Are Good for HDL?', *Journal of Clinical Medicine Research*, 10(12), pp. 936–939. Available at: <https://doi.org/10.14740/jocmr3646>.
- Yuan, S. *et al.* (2024) 'The relationship between NLR, LDL-C/HDL-C, NHR and coronary artery disease', *PLOS ONE*, 19(7), p. e0290805. Available at: <https://doi.org/10.1371/journal.pone.0290805>.
- Zahorec, R. (2021) 'Neutrophil-to-lymphocyte ratio, past, present and future perspectives', *Bratislava Medical Journal*, 122(07), pp. 474–488. Available at: https://doi.org/10.4149/BLL_2021_078.
- Zhao, L. *et al.* (2020a) 'Variability in blood lipids affects the neutrophil to lymphocyte ratio in patients undergoing elective percutaneous coronary intervention: a retrospective study', *Lipids in Health and Disease*, 19(1), p. 124. Available at: <https://doi.org/10.1186/s12944-020-01304-9>.
- Zhao, L. *et al.* (2020b) 'Variability in blood lipids affects the neutrophil to lymphocyte ratio in patients undergoing elective percutaneous coronary intervention: a retrospective study', *Lipids in Health and Disease*, 19(1), p. 124. Available at: <https://doi.org/10.1186/s12944-020-01304-9>.