



DAFTAR PUSTAKA

- Ali, A., Chiang, Y. W., & Santos, R. M. (2022). X-ray Diffraction Techniques for Mineral Characterization: A review for engineers of the fundamentals, applications, and research directions. *Minerals*, 12(2), 205. <https://doi.org/10.3390/min12020205>
- Arjmandi, R., Hassan, A., Majeed, K., & Zakaria, Z. (2015). Rice husk filled polymer composites. *International Journal of Polymer Science*, 2015, 1–32. <https://doi.org/10.1155/2015/501471>
- Arzumanova, N. B., & Kakhramanov, N. T. (2020). Polymer Biocomposites Based On Agro Waste: Part II. Husk, Stalk And Straw Of Some Agricultural Crops As Dispersed Filler. *New Materials, Compounds and Applications*, 4(3), 153–172.
- Bansal, N., Jagdeva, G., Lal, S., & Arora, S. (2023). Synergistic effects of gamma irradiation and Delonix regia pods bio-waste on the physico-mechanical properties of recycled-polypropylene composites: A design of experiment approach. *Radiation Physics and Chemistry*, 214, 111293. <https://doi.org/10.1016/j.radphyschem.2023.111293>
- Callister, W. D., & Rethwisch, D. G. (2018). *Materials Science and Engineering (10th Ed.)*. Hoboken, New Jersey: John Wiley & Sons.
- Chen, R. S., Salleh, M. N., Ghani, M. H. A., Ahmad, S., & Gan, S. (2015). Biocomposites based on rice husk flour and recycled polymer blend: effects of interfacial modification and high fibre loading. *BioResources*, 10(4). <https://doi.org/10.15376/biores.10.4.6872-6885>
- Dendisová, M., Jeništová, A., Parchaňská-Kokaislová, A., Matějka, P., Prokopec, V., & Švecová, M. (2018). The use of infrared spectroscopic techniques to characterize nanomaterials and nanostructures: A review. *Analytica Chimica Acta*, 1031, 1–14. <https://doi.org/10.1016/j.aca.2018.05.046>
- Diniardi, E., Nelfiyanti, N., Mahmud, K. H., Basri, H., & Ramadhan, A. I. (2019). Analysis of the Tensile Strength of Composite Material from Fiber Bags. *Journal of Applied Science and Advanced Technology*, 2(2), 39–48. <https://doi.org/10.24853/jasat.2.2.39-48>
- Dutta, N., Bhadra, B., Gogoi, G., & Maji, T. K. (2021). Development of polyvinyl chloride/waste rice husk ash/modified montmorillonite nanocomposite using epoxidized soybean oil as green additive substituting synthetic plasticizer and compatibiliser. *Cleaner Materials*, 2, 100033. <https://doi.org/10.1016/j.clema.2021.100033>
- Fernandes, I. J., Calheiro, D., Kieling, A. G., Moraes, C. A., Rocha, T. L., Brehm, F. A., & Modolo, R. C. (2015). Characterization of rice husk ash produced



using different biomass combustion techniques for energy. *Fuel*, 165, 351–359. <https://doi.org/10.1016/j.fuel.2015.10.086>

Fleck, A. (2022, July 11). Recycling efforts not enough to solve plastic waste problem. *Statista Daily Data*. <https://www.statista.com/chart/27756/global-waste-management-projections/>

Foo, K., & Hameed, B. (2009). Utilization of rice husk ash as novel adsorbent: A judicious recycling of the colloidal agricultural waste. *Advances in Colloid and Interface Science*, 152(1–2), 39–47. <https://doi.org/10.1016/j.cis.2009.09.005>

Ghani, M. H. A., Royan, N. R. R., Kang, S. W., Sulong, A. B., & Ahmad, S. (2015). Effect of alkaline treated rice husk on the mechanical and morphological properties of recycled HDPE/RH composite. *Journal of Applied Science and Agriculture*, 10(5), 138–144.

Gibson, R.F. (2016) Principles of Composite Material Mechanics. Boca Raton, Florida: CRC Press, Taylor & Francis Group.

Goldstein, J. I., Newbury, D. E., Echlin, P., Joy, D. C., Lyman, C. E., Lifshin, E., Sawyer, L., & Michael, J. R. (2003). Scanning electron microscopy and x-ray microanalysis. In *Springer eBooks*. <https://doi.org/10.1007/978-1-4615-0215-9>

Gosch, A., Berer, M., Hutař, P., Slávik, O., Vojtek, T., Arbeiter, F. J., & Pinter, G. (2019). Mixed Mode I/III fatigue fracture characterization of Polyoxyethylene. *International Journal of Fatigue*, 130, 105269. <https://doi.org/10.1016/j.ijfatigue.2019.105269>

Halip, J., Lee, S., Tahir, P., Chuan, L., Selimin, M., & Saffian, H. (2021). A review: Chemical treatments of rice husk for polymer composites. *Biointerface Research in Applied Chemistry*, 11(4), 12425–12433. <https://doi.org/10.33263/briac114.1242512433>

Harnany, D., Batan, I. M. L., Wahjudi, A., & Pradanawati, S. A. (2022). The effect of rice husk as additive in injection molding process. *The International Journal of Mechanical Engineering and Sciences*, 6(2), 83. <https://doi.org/10.12962/j25807471.v6i2.14182>

Hu, H., Onyebueke, L., & Abatan, A. (2010). Characterizing and Modeling Mechanical Properties of Nanocomposites-Review and Evaluation. *Journal of Minerals and Materials Characterization and Engineering*, 09(04), 275–319. <https://doi.org/10.4236/jmmce.2010.94022>

Jawaid, M., Khalil, H. A., Bakar, A. A., & Khanam, P. N. (2010). Chemical resistance, void content and tensile properties of oil palm/jute fibre reinforced polymer hybrid composites. *Materials & Design (1980-2015)*, 32(2), 1014–1019. <https://doi.org/10.1016/j.matdes.2010.07.033>



- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S. (2017). Recent developments on nanocellulose reinforced polymer nanocomposites: A review. *Polymer*, 132, 368–393. <https://doi.org/10.1016/j.polymer.2017.09.043>
- Kristiawan, R. B., Imaduddin, F., Ariawan, D., Ubaidillah, N., & Arifin, Z. (2021). A review on the fused deposition modeling (FDM) 3D printing: Filament processing, materials, and printing parameters. *Open Engineering*, 11(1), 639–649. <https://doi.org/10.1515/eng-2021-0063>
- Kusmono, N., Listyanda, R. F., Wildan, M. W., & Ilman, M. N. (2020). Preparation and characterization of cellulose nanocrystal extracted from ramie fibers by sulfuric acid hydrolysis. *Heliyon*, 6(11), e05486. <https://doi.org/10.1016/j.heliyon.2020.e05486>
- Lee, M. (2021) *X-ray diffraction for materials research: From fundamentals to applications*. Oakville, Canada: AAP, Apple Academic Press.
- Luna, I. Z., Dam, K. C., Chowdhury, A. M. S., Gafur, M. A., Khan, N., & Khan, R. A. (2015). Physical and thermal characterization of alkali treated rice husk reinforced polypropylene composites. *Advances in Materials Science and Engineering*, 2015, 1–7. <https://doi.org/10.1155/2015/907327>
- Maddah, H. A. (2016). Polypropylene as a Promising Plastic: A Review. *American Journal of Polymer Science*, 6(1), 1–11. doi:10.5923/j.ajps.20160601.01
- Maier, C. and Calafut, T. (1998) Polypropylene: The definitive user's guide and databook. Norwich, New York: Plastics Design Library.
- Maulida, Dani, S., & Bukhory, F. (2015). The tensile strength properties effect of Rice-Husk ash as on the composite of plastic drinking bottle waste. *International Journal of Scientific and Technology Research*, 4(4), 66–69. <https://www.ijstr.org/final-print/apr2015/The-Tensile-Strenght-Properties-Effect-Of-Rice-husk-Ash-As-On-The-Composite-Of-Plastic-Drinking-Bottle-Waste.pdf>
- Ndazi, B. S., Nyahumwa, C., & Tesha, J. (2008). Chemical and thermal stability of rice husks against alkali treatment. *BioResources*, 3(4), 1267–1277. <https://doi.org/10.15376/biores.3.4.1267-1277>
- Pan, Y. (2022). Mechanical and microstructural characteristics of the Fiber-Reinforced composite materials. *Journal of Minerals and Materials Characterization and Engineering*, 10(06), 477–488. <https://doi.org/10.4236/jmmce.2022.106034>
- Ramaiah, G. B., Bhatia, D., & Ramesh, K. P. (2017). Structural analysis of merino wool, pashmina and angora fibers using analytical instruments like scanning electron microscope and Infra-Red spectroscopy. *International Journal of Engineering Technology Science and Research*, 4(8), 112–125.



- Rashid, S., & Dutta, H. (2020). Characterization of nanocellulose extracted from short, medium and long grain rice husks. *Industrial Crops and Products*, 154, 112627. <https://doi.org/10.1016/j.indcrop.2020.112627>
- Sanjeevi, S., Shanmugam, V., Kumar, S., Ganesan, V., Sas, G., Johnson, D. J., Shanmugam, M., Ayyanar, A., Naresh, K., Neisiany, R. E., & Das, O. (2021). Effects of water absorption on the mechanical properties of hybrid natural fibre/phenol formaldehyde composites. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-92457-9>
- Siddiqui, A., Braden, M., Patel, M. P., & Parker, S. (2010). An experimental and theoretical study of the effect of sample thickness on the Shore hardness of elastomers. *Dental Materials*, 26(6), 560–564. <https://doi.org/10.1016/j.dental.2010.02.004>
- Skoog, D.A. & West, D.M. (1980) *Principles of Instrumental Analysis*. Philadelphia: Saunders College.
- Soltani, N., Bahrami, A., Pech-Canul, M., & González, L. (2014). Review on the physicochemical treatments of rice husk for production of advanced materials. *Chemical Engineering Journal*, 264, 899–935. <https://doi.org/10.1016/j.cej.2014.11.056>
- Tanko, N. J., Ahmadu, N. U., Sadiq, N. U., & Muazu, N. A. (2020b). Characterization of rice husk and coconut shell briquette as an alternative solid fuel. *Advanced Energy Conversion Materials*, 1–12. <https://doi.org/10.37256/aecm.212021608>
- Veerasingam, S., Ranjani, M., Venkatachalapathy, R., Bagaev, A., Mukhanov, V., Litvinyuk, D., Mugilarasan, M., Gurumoorthi, K., Guganathan, L., Aboobacker, V. M., & Vethamony, P. (2020). Contributions of Fourier transform infrared spectroscopy in microplastic pollution research: A review. *Critical Reviews in Environmental Science and Technology*, 51(22), 2681–2743. <https://doi.org/10.1080/10643389.2020.1807450>
- Wang, L., He, C., & Yang, X. (2018). Effects of pretreatment on the soil aging behavior of rice husk fibers/polyvinyl chloride composites. *BioResources*, 14(1), 59–69. <https://doi.org/10.15376/biores.14.1.59-69>
- Worasuwannarak, N., Sonobe, T., & Tanthapanichakoon, W. (2006). Pyrolysis behaviors of rice straw, rice husk, and corncob by TG-MS technique. *Journal of Analytical and Applied Pyrolysis*, 78(2), 265–271. <https://doi.org/10.1016/j.jaap.2006.08.002>
- Yoyo.Angelica. (2023, October 18). *Wood Plastic Composite (WPC): Bahan Bangunan yang Ramah Lingkungan*. <https://www.btnproperti.co.id/blog/wood-plastic-composite>



UNIVERSITAS
GADJAH MADA

Fabrikasi dan Karakterisasi Wood Plastic Composites Berbasis Matriks Polypropylene Daur Ulang

dengan

Penguat Sekam Padi

AHMAD MUMTAZ WILDAN, Prof. Ir. Kusmono, S.T., M.T., Ph.D., IPM., ASEAN Eng.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhou, W., Apkarian, R., Wang, Z. L., & Joy, D. (2006). Fundamentals of Scanning Electron Microscopy (SEM). In *Springer eBooks* (pp. 1–40). https://doi.org/10.1007/978-0-387-39620-0_1

Zulnazri, Z. (2013). Perbandingan Ketebalan Serat Terhadap Tensile Strength pada Komposit Plastik Daur Ulang(PET,PP DAN PE) dengan Menggunakan Penguat Fiber Glass. *Industrial Engineering Journal*, 2(2). <https://doi.org/10.53912/iejm.v2i2.78>