

DAFTAR PUSTAKA

- Abdullah B, Balasubramanian A, Lazim NM, editors. An Evidence-Based Approach to the Management of Nasopharyngeal Cancer: From Basic Science to Clinical Presentation and Treatment. London: Academic Press, 2020.
- Adham M *et al.* Epstein-Barr DNA in advanced pediatric nasopharyngeal cancer. *Paediatrica Indonesiana* 2021; 61(5), pp.261–70. doi:<https://doi.org/10.14238/pi61.5.2021.261-70>.
- Ahmad A *et al.* Identification of risk factors associated with nasopharyngeal carcinoma (NPC) in the Pahang State of malaysia hospitals. *Makara J Health Res* 2022; 26(1). doi:[10.7454/msk.v26i1.1306](https://doi.org/10.7454/msk.v26i1.1306).
- Al Anazi AE *et al.* Increased Prevalence of EBV Infection in Nasopharyngeal Carcinoma Patients: A Six-Year Cross-Sectional Study. *Cancers* 2023; 15(3). doi:<https://doi.org/10.3390/cancers15030643>.
- American Cancer Society. Key Statistics for Nasopharyngeal Cancer. 2022 [cited 2024 September 8] Available from: URL: <https://www.cancer.org/cancer/types/nasopharyngeal-cancer/about/key-statistics.html>
- American Cancer Society. What Is Nasopharyngeal Cancer. 2022 [cited: 2024 September 8] Available from: URL: <https://www.cancer.org/cancer/types/nasopharyngeal-cancer/about/what-is-nasopharyngeal-cancer.html>

American Cancer Society. Survival Rates for Nasopharyngeal Cancer. 2023 [cited:

2024 September 8] Available from: URL:

<https://www.cancer.org/cancer/nasopharyngeal-cancer/detection-diagnosis-staging/survival-rates.html>

Amin MB *et al*, editors. AJCC Cancer Staging Manual. 8th ed. Springer, 2017.

Barrett D *et al*. Past and Recent Salted Fish and Preserved Food Intakes are Weakly

Associated with Nasopharyngeal Carcinoma Risk in Adults in Southern China.

J Nutr 2019; 149(9), pp. 1596–1605. doi:10.1093/jn/nxz095.

Ben - Ami T *et al*. Nasopharyngeal carcinoma in children and adolescents: The

expert/partner diagnostic and therapeutic recommendations. Pediatr Blood

Cancer 2021; 68(S4). doi:10.1002/pbc.29018.

Bossi P *et al*. Nasopharyngeal Carcinoma: ESMO-EURACAN Clinical Practice

Guidelines for Diagnosis, Treatment and Follow-Up. Ann Oncol 2021; 32(4),

pp. 452–465. doi:10.1016/j.annonc.2020.12.007.

Chang ET *et al*. Active and Passive Smoking and Risk of Nasopharyngeal

Carcinoma: a Population-Based Case-Control Study in Southern China. Am J

Epidemiol 2017; 185(12), pp. 1272–1280. doi:10.1093/aje/kwx018.

Chen C *et al*. Comparison of Prognosis Between Juvenile and Adult

Nasopharyngeal Carcinoma: A Propensity Score-Matched Analysis. Cancer

Manag Res 2020; Volume 12, pp. 8613–8621. doi:10.2147/cmar.s260402.

Chen Y *et al*. Nasopharyngeal Carcinoma. Lancet 2019; 394(10192), pp. 64–80.

doi:10.1016/s0140-6736(19)30956-0.

- Dahlan MS. Statistik untuk Kedokteran dan Kesehatan. Yogyakarta: Salemba, 2011.
- Dai W *et al.* Whole-Exome Sequencing Identifies MST1R as a Genetic Susceptibility Gene in Nasopharyngeal Carcinoma. *Proc Natl Acad Sci USA* 2016; 113(12), pp. 3317–3322. doi:10.1073/pnas.1523436113.
- Dawolo AP, Utama DS, Kasim, BI. Profil Klinis Karsinoma nasofaring di departemen THTKL RSUP dr. Mohammad Hoesin Palembang Tahun 2014-2015. *Majalah Kedokteran Sriwijaya* 2019; 49(1), pp. 1–9. doi:10.32539/mks.v49i1.8318.
- Edge SB *et al*, editors. *AJCC Cancer Staging Manual*. 7th ed. New York: Springer 2010.
- Edreis A *et al.* Molecular detection of Epstein - Barr virus in nasopharyngeal carcinoma among Sudanese population. *Infect Agent Cancer* 2016; 11(1). doi:10.1186/s13027-016-0104-7.
- El-Naggar AK *et al*, editors. Head and Neck Tumours. In: WHO Classification of Tumours. 5th ed. Geneve: World Health Organization 2024.
- Fauzan A, Susilawati S, Larasati V. The Association Between Clinical Characteristics and Histopathology of Nasopharyngeal Carcinoma at dr. Mohammad Hoesin General Hospital, in 2019-2020. *Biomedical Journal of Indonesia* 2022; 8(1), pp. 13–19. doi:10.32539/bji.v8i1.133.
- Fuereder T. Nasopharyngeal carcinoma. *Magazine of European Medical Oncology* 2023; 16(3), pp. 165–169. doi:10.1007/s12254-023-00903-3.

- Gondhowiardjo S *et al.* Treatment Delay of Cancer Patients in Indonesia: a Reflection from a National Referral Hospital. *Med J Indones* 2021; 30(2), pp. 129–37. doi:10.13181/mji.oa.204296.
- Gong T *et al.* Retrospective Analysis of Clinical Features and Prognosis of Nasopharyngeal Carcinoma in Children and Adolescents. *Front Pediatr* 2022; 10. doi:10.3389/fped.2022.939435.
- Handayani K *et al.* Delays in Diagnosis and Treatment of Childhood Cancer in Indonesia. *Pediatr Blood & Cancer* 2016; 63(12), pp. 2189–2196. doi:10.1002/pbc.26174.
- Hasnaoui M *et al.* Predictive Epidemiological and Clinical Factors of Nasopharyngeal Carcinoma Diagnosis: Adult Versus Pediatric Population. *Int J Pediatr Otorhinolaryngol* 2020; 137, p. 110203. doi:10.1016/j.ijporl.2020.110203.
- He T *et al.* Comparing the 7th and 8th editions of UICC/AJCC staging system for nasopharyngeal carcinoma in the IMRT era. *BMC Cancer* 2021; 21(1). doi:10.1186/s12885-021-08036-8.
- Hu C. Comparison between the 7th and the proposed 8th editions of the UICC staging system for nasopharyngeal carcinoma patients without cervical lymph node metastasis: A retrospective analysis. *Ann Oncol* 2018; 29, p. viii389. doi:10.1093/annonc/mdy287.047.
- International Agency for Research on Cancer. *Cancer Today*. 2024 [cited: 2024 August 26] Available from: URL: <https://gco.iarc.fr/today/home>

Jin Y *et al.* Serum alkaline phosphatase predicts survival outcomes in patients with skeletal metastatic nasopharyngeal carcinoma. *Clinics* 2015; 70(4), pp. 264–272. doi:10.6061/clinics/2015(04)08.

Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/684/2019 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Kanker Nasofaring.

Leeman JE *et al.* Cancer of the Head and Neck. in Niederhuber JE *et al.*, editors. *Abeloff's Clinical Oncology*. 6th ed. Amsterdam: Elsevier 2020.

Liang L *et al.* Nomogram based on liver function test indicators for survival prediction in nasopharyngeal carcinoma patients receiving PD-1 inhibitor therapy. *Curr Oncol* 2023; 30(8), pp. 7189–7202. doi:10.3390/curroncol30080521.

Licitra L *et al.* Cancer of the nasopharynx. *Crit Rev Oncol Hematol* 2003; 45(2), pp. 199–214. doi:10.1016/s1040-8428(01)00210-4.

Liemiyah R *et al.* Epidemiological Characteristics and 3-year Overall Survival Outcome of Nasopharyngeal Cancer in Central Java: a Single Institution Retrospective Study. *Indonesian Journal of Cancer* 2024; 18(2), pp. 143–155. doi:10.33371/ijoc.v18i2.1083.

Liu Y *et al.* Clinical significance of serum lactate dehydrogenase combined with a multivariate model for predicting the near-term outcome of primary nasopharyngeal carcinoma. *Life Sci* 2024; 351, p. 122856. doi:10.1016/j.lfs.2024.122856.

- Mahdavifar N *et al.* Epidemiology and inequality in the incidence and mortality of nasopharynx cancer in Asia. *Osong Public Health Res Perspect* 2016; 7(6), pp. 360–372. doi:10.1016/j.phrp.2016.11.002.
- Melvorn B, Karlowee V, Astuti M. Relationship Between Age and Gender with Histopathological Type of Nasopharyngeal Carcinoma. *Majalah Patologi Indonesia* 2022; 31(3). doi:10.55816/mpi.v31i3.516.
- Nafisa IM *et al.* Profile of nasopharyngeal cancer patients who underwent radiotherapy in dr. Hasan Sadikin general hospital bandung. *Indonesian Journal of Cancer* 2022; 16(2), p. 88. doi:10.33371/ijoc.v16i2.869.
- National Institutes of Health. Age. 2022 [cited: 2023 March 31] Available from: URL: <https://www.nih.gov/nih-style-guide/age>
- Okekpa SI *et al.* Nasopharyngeal carcinoma (NPC) risk factors: A systematic review and meta-analysis of the association with lifestyle, diets, socioeconomic and sociodemographic in Asian region. *Asian Pac J Cancer Prev* 2019; 20(11), pp. 3505–3514. doi:10.31557/apjcp.2019.20.11.3505.
- Qiu W *et al.* A Retrospective Study Comparing the Outcomes and Toxicities of Intensity-Modulated Radiotherapy Versus Two-Dimensional Conventional Radiotherapy for the Treatment of Children and Adolescent Nasopharyngeal Carcinoma. *J Cancer Res Clin Oncol* 2017; 143(8). doi:10.1007/s00432-017-2401-y.
- Sugiyono. *Metode Penelitian Kuantitatif, Kualitatif dan R&D*. Bandung: Alfabeta 2017.

- Sultan I *et al.* Differential Features of Nasopharyngeal Carcinoma in Children and Adults: a Seer Study. *Pediatr Blood Cancer* 2010; 55(2), pp. 279–284. doi:10.1002/pbc.22521.
- Sun L *et al.* Association of plasma epstein-barr virus LMP1 and eber1 with circulating tumor cells and the metastasis of nasopharyngeal carcinoma. *Pathol Oncol Res* 2020; 26(3), pp. 1893–1901. doi:10.1007/s12253-019-00777-z.
- Susilawati S, Kadriyan H, Sutirtayasa WP. Hematologic profile in patients with nasopharyngeal carcinoma. *Advances in Health Sciences Research* 2021. doi:10.2991/ahsr.k.220206.023.
- Swain SK *et al.* Nasopharyngeal Carcinoma Among the Pediatric Patients in a Non-Endemic Region: Our Experience at a Tertiary Care Teaching Hospital in Eastern India. *Egypt Pediatric Association Gaz* 2020; 68(1). doi:10.1186/s43054-020-00036-w.
- Taberna M *et al.* Human papillomavirus-related oropharyngeal cancer. *Ann Oncol* 2017; 28(10), pp. 2386–2398. doi:10.1093/annonc/mdx304.
- Tim Registrasi Kanker RSUP Dr. Sardjito. RKBR Maret 2022. 2022 [cited: 2024 September 8]. Available from: URL: <https://canreg.fk.ugm.ac.id/laporan-data/registrasi-kanker-berbasis-rumah-sakit-dr-sardjito-fkkmk-ugm/rkbr-maret-2022/>
- Thompson L. Update on Nasopharyngeal Carcinoma. *Head and Neck Pathology* 2007; 1(1). doi:10.1007/s12105-007-0012-7.

- Utomo AW, Romdhoni AC. Characteristics of patients with nasopharyngeal carcinoma in dr. soetomo general academic hospital surabaya. *Bali Medical Journal* 2023; 12(2), pp. 1589–1593. doi:10.15562/bmj.v12i2.4228.
- Vlantis AC *et al.* Narrow band imaging endoscopy of the nasopharynx is not more useful than white light endoscopy for suspected nasopharyngeal carcinoma. *Eur Arch Otorhinolaryngol* 2016; 273(10), pp. 3363–3369. doi:10.1007/s00405-016-3940-6.
- Xu B, Mannan R, Yuan, S. *Nasopharyngeal Carcinoma*. 2020
- Yang X *et al.* Comparison of the seventh and eighth editions of the UICC/AJCC staging system for nasopharyngeal carcinoma: Analysis of 1317 patients treated with intensity-modulated radiotherapy at two centers. *BMC Cancer* 2018; 18(1). doi:10.1186/s12885-018-4419-1.
- Ye L *et al.* Prognostic values of hematological biomarkers in nasopharyngeal carcinoma patients treated with intensity-modulated radiotherapy. *Eur Arch Otorhinolaryngol* 2018; 275(5), pp. 1309–1317. doi:10.1007/s00405-018-4956-x.
- Yeung DC *et al.* A meta-analysis of narrow-band imaging for the diagnosis of primary nasopharyngeal carcinoma. *F1000Res* 2018; 7, p. 759. doi:10.12688/f1000research.15183.1.
- Zhu Y *et al.* Assessment of Nasopharyngeal Cancer in Young Patients Aged ≤ 30 years. *Front Oncol* 2019; 9. doi:10.3389/fonc.2019.01179.