



## REFERENCE

- Abbasi, R., P. Martinez, and R. Ahmad. 2023. Automated Visual Identification of Foliage Chlorosis in Lettuce Grown in Aquaponic Systems. *Agriculture*, 13: 1-18.
- Agudelo, M. G., B. Ruiz, D. Capela, and P. Remigi. 2023. The role of microbial interactions on rhizobial fitness. *Frontier in Plant Science*, 14: 1-16.
- Camuel, A., A. Teulet, M. Carcagno, F. Haq, V. Pacquit, D. Gully, M. Pervent, C. Chaintreuil, J. Fardoux, N. Horta-Araujo, S. Okazaki, S. T. N. Ratu, F. Gueyu, J. Zilli, N. Nouwen, J. Arrighi, H. Luo, P. Mergaert, L. Deslandes, and E. Giraud. 2023. Widespread *Bradyrhizobium* distribution of diverse Type III effectors that trigger legume nodulation in the absence of Nod factor. *The ISME Journal*, 17: 14-16-1429.
- Chaulagain, D., and J. Frugoli. 2021. The Regulation of Nodule Number in Legumes Is a Balance of Three Signal Transduction Pathways. *International Journal of Molecular Science*, 22: 1-14.
- Concha, C., and P. Doerner. 2020. The impact of the rhizobia–legume symbiosis on host root system architecture. *Journal of Experimental Botany*, 71: 3902-3921.
- Dakora, F. D. 1995. A functional relationship between leghaemoglobin and nitrogenase based on novel measurements of the two proteins in legume root nodules. *Annals of Botany*, 75: 49-54.
- de Bruijn, F. J., and J. R. Lupski. 1984. The use of transposon Tn5 mutagenesis in the rapid generation of correlated physical and genetic maps of DNA segments cloned into multicopy plasmids — a review. *Gene*, 27: 131-149.
- Döbereiner, J. 1966. Evaluation of Nitrogen Fixation in Legumes by the Regression of Total Plant Nitrogen with Nodule Weight. *Nature*, 210: 850-852.
- Dommergues, Y. R., and H. G. Diem. 1982. *Microbiology of Tropical Soils and Plant Productivity*. Dr W. Junk Publishers, The Hague, Boston, London.
- Elena, S. F., L. Ekunwe, N. Hajela, S. A. Oden, and R. E. Lenski. 1998. Distribution of fitness effects caused by random insertion mutations in *Escherichia coli*. *Genetica*, 102: 349-358.



- Evans, J. R. 1989. Photosynthesis and nitrogen relationships in leaves of C3 plants. *Oecologia*, 78: 9-19.
- Faruque, O. M., H. Miwa, M. Yasuda, Y. Fujii, T. Kaneko, S. Sato, and S. Okazaki. 2015. Identification of *Bradyrhizobium elkanii* genes involved in incompatibility with soybean plants carrying the Rj4 allele. *Applied and Environmental Microbiology*, 81: 6710-6718.
- Fernández-Pascual, M., J. J. Pueyo, M. R. de Felipe, M. P. Golvano, and M. M. Lucas. 2007. Singular Features of the *Bradyrhizobium-Lupinus* Symbiosis. *Dynamic Soil, Dynamic Plant*, 1:1-16.
- Ghosh, P. K., and T. K. Maiti. 2016. Structure of Extracellular Polysaccharides (EPS) Produced by Rhizobia and their Functions in Legume–Bacteria Symbiosis: — A Review. *Sciences*, 10: 136-143.
- Heidstra, R., and T. Bisseling. 1996. Nod factor-induced host responses and mechanisms of Nod factor perception. *New Phytologist*, 133: 25-43.
- Horne jr, J. H., H. W. Woolley, A. Roy, W. M. Schluchter, and J. J. Howard. 2022. Teaching Basic Calculations in an Introductory Biology Lab. *Journal of Microbiology and Biology Education*, 23: 1-11.
- Horovitz, A.; Harding, J. Genetics of *Lupinus*. XII. 1983. The mating system of *Lupinus pilosus*. *Botanical Gazzete*, 144: 276–279.
- Hossain, M. S., P. B. DeLaune, and T. J. Gentry. 2023. Microbiome analysis revealed distinct microbial communities occupying different sized nodules in field-grown peanut. *Frontiers in Microbiology*, 14: 1-14.
- Hou, W., M. Tränkner, J. Lu, J. Yan, S. Huang, T. Ren, R. Cong, and X. Li. 2020. Diagnosis of Nitrogen Nutrition in Rice Leaves Influenced by Potassium Levels. *Frontiers in Plant Science*. 11: 1-13.
- Hubber, A., A. C. Vergunst, J. T. Sullivan, P. J. J. Hooykaas, and C. W. Ronson. 2004. Symbiotic phenotypes and translocated effector proteins of the *Mesorhizobium loti* strain R7A VirB / D4 type IV secretion system. *Molecular Microbiology*, 54: 561–574.
- Jones, K. M., H. Kobayashi, B. W. Davies, M. E. Taga, and G. C. Walker. 2007. How rhizobial symbionts invade plants: the *Sinorhizobium-medicago* model. *Nature Reviews Microbiology*, 5: 619-633.



- Kambara, K., S. Ardisson, H. Kobayashi, M. M. Saad, O. Schumpp, and W. J. Broughton. 2009. Rhizobia utilize pathogen-like effector proteins during symbiosis. *Molecular Microbiology*, 71: 92–106.
- Kimbrel, J. A., W. J. Thomas, Y. Jiang, A. L. Creason, C. A. Thireault, and J. L. Sachs. 2013. Mutualistic co-evolution of type III effector genes in *Sinorhizobium fredii* and *Bradyrhizobium japonicum*. *PLoS Pathogens*. 9: e1003204.
- Kole, C. 2011. *Wild Crop Relatives: Genomic and Breeding Resources, Legume Crops and Forages*. Springer, Verlag, Berlin, Heidelberg.
- Krause, A., A. Doerfel, and M. Göttfert. 2002. Mutational and transcriptional analysis of the type III secretion system of *Bradyrhizobium japonicum*. *Molecular Plant Microbe Interaction*, 15: 1228–1235.
- Kusakabe, S., N. Higashitani, T. Kaneki, M. Yasuda, H. Miwa, S. Okazaki, K. Saeki, A. Higashitani, and S. Sato. 2020. Lotus Accessions Possess Multiple Checkpoints Triggered by Different Type III Secretion System Effectors of the Wide-Host-Range Symbiont *Bradyrhizobium elkanii* USDA61. *Microbes and Environment*, 35: 1-16.
- Kvakić, M., G. Tzagkarakis, S. Pellerin, P. Ciais, D. Goll, A. Mollier, and B. Ringeval. 2020. Carbon and Phosphorus Allocation in Annual Plants: An Optimal Functioning Approach. *Frontiers in Plant Science*, 11:1-14.
- Kwon, Y. M., and S. C. Rieke. 2000. Efficient amplification of multiple transposon-flanking sequences. *Journal of Microbiology Methods*, 41: 195–199.
- Layzell, D.B., R. M. Rainbird, C. A. Atkins, and J. S. Pate. 1979. Economy of photosynthate use in nitrogen-fixing legume nodules. *Plant Physiology*, 64: 888–891.
- Liu, H., N. Sandal, K. R. Andersen, E. K. James, J. Stougaard, S. Kelly, and Y. Kawaharada. 2018. A genetic screen for plant mutants with altered nodulation phenotypes in response to rhizobial glycan mutants. *New Phytologist*, 220: 526-538.
- Macho, A. P., and C. Zipfel. 2015. Targeting of plant pattern recognition receptor-triggered immunity by bacterial type-III secretion system effectors. *Current Opinion in Microbiology*, 23: 14-22.



- Martin, V. J. J., and W. M. Mohn. 1999. An alternative inverse PCR (IPCR) method to amplify DNA sequences flanking Tn5 transposon insertions. *Journal of Microbiological Methods*, 35: 163-166.
- Martins, T., A. N. Barros, E. Rosa, and L. Antunes. 2023. Enhancing Health Benefits through Chlorophylls and Chlorophyll-Rich Agro-Food: A Comprehensive Review. *Molecules*, 28: 1-21.
- Mergaert, P., M. V. Montagu, and M. Holsters. 1997. Molecular mechanisms of Nod factor diversity. *Molecular Microbiology*, 25: 811-817.
- Miwa, H., and S. Okazaki. 2017. How effectors promote beneficial interactions. *Current Opinion in Plant Biology*, 38: 148-154.
- Naorem, S. S., J. Han, S. Y. Zhang, J. Zhang, L. B. Graham, A. Song, C. V. Smith, F. Rashid, and H. Guo. 2018. Efficient transposon mutagenesis mediated by an IPTG-controlled conditional suicide plasmid. *BMC Microbiology*, 18: 1-11.
- Nelson, M. S., and M. J. Sadowsky. 2015. Secretion systems and signal exchange between nitrogen-fixing rhizobia and legumes. *Frontier in Plant Sciences*, 6: 1-11.
- Nelson, P., and R. J. Delane. 1991. Producing Lupins in Western Australia, Bulletin 4179, Department of Agriculture, Western Australia
- Nguyen, H. P., S. T. N. Ratu, M. Yasuda, N. Teaumroong, and S. Okazaki. 2020. Identification of *Bradyrhizobium elkanii* USDA61 Type III Effectors Determining Symbiosis with *Vigna mungo*. *Genes*, 11: 1-14.
- Nguyen, H. P., S. T. Ratu, M. Yasuda, M. Göttfert, and S. Okazaki. 2018. InnB, a novel type III effector of *Bradyrhizobium elkanii* USDA61, controls symbiosis with *Vigna* species. *Frontiers in microbiology*, 9: 1-9.
- Nomura, M., H. Arunothayanan, T. V. Dao, H. Le, T. Kaneko, S. Sato, S. Tabata, and S. Tajima. 2010. Differential protein profiles of *Bradyrhizobium japonicum* USDA110 bacteroid during soybean nodule development. *Soil Science & Plant Nutrition*, 56: 579-590.ra
- Okazaki, S., S. Okabe, M. Higashi, Y. Shimoda, S. Sato, and S. Tabata. 2010. Identification and functional analysis of type III effector proteins in *Mesorhizobium loti*. *Molecular Plant Microbe Interaction*, 23: 223–234.



- Okazaki, S., S. Zehner, J. Hempel, K. Lang, and M. Göttfert. 2009. Genetic organization and functional analysis of the type III secretion system of *Bradyrhizobium elkanii*. *FEMS Microbiology Letters*, 295: 88-95.
- Okazaki, S., T. Kaneko, S. Sato, and K. Saeki. 2013. Hijacking of leguminous nodulation signaling by the rhizobial type III secretion system. *Proceedings of the National Academy of Sciences of the United States of America*, 110: 17131-17136.
- Pereira, A., F. Ramos, and A. S. Silva. 2022. Lupin (*Lupinus albus* L.) Seeds: Balancing the Good and the Bad and Addressing Future Challenges. *Molecules*, 5: 1-22.
- Pueyo, J. J., M. A. Quinones, T. C. Pena, E. E. Fedorova, and M. M. Lucas. 2021. Nitrogen and Phosphorus Interplay in Lupin Root Nodules and Cluster Roots. *Frontier in Plant Science*, 12: 1-9.
- Puhar, A., and P. J. Sansonetti. 2014. Type III secretion system. *Current Biology*, 24: 784-791.
- Ratu, S. T. N., A. Teulet, H. Miwa, S. Masuda, H. P. Nguyen, M. Yasuda, S. Sato, T. Kaneko, M. Hayashi, E. Giraud, and S. Okazaki. 2021. Rhizobia use a pathogenic-like effector to hijack leguminous nodulation signaling. *Scientific Reports*, 11: 1-16.
- Ratu, S. T. N., L. Amelia, S. Okazaki. 2023. Type III effector provides a novel symbiotic pathway in legume–rhizobia symbiosis. *Bioscience, Biotechnology, and Biochemistry*, 87: 28-37.
- Reeve, W., P. Berkum, J. Ardley, R. Tian, M. Gollagher, D. Marinova, P. Elia, T. B. K. Reddy, M. Pillay, N. Varghese, R. Seshadri, N. Ivanova, T. Woyke, M. N. Baeshen, N. A. Baeshen, and N. Kyrpides. 2017. High-quality permanent draft genome sequence of the *Bradyrhizobium elkanii* type strain USDA 76T, isolated from *Glycine max* (L.) Merr. *Environmental Microbiome*, 12: 1-11.
- Reid, D. E., B. J. Ferguson, S. Hayashi, Y. Lin, and P. M. Gresshoff. 2011. Molecular mechanisms controlling legume autoregulation of nodulation. *Annals of Botany*, 108: 789-795.



- Rosendahl, L., C. P. Vance, and W. B. Pedersen. 1990. Products of dark CO<sub>2</sub> fixation in pea root nodules support bacteroid metabolism. *Plant Physiology*, 93: 12–19.
- Saiz, E., F. Sgouridis, F. P. Frijfhout, and S. Ullah. 2019. Biological nitrogen fixation in peatlands: Comparison between acetylene reduction assay and <sup>15</sup>N<sub>2</sub> assimilation methods. *Soil Biology and Biochemistry*, 131: 157-165.
- Sánchez, C., F. Iannino, W. J. Deakin, R. A. Ugalde, and V. C. Lepek. 2009. Characterization of the *Mesorhizobium loti* MAFF303099 type-three protein secretion system. *Molecular Plant Microbe Interaction*, 22: 519–528.
- Sánchez, C., V. Mercante, M. F. Babuin, and V. C. Lepek. 2012. Dual effect of *Mesorhizobium loti* T3SS functionality on the symbiotic process. *FEMS Microbiology Letter*, 330: 148–156.
- Sánchez-Bravo, J., M. R. Oliveros-Valenzuela, C. Nicolás, and M. Acosta. 2008. Growing in Darkness. *Plant Signaling and Behaviour*, 3: 406-408.
- Sandhu, A. K., M. R. Brown, S. Subramanian, and V. S. Brözel. 2023. *Bradyrhizobium diazoefficiens* USDA 110 displays plasticity in the attachment phenotype when grown in different soybean root exudate compounds. *Frontiers in Microbiology*, 14: 1-16.
- Sari, Y. A., R. V. H. Ginardi, and R. Sarno. 2013. Assessment of Color Levels in Leaf Color Chart Using Smartphone Camera with Relative Calibration. *Information Systems International Conference (ISICO)*, 1: 631-636.
- Schwember, A. R., J. Schulze, A. del Pozo, and R. A. Cabeza. 2019. Regulation of Symbiotic Nitrogen Fixation in Legume Root Nodules. *Plants*, 8: 1-18.
- Shelef, O., E. Ben-Simchon, M. Sternberg, and O. Cohen. 2024. Agronomic Estimation of Lupin (*Lupinus pilosus* L.) as a Prospective Crop. *Agronomy*, 14: 1-17.
- Shi, K., T. E. Bohl, J. Park, A. Zasada, S. Malik, S. Banerjee, V. Tran, N. Li, Z. Yin, F. Kurniawan, K. Orellana, and H. Aihara. 2018. T4 DNA ligase structure reveals a prototypical ATP-dependent ligase with a unique mode of sliding clamp interaction. *Nucleic Acids Research*, 46: 10474-10488.
- Skorpil, P., M. M. Saad, N. M. Boukli, H. Kobayashi, F. Ares-Orpel, and W. J. Broughton. 2005. NopP, a phosphorylated effector of *Rhizobium* sp. strain



- NGR234, is a major determinant of nodulation of the tropical legumes *Flemingia congesta* and *Tephrosia vogelii*. *Molecular Microbiology*, 57: 1304–1317.
- Soyana, T., Y. Shimoda, M. Kawaguchi, and M. Hayashi. 2019. A shared gene drives lateral root development and root nodule symbiosis pathways in Lotus. *Plant Science*, 366: 1021-1023.
- Sugawara, M., S. Takahashi, Y. Umehara, H. Iwano, H. Tsurumaru, H. Otake, and K. Minamisawa. 2018. Variation in bradyrhizobial NopP effector determines symbiotic incompatibility with Rj2-soybeans via effector-triggered immunity. *Nature communications*, 9, 3139.
- Tajima, R., O. N. Lee, J. Abe, A. Lux, and S. Morita. 2007. Nitrogen-Fixing Activity of Root Nodules in Relation to Their Size in Peanut (*Arachis hypogaea* L.). *Plant Production Science*, 10: 423-429.
- Tominaga, A., M. Nagata, K. Futsuki, H. Abe, T. Uchiumi, M. Abe, K. Kucho, M. Hashiguchi, R. Akashi, A. M. Hirsch, S. Arima, and A. Suzuki. Enhanced Nodulation and Nitrogen Fixation in the Abscisic Acid Low-Sensitive Mutant enhanced nitrogen fixation<sup>1</sup> of Lotus japonicus. *Plant Physiology*, 151: 1965-1976.
- Triastinurmiatiningsih, P. Harsani, A. Qur'Ania, and R. F. Hermawan. 2019. Effects of Deficiency Nitrogen Phosphorus Potassium Calcium in Okra (*Abelmoschus esculentus* L. Moench) Through Hydroponics. *International Journal of Recent Technology and Engineering*, 8: 4393-4396.
- Vasse, J., F. D. Billy, S. Camut, and G. Truchet. 1990. Correlation between ultrastructural differentiation of bacteroids and nitrogen fixation in alfalfa nodules. *Journal of bacteriology*, 172: 4295-4306.
- Veereshlingam, H., J. G. Haynes, R. V. Penmetsa, D. R. Cook, D. J. Sherrier, and R. Dickstein. 2004. nip, a Symbiotic *Medicago truncatula* Mutant That Forms Root Nodules with Aberrant Infection Threads and Plant Defense-Like Response. *Plant Physiology*, 136: 3692-3702.
- Viprey, V., A. Del Greco, W. Golinowski, W. J. Broughton, and X. Perret. 1998. Symbiotic implications of type III protein secretion machinery in *Rhizobium*. *Molecular Microbiology*, 28: 1381–1389.



- Vu, H. N., G. A. Subuyuj, R. V. Crisostomo, and E. Skovran. 2021. Chapter Seven - Transposon mutagenesis for methylotrophic bacteria using *Methylobacterium extorquens* AM1 as a model system. *Methods in Enzymology*, 650: 159-184.
- Walls, L., and B. A. Zamora. 2001. Nitrogen-Fixing Nodule Characterization and Morphology of Four Species in the Northern Intermountain Region. *USDA Forest Service Proceedings*, 21: 295-301.
- Wang, Q., J. Liu, and H. Zhu. 2018. Genetic and Molecular Mechanisms Underlying Symbiotic Specificity in Legume-Rhizobium Interactions. *Frontiers in Plant Science*, 9: 1-8.
- Wang, Y., Z. Yang, Y. Kong, X. Li, W. Li, H. Dui, and C. Zhang. 2020. GmPAP12 Is Required for Nodule Development and Nitrogen Fixation Under Phosphorus Starvation in Soybean. *Frontiers in Plant Science*, 14: 1-12.
- Warembourg, F. R., D. Montange, and R. Bardin. 1982. The simultaneous use of CO<sub>2</sub> and N<sub>2</sub> labelling techniques to study the carbon and nitrogen economy of legumes grown under natural conditions. *Physiologia Plantarum*, 56: 46–55.
- Waters, L. J., P. H. Graham, P. J. Breen, H. J. Mack, and J. C. Rosas. 1980. The Effect of Rice-hull Mulch on Growth, Carbohydrate Content, and Nitrogen Fixation in *Phaseolus vulgaris* L. *HortScience*, 15:138-140.
- Wei, Z., and J. Li. 2016. Brassinosteroids Regulate Root Growth, Development, and Symbiosis. *Molecular Plant*, 9: 86-100.
- Wenzel, M., L. Friedrich, M. Göttfert, and S. Zehner. 2010. The type III-secreted protein NopE1 affects symbiosis and exhibits a calcium-dependent autocleavage activity. *Molecular Plant Microbe Interaction*, 23: 124–129.
- Yang, S., F. Tang, M. Gao, and H. Zhu. 2010. R gene-controlled host specificity in the legume–rhizobia symbiosis. *PNAS*, 107: 18735-18740.