

Daftar Pustaka

- Anantyartha, P. 2017. Identifikasi variasi genetik kerbau (*Bubalus bubalis*) Pacitan dan Tuban berbasis mikrosatelit. *Jurnal Bioeksperimen*, 3 (1), 11–28.
- Anderson, S. 1981. Sequence and organization of the human mitochondrial genome. *Nature*, 290 (1), 457–465.
- Baksir, A., Akbar, N. and Ismail, F. 2022. Keragaman genetik dan filogenetik kepiting biola (*Uca* spp.) di Pesisir Pantai Jailolo, Kabupaten Halmahera Barat. *Jurnal Kelautan Tropis*, 25 (1), 57–59.
- Barnwell, F.H. and Thurman, C.L. 1984. Taxonomy and biogeography of the fiddler crabs (Ocypodidae: Genus *Uca*) of the atlantic and gulf coasts of eastern North America. *Zoological Journal of the Linnean Society*, 81 (1), 23–87. doi : 10.1111/j.1096-3642.1984.tb02558.x
- Cawthorn, D.M., Steinman, H.A. and Witthuhn, R.C. 2012. Evaluation of the 16S and 12S rRNA genes as universal markers for the identification of commercial fish species in South Africa. *Gene*, 491 (1), 40–48.
- Chakraborty, M. and Samanta, A.K. 2019. Biodiversity with special reference to genetic biodiversity and sustainable development- a brief review. *Journal of Basic and Applied Sciences*, 4 (1), 85–95.
- Chan, K.O., Hertwig, S.T., Neokleous, D.N., Flury, J.M. and Brown, R.M. 2022. Widely used, short 16S rRNA mitochondrial gene fragments yield poor and erratic results in phylogenetic estimation and species delimitation of amphibians. *BMC Ecology and Evolution*, 22 (37), 1–9.
- Chen, J., Xing, Y., Yao, W., Zhang, C., Zhang, Z., Jiang, G. and Ding, Z. 2018. Characterization of four new mitogenomes from Ocypodoidea & Grapsoidea, and phylomitogenomic insights into thoracotreme evolution. *Gene*. doi: 10.1016/j.gene.2018.06.088. Epub 2018 Jun 27. PMID: 29960073.
- Christy, J.H. 1989. Rapid development of megalopae of the fiddler crab *Uca pugilator* reared over sediment: implications for models of larval recruitment. *Marine Ecology Progress Series*, 57 (1), 259–265.
- Cote, C.L., Gagnaire, P.A., Bourret, V., Verreault, G., Castonguay, M. and Bernatchez, L. 2013. Population genetics of the American eel (*Anguilla rostrata*): $F_{ST} = 0$ and North Atlantic Oscillation effects on demographic fluctuations of a panmictic species. *Mol Ecol*, 22: 1763–1776. <https://doi.org/10.1111/mec.12142>
- Crane, J. 1975. *Fiddler crabs of the world, Ocypodidae : genus Uca*. New Jersey : Princeton University Press.
- Darriba, D., Taboada, G.L., Doallo, R. and Posada, D. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nat Methods*, 9, 772. <https://doi.org/10.1038/nmeth.2109>
- Dianiputri, U., Aji, K.W. and Arisuryanti, T. 2022. Polimorfisme gen mitokondria 16S ikan baung (*Hemibagrus nemurus* Valenciennes, 1840) dari Sungai Progo, Magelang, Jawa Tengah. *Berkala Ilmiah Biologi*, 13 (1), 40–47. doi : 10.22146/bib.v13i1.4242
- Direktorat Jenderal Sumber Daya Air. 2010. *Pola pengelolaan sumber daya air wilayah Sungai Progo - Opak - Serang*. Available at :

https://sda.pu.go.id/assets/files/2010_Pola%20PSDA%20Progo-Opak-Serang.pdf

- Drummond, A.J., Suchard, M.A., Xie, D. and Rambaut, A. 2012. Bayesian phylogenetics with BEAUti and the BEAST 1.7. *Mol Biol Evol*, 29, 1969–1973.
- Edwards, R.J. 2019. Phylogenetic tree rooting. *Encyclopedia of Bioinformatics and Computational Biology*, 2, 727–735.
- Garcia, E., Wright, D., Gatins, R., Roberts, M.B., Pinheiro, H.T., Salas, E., Chen, Y.J., Winnikoff, J.R. and Bernardi, G. 2021. Haplotype network branch diversity, a new metric combining genetic and topological diversity to compare the complexity of haplotype networks. *PLoS ONE*, 16(6), 1-15. <https://doi.org/10.1371/journal.pone.0251878>
- Grant, W.S. and Bowen, B.W. 1998. Shallow population histories in deep evolutionary lineages of marine fishes: insights from sardines and anchovies and lessons for conservation. *The Journal of Heredity*, 89(5), 415–426.
- Hakeem, K.R., Shaik, N.A., Banaganapalli, B. and Elango, R. 2019. *Essentials of bioinformatics, volume III “in silico life sciences : agriculture”*. Switzerland : Springer.
- Haqie, D.A. and Haryono, E. 2019. *Kajian karakteristik habitat ikan belanak di Muara Sungai Bogowonto*. Skripsi. Universitas Gadjah Mada.
- Hartl, D.L. and Clark, A.G. 2006. *Principles of population genetics 3th ed.* USA : Sinauer Associates.
- Hyman, O.W. 1920. The development of *Gelasimus* after hatching. *Journal of Morphology*, 33 (2), 485–525.
- Irmawati. 2016. *Genetika populasi ikan*. Yogyakarta : Penerbit ANDI.
- Iza, N. 2017. Frekuensi alel, heterozigositas, dan migrasi alel pada populasi etnis Jawa dan Madura di Malang dan Madura, Jawa Timur, Indonesia. *Jurnal Ilmiah Sains*, 17 (1), 43–50.
- Jejaring Desa Wisata Kemenparekraf. 2024. *Pengamatan burung migran Muara Progo*. Available at : https://jadesta.kemenparekraf.go.id/atraksi/pengamatan__burung_migran_muara_progo
- Jenuth, J.P., Perterson, A.C., Fu, K. and Shoubridge, E. A. 1997. Random genetic drift in the female germline explains the rapid segregation of mammalian mitochondrial DNA. *Nat Genet*, 14 (1), 146–151.
- Jones, D. S. and Morton, B. 1994. The fiddler crabs (Ocypodidae: Uca) of Hong Kong. *Asian Marine Biology*, 11, 9–40.
- Kumar, S., Tamura, K. and Nei, M. 2004. MEGA3: an integrated software for molecular evolutionary genetics analysis and sequence alignment. *Brief Bioinform*, 5, 150–163.
- Kwok, W.P.W. and Tang, W. 2006. Fiddler crabs in Hong Kong - an overview. *Hong Kong Biodiversity*, 12, 1–16.
- Leigh, J.W. and Bryant, D. 2015. PopART: Full-feature software for haplotype network construction. *Methods Ecol Evol*, 6 (9), 1110–1116.
- Leksono, A.S. 2011. *Keanekaragaman hayati*. Malang : UB Press.
- Maddison, W.P., and Maddison, D.R. 2023. Mesquite : a modular system for evolutionary analysis. Version 3.81. Accessed at <https://www.mesquiteproject.org/>

- Mainaki, R. and Putri, A.E. 2020. Paleogeografi: perkembangan keanekaragaman hayati dalam ruang dan waktu. *Jurnal Geografi, Edukasi, dan Lingkungan*, 4 (1), 17–24.
- Mathews, C.K., Holde, K.E.V., Appling, D.R. and Cahill, S.J.A. 2013. *Biochemistry 4th Ed.* USA : Pearson Canada Inc.
- Michie, L.A., Barnes, R.S.K, Clark, P.F., Bennett, W.A. and Cragg, S.M. 2021. Distinguishing ten sympatric species of fiddler crab (Decapoda: Ocypodidae) using a suite of phenotypic characteristics. *Zootaxa*, 5026 (4), 480–506. doi: 10.11646/zootaxa.5026.4.2
- Msr. 2025. Fiddler Crab Guide: Mainland China and Hainan. iNaturalist. Accessed at <https://www.inaturalist.org/journal/msr/79218-fiddler-crab-guide-mainland-china-and-hainan>
- Murniati, D.C. and Pratiwi, R. 2015. *Kepiting Uca di hutan mangrove Indonesia*. Jakarta : LIPI Press.
- Nur, B.A. and Kuntjoro, S. 2020. Keanekaragaman dan kelimpahan kepiting biola (*Crustacea: Ocypodidae*) di Pantai Selatan Kabupaten Bangkalan, Madura. *LenteraBio*, 9 (3), 176–184. p-ISSN: 2252-3979 e-ISSN: 2685-7871
- Palumbi, S.R. 1996. *Nucleic acids II: the polymerase chain reaction*. in: *Molecular systematics*. Sunderland : Sinauer Associates, Inc.
- Peakall, R. and Smouse, P.E. 2012. GenAIEx 6.5: genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics*, 28(19), 2537–2539. doi: 10.1093/bioinformatics/bts460
- Rabalais, N.N. and Cameron, J.N. 1983. Abbreviated development of *Uca subcylindrica* (Stimpson, 1859) (Crustacea, Decapoda, Ocypodidae) reared in the laboratory. *Journal of Crustacean Biology*, 3 (4), 519–541.
- Rahayu, D.A. and Jannah, M. 2019. *DNA barcode hewan dan tumbuhan Indonesia*. Jakarta Selatan : Yayasan Inspirasi Ide Berdaya.
- Rahmawati, D. and Shabrina, H. 2024. *Analisis molekuler dan bioinformatika*. Bogor : SEAMEO BIOTROP.
- Rambaut, A. 2019. 'FigTree v 1.4.4.', in Molecular Evolution, Phylogenetics and Epidemiology. Accessed at <http://tree.bio.ed.ac.uk/software/figtree/>
- Raven, P.H., Johnson, G.B., Mason, K.A., Losos, J.B. and Singer, S.R. 2017. *Biology* 11th ed. New York : McGraw-Hill Education.
- Robin, E.D. and Wong, R. 1988. Mitochondrial-DNA molecules and virtual number of mitochondria per cell in mammalian-cells. *J. Cell. Physiol*, 136 (1), 507–513.
- Rozas J, Ferrer-Mata, A., Sánchez-DelBarrio, J.C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S.E. and Sánchez-Gracia, A. 2017. DnaSP 6: DNA Sequence Polymorphism Analysis of Large Data Sets. *Mol Biol Evol*, 34 (12), 3299–3302. doi: 10.1093/molbev/msx248
- Saputringrum, Y.E. dan Mardiatno, D. 2020. *Evalasi kesesuaian lahan untuk pengembangan ekosistem mangrove di sekitar Muara Sungai Bogowonto*. Skripsi. Universitas Gadjah Mada.
- Sari, R. and Arisuryanti, T. 2020. Molecular species identification of red shrimp (Crustacea: Decapoda: Barbouriidae) from Tanjung Sanjangan (Tolitoli, Central Sulawesi) through 16S rRNA mitochondrial gene. *AIP Conf. Proc.* 2260 (1): 020026. <https://doi.org/10.1063/5.0015908>

- Shih, H.T., Wong, L.J.H., Chan, B.K.K., Nguyen, T.S., Do, V.T., Ngo, X.Q., and Hsu, P.Y. 2022. Diversity and distribution of fiddler crabs (Crustacea : Brachyura : Ocypodidae) in Vietnam. *Zoological Studies*, 61(66), 1–24.
- Shih, H.T., Ng, P.K.L., Davie, P.J.F., Schubart, C.D., Turkey, M., Naderloo, R., Jones, D. and Lin, M.Y. 2016a. Systematics of the family Ocypodidae Rafinesque, 1815 (Crustacea: Brachyura), based on phylogenetic relationships, with a reorganization of subfamily rankings and a review of the taxonomic status of *Uca* Leach, 1814, sensu lato and its subgenera. *The Raffles Bulletin of Zoology*, 64 (1), 139–175.
- Shih, H.T., Lee, J.H., Ho, P.H., Liu, H.C., Wang, C.H., Suzuki, H. and Teng, S.J. 2016b. Species diversity of fiddler crabs, genus *Uca* Leach, 1814 (Crustacea: Ocypodidae), from Taiwan and adjacent islands, with notes on the Japanese species. *Zootaxa*, 4083 (1), 57–82. doi : 10.11646/zootaxa.4083.1.3
- Shih, H.T., Saher, N.U., Kamrani, E., Ng, P.K., Lai, Y.C. and Liu, M.Y. 2015. Population genetics of the fiddler crab *Uca sindensis* (Alcock, 1900) (Crustacea: Brachyura: Ocypodidae) from the Arabian Sea. *Zoological Studies*, 54 (1), 1–10.
- Shih H.T., Ng, P.K.L., Fang, S.H., Chan, B.K.K. and Wong, K.J.H. 2010. Diversity and distribution of fiddler crabs (Brachyura: Ocypodidae: *Uca*) from China, with new records from Hainan Island in the South China Sea. *Zootaxa*, 2640, 1–19. doi:10.11646/zootaxa.2640.1.1.
- Solomon, E.P., Martin, C.E., Martin, D.W. and Berg, L.R. 2019. *Biology 11th Ed.* Boston : Cengage.
- Stumpf, M. 2004. Haplotype diversity and SNP frequency dependence in the description of genetic variation. *Eur J Hum Genet*, 12, 469–477. <https://doi.org/10.1038/sj.ejhg.5201179>
- Suchard, M.A., Lemey, P., Baele, G., Ayres, D.L., Drummond, A.J. and Rambaut, A. 2018. Bayesian phylogenetic and phylodynamic data integration using BEAST 1.10. *Virus Evol*, 4 (1), 1–5. <https://doi.org/10.1093/ve/vey016>.
- Suhartono, M.T., Ismaya, W.T. and Retnoningrum, D.S. 2022. *Biokimia Asam Nukleat*. Yogyakarta : PT KANINUS.
- Tamura, K., Stecher, G., and Kumar, S. 2021. MEGA11: Molecular evolutionary genetics analysis version 11. *Molecular Biology Evolution*, 38 (7), 3022–3027.
- Tanjung, R., Khakhim, N., and Rustadi. 2017. Kajian fisik pesisir Kulon Progo untuk penentuan zona kawasan mangrove dan tambak udang. *Majalah Geografi Indonesia*, 31 (2), 22–32.
- Urry, L.A., Cain, M.L., Wasserman, S.A., Minorsky, P.V. and Orr, R.B. 2021. *Campbell Biology 12th ed.* New York : Pearson.
- World Register of Marine Species. 2025. *Gelasimus borealis* (Crane, 1975)). Accessed at : <https://www.marinespecies.org/aphia.php?p=taxdetails&id=955168>
- Yang, L., Tan, Z., Wang, D., Xue, X., Guan, M., T., H. and Li, R. 2014. Species identification through mitochondrial rRNA genetic analysis. *Scientific Reports*, 4089 (4), 1–11. DOI: 10.1038/srep04089
- Zhang, Y.C. and Shih, H.T. 2022. First zoeal stage of 15 species of fiddler crabs (Crustacea: Brachyura: Ocypodidae) from Taiwan. *Zoological Studies*, 61 (71), 1–29.

Zuur, A.F., Ieno, E.N. and Smith, G.M. 2007. *Analysing Ecological Data*. New York : Springer.