

DAFTAR PUSTAKA

- Adiputra, I.M.S., Trisnadewi, N.W., Hulu, V.T., Budiastutik, I., Faridi, A., Ramdany, R., Jerimia Fitriani, R., Ari Tania, P.O., Rahmawati, B.F., Lusian, S.A., Susilawaty, A., Sianturi, E. and Suryana (2021). *Metodologi Penelitian Kesehatan*. Denpasar: Yayasan Kita Menulis.
- Akbar, A. (2019). Faktor Penyebab Abortus di Indonesia Tahun 2010-2019: Studi Meta Analisis. *Jurnal Biomedik : JBM*, 11(3). doi: <https://doi.org/10.35790/jbm.11.3.2019.26660>.
- Alves, C. and Rapp, A. (2022). *Spontaneous Abortion*. [online] PubMed. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK560521/>.
- Anggi, A.S., Hasbia, H. and Afrika, E. (2022). Faktor-Faktor Yang Berhubungan Dengan Kejadian Abortus Di Wilayah Kerja Pkm Burnai Mulya. *Prepotif : Jurnal Kesehatan Masyarakat*, 6(1), pp.674–680. doi: <https://doi.org/10.31004/prepotif.v6i1.3119>.
- Badan Pusat Statistik (2023). *Angka Kematian Ibu/AKI (Maternal Mortality Rate/MMR) Hasil Long Form SP2020 Menurut Provinsi, 2020 - Tabel Statistik*. [online] Badan Pusat Statistik. Available at: <https://www.bps.go.id/id/statistics-table/1/MjIxOSMx/angka-kematian-ibu-aki--maternal-mortality-rate-mmr---hasil-long-form-sp2020-menurut-provinsi--2020.html>.
- Bracken, O. and Langhe, R. (2021). Evaluation of maternal and perinatal outcomes in pregnancy with high BMI. *Irish Journal of Medical Science (1971 -)*, 190(1439-1444). doi: <https://doi.org/10.1007/s11845-020-02456-4>.
- Brandt, N.B., Kristensen, M.L.S., Catalini, L. and Fedder, J. (2021). Effect of paternal health on pregnancy loss—A review of current evidence. *Andrologia*, 54(1). doi: <https://doi.org/10.1111/and.14259>.
- Braunthal, S. and Brateanu, A. (2019). Hypertension in pregnancy: Pathophysiology and treatment. *SAGE Open Medicine*, [online] 7(7), p.205031211984370. doi: <https://doi.org/10.1177/2050312119843700>.
- Broughton, D.E. and Moley, K.H. (2017). Obesity and female infertility: potential mediators of obesity's impact. *Fertility and Sterility*, 107(4), pp.840–847. doi: <https://doi.org/10.1016/j.fertnstert.2017.01.017>.
- Brouwer, J., Laven, J.S.E., Hazes, J.M.W. and Dolhain, R.J.E.M. (2015). Brief Report: Miscarriages in Female Rheumatoid Arthritis Patients: Associations With Serologic Findings, Disease Activity, and Antirheumatic Drug

- Treatment. *Arthritis & Rheumatology*, 67(7), pp.1738–1743. doi: <https://doi.org/10.1002/art.39137>.
- Cheng, C.-G., Su, S.-H., Chien, W.-C., Chen, R., Chung, C.-H. and Cheng, C.-A. (2024). Diabetes Mellitus and Gynecological and Inflammation Disorders Increased the Risk of Pregnancy Loss in a Population Study. *Life*, 14(7), p.903. doi: <https://doi.org/10.3390/life14070903>.
- Cresswell, J. (2017). *Maternal deaths*. [online] World Health Organization. Available at: <https://www.who.int/data/gho/indicator-metadata-registry/imr-details/4622>.
- Cresswell, J. (2023). *Indicator Metadata Registry Details*. [online] World Health Organization. Available at: <https://www.who.int/data/gho/indicator-metadata-registry/imr-details/26>.
- de La Rochebrochard, E. and Thonneau, P. (2002). Paternal age and maternal age are risk factors for miscarriage; results of a multicentre European study. *Human Reproduction*, 17(6), pp.1649–1656. doi: <https://doi.org/10.1093/humrep/17.6.1649>.
- Dinas Kesehatan DIY (2022). *Profil Kesehatan Daerah Istimewa Yogyakarta 2021*. Dinas Kesehatan DIY.
- Dinas Kesehatan DIY (2023). *Profil Kesehatan Daerah Istimewa Yogyakarta 2022*. Dinas Kesehatan DIY.
- Fajria, L. (2013). Analisis Faktor Resiko Kejadian Abortus di RSUP Dr. M.Djamil Padang: Analysis of Risk Factors for Abortion at Dr. M. Djamil Padang Hospital. *NERS Jurnal Keperawatan*, [online] 9(2), pp.140–151. doi: <https://doi.org/10.25077/njk.v9i2.109>.
- Farawansya, K., Lestari, D. and Riski, M. (2022). Faktor-Faktor yang Berhubungan dengan Kejadian Abortus di Rumah Sakit Muhammadiyah Palembang Tahun 2020. *Jurnal Ilmiah Universitas Batanghari Jambi*, [online] 22(1), pp.621–625. doi: <https://doi.org/10.33087/jjubj.v22i1.1928>.
- Fatuhrohmah, N. (2017). Rasio Prevalensi Usia Ibu Hamil Terhadap Kejadian Abortus Di Rsud Wonosari Gunungkidul Tahun 2016 - *Test Repository*. [online] [Poltekkesjogja.ac.id](http://eprints.poltekkesjogja.ac.id). Available at: <http://eprints.poltekkesjogja.ac.id/1565/>.
- Febby Gunanegara, R., Pangemanan, D. and Yange Valasta, G. (2013). Relation Of Incomplete Abortion With Risk Factor In Pregnant Mother In Bandung

- Pindad Hospital 2013-2014 Period. [online] Available at: http://repository.maranatha.edu/12683/9/1110120_Journal.pdf.
- García-Enguádanos, A., Calle, M.E., Valero, J., Luna, S. and Domínguez-Rojas, V. (2002). Risk factors in miscarriage: a review. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, [online] 102(2), pp.111–119. doi: [https://doi.org/10.1016/s0301-2115\(01\)00613-3](https://doi.org/10.1016/s0301-2115(01)00613-3).
- Ghimire, P.R., Akombi-Inyang, B.J., Tannous, C. and Agho, K.E. (2020). Association between obesity and miscarriage among women of reproductive age in Nepal. *PLOS ONE*, 15(8), p.e0236435. doi: <https://doi.org/10.1371/journal.pone.0236435>.
- Griebel, C.P., Halvorsen, J., Golemon, T.B. and Day, A.A. (2005). Management of Spontaneous Abortion. *American Family Physician*, [online] 72(7), pp.1243–1250. Available at: <https://www.aafp.org/pubs/afp/issues/2005/1001/p1243.html>.
- Guo, D., Diao, Z., Wang, K. and Pang, C. (2024). Causal association between rheumatoid arthritis and pregnancy loss and intrauterine growth retardation: A bidirectional two-sample Mendelian randomization study. *Medicine*, [online] 103(2), p.e36873. doi: <https://doi.org/10.1097/MD.00000000000036873>.
- Gusnidarsih, V. (2020). Hubungan Usia Dan Jarak Kehamilan Dengan Kejadian Anemia Klinis Selama Kehamilan. *Jurnal Asuhan Ibu dan Anak*, 5(1), pp.35–40. doi: <https://doi.org/10.33867/jaia.v5i1.155>.
- Haque, R., Keramat, S.A., Rahman, S.M., Mustafa, M.U.R. and Alam, K. (2021). Association of maternal obesity with fetal and neonatal death: Evidence from South and South-East Asian countries. *PLOS ONE*, 16(9), p.e0256725. doi: <https://doi.org/10.1371/journal.pone.0256725>.
- Homan, G.F., Davies, M. and Norman, R. (2007). The impact of lifestyle factors on reproductive performance in the general population and those undergoing infertility treatment: a review. *Human Reproduction Update*, [online] 13(3), pp.209–223. doi: <https://doi.org/10.1093/humupd/dml056>.
- Jumiati (2019). Faktor yang Berhubungan dengan Abortus di Rumah Sakit Umum Mutia Sari Duri. *Jurnal Bidan Komunitas*, 2(1), p.57. doi: <https://doi.org/10.33085/jbk.v2i1.4169>.
- Keeling, J. and T Yee Khong (2007). *Fetal and neonatal pathology*. 4th ed. London: Springer.

- Kementerian Kesehatan RI (2020). *Pedoman Nasional Asuhan Paska Keguguran yang Komprehensif*. Kementerian Kesehatan RI, p.2.
- Kementerian Kesehatan RI (2023). *Profil Kesehatan Indonesia 2022*. Jakarta : Kementerian Kesehatan RI, pp.109–111.
- Kuntari, T., Wilopo, S.A. and Emilia, O. (2010). Determinan Abortus di Indonesia. *Kesmas: Jurnal Kesehatan Masyarakat Nasional (National Public Health Journal)*, [online] 4(5), pp.223–229. doi: <https://doi.org/10.21109/kesmas.v4i5.173>.
- Langley-Evans, S.C., Pearce, J. and Ellis, S. (2022). Overweight, obesity and excessive weight gain in pregnancy as risk factors for adverse pregnancy outcomes: A narrative review. *Journal of Human Nutrition and Dietetics*, [online] 35(2). doi: <https://doi.org/10.1111/jhn.12999>.
- Lee, J.C., Bernardi, L.A. and Boots, C.E. (2020). The association of euploid miscarriage with obesity. *F&S Reports*, 1(2), pp.142–148. doi: <https://doi.org/10.1016/j.xfre.2020.05.011>.
- Luger, R.K. and Kight, B.P. (2022). *Hypertension in pregnancy*. [online] National Library of Medicine. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK430839/>.
- Magee, L.A. and von Dadelszen, P. (2018). State-of-the-Art Diagnosis and Treatment of Hypertension in Pregnancy. *Mayo Clinic Proceedings*, [online] 93(11), pp.1664–1677. doi: <https://doi.org/10.1016/j.mayocp.2018.04.033>.
- Magnus, M.C., Wilcox, A.J., Morken, N.-H., Weinberg, C.R. and Håberg, S.E. (2019). Role of maternal age and pregnancy history in risk of miscarriage: prospective register based study. *BMJ*, [online] 364, p.1869. doi: <https://doi.org/10.1136/bmj.l869>.
- Malasevskaja, I., Sultana, S., Hassan, A., Hafez, A.A., Onal, F., Ilgun, H. and Heindl, S.E. (2021). A 21st Century Epidemiy-Obesity: And Its Impact on Pregnancy Loss. *Cureus*, [online] 13(1). doi: <https://doi.org/10.7759/cureus.12417>.
- Nunes, C.B., Borges, M.C., Freathy, R.M., Lawlor, D.A., Qvigstad, E., Evans, D.M. and Moen, G.-H. (2024). Understanding the Genetic Landscape of Gestational Diabetes: Insights into the Causes and Consequences of Elevated Glucose Levels in Pregnancy. *Metabolites*, 14(9), pp.508–508. doi: <https://doi.org/10.3390/metabo14090508>.

- Pan, Y., Zhang, S., Wang, Q., Shen, H., Zhang, Y., Li, Y., Yan, D. and Sun, L. (2016). Investigating the association between prepregnancy body mass index and adverse pregnancy outcomes: a large cohort study of 536 098 Chinese pregnant women in rural China. *BMJ Open*, 6(7), pp.e011227–e011227. doi: <https://doi.org/10.1136/bmjopen-2016-011227>.
- Prine, L.W. and Macnaughton, H. (2011). Office Management of Early Pregnancy Loss. *American Family Physician*, [online] 84(1), pp.75–82. Available at: <https://www.aafp.org/pubs/afp/issues/2011/0701/p75.html>.
- Purwaningrum, E.D. and Fibriyana, A.I. (2017). Faktor Risiko Kejadian Abortus Spontan. *HIGEIA (Journal of Public Health Research and Development)*, [online] 1(3), pp.84–94. Available at: <https://journal.unnes.ac.id/sju/higeia/article/view/15977>.
- POGI (2016). *Pedoman Nasional Pelayanan Kedokteran Diagnosis Dan Tata Laksana Pre-Eklamsia*. [online] Available at: <https://www.pogi.or.id/wp-content/uploads/>.
- Qubro, D.Z., Sari and Tri Umiana Soleha (2018). Hubungan Antara Usia Dan Paritas Ibu Dengan Kejadian Abortus Di Rumah Sakit Abdul Moeloek Bandar Lampung. *Jurnal Majority*, 7(3), pp.128–131.
- Quenby, S., Gallos, I.D., Dhillon-Smith, R.K., Podeseck, M., Stephenson, M.D., Fisher, J., Brosens, J.J., Brewin, J., Ramhorst, R., Lucas, E.S., McCoy, R.C., Anderson, R., Daher, S., Regan, L., Al-Memar, M., Bourne, T., MacIntyre, D.A., Rai, R., Christiansen, O.B. and Sugiura-Ogasawara, M. (2021). Miscarriage matters: the epidemiological, physical, psychological, and economic costs of early pregnancy loss. *The Lancet*, [online] 397(10285), pp.1658–1667. doi: [https://doi.org/10.1016/S0140-6736\(21\)00682-6](https://doi.org/10.1016/S0140-6736(21)00682-6).
- Rahma, S., Sahputri, J. and Nadira, C.S. (2022). Hubungan Usia Ibu Hamil dengan Kejadian Abortus Spontan di Rumah Sakit Umum Cut Meutia Kabupaten Aceh Utara Tahun 2020. *COMSERVA Indonesian Journal of Community Services and Development*, [online] 1(12), pp.1138–1146. doi: <https://doi.org/10.36418/comserva.v1i12.190>.
- Rayburn, W.F. and Carey, J.C. (2001). *Obstetri dan Ginekologi*. Jakarta: Widya Medika.
- Republik Indonesia (2020). *Lampiran Peraturan Presiden Republik Indonesia Nomor 18 Tahun 2020 tentang Rencana Pembangunan Jangka Menengah Nasional 2020-2024*. Jakarta: Sekretariat Negara, p.I.6.

- Sastroasmoro, S. and Ismael, S. (2011). *Dasar-Dasar Metodologi Penelitian Klinis*. 4th ed. Jakarta: Sagung Seto.
- Say, L., Chou, D., Gemmill, A., Tunçalp, Ö., Moller, A.-B., Daniels, J., Gülmezoglu, A.M., Temmerman, M. and Alkema, L. (2014). Global causes of maternal death: a WHO systematic analysis. *The Lancet Global Health*, 2(6), pp.e323–e333. doi: [https://doi.org/10.1016/s2214-109x\(14\)70227-x](https://doi.org/10.1016/s2214-109x(14)70227-x).
- Setia, M.S. (2016). Methodology series module 3: Cross-sectional studies. *Indian Journal of Dermatology*, [online] 61(3), pp.261–264. doi: <https://doi.org/10.4103/0019-5154.182410>.
- Silitonga, J.M., Sitorus, R.J. and Yeni (2017). Faktor-faktor Penyebab Kejadian Abortus spontan di Rumah Sakit Umum Pusat Dr. Mohammad Hoesin Palembang. *Jurnal Ilmu Kesehatan Masyarakat*, [online] 8(2). Available at: <https://ejournal.fkm.unsri.ac.id/index.php/jikm/article/view/262>.
- Sridhar, A. (2023). *Spontaneous Abortion - Gynecology and Obstetrics*. [online] MSD Manual Professional Edition. Available at: <https://www.msmanuals.com/professional/gynecology-and-obstetrics/early-pregnancy-disorders/spontaneous-abortion>.
- Strumpf, E., Lang, A., Austin, N., Derksen, S.A., Bolton, J.M., Brownell, M.D., Chateau, D., Gregory, P. and Heaman, M.I. (2021). Prevalence and clinical, social, and health care predictors of miscarriage. *BMC Pregnancy and Childbirth*, 21(1). doi: <https://doi.org/10.1186/s12884-021-03682-z>.
- Susanti, I., Vatica, J.R. and Maharani, M. (2023). Relationship between Age and Pregnancy Distance with the Incidence of Miscarriage at the Sabang City Regional General Hospital. *Asian Journal of Health Research*, [online] 2(3), pp.38–42. doi: <https://doi.org/10.55561/ajhr.v2i3.131>.
- Tuzzahro, S., Triningsih, R. and Toyibah, A. (2021). Hubungan Jarak Kehamilan Dengan Kejadian Abortus. *Health Care Media Vol. 5 No. 2*. Poltekkes Kemenkes Malang.
- Østensen, M. and Förger, F. (2013). How safe are anti-rheumatic drugs during pregnancy? *Current Opinion in Pharmacology*, 13(3), pp.470–475. doi: <https://doi.org/10.1016/j.coph.2013.03.004>.
- Wandabwa, J., South, A., Doyle, P., Kiondo, P., Campbell, O., Maconichie, N. and Welishe, G. (2010). East African Medical Journal Risk Factors For Severe Pre Eclampsia And Eclampsia In Mulago Hospital, Kampala, Uganda Risk

Factors For Severe Pre -Eclampsia And Eclampsia In Mulago Hospital, Kampala, Uganda. *East African Medical Journal*, 87(10).

Wang, J.X., Davies, M.J. and Norman, R.J. (2002). Obesity Increases the Risk of Spontaneous Abortion during Infertility Treatment. *Obesity Research*, 10(6), pp.551–554. doi: <https://doi.org/10.1038/oby.2002.74>.

Widiastuti, Y.P., Rimawati, U. and Istioningsih, I. (2019). Indeks Massa Tubuh (IMT), Jarak Kehamilan dan Riwayat Hipertensi Mempengaruhi Kejadian Preeklampsia. *Jurnal Ilmu Keperawatan Maternitas*, [online] 2(2), pp.6–22. doi: <https://doi.org/10.32584/jikm.v2i2.377>.

World Health Organization (1977). Who: Recommended Definitions, Terminology and Format for Statistical Tables Related to The Perinatal Period And Use of A New Certificate For Cause of Perinatal Deaths. *Acta Obstetricia et Gynecologica Scandinavica*, 56(3), pp.247–253. doi: <https://doi.org/10.3109/00016347709162009>.

World Health Organization (n.d.). *Maternal Mortality in 2030*. [online] Sexual and Reproduction Health and Rights. Available at: <https://srhr.org/mmr2030/?year=2015?mmr=219?arr=6.1>.

World Health Organization (2012). *The WHO application of ICD-10 to deaths during pregnancy, childbirth and the puerperium : IDC MM*. Geneva: World Health Organization.

World Health Organization (2023). *Maternal mortality ratio (per 100 000 live births)*. [online] data.who.int. Available at: <https://data.who.int/indicators/i/AC597B1>.

World Health Organization (2024). *Maternal mortality*. [online] World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/maternal-mortality>

POGI (2016). *Pedoman Nasional Pelayanan Kedokteran Diagnosis Dan Tata Laksana Pre-Eklamsia*. [online] Available at: <https://www.pogi.or.id/wp-content/uploads/>.