

DAFTAR PUSTAKA

- Albert, W. R., Rizaldi, & Nurdin, J. (2014). Karakteristik Kubangan dan Aktivitas Berkubangan Babi Hutan (*Sus scrofa* L.) di Hutan Pendidikan dan Penelitian Biologi (HPPB) Universitas Andalas. *Jurnal Biologi Universitas Andalas (J. Bio. UA.)*, 3(3), 195–201.
- Alikodra, H. S. (2010). *Teknik Pengelolaan satwa Liar dalam Rangka Mempertahankan Keanekaragaman Hayati Indonesia*. . IPB Press.
- Amin, R., Baral, H. S., Lamichhane, B. R., Poudyal, L. P., Lee, S., Jnawali, S. R., Acharya, K. P., Upadhyaya, G. P., Pandey, M. B., Shrestha, R., Joshi, D., Griffiths, J., Khatiwada, A. P., & Subedi, N. (2018). The status of Nepal's mammals. *Journal of Threatened Taxa*, 10(3), 11361–11378. <https://doi.org/10.11609/jott.3712.10.3.11361-11378>
- Andrews, A. (1990). Fragmentation of Habitat by Roads and Utility Corridors: A Review. *Australian Zoologist*, 26(3–4), 130–141.
- Anjelia Putri, Z., Lady Fandela, N., Septiansyah, E., & Premono, B. (2021). Pendugaan Keanekaragaman Mamalia Menggunakan Camera Trap di Hutan Desa Senamat Ulu, Lanskap Bujang Raba, Jambi. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 18(1), 1–12. <https://doi.org/10.20886/jphka.2021.18.1.1-12>
- Antari, N. Y. (2019). *Analisis Konflik dalam Pengelolaan Hutan Pangkuan Desa LMDH Wanabersemi di Wilayah Kawasan Hutan dengan Tujuan Khusus Getas-Ngandong*. Universitas Gadjah Mada.
- Barbier, E. B., Burgess, J. C., Swanson, T. M., & Pearce, D. W. (2013). *Elephants, Economics and Ivory*. Routledge. <https://doi.org/10.4324/9781315066264>
- Barrios-Garcia, M. N., & Ballari, S. A. (2012). Impact of wild boar (*Sus scrofa*) in its introduced and native range: a review. *Biological Invasions*, 14(11), 2283–2300. <https://doi.org/10.1007/s10530-012-0229-6>
- Benítez-López, A., Alkemade, R., Schipper, A. M., Ingram, D. J., Verweij, P. A., Eikelboom, J. A. J., & Huijbregts, M. A. J. (2017). The impact of hunting on tropical mammal and bird populations. *Science*, 356(6334), 180–183. <https://doi.org/10.1126/science.aaj1891>
- Bobek, B., Furtek, J., Markov, N., Merta, D., Wojciuch-Ploskonka, M., Michal, W., & Ulf, H. (2017). Resolving Conflict Between Farmers and Wild Boar in Europe and Northern Asia. In M. Melletti & E. Meijaard (Eds.), *Ecology Conservation and Management of Wild Pigs and Peccaries* (pp. 354–365). Cambridge University Press.

- Bolen, E. G., & Robinson, W. L. (2003). *Wildlife Ecology and Management* (5th ed.). Prentice Hall.
- Brashares, J. S., & Sam, M. K. (2005). How Much is Enough? Estimating the Minimum Sampling Required for Effective Monitoring of African Reserves. *Biodiversity and Conservation*, *14*(11), 2709–2722. <https://doi.org/10.1007/s10531-005-8404-z>
- Buckland, S. T., Anderson, D., Burnham, K., Laake, J., Borchers, D. L., & Thomas, L. (2001). *Introduction to Distance Sampling: Estimating Abundance of Biological Populations*. Oxford University Press.
- Burton, A. , C., Neilson, E., Moreira, D., Ladle, A., Steenweg, R., Fisher, J. T., Bayne, E., & Boutin, S. (2015). REVIEW: Wildlife camera trapping: a review and recommendations for linking surveys to ecological processes. *Journal of Applied Ecology*, *52*(3), 675–685.
- Carter, T. D. (1978). Ecological Adaptations of Wild Pigs in Southeast Asia. *Journal of Mammalogy*, *59*(4), 549–568.
- Choquenot, D., Mclroy, J., & Korn, T. (1996). *Managing Vertebrate Pests: Feral Pigs*. Australian Government Publishing Service.
- Corlatti, L., Sivieri, S., Sudolska, B., Giacomelli, S., & Pedrotti, L. (2020). A field test of unconventional camera trap distance sampling to estimate abundance of marmot populations. *Wildlife Biology*, *2020*(4), 1–11. <https://doi.org/10.2981/wlb.00652>
- Cuevas, M. F., Campos, C. M., Ojeda, R. A., & Jaksic, F. M. (2020). Vegetation recovery after 11 years of wild boar exclusion in the Monte Desert, Argentina. *Biological Invasions*, *22*(5), 1607–1621. <https://doi.org/10.1007/s10530-020-02206-8>
- Delisle, Z. J., Henrich, M., Palencia, P., & Swihart, R. K. (2023). Reducing bias in density estimates for unmarked populations that exhibit reactive behaviour towards camera traps. *Methods in Ecology and Evolution*, *14*(12), 3100–3111. <https://doi.org/10.1111/2041-210X.14247>
- Dimzas, D., Diakou, A., Koutras, C., M A Gómez, M., Psalla, D., Keryttopoulos, P., Deligianni, D., Kontotasios, K., & Pozio, E. (2019). Human trichinellosis caused by *Trichinella britovi* in Greece, and literature review. *Journal of Helminthology*, *94*, 1–4.
- Fattorini, N., & Ferretti, F. (2020). Estimating wild boar density and rooting activity in a Mediterranean protected area. *Mammalian Biology*, *100*(3), 241–251. <https://doi.org/10.1007/s42991-020-00030-0>

- Fryxell, J. M., Sinclair, A. R. , E., & Caughley, G. (2014). *Wildlife Ecology, Conservation, and Management* (3rd ed.). Wiley-Blackwell.
- Gelling, M., W. Macdonald, D., & Mathews, F. (2007). Are Hedgerows The Route To Increased Farmland Small Mammal Density? Use Of Hedgerows In British Pastoral Habitats. *Landscape Ecology*, 22, 1019–1032.
- Giffin, J. G. (1972). *Ecology of the Feral Pig on the Island of Hawaii*.
- Gilbert, N. A., Clare, J. D. J., Stenglein, J. L., & Zuckerberg, B. (2021). Abundance estimation of unmarked animals based on camera-trap data. *Conservation Biology*, 35(1), 88–100. <https://doi.org/10.1111/cobi.13517>
- Gracanin, A., Cappelletti, C., Knipler, M., Dallas, R. K. K., & Mikac, K. M. (2019). Exploring new grounds: arboreal sugar gliders frequently observed spending time on the ground as seen on camera traps. *Australian Mammalogy*, 42(1), 110–113. <https://doi.org/https://doi.org/10.1071/AM19020>
- Graitson, E., Barbraud, C., & Bonnet, X. (2019). Catastrophic impact of wild boars: insufficient hunting pressure pushes snakes to the brink. *Animal Conservation*, 22(2), 165–176. <https://doi.org/10.1111/acv.12447>
- Groves, C. P. (2009). *Ancestors for the Pigs: Taxonomy and Phylogeny of the Genus Sus*. Department of Prehistory, Research School of Pacific Studies, Australian National University, 1981.
- Haidir, I. A., Albert, W. R., RP, I. M., Ariyanto, T., Widodo, F. A., & Ardiantiono. (2017). *Panduan Pemantauan Populasi Harimau Sumatera* (H. T. Wibisono, Sunarto, W. H. Sinaga, D. S. Chandradewi, & E. Wilianto, Eds.; 2nd ed.). Direktorat Konservasi Keanekaragaman Hayati.
- Haley, J. L. (1991). *Texas: From the Frontier to Spindletop* (2nd ed.). St. Martin's Press.
- Harahap, W. H., Patana, P., & Afifuddin, Y. (2012). *Mitigasi Konflik Satwaliar dengan Masyarakat di Sekitar Taman Nasional Gunung Leuser (Studi Kasus Desa Timbang Lawan dan Timbang Jaya Kecamatan Bahorok Kabupaten Langkat)*. Universitas Sumatera Utara.
- Hayes, R. C. (2007). *Feral hogs in central Mississippi: home range, habitat use, and survival* [Theses and Dissertations]. Mississippi State University .
- Henrich, M., Burgueño, M., Hoyer, J., Haucke, T., Steinhage, V., Köhl, H. S., & Heurich, M. (2024). A semi-automated camera trap distance sampling approach for population density estimation. *Remote Sensing in Ecology and Conservation*, 10(2), 156–171. <https://doi.org/10.1002/rse2.362>

- Hidayat, I. (2022). *Komunitas Satwa Liar pada Berbagai Kondisi Vegetasi di Kawasan Taman Nasional Zamrud, Riau* [Tesis Magister]. Universitas Gadjah Mada (UGM).
- Howe, E. J., Buckland, S. T., Després-Einspenner, M. L., & Kühl, H. S. (2017). Distance sampling with camera traps. *Methods in Ecology and Evolution*, 8(11), 1558–1565. <https://doi.org/10.1111/2041-210X.12790>
- Imron, M. A., Widiyatno, Tafrichan, M., Rachmawati, F. D., Nabila, R. A., Asngari, A. M. S., & Bolo, Y. S. (2023). *Keanekaragaman Hayati di Kawasan Hutan Dengan Tujuan Khusus (KHDTK) Getas Ngandong*.
- Jumeau, J., Petrod, L., & Handrich, Y. (2017). A comparison of camera trap and permanent recording video camera efficiency in wildlife underpasses. *Ecology and Evolution*, 7(18), 7399–7407. <https://doi.org/10.1002/ece3.3149>
- Keuling, O., & Leus, K. (2019). *Sus scrofa*. In *IUCN Red List of Threatened Species*. <https://doi.org/10.2305/IUCN.UK.2019-3.RLTS.T41775A44141833.en>
- Le, V. P., Jeong, D. G., Yoon, S.-W., Kwon, H.-M., Trinh, T. B. N., Nguyen, T. L., Nga Bui, T. T., Oh, J., Kim, J. B., Cheong, K. M., Tuyen, N. Van, Bae, E., Vu, T. T. H., Yeom, M., Na, W., & Song, D. (2019). Outbreak of African Swine Fever, Vietnam. *Emerging Infectious Dis*, 25(7), 1433–1435.
- Lekagul, B., & McNeely, J. A. (1988). *Mammals of Thailand* (2nd ed.). Association for the Conservation of Wildlife.
- Luo, G., Wei, W., Dai, Q., & Ran, J. (2020). Density Estimation of Unmarked Populations Using Camera Traps in Heterogeneous Space. *Wildlife Society Bulletin*, 44(1), 173–181. <https://doi.org/10.1002/wsb.1060>
- Lyngdoh, S., & Bhatt, U. (2024). Caught in the Act: Camera Traps Capture Rare Mammal Species from Biodiversity Hotspot of Manas National Park, Assam, India. *Journal of the Bombay Natural History Society (JBNHS)*, 121.
- Martin-Albarracin, V. L., Nuñez, M. A., & Amico, G. C. (2015). Replacement of native by non-native animal communities assisted by human introduction and management on Isla Victoria, Nahuel Huapi National Park. *Peer J*, 3.
- Maula Zamzami, Z., Wahyuni, P., Sari Dewi, B., Kehutanan, J., Pertanian Universitas Lampung, F., & Lampung, B. (2020). Keanekaragaman Satwa Liar Di KHDTK Getas Diversity of wildlife in KHDTK Getas. *Journal of Tropical Upland Resources ISSN*, 02(02), 269–275.
- McKaughan, J. E. T., Stephens, P. A., & Hill, R. A. (2023). Estimating mesocarnivore abundance on commercial farmland using distance sampling

with camera traps. *Ecological Solutions and Evidence*, 4(2).
<https://doi.org/10.1002/2688-8319.12229>

Meek, P. D., Ballard, G. A., & Falzon, G. (2016). The higher you go the less you will know: placing camera traps high to avoid theft will affect detection. *Remote Sensing in Ecology and Conservation*, 2(4), 204–211. <https://doi.org/10.1002/rse2.28>

Meek, P. D., Ballard, G. A., Sparkes, J., Robinson, M., Nesbitt, B., & Fleming, P. J. S. (2019). Camera trap theft and vandalism: occurrence, cost, prevention and implications for wildlife research and management. *Remote Sensing in Ecology and Conservation*, 5(2), 160–168. <https://doi.org/10.1002/rse2.96>

Miller, D. L., Rexstad, E., Thomas, L., Marshall, L., & Laake, J. L. (2019). Distance Sampling in R. *Journal of Statistical Software*, 89(1). <https://doi.org/10.18637/jss.v089.i01>

Moskowitz, D., Huyett, A., Jaeger, A., & Baum, L. (2017). *Remote Camera Trap Installation and Servicing Protocol Citizen Wildlife Monitoring Project 2017 Field Season Citizen Wildlife Monitoring Project partner organizations: Conservation Northwest and Wilderness Awareness School CWMP Remote Camera Trap Installation and Servicing Guidelines 1 Revised*.

Nichols, M., Glen, A., Garvey, P., & Ross, J. (2017). A comparison of horizontal versus vertical camera placement to detect feral cats and mustelids. *New Zealand Journal of Ecology*, 41(1). <https://doi.org/10.20417/nzjecol.41.11>

Nowak, R. M., & Paradiso, J. L. (1983). *Walker's Mammals of the World* (4th ed., Vol. 2). The Johns Hopkins University Press.

O'Brien, T. G., Kinnaird, M. F., & Wibisono, H. T. (2003). Crouching tigers, hidden prey: Sumatran tiger and prey populations in a tropical forest landscape. *Animal Conservation*, 6(2), 131–139. <https://doi.org/10.1017/S1367943003003172>

Oliver, W. L., R., & Leus, K. (2008). *Sus scrofa*. In *IUCN Red List of Threatened Species*. <https://doi.org/10.2305/IUCN.UK.2008.RLTS.T41775A10559847.en>

Palencia, P., Rowcliffe, J. M., Vicente, J., & Acevedo, P. (2021). Assessing the camera trap methodologies used to estimate density of unmarked populations. *Journal of Applied Ecology*, 58(8), 1583–1592. <https://doi.org/10.1111/1365-2664.13913>

Pillco Huarcaya, R., Beirne, C., Serrano Rojas, S. J., & Whitworth, A. (2020). Camera trapping reveals a diverse and unique high-elevation mammal

community under threat. *ORYX*, 54(6), 901–908.
<https://doi.org/10.1017/S0030605318001096>

Prabowo, G. (2020). *Dampak Perubahan Adaptasi Ekologi Terhadap Mode Perburuan Babi Hutan Di Desa Tenogo, Kecamatan Paninggaran, Kabupaten Pekalongan, Provinsi Jawa Tengah*. Universitas Gadjah Mada.

Putz, F. E., Sist, P., Fredericksen, T., & Dykstra, D. (2008). Reduced-impact logging: Challenges and opportunities. *Forest Ecology and Management*, 256(7), 1427–1433. <https://doi.org/10.1016/j.foreco.2008.03.036>

Rademaker, M., Meijaard, E., Semiadi, G., Blokland, S., Neilson, E. W., & Rode-Margono, E. J. (2016). First ecological study of the Bawean warty pig (*Sus blouchi*), one of the rarest pigs on earth. *PLoS ONE*, 11(4). <https://doi.org/10.1371/journal.pone.0151732>

Risch, D. R., Ringma, J., & Price, M. R. (2021). The global impact of wild pigs (*Sus scrofa*) on terrestrial biodiversity. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-92691-1>

Rovero, F., & Zimmermann, F. (2016). *Camera trapping for wildlife research Exeter* (Data in The Wild). Pelagic Publishing Ltd.

Rowcliffe, J. M., Kays, R., Kranstauber, B., Carbone, C., & Jansen, P. A. (2014). Quantifying levels of animal activity using camera trap data. *Methods in Ecology and Evolution*, 5(11), 1170–1179. <https://doi.org/10.1111/2041-210x.12278>

Silver, S. C., Ostro, L. E. T., Marsh, L. K., Maffei, L., Noss, A. J., Kelly, M. J., Wallace, R. B., Gómez, H., & Ayala, G. (2004). The use of camera traps for estimating jaguar *Panthera onca* abundance and density using capture/recapture analysis. *ORYX*, 38(2), 148–154. <https://doi.org/10.1017/S0030605304000286>

Singh, N. J., & Milner-Gulland, E. J. (2011). Monitoring ungulates in Central Asia: current constraints and future potential. *Oryx*, 45(1), 38–49. <https://doi.org/10.1017/S0030605310000839>

Šprem, N., Zanella, D., Ugarković, D., Prebanić, I., Gančević, P., & Corlatti, L. (2015). Unimodal activity pattern in forest-dwelling chamois: typical behaviour or interspecific avoidance? *European Journal of Wildlife Research*, 61, 789–794. <https://doi.org/https://doi.org/10.1007/s10344-015-0939-z>

Stephens, P. A., Pettorelli, N., Barlow, J., Whittingham, M. J., & Cadotte, M. W. (2015). Management by proxy? The use of indices in applied ecology. In *Journal of Applied Ecology* (Vol. 52, Issue 1, pp. 1–6). <https://doi.org/10.1111/1365-2664.12383>

- Thomas, L., Buckland, S. T., Rexstad, E. A., Laake, J. L., Strindberg, S., Hedley, S. L., Bishop, J. R. B., Marques, T. A., & Burnham, K. P. (2010). Distance software: design and analysis of distance sampling surveys for estimating population size. *Journal of Applied Ecology*, 47(1), 5–14. <https://doi.org/10.1111/j.1365-2664.2009.01737.x>
- Tobing, I. S. (2008). Teknik Estimasi Ukuran Populasi Suatu Spesies Primata. *VIS VITALIS*, 01(1).
- Wearn, O. R., & Glover-Kapfer, P. (2017). *Camera-trapping for conservation: a guide to best-practices*. (1st ed., Vol. 1). WWF Conservation Technology.
- Williams, S. T., Williams, K. S., Lewis, B. P., & Hill, R. A. (2017). Population dynamics and threats to an apex predator outside protected areas: Implications for carnivore management. *Royal Society Open Science*, 4(4). <https://doi.org/10.1098/rsos.161090>
- World Wildlife Fund (WWF). (2020). *Living Planet Report 2020*. <https://www.worldwildlife.org/publications/living-planet-report-2020>
- Yoxon, P., & Yoxon, K. (2014). Estimating Otter Numbers Using Spraints: Is It Possible? *Journal of Marine Biology*, 2014, 1–6. <https://doi.org/10.1155/2014/430683>