

DAFTAR PUSTAKA

- Abuine, R., A. U. Rathnayake, & H. Byun. 2019. Biological activity of peptides purified from fish skin hydrolysates. *Fisheries and Aquatic Sciences* 10(4): 1–14.
- Afifah, A., O. Suparno, L. Haditjaroko, & K. Tarman. 2019. Utilisation of fish skin waste as a collagen wound dressing on burn injuries: a mini review. *IOP Conference Series: Earth and Environmental Science*, 335(1): 12031.
- Agustin, V., M. M. P. Putra, & A. Husni. 2023. Impact of enzymatic hydrolysis on antioxidant activity of snakehead fish (*Channa striata*) head protein hydrolysate. *Jurnal Ilmiah Perikanan Dan Kelautan* 15(1): 44–56.
- Agustini, T. W., W. Widayat, M. Suzery, Y. Darmanto, & I Mubarak. 2020. Pengaruh jenis ikan terhadap rendemen pembuatan gelatin dari ikan dan karakteristik gelatinnya. *Indonesia Journal of Halal*. 2(2): 46–52.
- Ahn, C. B., J. Y. Je, & Y. S Cho. 2012. Antioxidant and anti-inflammatory peptide fraction from salmon byproduct protein hydrolysates by peptic hydrolysis. *Food Research Internasional*. 49(1): 92–98.
- Aleman, A., & O. Martinez-Alvarez. 2013. Marine Collagen as a source of bioactive molecules: A Review. *The Natural Products Journal*. 3(2):. 105–114.
- Alipal, J., N. A. S. Mohd Pu'ad, T. C. Lee, N. H. M. Nayan, N. Sahari, H. Basri, M. I. Idris, & H. Z. Abdullah. 2019. A review of gelatin: Properties, sources, process, applications, and commercialisation. *Materials Today: Proceedings*. 42: 240–250.
- Amri, E., & F. Mamboya. 2012. Papain, a plant enzyme of biological importance: A review. *American Journal of Biochemistry and Biotechnology*. 8(2): 99–104.
- Anggi, H., Edison, & A. Diharmi. 2021. Aktivitas antioksidan hidrolisat protein ikan cunang (*Congresox talabon*). *Jurnal Agroindustri Halal*. 7(1): 79–86.
- Annisa, S., Y. S. Darmanto, & U. Amalia. 2017. The effect of various fish species on fish protein hydrolysate with the addition of papain enzyme. *SAINTEK PERIKANAN : Indonesian Journal of Fisheries Science and Technology*. 13(1): 24–30.
- Apak, R., K. Güçlü, B. Demirata, M. Ozyürek, S. E. Celik, B. Bektaşoğlu, K. I. Berker, & D. Ozyurt. 2007. Comparative evaluation of various total antioxidant capacity assays applied to phenolic compounds with the CUPRAC assay. *Molecules (Basel, Switzerland)*. 12(7): 1496–1547.
- Arnao, M. B. 2000. Some methodological problems in the determination of antioxidant activity using chromogen radicals: a practical case. *Trends in Food Science & Technology*. 11(11): 419–421.
- Aryanti, R., F. Perdana, & R. A. M. R. Syamsudin. 2021. Telaah metode pengujian aktivitas antioksidan pada teh hijau (*Camellia sinensis* (L.) Kuntze). *Jurnal Surya Medika*. 7(1): 15–24.
- Astiana, I., N. Nurjanah, & T. Nurhayati. 2016. Characterization of acid soluble collagen from redbelly yellowtail fusilier fish skin (*Caesio cuning*). *Jurnal Pengolahan Hasil Perikanan Indonesia*. 19(1): 79–93.
- Atma, Y., & H. Ramdhani. 2018. Gelatin extraction from the indigenous *Pangasius*

- catfish bone using pineapple liquid waste. *Indonesian Journal of Biotechnology*, 22(2): 86.
- Azara, R. 2017. Pembuatan dan analisis sifat fisikokimia gelatin dari limbah kulit ikan kerapu (*Ephinephelus* sp.). *Jurnal Rekapangan*. 11(1): 62–69.
- Baehaki, A., S. Dwita Lestari, & A. Rizky Romadhoni. 2015. Hidrolisis protein ikan patin menggunakan enzim papain dan aktivitas antioksidan hidrolisatnya. *Pengolahan Hasil Perikanan Indonesia*. 18(3): 230–239.
- Belitz, H.-D., W. Grosch, & P. Schieberle. 2008. *Food chemistry*. Springer Science & Business Media.
- Birben, E., U. M. Sahiner, C. Sackesen, S. Erzurum, & O. Kalayci. 2012. Oxidative stress and antioxidant defense. *World Allergy Organization Journal*. 5(1): 9–19.
- Bonne, K., & W. Verbeke. 2008. Muslim consumer trust in halal meat status and control in Belgium. *Meat Science*. 79(1): 113–123.
- Bozhko, N., V. Pasichnyi, V. Tischenko, & Y. Matsuk. 2020. Analysis of the possibility of fish and meat raw materials combination in products. *Potravinarstvo Slovak Journal of Food Sciences*. 14: 647–655.
- Chalamaiah, M., B. Dinesh kumar, R. Hemalatha, & T. Jyothirmayi. 2012. Fish protein hydrolysates: Proximate composition, amino acid composition, antioxidant activities and applications: A review. *Food Chemistry*. 135(4): 3020–3038.
- Chalamaiah, M., G. N. Rao, D. G. Rao, & T. Jyothirmayi. 2010. Protein hydrolysates from meriga (*Cirrhinus mrigala*) egg and evaluation of their functional properties. *Food Chemistry* 120(3): 652–657.
- De Castro, R. J. S., & H. H. Sato. 2015. Biologically active peptides: Processes for their generation, purification and identification and applications as natural additives in the food and pharmaceutical industries. *Food Research Internasional*. 74: 185–198.
- Derkach, S. R., N. G. Voron'ko, Y. A. Kuchina, & D. S. Kolotova. 2020. Modified fish gelatin as an alternative to mammalian gelatin in modern food technologies. *Polymers*. 12(12): 1–10.
- Diniz, G. S., E. Barbarino, J. Oiano-Neto, S. Pacheco, & S. O. Lourenço. 2013. Perfil químico bruto y cálculo de los factores de conversión de nitrógeno a proteína en nueve especies de peces de aguas costeras de Brasil. *Latin American Journal of Aquatic Research*. 41(2): 254–264.
- Djasmani, S. S., & Djumanto. 2014. Komposisi ikan hasil tangkapan jaring insang pada berbagai shortening di waduk sermo. *Jurnal Perikanan (Journal of Fisheries Sciences)*. 16(1): 35–42.
- Dos Santos, S. D. A., V. G. Martins, M. Salas-Mellado, & C. Prentice. 2011. Evaluation of functional properties in protein hydrolysates from bluewing searobin (*Prionotus punctatus*) obtained with different microbial enzymes. *Food and Bioprocess Technology*. 4(8): 1399–1406.
- Duconseille, A., T. Astruc, N. Quintana, F. Meersman, & V. Sante-Lhoutellier. 2015. Gelatin structure and composition linked to hard capsule dissolution: A review. *Food Hydrocolloids*. 43: 360–376.

- Eijaz, B. A., M. Abdalla, & R. Ia. 2018. Key factors for successful protein purification and crystallization. *Global Journal of Biotechnology and Biomaterial Science*. 4(1): 1–7.
- Elavarasan, K., & B. A. Shamasundar. 2016. Effect of oven drying and freeze drying on the antioxidant and functional properties of protein hydrolysates derived from freshwater fish (*Cirrhinus mrigala*) using papain enzyme. *Journal of Food Science and Technology*. 53(2): 1303–1311.
- Esfandi, R., M. E. Walters, & A. Tsopmo. 2019. Antioxidant properties and potential mechanisms of hydrolyzed proteins and peptides from cereals. *Heliyon* 5(4): 1538.
- Febriana, Z., & Kasmui. 2021. Desain media pembelajaran chemistry is fun berbasis android pada materi titrasi asam basa. *Chemistry in Education*. 10(2): 17–23.
- Firuzi, O., R. Miri, M. Tavakkoli, & L. Saso. 2011. Antioxidant therapy: Current status and future prospects. *Current Medicinal Chemistry*. 18(25): 3871–3888.
- Gao, J., T. Li, D. Chen, H. Gu, & X. Mao. 2021. Identification and molecular docking of antioxidant peptides from hemp seed protein hydrolysates. *LWT*. 147: 111453.
- Gao, R., W. Shu, Y. Shen, Q. Sun, W. Jin, D. Li, Y. Li, & L. Yuan. 2021. Peptide fraction from sturgeon muscle by pepsin hydrolysis exerts anti-inflammatory effects in LPS-stimulated RAW264.7 macrophages via MAPK and NF- κ B pathways. *Food Science and Human Wellness*. 10(1): 103–111.
- Garay, R., A. Biol, M. Guillermina, R. Garay, E. M. Montañó, A. H. Mendoza, B. V. Cordoba, A. Fernando, G. Córdova, & E. M. González. 2020. *Bromelia karatas* and *Bromelia pinguin* : sources of plant proteases used for obtaining antioxidant hydrolysates from chicken and fish by - products. *Applied Biological Chemistry*. 63(41): 1–11.
- Giménez, B., A. Alemán, P. Montero, & M. C. Gómez-Guillén. 2009. Antioxidant and functional properties of gelatin hydrolysates obtained from skin of sole and squid. *Food Chemistry*. 114(3): 976–983.
- Gómez-Estaca, J., M. C. Gómez-Guillén, F. Fernández-Martín, & P. Montero. 2011. Effects of gelatin origin, bovine-hide and tuna-skin, on the properties of compound gelatin–chitosan films. *Food Hydrocolloids*. 25(6): 1461–1469.
- Gomez-Guillen, M. C., B. Gimenez, M. E. Lopez-Caballero, & M. P. Montero. 2011. Functional and bioactive properties of collagen and gelatin from alternative sources: A review. *Food Hydrocolloids*. 25(8): 1813–1827.
- Gómez-Guillén, M. C., J. Turnay, M. D. Fernández-Díaz, N. Ulmo, M. A. Lizarbe, & P. Montero. 2002. Structural and physical properties of gelatin extracted from different marine species: a comparative study. *Food Hydrocolloids*. 16(1): 25–34.
- Gudmundsson, M., & H. Hafteinsson. 1997. Gelatin from cod skins as affected by chemical treatments. *Journal of Food Science*. 62(1): 37–39.
- Guerard, F. 2007. 6 - Enzymatic methods for marine by-products recovery. In F. B. T.-M. the V. of M. B.-P. Shahidi (Ed.), *Woodhead Publishing Series in Food Science, Technology and Nutrition*: 107–143).
- Guo, L., R. H. Colby, C. P. Lusignan, & T. H. Whitesides. 2003. Kinetics of triple helix

- formation in semidilute gelatin solutions. *Macromolecules*. 36(26): 9999–10008.
- Guo, Z., A. McGill, Libing Yu, Jun Li, J. Ramirez, & P. G. Wang. 1996. S-nitrosation of proteins by N-methyl-N-nitrosoanilines. *Bioorganic & Medicinal Chemistry Letters*. 6(5): 573–578.
- Hafifani, W., I. D. Puspita, & M. M. P. Putra. 2021. The effect of hydrolysis duration on the antibacterial activity of swamp eel head protein hydrolysate produced by papain against histamine-producing bacteria. *E3S Web Conf*. 322.
- Hafiludin. 2015. Analisis kandungan gizi pada ikan bandeng yang berasal dari habitat yang berbeda. *Jurnal Kelautan*. 8(1): 37–43.
- Halim, N. R. A., H. M. Yusof, & N. M. Sarbon. 2016. Functional and bioactive properties of fish protein hydrolysates and peptides: A comprehensive review. *Trends in Food Science and Technology* 51: 24–33.
- Hanani, E., A. Mun, & R. Sekarini. 2005. Identifikasi senyawa antioksidan dalam spons *Callyspongia SP* dari kepulauan seribu. *Majalah Ilmu Kefarmasian*. 2(3): 127–133.
- Hartel, K. E. 1997. The systematic status of cichlid genera described by Louis Agassiz in 1859: *Amphilophus*, *Baiodon*, *Hypsophrys* and *Parachromis* (*Teleostei: Cichlidae*).
- Hastarini, E., D. Fardiaz, H. E. Irianto, & S. Budijanto. 2012. Karakteristik minyak ikan dari limbah pengolahan filet ikan patin siam (*Pangasius hypophthalmus*) dan patin jambal (*Pangasius djambal*). *Jurnal Agritech*. 32(4): 171.
- Hema, G. S., K. Shyni, S. Mathew, R. Anandan, G. Ninan, M. Po. 2013. A simple method for isolation of fish skin collagen- biochemical characterization of skin collagen extracted from Albacore Tuna (*Thunnus alalunga*), Dog Shark (*Scoliodon sorrakowah*) and Rohu (*Labe*). *Annals of Biological Research*. 4(1). 271–278.
- Huang, Y. R., C. Y. Shiau, H. H. Chen, & B. C. Huang. 2011. Isolation and characterization of acid and pepsin-solubilized collagens from the skin of balloon fish (*Diodon holocanthus*). *Food Hydrocolloids*. 25(6): 1507–1513.
- Husain, N., A. Kumar, & F. Radicals. 2012. Reactive oxygen species and natural antioxidants: a review. *Advances in Bioresearch*, 3(4): 164–175.
- Ibroham, M. H., S. Jamilatun, & I. D. Kumalasari. 2022. A review: Potensi tumbuhan-tumbuhan di Indonesia sebagai antioksidan alami. *Seminar Nasional Penelitian*:1–13.
- Idowu, A. T., S. Benjakul, S. Sinthusamran, P. Sookchoo, & H. Kishimura. 2019. Protein hydrolysate from salmon frames: Production, characteristics and antioxidative activity. *Journal of Food Biochemistry*. 43(2): 12734.
- Imani, A. B., D. Wisudyanti, & Riviani. 2022. Kandungan nutrisi daging ikan glodok (*Boleophthalmus boddarti*) dari kawasan hutan mangrove desa karangtalun, Cilacap. *Jurnal Maiyah*. 1(3): 151–156.
- Imeson, A. P. 2012. Thickening and gelling agents for food. Springer Science & Business Media.
- Ishak, N. H., & N. M. Sarbon. 2018. A review of protein hydrolysates and bioactive

- peptides deriving from wastes generated by fish processing. *Food and Bioprocess Technology*. 11(1): 2–16.
- Isroliyah, A., A. Solichin, & S. Rudiyaniti. 2021. Kebiasaan makanan dan luas relung ikan red devil (*Amphilophus labiatus*) di perairan waduk jatibarang, semarang. *Jurnal Pasir Laut*. 5(2): 96–102.
- Istiqlaal, S. 2018. Karakteristik gelatin tulang ikan tuna dengan perendaman cuka lontar dari nusa tenggara timur. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 21(3): 443–450.
- Jakubčinová, K., P. Simonović, B. Števo, J. Čanak Atlagić, & V. Kováč. 2017. What can morphology tell us about ecology of four invasive goby species? *Journal of Fish Biology*. 90(5): 1999–2019.
- Jaziri, A. A., H. Muyasyaroh, & M. Firdaus. 2019. Karakteristik fisikokimia gelatin kulit ikan ayam-ayam (*Abaliste stellaris*) dengan pra-perlakuan konsentrasi asam Sitrat. *Buana Sains*. 19(1): 1.
- Juliawan, I. W., I. W. Arthana, & E. W. Suryaningtyas. 2020. Sebaran pola pertumbuhan ikan red devil (*Amphilophus* sp) di kawasan danau batur, bali. *Bumi Lestari Journal of Environment*. 20(2): 40.
- Kamau, S. M., & R.-R. Lu. 2011. The effect of enzymes and hydrolysis conditions on degree of hydrolysis and DPPH radical scavenging activity of whey protein hydrolysates. *Current Research in Dairy Sciences*, 3(1):25–35.
- Kantun, W., A. A. Malik, & Harianti. 2015. Feasibility of solid waste tuna loin of yellowfin *Thunnus albacares* raw materials for the product diversification. *Jurnal Pengolahan Dan Hasil Perikanan Indonesia*. 18(3): 303–314.
- Karim, K., M. R. Jura, & S. M. Sabang. 2015. Uji aktivitas antioksidan ekstrak daun patikan kebo (*Euphorbia Hirta* L.). *Jurnal Akademika Kimia*. 4(2): 56–63.
- Khaira, K. 2010. Menangkal radikal bebas dengan anti-Oksidan. *STAIN Batusangkar Sumatera Barat*. 2:184.
- Khirzin, M. H. 2020. Karakteristik hidrolisat gelatin tulang itik dengan enzim tripsin sebagai penghambat alfa amilase (α -Amylase Inhibitor). *Jurnal Ilmiah Inovasi*. 20(3): 55–60.
- Kim, S. K., & E. Mendis 2006. Bioactive compounds from marine processing byproducts - A review. *Food Research International*. 39(4): 383–393.
- Koesoemawardani, D., F. Nurainy, & S. Hidayati. 2012. Proses pembuatan hidrolisat protein Ikan Rucuh. *Jurnal Natur Indonesia*, 13(3): 256.
- Kumar, V., M. Kumar, & G. Pugazhenthii. 2014. Effect of nanoclay content on the structural, thermal properties and thermal degradation kinetics of PMMA/organoclay nanocomposites. *International Journal of Nano and Biomaterials*. 5(1): 27–44.
- Kumosa, L. S., V. Zetterberg, & J. Schouenborg. 2018. Gelatin promotes rapid restoration of the blood brain barrier after acute brain injury. *Acta Biomaterialia*. 65: 137–149.
- Kusumaningtyas, E., M. Nurilmala, & D. Sibarani. 2019. Antioxidant and antifungal activities of collagen hydrolysates from skin of milkfish (*Chanos chanos*)

hydrolyzed using various bacillus proteases. IOP Conference Series: Earth and Environmental Science. 278(1).

- Lassoued, I., M. Jridi, R. Nasri, A. Dammak, M. Hajji, M. Nasri, & A. Barkia. 2014. Characteristics and functional properties of gelatin from thornback ray skin obtained by pepsin-aided process in comparison with commercial halal bovine gelatin. *Food Hydrocolloids*. 41: 309–318.
- Leni, G., L. Soetemans, A. Caligiani, S. Sforza, & L. Bastiaens. 2020. Degree of hydrolysis affects the techno-functional properties of lesser mealworm protein hydrolysates. *Foods*. 9(4): 1–13.
- Lestari, D., J. Evan, & M. T. Suhartono. 2020. Fraksi peptida antioksidan dari kasein susu kambing. *Jurnal Teknologi Dan Industri Pangan*. 31(2): 188–196.
- Li, C., L. Mora, & F. Toldrá. 2022. Structure-function relationship of small peptides generated during the ripening of Spanish dry-cured ham: Peptidome, molecular stability and computational modelling. *Food Chemistry*, 375: 131673.
- Liu, D., M. Nikoo, G. Boran, P. Zhou, & J. M. Regenstein. 2015. Collagen and gelatin. *Annual Review of Food Science and Technology*. 6(1): 527–557.
- Luna-Vital, D. A., L. Mojica, E. González de Mejía, S. Mendoza, & G. Loarca-Piña. 2015. Biological potential of protein hydrolysates and peptides from common bean (*Phaseolus vulgaris* L.): A review. *Food Research Internasional*. 76(P1): 39–50.
- Lv, L. C., Q. Y. Huang, W. Ding, X. Xiao, H., H. Y. Zhang, & L. X. Xiong. 2019. Fish gelatin: The novel potential applications. *Journal of Functional Foods* 63(January).
- Ma, Y., D. Zhang, M. Liu, Y. Li, R. Lv, X. Li, Q. Wang, D. Ren, L. Wu, & H. Zhou. 2022. Identification of antioxidant peptides derived from tilapia (*Oreochromis niloticus*) skin and their mechanism of action by molecular docking. *Foods* 11(17).
- Magomya, A. M., D. Kubmarawa, J. A. Ndahi, & G. G. Yebpella. 2014. Determination of plant proteins via the kjeldahl method and amino acid analysis: A comparative study. *International Journal of Scientific & Technology Research*. 3(4): 68–72.
- Mahmood Lubowa Muhammad, K., F. Ariffin, H. Kamilah, & S. Sulaiman. 2016. Review of fish gelatin extraction, properties and packaging applications. *Food Science and Quality Management*. 56(November).
- Mariod, A. A., & H. F. Adam. 2013. Review: Gelatin, source, extraction and industrial applications. *Acta Scientiarum Polonorum, Technologia Alimentaria*. 12(2): 135–147.
- Marxen, K., K. H. Vanselow, S. Lippemeier, R. Hintze, A. Ruser, & U.P. Hansen. 2007. Determination of DPPH radical oxidation caused by methanolic extracts of some microalgal species by linear regression analysis of spectrophotometric measurements. *Sensors (Basel, Switzerland)*. 7(10): 2080–2095.
- Menard, R., H. E. Khouri, C. Plouffe, R. Dupras, D. Ripoll, T. Vernet, D. C. Tessier, F. Laliberte, D. Y. Thomas, & A. C. Storer. 1990. A protein engineering study of the role of aspartate 158 in the catalytic mechanism of papain. *Biochemistry*. 29(28). 6706–6713.
- Mohtar, N. F., C. Perera, & S. Y. Quek. 2010. Optimisation of gelatine extraction from

- hoki (*Macruronus novaezelandiae*) skins and measurement of gel strength and SDS–PAGE. *Food Chemistry*. 122(1): 307–313.
- Moskowitz, R. W. 2000. Role of collagen hydrolysate in bone and joint disease. *Seminars in Arthritis and Rheumatism*. 30(2): 87–99.
- Naqash, S., & N. Rasool Abdul. 2013. Antioxidant and functional properties of protein hydrolysates from pink perch (*Nemipterus japonicus*) muscle. *Journal of Food Science and Technology-Mysore*. 50: 1–7.
- Nguyen, H. T., H. N. D. Bao, H. T. T. Dang, T. Tómasson, S. Arason, & M. Gudjónsdóttir. 2022. Protein characteristics and bioactivity of fish protein hydrolysates from tra catfish (*Pangasius hypophthalmus*) side stream isolates. *Foods*. 11(24).
- Nugraheni, A. W., A. D. Anggo, & E. N. Dewi. 2021. Pengaruh jenis asam terhadap karakteristik gelatin kulit Ikan Ayam-Ayam (*Abalistes stellaris*). *Jurnal Ilmu Dan Teknologi Perikanan*. 3(2): 78–85.
- Nurilmala, M., H. H. Hizbullah, E. Karnia, E. Kusumaningtyas, & Y. Ochiai. 2020. Characterization and antioxidant activity of collagen, gelatin, and the derived peptides from yellowfin tuna (*Thunnus alba*). *Marine Drugs*. 18(2).
- Nurilmala, M., M. T. Nasirullah, T. Nurhayati, & N. Darmawan. 2021. Karakteristik fisik-kimia gelatin dari kulit Ikan Patin, Ikan Nila, dan Ikan Tuna. *Jurnal Perikanan Universitas Gadjah Mada*. 23(1): 71.
- Nurilmala, M., T. Nurhayati, & R. Roskananda. 2018. Limbah industri filet Ikan Patin untuk hidrolisat protein. *Jurnal Pengolahan Hasil Perikanan Indonesia*. 21(2): 287–294.
- Nurilmala, M., H. Suryamarevita, H. Husein Hizbullah, A. M. Jacoeb, & Y. Ochiai. 2022. Fish skin as a biomaterial for halal collagen and gelatin. *Saudi Journal of Biological Sciences*. 29(2): 1100–1110.
- Nurjanah, A. 2017. Kajian karakteristik fisik-kimia dan sensori opak dari jagung manis dan kulit ikan nila. *Jurnal Rekayasa Pangan dan Pertanian*. 6(1): 1–8.
- Pang, Z., H. Deeth, P. Sopade, R. Sharma, & N. Bansal. 2014. Rheology, texture and microstructure of gelatin gels with and without milk proteins. *Food Hydrocolloids*, 35: 484–493.
- Papon, P., J. Leblond, P. H. E. Meijer. 2002. Gelation and transitions in biopolymers. *The Physics of Phase Transitions: Concepts and Applications*: 185–209.
- Petrova, I., I. Tolstorebrov, & T. M. Eikevik. 2018. Production of fish protein hydrolysates step by step: technological aspects, equipment used, major energy costs and methods of their minimizing. *International Aquatic Research*. 10(3): 223–241.
- Picot, L., R. Ravallec, M. Fouchereau-Péron, L. Vandanjon, P. Jaouen, M. Chaplain-Derouiniot, F. Guérard, A. Chabeaud, Y. Legal, O. M. Alvarez, J. P. Bergé, J. M. Piot, I. Batista, C. Pires, G. Thorkelsson, C. Delannoy, G. Jakobsen, I. Johansson, & P. Bourseau. 2010. Impact of ultrafiltration and nanofiltration of an industrial fish protein hydrolysate on its bioactive properties. *Journal of the Science of Food and Agriculture*. 90(11): 1819–1826.
- Purnamayati, L., E. N. Dewi, S. Sumardianto, L. Rianingsih, & A. D. Anggo. 2019.

kualitas kerupuk kulit ikan nila selama penyimpanan. *Jurnal Ilmu Pangan Dan Hasil Pertanian*. 2(2): 162–172.

- Putra, P. G. Sasmita, Kartika, & Angga, G. R. 2022. Utilization of red devil fish (*Amphilophus* sp.) as alternative feed in tilapia (*Oreochromis niloticus*) Cultivation. *Bumi Lestari Journal of Environment*, 22(1): 32.
- Rachman, S. H., J. Santoso, & S. H. Suseno. 2023. Antioxidant activity and potential bioactive peptides from skin protein hydrolysate of yellowfin tuna (*Thunnus albacares*). *Jurnal Ilmiah Perikanan Dan Kelautan*. 15(2): 248–263.
- Rahmi, K. A., R. I. Adharini, D. W. K. Sari, & T. B. Satriyo. 2023. Detection of the presence and distribution of invasive fish in the Progo River, Yogyakarta, Indonesia using the environmental DNA method. *Biodiversitas*. 24(1):276–281.
- Raja Nhari, R. M. H., Y. Che Man, A. Ismail, & N. Anuar. 2011. Chemical and functional properties of bovine and porcine skin gelatin. *International Food Research Journal*, 817:813–817.
- Rathod, N. B., A. U. Pagarkar, K. H. Pujari, P. E. Shingare, S. B. Satam, G. G. Phadke, & B. V. Gaikwad. 2018. Status of valuable components from pangasius: A review. *International Journal of Current Microbiology and Applied Sciences*. 7(04): 2106–2120.
- Ren, Y., H. Wu, Y. Chi, R. Deng, & Q. He. 2020. Structural characterization, erythrocyte protection, and antifatigue effect of antioxidant collagen peptides from tilapia (*Oreochromis nilotica* L.) skin. *Food & Function*. 11(11): 10149–10160.
- Ridhay, A., Musafira, Nurhaeni, & B. N. Khasanah. 2016. Pengaruh variasi jenis asam terhadap rendemen gelatin dari tulang ikan cakalang (*Katsuwonus pelamis*). *Kovalen*, 2(2): 44–53.
- Rosaini, H., R. Rasyid, & V. Hagramida. 2015. Penetapan kadar protein secara kjeldahl beberapa makanan olahan kerang remis (*Corbiculla moltkiana* Prime.) dari Danau Singkarak. *Jurnal Farmasi Higea*. 7(2): 120–127.
- Rosida, R., L. Handayani, & D. Apriliani. 2018. The utilization of kambing-kambing (*Abalistes stellaris*) bones as gelatin with variations of CH₃COOH (acetic acid) concentration. *Acta Aquatica: Aquatic Sciences Journal*. 5(2). 93–99.
- Rutherford, S. M. 2010. Methodology for determining degree of hydrolysis of proteins in hydrolysates: A Review. *Journal of AOAC INTERNASIONAL*. 93(5): 1515–1522.
- Sabeena Farvin, K. H., L. L. Andersen, J. Otte, H. H. Nielsen, F. Jessen, & C. Jacobsen. 2016. Antioxidant activity of cod (*Gadus morhua*) protein hydrolysates: Fractionation and characterisation of peptide fractions. *Food Chemistry*. 204: 409–419.
- Sae-leaw, T., Y. C. O. Callaghan, S. Benjakul, & N. M. O. Brien. 2016. Antioxidant activities and selected characteristics of gelatin hydrolysates from seabass (*Lates calcarifer*) skin as affected by production processes. *Journal Food Science Technology*. 53(January): 197–208.
- Salamah, E., T. Nurhayati, & I. R. Widadi. 2012. Production and characterization of protein hydrolysates from african catfish (*Clarias gariepinus*) using papain.

Jurnal Pengolahan Hasil Perikanan Indonesia. 15(1): 9–16.

- Salvatore, L., N. Gallo, M. L. Natali, L. Campa, P. Lunetti, M. Madaghiele, F. S. Blasi, A. Corallo, L. Capobianco, & A. Sannino. 2020. Marine collagen and its derivatives: Versatile and sustainable bio-resources for healthcare. *Materials Science and Engineering*. 113: 110963.
- Samaranayaka, A. G. P., & E. C. Y. Li-Chan. 2008. Autolysis-assisted production of fish protein hydrolysates with antioxidant properties from pacific hake (*Merluccius productus*). *Food Chemistry*. 107(2): 768–776.
- Sandoval-Gallardo, J. M., I. Osuna-Ruiz, E. Martínez-Montaña, C. Hernández, M. Á. Hurtado-Oliva, Á. Valdez-Ortiz, G. D. Rios-Herrera, J. A. Salazar-Leyva, & J. S. Ramírez-Pérez. 2020. Influence of enzymatic hydrolysis conditions on biochemical and antioxidant properties of pacific thread herring (*Ophistonema libertate*) hydrolysates. *CyTA - Journal of Food*. 18(1): 392–400.
- Sántiz-Gómez, M. A., M. A. Mazorra-Manzano, H. E. Ramírez-Guerra, S. M. Scheuren-Acevedo, G. Navarro-García, R. Pacheco-Aguilar, & J. C. Ramírez-Suárez. 2019. Effect of acid treatment on extraction yield and gel strength of gelatin from whiptail stingray (*Dasyatis brevis*) skin. *Food Science and Biotechnology*, 28(3): 751–757.
- Santoso, C., T. Surti, & S. Sumardianto. 2015. Perbedaan penggunaan konsentrasi larutan asam sitrat dalam pembuatan gelatin tulang rawan ikan pari mondol (*Himantura Gerrardi*). *Jurnal Pengolahan Dan Bioteknologi Hasil Perikanan*. 4(2):106–114.
- Shi, H., N. Noguchi, & E. Niki. 1999. Comparative study on dynamics of antioxidative action of alpha-tocopheryl hydroquinone, ubiquinol, and alpha-tocopherol against lipid peroxidation. *Free Radical Biology & Medicine*. 27(3–4): 334–346.
- Shiao, W. C., T. C. Wu, C. H. Kuo, Y. H. Tsai, M. L. Tsai, Y. H. Hong, & C. Y. Huang. 2021. Physicochemical and antioxidant properties of gelatin and gelatin hydrolysates obtained from extrusion-pretreated fish (*Oreochromis* sp.) scales. *Marine Drugs*, 19(5).
- Shouket, H. A., I. Ameen, O. Tursunov, K. Kholikova, O. Pirimov, N. Kurbonov, I. Ibragimov, & B. Mukimov. 2020. Study on industrial applications of papain: A succinct review. *IOP Conference Series: Earth and Environmental Science*, 614(1).
- Shyni, K., G. S. Hema, Ninan, G., Mathew, S., Joshy, C. G., & Lakshmanan, P. T. 2014. Isolation and characterization of gelatin from the skins of skipjack tuna (*Katsuwonus pelamis*), dog shark (*Scoliodon sorrakowah*), and rohu (*Labeo rohita*). *Food Hydrocolloids*. 39:68–76.
- Silva, E. V. C. da, L. de F. H. Lourenço, & R. S. Pena. 2017. Optimización y caracterización de la gelatina de piel de kumakuma (*Brachyplatystoma filamentosum*). *CYTA - Journal of Food*. 15(3): 361–368.
- Singh, B. P., S. Vij, & S. Hati. 2014. Functional significance of bioactive peptides derived from soybean. *Peptides*. 54: 171–179.
- Sisein, E. A. 2014. Biochemistry of free radicals and antioxidants. *Scholars Academic Journal of Biosciences*, 2(2):110–118.

- Soekendarsi, E., Z. Hasyim, & S. Hasan. 2016. Perbandingan kandungan gizi ikan nila (*Oreochromis niloticus*) asal danau mawang kabupaten gowa dan danau Universitas Hasanuddin Kota Makassar. *Jurnal Biologi Makassar*. 1(1): 39–46.
- Songchotikunpan, P., J. Tattiyakul, & P. Supaphol. 2008. Extraction and electrospinning of gelatin from fish skin. *International Journal of Biological Macromolecules*. 42(3): 247–255.
- Sultana, S., M. E. Ali, & M. N. U. Ahamad. 2018. 11 - Gelatine, collagen, and single cell proteins as a natural and newly emerging food ingredients. In M. E. Ali & N. N. A. B. T.-P. and P. of R. and C. F. Nizar (Eds.), *Woodhead Publishing Series in Food Science, Technology and Nutrition*: 215–239.
- Syhraeni; Muhammad Anwar; Hasri. 2017. Demineraliasi pada perolehan gelatin dari tulang ikan . *Analytical and Environmental Chemistry*. 2(01): 53–62.
- Takashima, M., M. Horie, M. Shichiri, Y. Hagihara, Y. Yoshida, & E. Niki. 2012. Assessment of antioxidant capacity for scavenging free radicals in vitro: A rational basis and practical application. *Free Radical Biology and Medicine*, 52(7): 1242–1252.
- Tamam, B., D. Syah, H. N. Lioe, T. Suhartono, M., & Ananta Kusuma, W. 2018. Beberapa penciri berbasis sekuens untuk mengenali sifat fungsional peptida bioaktif: studi eksplorasi. *Jurnal Teknologi Dan Industri Pangan*. 29(1): 1–9.
- Trilaksana, W., M. Nurilmala, & I. H. Setiawati. 2012. Ekstraksi gelatin kulit ikan kakap merah (*Lutjanus* sp.) dengan proses perlakuan asam. *Jphpi*, 15(3): 240–251.
- Ulfah, M. 2011. Pengaruh konsentrasi larutan asam asetat dan lama waktu perendaman terhadap sifat-sifat gelatin ceker ayam *Characteristics. Agritech*. 31(3): 161–167.
- Umar, C., E. S. Kartamihardja, & Aisyah. 2015. Invasive impact of red devil fish (*Amphilophus citrinellus*) to fish diversity in inland water in Indonesia. *Jurnal Kebijakan Perikanan Indonesia*. 7(1): 55–61.
- Usydus, Z., J. Szlinder-Richert, & M. Adamczyk. 2009. Protein quality and amino acid profiles of fish products available in Poland. *Food Chemistry*, 112(1): 139–145.
- Vázquez, J. A., C. Hermida-Merino, D. Hermida-Merino, M. M. Piñeiro, J. Johansen, C. G. Sotelo, R. I. Pérez-Martín, & J. Valcarcel. 2021. Characterization of gelatin and hydrolysates from valorization of farmed salmon skin by-products. *Polymers*. 13(16).
- Venuste, M., , X. Zhang, C. F. Shoemaker, E. Karangwa, S. Abbas, & P. E. Kamdem. 2013. Influence of enzymatic hydrolysis and enzyme type on the nutritional and antioxidant properties of pumpkin meal hydrolysates. *Food & Function*. 4(5): 811–820.
- Vo, T. D. L., K. L. Duong, A. N. Q. Nguyen, B. C. Vo, M. C. Tran, H. G. Tran, T. T. Nguyen, H. H. Lam, & A. H. Nguyen. 2023. Featherback (*Chitala ornata*) skin protein hydrolysate: antioxidant activity, amino acid composition, foaming and emulsifying properties. *Chemical Engineering Transactions*, 106: 877–882.
- Vo, T., T. Nguyen, D. Phan, H. Nguyen, & H. Tran. 2016. Investigation of antioxidant activity of the hydrolysate derived from Tra catfish byproducts using Alcalase® 2.4 L FG for application as a natural antioxidant ingredient. *Science and*

Technology Development Journal. 19(3).

- Wahyudewantoro, G., & I. Rachmatika. 2016. Jenis ikan introduksi dan invasif asing di Indonesia. <https://e-service.lipipress.lipi.go.id/press/catalog/book/82>
- Wang, L., N. Sun, S. Terzyan, X. Zhang, & D. R. Benson. 2006. A histidine/tryptophan π -stacking interaction stabilizes the heme-independent folding core of microsomal apocytochrome b5 relative to that of mitochondrial apocytochrome b5. *Biochemistry*. 45(46): 13750–13759.
- Wijayanti, I., Romadhon, & Rianingsih, L. 2016. Karakteristik hidrolisat protein ikan bandeng (*Chanos chanos Forsk*) dengan konsentrasi enzim bromelin yang berbeda. *Jurnal Saintek Perikanan*. 11(2): 129–133.
- Witono, Y., A. Aulanni'am, A. Subagio, & S. B Widjanarko. 2007. Karakterisasi hidrolisat protein kedelai hasil hidrolisis menggunakan protease dari tanaman biduri (*Calotropis gigantea*). *Berkala Penelitian Hayati*. 13(1): 7–13.
- Witono, Y., I. Taruna, W. S. Windrati, L. Azkiyah, & T. Norma. 2016. 'Wader' (*Rasbora jacobsoni*) protein hydrolysates: production, biochemical, and functional properties. *Agriculture and Agricultural Science Procedia*. 9: 482–492.
- Xian, M., X. Chen, Z. Liu, K. Wang, & P. G. Wang. 2000. Inhibition of papain by S-nitrosothiols. Formation of mixed disulfides. *The Journal of Biological Chemistry*, 275(27): 20467–20473.
- Xu, N., G. Chen, & H. Liu. 2017. Antioxidative categorization of twenty amino acids based on experimental evaluation. *Molecules*. 22(12): 1–8.
- Yuniarti, T., N. Y. Arrahmi, N. Dharmayanti, S. Sugiwati, M. Mulyono, T. Hidayat, P. Martosuyono, A. Maulani, & A. Alghany. 2024. Karakteristik fisikokimia dan aktivitas antioksidan hidrolisat protein ikan kakap (*Lutjanus* sp.) skala pilot. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*. 19(1): 61.
- Zehiroglu, C., & Ozturk Sarikaya, S. B. 2019. The importance of antioxidants and place in today's scientific and technological studies. *Journal of Food Science and Technology*. 56(11): 4757–4774.
- Zheng, L., L. Lin, G. Su, Q. Zhao, & M. Zhao. 2015. Pitfalls of using 1,1-diphenyl-2-picrylhydrazyl (DPPH) assay to assess the radical scavenging activity of peptides: Its susceptibility to interference and low reactivity towards peptides. *Food Research International (Ottawa, Ont.)*. 76(3): 359–365.