

DAFTAR PUSTAKA

- Lu, A., Yu, M., Shen, M., Xu, S., Xu, Z., Zhang, Y., Lin, Z. & Wang, W. (2018) 'Preparation of the *Auricularia auricula* polysaccharides simulated hydrolysates and their hypoglycaemic effect', *International Journal of Biological Macromolecules*, 106, pp. 1139–1145. doi: 10.1016/j.ijbiomac.2017.08.118.
- Achmad, E.N., Herliyana, N. & Octaviani, E.A. (2013) 'Pengaruh pH, penggoyangan media, dan penambahan serbuk gergaji terhadap pertumbuhan jamur *Xylaria* sp.', *Jurnal Silvikultur Tropika*, 4(2), pp. 57-61.
- Aimanianda, V., Clavaud, C., Simenel, C., Fontaine, T., Delepierre, M. & Latgé, J.-P. (2009) 'Cell Wall β -(1,6)-Glucan of *Saccharomyces cerevisiae*', *Journal of Biological Chemistry*, 284(20), pp. 13401–13412.
- Akpinar, A., Yerlikaya, O. & Kiliç, S. (2011) 'Antimicrobial activity and antibiotic resistance of *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Streptococcus thermophilus* strains isolated from Turkish homemade yoghurts', *African Journal of Microbiology Research*, 5(6), pp. 675-682. doi: 10.5897/AJMR10.835.
- Alazzeh, A.Y., Ibrahim, S.A., Song, D., Shahbazi, A. & AbuGhazaleh, A.A. (2009) 'Carbohydrate and protein sources influence the induction of α - and β -galactosidases in *Lactobacillus reuteri*', *Food Chemistry*, 117(4), pp. 654-659.
- Amore, A., Giacobbe, S. & Faraco, V. (2013) 'Regulation of cellulase and hemicellulase gene expression in fungi', *Current Genomics*, 14(4), pp. 230–249.
- Ampofo, J. & Ngadi, M. (2020) 'Extraction of bioactive compounds from fungi using pressurized hot water extraction (PHWE)', *Journal of Food Engineering*, 276, p. 109884.
- Anukam, K.C. & Reid, G. (2007) 'Probiotics: 100 years (1907-2007) after Elie Metchnikoff's observation', *Communicating Current Research and Educational Topics and Trends in Applied Microbiology*, 1, pp. 466-474.
- Apriyani, T.R., Ekowati, N. & Ratnaningtyas, N.I. (2021) 'Optimasi konsentrasi glukosa dan waktu inkubasi terhadap bobot β -glukan jamur *Schizophyllum commune*', *BioEksakta: Jurnal Ilmiah Biologi Unsoed*, 3(4), pp. 228-234.
- Bae, J.T., Park, J.P., Song, C.H., Yu, C.B., Park, M.K. & Yun, J.W. (2001) 'Effect of carbon source on the mycelial growth and exobiopolymer production by submerged culture of *Paecilomyces japonica*', *Journal of Bioscience and Bioengineering*, 91, pp. 522-524.
- Bao, Z., Yao, L., Zhang, X. & Lin, S. (2020) 'Isolation, purification, characterization, and immunomodulatory effects of polysaccharide from *Auricularia auricula* on RAW264.7 macrophages', *Journal of Food Biochemistry*.
- Bhat, Z.F., Morton, J.D., Bekhit, A.E.-D.A., Kumar, S. & Bhat, H.F. (2021) 'Processing technologies for improved digestibility of milk proteins', *Trends in Food Science & Technology*, 118, pp. 1–16. doi: 10.1016/j.tifs.2021.09.017.
- Boutros, J.A., Magee, A.S. & Cox, D. (2022) 'Perbandingan perbedaan struktural antara beta-glukan ragi yang bersumber dari galur *Saccharomyces cerevisiae* yang berbeda dan yang diproses menggunakan proses produksi yang dipatenkan', *Food Chemistry*.
- Xu, C., Yu, J., Zhao, S., Wu, S., He, P., Jia, X., Liu, Y. & Mao, D. (2017) 'Effect of carbon source on production, characterization and bioactivity of exopolysaccharide produced by *Phellinus vaninii* Ljup', *Anais da Academia Brasileira de Ciências*, 89(3 suppl), pp. 2033–2041. doi: 10.1590/0001-

3765201720150786.

- Li, C.T., Mao, X.X. & Xu, B.J. (2012) 'Pulsed electric field extraction enhanced anti-coagulant effect of fungal polysaccharide from Jew's ear (*Auricularia auricula*)', *Phytochemical Analysis*, 24, pp. 36–40. <https://doi.org/10.1002/pca.2376>.
- Cempaka, L. (2015) 'Pengaruh variasi kecepatan agitasi pada produksi β -glukan dari *Saccharomyces cerevisiae*', *Jurnal Biologi*, 8(1), pp. 21-26.
- Cerletti, C., Esposito, S. & Iacoviello, L. (2021) 'Edible mushrooms and beta-glucans: Impact on human health', *Nutrients*, 13(7), p. 2195.
- Chaikiang, C., Wichienhot, S., Youravoug, W. & Graidist, P. (2015) 'Evaluation on prebiotic properties of β -glucan and oligo- β -glucan from mushrooms by human fecal microbiota in fecal batch culture', *Functional Foods in Health and Disease*, 5(11), pp. 395–405.
- Chan, G.C., Chan, W.K. & Sze, D.M. (2009) 'The effects of beta-glucan on human immune and cancer cells', *Journal of Hematology & Oncology*, 2(1), p. 25.
- Chemat, F., Rombaut, N., Meullemiestre, A., Turk, M., Perino, S., Fabiano-Tixier, A.S. & Abert-Vian, M. (2017) 'Review of green food processing techniques: Preservation, transformation, and extraction', *Innovative Food Science & Emerging Technologies*, 41, pp. 357–377.
- Chen, Z., Zhou, X., Zhang, J., Zhang, H., Geng, L., Wang, Z. & Regenstein, J.M. (2018) 'Structure and radio-protective effects of sulfated *Auricularia auricula* polysaccharides', *Journal of Food Biochemistry*.
- Cizeikiene, D., Juodeikiene, G., Paskevicius, A. & Bartkiene, E. (2013) 'Antimicrobial activity of lactic acid bacteria against pathogenic and spoilage microorganism isolated from food and their control in wheat bread', *Food Control*, 31(2), pp. 539-545. <https://doi.org/10.1016/j.foodcont.2012.12.004>.
- Wang, D., Sakoda, A. & Suzuki, M. (2001) 'Biological efficiency and nutritional value of *Pleurotus ostreatus* cultivated on spent beer grain', *Bioresource Technology*, 78, pp. 293–300.
- de Vrese, M., Stegelmann, A., Richter, B., Fenselau, S., Laue, C. & Schrezenmeir, J. (2001) 'Probiotics—compensation for lactase insufficiency', *The American Journal of Clinical Nutrition*, 73(2), pp. 421s-429s. <https://doi.org/10.1093/ajcn/73.2.421s>.
- Ding, Z., Wang, Q., Peng, L., Zhang, L., Gu, Z., Shi, G. & Zhang, K. (2012) 'Relationship between mycelium morphology and extracellular polysaccharide production of medicinal mushroom *Ganoderma lucidum* in submerged culture', *Journal of Medicinal Plants Research*, 6(14), pp. 2868-2874.
- El-Batal, A.I., Azab, K.H.S.H., Saada, H.N., Rezky, R.G. & El-Tahawy, N.A. (2008) 'Ameliorating effects of yeast glucan with zinc bisglycinate on histological and biochemical changes in γ -irradiated rats', *International Journal of Agriculture and Biology*, 10(4), pp. 361-368.
- Campbell, N.A. & Reece, J.B. (2008) *Biologi*. Edisi Kedelapan Jilid 3.
- Cappuccino, J.G. & Sherman, N. (2014) *Manual Laboratorium Biologi*. Jakarta: EGC.
- Chandan, R.C. & Kilara, A. (2013) *Manufacturing Yogurt and Fermented Milks*. 2nd edn. Wiley-Blackwell.
- Ekowati, N., Maharning, A.R., Ratnaningtyas, N.I., Mumpuni, A. & Izzah, W. (2018) 'Eksplorasi dan pola pertumbuhan fase vegetatif beberapa jamur liar pada medium cair', *Lembaga Penelitian dan Pengabdian Masyarakat*, Universitas Jenderal

Soedirman.

- Smiderle, F.R., Olsen, L.M., Ruthes, A.C., Czelusniak, P.A., Santana-Filho, A.P., Sasaki, G.L., Gorin, P.A.J. & Iacomini, M. (2012) 'Exopolysaccharides, proteins and lipids in *Pleurotus pulmonarius* submerged culture using different carbon sources', *Carbohydrate Polymers*, 87(1), pp. 368–376. <https://doi.org/10.1016/j.carbpol.2011.07.063>.
- Fajri, Djajanegara, I. & Hermanto, S. (2013) 'Ekstraksi dan penentuan konsentrasi senyawa β -1,3;1,6-D-glukan dari jamur shiitake (*Lentinula edodes*)', *Bioteknologi*, 10(2), pp. 60–66.
- Fang, Q.H. & Zhong, J.J. (2002) 'Submerged fermentation of higher fungus *Ganoderma lucidum* for production of valuable bioactive metabolites—ganoderic acid and polysaccharide', *Biochemical Engineering Journal*, 10, pp. 61–65.
- Faraki, A., Noori, N., Gandomi, H., Banuree, S.A.H. & Rahmani, F. (2020) 'Effect of *Auricularia auricula* aqueous extract on survival of *Lactobacillus acidophilus* La-5 and *Bifidobacterium bifidum* Bb-12 and on sensorial and functional properties of synbiotic yogurt', *Food Science & Nutrition*, 8(2), pp. 1254–1263. <https://doi.org/10.1002/fsn3.1414>.
- Fesel, P.H. & Zuccaro, A. (2016) 'Beta-glucan: Komponen penting dinding sel jamur dan MAMP yang sulit dipahami pada tanaman', *Fungal Genetics and Biology*, 90, pp. 53–60.
- Fewtrell, L.J., Prüss-Üstün, A., Landrigan, P. & Ayuso-Mateos, J.L. (2004) 'Estimating the global burden of disease of mild mental retardation and cardiovascular diseases from environmental lead exposure', *Environmental Research*, 94(2), pp. 120–133. [https://doi.org/10.1016/S0013-9351\(03\)00132-4](https://doi.org/10.1016/S0013-9351(03)00132-4).
- Fu, L., Chen, H., Dong, P., Zhang, X. & Zhang, M. (2010) 'Effects of ultrasonic treatment on the physicochemical properties and DPPH radical scavenging activity of polysaccharides from mushroom *Inonotus obliquus*', *Journal of Food Science*, 75, pp. C322–C327.
- Gee, L.V., Vasanthan, T. & Temelli, F. (2007) 'Viscosity of model yogurt systems enriched with barley β -glucan as influenced by starter cultures', *International Dairy Journal*, 17(9), pp. 1083–1088.
- Geng, L., He, X., Ye, L. & Zhang, G. (2022) 'Identification of the genes associated with β -glucan synthesis and accumulation during grain development in barley', *Food Chemistry: Molecular Sciences*, 5, p. 100136.
- Gummadi, S.N. & Kumar, K. (2005) 'Production of extracellular water-insoluble β -1,3-glucan (curdlan) from *Bacillus* sp. SNC07', *Biotechnology and Bioprocess Engineering*, 10(6), pp. 546–551.
- Gupta, S., Summuna, B., Gupta, M., and Annepu, S. K. (2018). "Edible mushrooms: cultivation, bioactive molecules, and health benefits," in *Bioactive Molecules in Food*," eds J.-M. Mérillon and K. G. Ramawat (Cham: Springer International Publishing), 1–33.
- Jeong, H., Yang, B.K., Jeong, Y.T., Kim, G.N., Jeong, Y.S., Kim, S.M., Mehta, P. & Song, C.H. (2007) 'Hypolipidemic effects of biopolymers extracted from culture broth, mycelia, and fruiting bodies of *Auricularia auricula-judae* in dietary-induced hyperlipidemic rats', *Mycobiology*, 35(1), pp. 16–20. <https://doi.org/10.4489/myco.2007.35.1.016>.
- Hassan, F.R.H. & Medany, G.M. (2012) 'Studies on submerged culture conditions for mycelial biomass production of wood ears mushroom (*Auricularia polytricha*)',

- Middle East Journal of Agricultural Research*, 1(1), pp. 33–39.
- Gandjar, I. (2006) *Mikologi Dasar dan Terapan*. Jakarta, Indonesia: Yayasan Obor Indonesia.
- Food Data Central, US Department of Agriculture (2019) *Nuts, Coconut Water (Liquid from Coconuts)*. Available at: <https://fdc.nal.usda.gov/fdc-app.html/fooddetails/170174/nutrients> (Accessed: 20 February 2025).
- Gewalt, D. (2021) *Judasohr. Auricularia auricula-judae*. Available at: <https://fundkorb.de/pilze/auricularia-auricula-judae-judasohr> (Accessed: 20 February 2025).
- Hawrelak JA, Myers SP. The causes of intestinal dysbiosis: A review. *Alternative Medicine Review*. 2004;9(2):180-197.
- Heleno, S. A., Diz, P., Prieto, M. A., Barros, L., Rodrigues, A., Barreiro, M. F., & Ferreira, I.C. F. R. (2016). Optimization of ultrasound-assisted extraction to obtain mycosterols from *Agaricus bisporus* L. by response surface methodology and comparison with conventional Soxhlet extraction. *Food Chemistry*, 197, 1054–1063.
- Huebner, J., Wehling, R. L., & Hutkins, R. W. (2007). Functional activity of commercial prebiotics. *International Dairy Journal*, 17(7), 770-775.
- Hwang AY, Yang SC, Kim J, Lim T, Cho H, Hwang KT. Effects of non-traditional extraction methods on extracting bioactive compounds from chaga mushroom (*Inonotus obliquus*) compared with hot water extraction. *LWT Food Sci Technol*. 2019;110:80-84.
- I. Alzorqi, S. Manickam, Ultrasonic process intensification for the efficient extraction of nutritionally active ingredients of polysaccharides from bioresources, in: M. Ashokkumar (Ed.), *Handbook of Ultrasonics and Sonochemistry*, Springer Singapore, 2015.
- Ibrahim SA, Gyawali R. Lactose intolerance. In: Young P, George H, editors. *Milk and Dairy Products in Human Nutrition: Production, Composition and Health*. Iowa, IA: John Wiley & Sons; 2013. pp. 246-256
- Irawati, D., Nircela, N. ., Margareta, R. ., & Sutapa, J.G.S.G., 2019. Optimasi Produksi Badan Buah Tiga Jenis Jamur Kayu dengan Inovasi Perlakuan pada Waktu Inkubasi dan Jumlah Penyobekan pada Baglog. *Jurnal Ilmu Kehutanan*, 13(1), pp.87-97.
- J. Qiu, H. Zhang, Z. Wang, Ultrasonic degradation of polysaccharides from *Auricularia auricula* and the antioxidant activity of their degradation products, *LWT* 113 (2019), 108266, <https://doi.org/10.1016/j.lwt.2019.108266>.
- J.Z. Wu, P.C.K. Cheung, K.H. Wong, N.L. Huang, Studies on submerged fermentation of *Pleurotus tuber-regium* (Fr.) Singer-Part 1. Physical and chemical factors affecting the rate of mycelial growth and bioconversion efficiency, *Food Chem*. 81 (2003) 389–393.
- J.Z. Wu, P.C.K. Cheung, K.H. Wong, N.L. Huang, Studies on submerged fermentation of *Pleurotus tuber-regium* (Fr.) Singer. Part 2. Effect of carbon-to-nitrogen ratio of the culture medium on the content and composition of the mycelial dietary fibre, *Food Chem*. 85 (2004) 101–105.
- Jin, Y.; Cai, L.; Yang, Q.; Luo, Z.; Liang, L.; Liang, Y.; Wu, B.; Ding, L.; Zhang, D.; Xu, X.; et al. Anti-leukemia activities of selenium nanoparticles embedded in nanotube consisted of triple-helix β -D- glucan. *Carbohydr. Polym*. 2020, 240,

116329.

- Jo, W. S., Kim, D. G., Seok, S. J., Jung, H. Y., & Park, S. C. (2014). The culture conditions for the mycelial growth of *Auricularia auricula-judae*. *Journal of Mushrooms*, 14(2), 88-95.
- Jonathan SG, Fasidi IO, Ajayi EJ (2004) Physic-chemical Studies on *Volvariella esculenta* Mass Singer, a Nigerian Edible Fungus. *Food Chem* 85: 339-342. of mycelial biomass and exopolysaccharides by *Agrocybe cylindracea*. *Bioresource Technology*, 96, 1175–1182.
- Joshi M, Patel H, Gupte S and Gupte A (2013) Nutrient improvement for simultaneous production of exopolysaccharide and mycelial biomass by submerged cultivation of *Schizophyllum commune* AGMJ-1 using statistical optimization. *Biotech* 3:307-318.
- Jutono. (1980). *Pedoman Praktikumn Mikrobiologi Umum*. Yogyakarta, Indonesia: Fakultas Pertanian UGM.
- Kaur R, Sharma M, Ji D, Xu M, Agyei D. Structural Features, Modification, and Functionalities of Beta Glucan. *Fibers*. 2020 Jan;8(1):1.
- Kaur, R.; Sharma, M.; Ji, D.; Xu, M.; Agyei, D. Structural features, modification, and functionalities of beta-glucan. *Fibers* 2020,8, 1.
- Kechagia M, Basoulis D, Konstantopoulou S, Dimitriadi D, Gyftopoulou K, Skarmoutsou N, et al. Health benefits of probiotics: A Review. *ISRN Nutrition*. 2013;2013:481651. DOI: 10.5402/2013/481651
- Kim SW, Hwang HJ, Xu CP, Na YS, Song SK and Yun JW (2002) Influence of nutritional conditions on the mycelial growth and exopolysaccharide production in *Paecilomyces sinclairii*. *Lett Appl Microbiol* 34: 389-393.
- Kim SW, Xu CP, Hwang HJ, Choi JW, Kim CW and Yun JW (2003) Production and characterization of exopolysaccharides from an entomopathogenic fungus *Cordyceps militaris* NG3. *Biotechnol Prog* 19: 428-435.
- Kim, H. O., Lim, J. M., Joo, J. H., Kim, S. W., Hwang, H. J., Choi, J. W., & Yun, J. W. (2005). Optimization of submerged culture condition for the production of mycelial biomass and exopolysaccharides by *Agrocybe cylindracea*. *Bioresource Technology*, 96(10), 1175-1182.
- Klis, F. M.; Mol, P.; Hellingwerf, K.; Brul, S. Dynamics of cell wall structure in *Saccharomyces cerevisiae*. *FEMS Microbiol. Rev.* 2002,26, 239-256.
- Kozarski, M., Klaus, A., Jakovljevic, D., Todorovic, N., Nikšić, M., Vunduk, J., ... & Van Griensven, L. J. (2015). Chemical composition and nutritional value of the mushroom *Auricularia auricula-judae*. *Chemical Industry & Chemical Engineering Quarterly*, 21(4), 479-487.
- Kulp WL, Rettger LF. Comparative Study of *Lactobacillus acidophilus* and *Lactobacillus bulgaricus*. *Journal of Bacteriology*. 1924;9(4):357-395
- Kusumaningrum, I.K., Zakia, N. & Nilasari, C., 2017. Pengaruh Derajat Keasaman (pH) Media Tanam dan Waktu Panen pada Fortifikasi Selenium Jamur Tiram Putih (*Pleurotus ostreatus*). *Jurnal Kimia dan Terapannya*, 1(1), pp. 30-34.
- L. Peng, J. Li, Y. Liu, Z. Xu, J.Y. Wu, Z. Ding, Z. Gu, L. Zhang, G. Shi, Effects of mixed carbon sources on galactose and mannose content of exopolysaccharides and related enzyme activities in *Ganoderma lucidum*, *RSC Adv.* 6 (45) (2016) 39284–39291, <https://doi.org/10.1039/C6RA04798J>
- Lee, B. H., Kim, J. K., Kim, Y. S., & Kim, H. R. (2004). Production of exopolysaccharides by submerged mycelial culture of *Cordyceps militaris*.

Biotechnology Letters, 26(1), 35-39.

- Li F., Bi H. Situasi Terkini dan Penanggulangan Industri *Auricularia auricula* di Tiongkok. *North. Hortic.* 2021;7:142–147.
- Li, H.; Wang, Y.; Wang, C.; Zhang, S.; Li, S.; Zhou, G.; Wang, S.; Zhang, J. Extraction, selenylation modification and antitumor activity of the glucan from *Castanea mollissima* Blume. *Glycoconj. J.* 2017, 34, 207–217
- Lick S, Drescher K, Heller KJ. Survival of *Lactobacillus delbrueckii* subsp. *bulgaricus* and *Streptococcus thermophilus* in the Terminal Ileum of Fistulated Göttingen Minipigs. *Applied and Environmental Microbiology.* 2001;67(9):4137-4143. DOI: 10.1128/AEM.67.9.4137-4143.2001
- Liu, Y., Chen, J., & Wang, X. (2020). Effects of carbon sources on mycelial growth and beta-glucan production in *Auricularia polytricha*. *Applied Microbiology and Biotechnology*, 104(5), 2101-2110.
- Liu, Y., Gong, X., Li, M., Si, H., Zhou, Q., Liu, X., Fan, Y., Zhang, X., Han, J., Gu, S., & Dong, J. (2021). Pengaruh stres osmotik terhadap pertumbuhan, perkembangan, dan patogenisitas *Setosphaeria turcica*. *Frontiers in Microbiology*, 12, 706349. <https://doi.org/10.3389/fmicb.2021.706349>
- Lourens-Hattingh, A., & Viljoen, B. C. (2001). Yogurt as a probiotic carrier food. *International Dairy Journal*, 11(1-2), 1-17.
- Lung MY and Huang PC (2010) Optimization of exopolysaccharide production from *Armillaria mellea* in submerged cultures. *Lett Appl Microbiol* 50: 198-204.
- M. Vinatoru, An overview of the ultrasonically assisted extraction of bioactive principles from herbs, *Ultrason. Sonochem.* 8 (2001) 303–313.
- Mahapatra, S. & Banerjee, D., 2013. Fungal Exopolysaccharide: Production, Composition and Applications. *Microbiology insights*, 6, pp1-16.
- Maharani, Y., Suryani, A., & Suwanto, A. (2014). Optimization of liquid culture conditions for mycelial growth and exopolysaccharide production of *Pleurotus eryngii*. *Journal of Agricultural Science and Technology*, 4(5), 397-405.
- Meng, F., Liu, X., Jia, L., Song, Z., Deng, P., Fan, K. (2010). Optimization for the production of exopolysaccharides from *Morchella esculenta* SO-02 in submerged culture and its antioxidant activities. *Carbohydrate Polymers*, 79, 700–704.
- Miao, J.; Regenstein, J.M.; Qiu, J.; Zhang, J.; Zhang, X.; Li, H.; Zhang, H.; Wang, Z. Isolation, structural characterization and bioactivities of polysaccharides and its derivatives from *Auricularia*—A review. *Int. J. Biol. Macromol.* 2020, 150, 102–113.
- Michaylova M, Minkova S, Kimura K, Sasaki T, Isawa K. Isolation and characterization of *Lactobacillus delbrueckii* ssp. *bulgaricus* and *Streptococcus thermophilus* from plants in Bulgaria. *FEMS Microbiology Letters.* 2007;269(1):160-169.
- Montgomery, D. C., Peck, E. A., & Vining, G. G. (2012). *Introduction to Linear Regression Analysis* (5th ed.). John Wiley & Sons.
- Moore, D., Robson, G.D., & Trinci, A.P.J. (2011). *21st Century Guidebook to Fungi*. Cambridge University Press.
- Moussa TAA, Mohamed MS and Samak N (2014) Production and characterization of di-rhamnolipid produced by *Pseudomonas aeruginosa* TMN. *Braz J Chem Eng* 31(4): 867-880.
- Mölleken, H., Nitschke, J., Modick, H., Malolepszy, T. and Altenbach, H.J., 2011. A new colorimetric method to quantify β -1,3-1,6-glucans in comparison with total β -1,3-

- glucans and a method to quantify chitin in edible mushrooms. *Food Chemistry*, 127, pp.791–796.
- Murphy, E.J.; Rezoagli, E.; Major, I.; Rowan, N.J.; Laffey, J.G. β -Glucan Metabolic and Immunomodulatory Properties and Potential for Clinical Application. *J. Fungi* 2020, 6, 356.
- N. Chen, H. Zhang, X. Zong, S. Li, J. Wang, Y. Wang, M. Jin, Polysaccharides from *Auricularia auricula*: preparation, structural features and biological activities, *Carbohydr. Polym.* 247 (2020), 116750, <https://doi.org/10.1016/j.carbpol.2020.116750>.
- N. Mikiashvili, S.P. Wasser, E. Nevo, V. Elisashvili, Effects of carbon and nitrogen sources on *Pleurotus ostreatus* ligninolytic enzyme activity, *World J. Microbiol. Biotechnol.* 22 (2006) 999–1002.
- Natsir, M. H., Sjöfjan, O., & Ardyansyah, R. H. (2020). Effect of dietary *Agaricus bisporus* and *Auricularia auricula* crude extract supplementation on carcass quality of broiler. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 15(3), 183–192.
- Nitschke, J., Modick, H., Busch, E., Wantoch von Rekowski, R., Altenbach, H.-J. and Mölleken, H., 2011. A new colorimetric method to quantify β -1,3-1,6-glucans in comparison with total β -1,3-glucans in edible mushrooms. *Food Chemistry*, 127, pp.791–796.
- NCBI Taxonomy: a comprehensive update on curation, resources and tools. Database (Oxford). 2020: [baaa062](https://pubmed.ncbi.nlm.nih.gov/32761142/). PubMed: [32761142](https://pubmed.ncbi.nlm.nih.gov/32761142/) PMC: [PMC7408187](https://pubmed.ncbi.nlm.nih.gov/32761142/). From ginseng roots and culture ginseng cells. *Ultrasonics Sonochemistry*, 8, 347–352.
- Nguyen, T.L.; Chen, J.; Hu, Y.; Wang, D.; Fan, Y.; Wang, J.; Abula, S.; Zhang, J.; Qin, T.; Chen, X.; et al. In vitro antiviral activity of sulfated *Auricularia auricula* polysaccharides. *Carbohydr. Polym.* 2012, 90, 1254–1258.
- Niego, A.G.T., Lambert, C., Mortimer, P., Thongklang, N., Rapior, S., Grosse, M., Schrey, H., Charria-Girón, E., Walker, A., Hyde, K.D., dan Stadler, M. 2023. The contribution of fungi to the global economy. *Fungal Diversity*. 121 (1):95–137.
- Nowak, R., Nowacka-Jechalke, N., Juda, M., & Malm, A. (2018). The preliminary study of prebiotic potential of Polish wild mushroom polysaccharides: The stimulation effect on *Lactobacillus* strains growth. *European Journal of Nutrition*, 57(4), 1511–1521.
- O.J. Sánchez, S. Montoya, L.M. Vargas, Polysaccharide Production by Submerged Fermentation. *Polysaccharides*, 2015, pp. 451–473.
- Oyeniran, A., Gyawali, R., Aljaloud, S. O., Krastanov, A., & Ibrahim, S. A. (2020). Probiotic characteristics and health benefits of the yogurt bacterium *Lactobacillus delbrueckii* sp. *bulgaricus*. Dalam S. A. Ibrahim, T. Zimmerman, & R. Gyawali (Eds.), *Current issues and challenges in the dairy industry* (hlm. 1–19).
- P. Xu, Z.Y. Ding, Z. Quian, C.X. Zhao, K.C. Zhang, Improved production of mycelial biomass and ganoderic acid by submerged culture of *Ganoderma lucidum* SB97 using complex media, *Enzyme Microb. Technol.* 42 (2008) 325–331.
- Papagianni M (2004). Fungal morphology and metabolite production in submerged mycelial processes. *Biotechnol. Adv.*, 22: 189–259.
- Papagianni, M. (2004). "Fungal morphology and metabolite production in submerged mycelial processes." *Biotechnology Advances*, 22(3), 189-259.
- Papaspyridi, L.-M., Katapodis, P., Gonou-Zagou, Z., Kapsanaki-Gotsi, E., Christakopoulos, P. (2010). Optimization of biomass production with enhanced glucan and dietary fibres content by *Pleurotus ostreatus* ATHUM 4438 under

- submerged culture. *Biochemical Engineering Journal*, 50, 131–139.
- Park JP, Kim SW, Hwang HJ, Yun JW (2001) Optimization of submerged culture conditions for the mycelial growth and exo-biopolymer production by *Cordyceps militaris*. *Lett Appl Microbiol* 33: 76-81.
- Pokhrel CP and Ohga S (2007) Submerged culture conditions for mycelial yield and polysaccharides production by *Lyophyllum decastes*. *Food Chem* 105(2): 641-646.
- Qian, L.; Liu, H.; Li, T.; Liu, Y.; Zhang, Z.; Zhang, Y. Purification, characterization and in vitro antioxidant activity of a polysaccharide AAP-3-1 from *Auricularia auricula*—ScienceDirect. *Int. J. Biol. Macromol.* 2020, 162, 1453–1464.
- Qiu, J., Zhang, H., Wang, Z. 2019. Ultrasonic degradation of polysaccharides from *Auricularia auricula* and the antioxidant activity of their degradation products. *Lebensm Wiss Technol.* 113: 108266. 10.1016/j.lwt.2019.108266
- R.M.M. Gern, E. Wisbeck, J.R. Rampinelli, J.L. Ninow, S.A. Furlan, Alternative medium for production of *Pleurotus ostreatus* biomass and potential antitumor polysaccharides, *Bioresour. Technol.* 99 (2008) 76–82.
- Reis JA, Paula AT, Casarotti S, Penna A. Lactic acid bacteria antimicrobial compounds: Characteristics and applications. *Food Engineering Reviews.* 2012;4. DOI: 10.1007/s12393-012-9051-2
- Rich Milton R. Dulay, Esperanza C. Cabrera, Sofronio P. Kalawa, Renato G. Reyes. (2021). Optimization of submerged culture conditions for mycelial biomass production of fourteen *Lentinus* isolates from Luzon Island, Philippines. *Biocatalysis and Agricultural Biotechnology* 38 (1): 1-11.
- Rieder, A.; Grimmer, S.; Kolset, S.O.; Michaelsen, T.E.; Knutsen, S.H. Cereal β -glucan preparations of different weight average molecular weights induce variable cytokine secretion in human intestinal epithelial cell lines. *Food Chem.* 2011, 128, 1037–1043.
- Rodrigues, M.V.; Zanuzzo, F.S.; Koch, J.F.A.; de Oliveira, C.A.F.; Sima, P.; Vetvicka, V. Development of Fish Immunity and the Role of β -Glucan in Immune Responses. *Molecules* 2020, 25, 5378.
- Roselló-Soto, E., Parniakov, O., Deng, Q. et al. Application of Non-conventional Extraction Methods: Toward a Sustainable and Green Production of Valuable Compounds from Mushrooms. *Food Eng Rev* 8, 214–234 (2016).
- Ross RP, Morgan S, Hill C. Preservation and fermentation: Past, present and future. *International Journal of Food Microbiology.* 2002;79(1-2):3-16
- S. Sun, X. Zhang, W. Chen, et al., Production of natural edible melanin by *Auricularia auricula* and its physicochemical properties, *Food Chem.* 196 (2016) 486-492.
- S.J. Yoon, M.A. Yu, Y.R. Pyun, et al., The nontoxic mushroom *Auricularia auricula* contains a polysaccharide with anticoagulant activity mediated by antithrombin, *Thromb. Res.* 112 (2003) 151-158.
- Saha, A., Mandal, P., Dasgupta, S., Saha, D. (2008). Influence of Culture Media and Environmental Factors on Mycelia Growth and Sporulation of *Lasiopodiopsis theobromae* (Pat.) Griffon and Maubl. *Journal of Environmental Biology*, 29(3), 407-410.
- Saskiawan, I., Munir, M. & Achmadi, S. S., (2017). Optimasi Produksi serta Analisis Aktivitas Antioksidan dan Antimikroba Senyawa Eksopolisakarida dari Jamur Tiram Putih (*Pleurotus Ostreatus*) pada Media Cair. *Berita Biologi*, 15(2), pp.

133-140.

- Saskiawan, I., Munir, M., & Achmad, S. S. (2016). Optimasi produksi serta analisis aktivitas antioksidan dan antimikroba senyawa eksopolisakarida dari jamur tiram putih (*Pleurotus ostreatus*) pada media cair. *Berita Biologi*, 15(2), 133-140.
- Sawangwan, T., Wansanit, W., Pattani, L., & Noysang, C. (2018). Study of prebiotic properties from edible mushroom extraction. *Agriculture and Natural Resources*, 52(6), 519–524. <https://doi.org/10.1016/j.anres.2018.11.02>
- Setyawan, R. H., Saskiawan, I., Widhyastuti, N., Kasirah, & Mulyadi. (2023). Prebiotic potency from White Oyster Mushroom (*Pleurotus ostreatus*) Extract. *Berita Biologi*, 22(1), 51-59.
- Snart, J., Bibiloni, R., Grayson, T., Lay, C., Zhang, H., Allison, G. E., Tannock, G. W. (2006). Supplementation of the diet with high-viscosity beta-glucan results in enrichment for lactobacilli in the rat cecum. *Applied and Environmental Microbiology*, 72(3), 1925–1931.
- Sun, S., Zhang, X., Sun, S., Zhang, L., Shan, S., dan Zhu, H. (2016). Produksi melanin alami oleh *Auricularia auricula* dan studi tentang struktur molekulnya. *Food Chem.* 190, 801–807.
- Suryani, Y. (2022). Fisiologi Mikroorganisme. UIN Sunan Gunung Djati.
- T. Islam, K. Ganesan, B. Xu, Insights into health-promoting effects of Jew's ear (*Auricularia auricula-judae*), *Trends Food Sci. Technol.* 114 (2021) 552- 569.
- T. Islam, X. Yu, B. Xu, Phenolic profiles, antioxidant capacities and metal chelating ability of edible mushrooms commonly consumed in China, *LWT-Food Sci. Technol.* 72 (2016) 423-431.
- T. Islam., Yao, F., Kang, W., Lu, L., Xu, B. 2021. A systematic study on mycochemical profiles, antioxidant, and anti-inflammatory activities of 30 varieties of Jew's ear (*Auricularia auricula-judae*). *Food Science and Human Wellness* 1 (11): 781-794.
- T.J. Mason, Ultrasonic cleaning: an historical perspective, *Ultrason. Sonochem.* 29 (2016) 519–523.
- Tang YJ, Zhong JJ (2002). Exopolysaccharide biosynthesis and related enzyme activities of the medicinal fungus, *Ganoderma lucidum*, grown on lactose in a bioreactor. *Biotechnol. Lett.*, 24: 1023–1026.
- Tang, J.; Lin, G.; Langdon, W.Y.; Tao, L.; Zhang, J. Regulation of C-type lectin receptor-mediated antifungal immunity. *Front. Immunol.* 2018, 9, 123.
- Tang, Y.J., & Zhong, J.J. (2002). "Fed-batch fermentation of *Ganoderma lucidum* for hyperproduction of polysaccharide and ganoderic acid." *Enzyme and Microbial Technology*, 31(1-2), 20-28.
- Thompson, S. V., Hannon, B. A., An, R., & Holscher, H. D. (2022). Effects of isolated soluble fiber supplementation on body weight, glycemia, and insulinemia in adults with overweight and obesity: A systematic review and meta-analysis of randomized controlled trials. *The American Journal of Clinical Nutrition*, 116(3), 722-739.
- Tongtawee T, Dechsukhum C, Leeanansaksiri W, Kaewpitoon S, Kaewpitoon N, Loyd RA, et al. Improved helicobacter pylori eradication rate of tailored triple therapy by adding *Lactobacillus delbrueckii* and *Streptococcus thermophilus* in northeast region of Thailand: A prospective randomized controlled clinical trial. *Gastroenterology Research and Practice.* 2015;2015:518018. DOI: 10.1155/2015/518018

- Tufail, M., Hussain, S., Malik, F., Mirza, T., Parveen, G., Shafaat, S., Wajid, A., Mahmood, R., Channa, R. A., & Sadiq, A. (2011). Isolation and evaluation of antibacterial activity of bacteriocin produced by *Lactobacillus bulgaricus* from yogurt. *African Journal of Microbiology Research*, 5(22), 3842–3847.
- Turrini, F.; Donno, D.; Beccaro, G.L.; Zunin, P.; Pittaluga, A.; Boggia, R. Pulsed Ultrasound-Assisted Extraction as an Alternative Method to Conventional Maceration for the Extraction of the Polyphenolic Fraction of *Ribes nigrum* Buds: A New Category of Food Supplements Proposed by The FINNOVER Project. *Foods* 2019, 8, 466.
- United States Environmental Protection Agency. Green Chemistry's 12 Principles. U.S. EPA. Accessed [06, Maret 2025]
- Utama, G. L., Dio, C., Lembong, E., Cahyana, Y., & Balia, R. L. (2020). Microorganism-based β -glucan production and their potential as antioxidant. *Sys Rev Pharm*, 11(10), 868-873.
- Vetter J. Glukan jamur: molekul yang sangat penting secara biologis dan medis. *Makanan*. (2023) 12.
- Vetvicka, V.; Teplyakova, T.V.; Shintyapina, A.B.; Korolenko, T.A. Effects of medicinal fungi-derived β -glucan on tumor progression. *J. Fungi* 2021, 7, 250.
- Vodnar DC, Socaciu C, Rotar AM, Stănilă A. Morphology, FTIR fingerprint and survivability of encapsulated lactic bacteria (*Streptococcus thermophilus* and *Lactobacillus delbrueckii* subsp. *bulgaricus*) in simulated gastric juice and intestinal juice. *International Journal of Food Science and Technology*. 2010;45(11):2345-2351.
- Wahyudi, T.R., Rahayu, S. & Azwin, A., 2016. Keanekaragaman Jamur Basidiomycota di Hutan Tropis Dataran Rendah Sumatera, Indonesia (Studi Kasus di Arboretum Fakultas Kehutanan Universitas Lancang Kuning Pekanbaru). *Jurnal Kehutanan*, 11(2), pp. 98- 111.
- Wang, L., Zhang, Y., & Li, T. (2019). Comparative study of glucose and sucrose as carbon sources for beta-glucan production in *Auricularia* spp. *Journal of Fungi*, 5(2), 45.
- Wen, C., Zhang, J., Zhang, H., Dzah, C. S., Zandile, M., Duan, Y., ... Luo, X. (2018). Advances in ultrasound assisted extraction of bioactive compounds from cash crops –A review. *Ultrasonics Sonochemistry*.
- Wu Q., Qin D., Cao H., Bai Y. Hidrolisis enzimatik polisakarida dari *Auricularia auricula* dan karakterisasi produk degradasi. *Int. J. Biol. Macromol.* 2020;162:127–135.
- Wu, Q., Tan, Z., Liu, H., Gao, L., Wu, S., Luo, J., Zhang, W., Zhao, T., Yu, J., & Xu, X. (2010). Characterization of *Auricularia auricula* polysaccharides and its pharmacological effect on heart antioxidant enzyme activities and left ventricular function in aged mice. *International Journal of Biological Macromolecules*
- X. Chen, J. Wu, X. Gui, Production and characterization of exopolysacchrides in mycelial culture of *Cordyceps sinensis* fungus Cs-HK1 with different carbon sources, *Chin. J. Chem. Eng.* 24 (2016) 158–162, <https://doi.org/10.1016/j.cjche.2015.06.016>
- X.Z. Fan, F. Yao, C.M. Yin, D.F. Shi, H. Gao, Optimization of fermentation process and its impact on gene transcription of intracellular polysaccharide synthesis in the wood ear medicinal mushroom *Auricularia auricula-judae* (Agaricomycetes), *Int. J. Med. Mushrooms* 22 (6) (2023) 581–592, <https://doi.org/10.1615/IntJMedMushrooms.2020035033>.

- Xiao JH, Chen DX, Wan WH, Hu XJ, Qi Y and Liang ZQ (2006) Enhanced simultaneous production of mycelia and intracellular polysaccharide in submerged cultivation of *Cordyceps jiangxiensis* using desirability functions. *Process Biochem* 41(8): 1887-1893.
- Xiao, B.; Chen, S.; Huang, Q.; Tan, J.; Zeng, J.; Yao, J.; Feng, T.; Wang, G.; Zhang, Y. The lipid lowering and antioxidative stress potential of polysaccharide from *Auricularia auricula* prepared by enzymatic method. *Int. J. Biol. Macromol.* 2021, 187, 651–663.
- Xu CP and Yun JW (2003) Optimization of submerged-culture conditions for mycelial growth and exopolymer production by *Auricularia polytricha* (wood ears fungus) using the methods of uniform design and regression analysis. *Biotechnol Appl Biochem* 38: 193-199.
- Xu. S., Xu X., Zhang L.: Branching structure and chain conformation of water - soluble glucan extracted from *Auricularia auricula-judae*. *Agric Food Chem* 2012;60(13):3498-3506
- Y.-C. Cheung, K.-C. Siu, Y.-S. Liu, J.-Y. Wu, Molecular properties and antioxidant activities of polysaccharide–protein complexes from selected mushrooms by ultrasound-assisted extraction, *Process Biochem.* 47 (2012) 892–895.
- Yang, L., Kang, X., Dong, W., Wang, L., Liu, S., Zhong, X., & Liu, D. (2022). Prebiotic properties of *Ganoderma lucidum* polysaccharides with special enrichment of *Bacteroides ovatus* and *Bacteroides uniformis* in vitro. *Journal of Functional Foods* 92 (1), 1-11.
- Yong, J.W.H., Ge, L., Ng, Y.F., Tan, S.N., 2009. The chemical composition and biological properties of coconut water (*Cocos nucifera* L.) water. *Molecules* 14,5144–5164.
- York WS. A conformational model for cyclic β -(1 \rightarrow 2) linked glucans based on NMR analysis of the β glucans produced by *Xanthomonas campestris*. *Carbohydr Res.* 1995 Dec 20;278(2):205–25.
- Yuniarto, K., Muvianto, C.M.O., dan Ernia. 2021. Aplikasi ultrasound assisted extraction untuk produksi minyak bawang putih varietas lokal. *Jurnal Teknologi Pertanian.* 22 (3):177-186.
- Z. Chen, C. Yin, X. Fan, K. Ma, F. Yao, R. Zhou, D. Shi, W. Cheng, H. Gao, Characterization of physicochemical and biological properties of *Schizophyllum commune* polysaccharide extracted with different methods, *Int. J. Biol. Macromol.* 156 (2020) 1425–1434,
- Z. Wu, Z. Yang, D. Gan, J. Fan, Z. Dai, X. Wang, B. Hu, H. Ye, M. Abid, X. Zeng, Influences of carbon sources on the biomass, production and compositions of exopolysaccharides from *Paecilomyces hepiali* HN1, *Biomass Bioenergy* 67 (2014) 260–269, <https://doi.org/10.1016/j.biombioe.2014.05.008>
- Zaman, S. A., & Sarbini, S. R. (2015). The potential of resistant starch as a prebiotic. *Critical Reviews in Biotechnology*, 36(3), 578-584.
- Zhang, M., Cui, S. W., Cheung, P. C. K., & Wang, Q. (2007). Antitumor polysaccharides from mushrooms: a review on their isolation process, structural characteristics, and antitumor activity. *Trends in Food Science & Technology*, 18(1), 4-19.
- Zhang, X., Li, Y., & Wang, H. (2018). Optimization of culture conditions for beta-glucan production by *Auricularia auricula-judae*. *Journal of Food Science and Technology*, 55(3), 1123-1130.



- Zhang, Y., Li, S., Wang, X., Zhang, L., & Cheung, P. C. K. (2011). Optimization of extraction process of polysaccharides from *Pleurotus ostreatus* by response surface methodology. *Carbohydrate Polymers*, 84(3), 1011-1016.
- Zhao S., Rong C., Liu Y., Xu F., Wang S., Duan C., Chen J., Wu X. Ekstraksi polisakarida terlarut dari *Auricularia polytricha* dan evaluasi efek anti-hiperkolesterolemia pada tikus. *Carbohydr. Polym.* 2015;122:39–45.
- Zhao, S., Yao, C., Zhang, Q., Chen, G., & Yuan, Q. (2019). Acoustic cavitation and ultrasound-assisted nitration process in ultrasonic microreactors: The effects of channel dimension, solvent properties and temperature. *Chemical Engineering Journal*, 374,68–78.