

DAFTAR PUSTAKA

- Aguera A., D. Brophy. 2011. Use of saggital otolith shape analysis to discriminate Northeast Atlantic and Western Mediterranean stocks of atlantic saury, *Scomberesox saurus saurus* (Walbaum). Fisheries Research 110(3): 465–471.
- Annisa, S. N., W. Kantun., A. Kabangnga. 2024. Otolith shape indices of Japanese Threadfin Bream (*Nemipterus japonicus*, Bloch 1791) from the Makassar Strait, Indonesia. Asian Journal of Fisheries and Aquatic Research 26(5): 90–96.
- Arkham, M.N., M. Tiku., P.P. Kelana., A. Ramli., A. Trihandoyo. 2021. Identifikasi jenis ikan hasil tangkapan nelayan Pantai Utara (Pantura) di Provinsi Jawa Timur. Jurnal of Aceh Aquatic Science 5(1): 46-55.
- Athaa, F. F., Djumanto., S. Partosuwiryo., N. Probosunu. 2023. Correlation of otolith morphometrics with total length and weight of shortfin scad (*Decapterus macrosoma* Bleeker, 1851) in the Special Region of Yogyakarta. AACL Bioflux 16(2): 957-969.
- Aydin, R., M. Calta., D. Sen., and M.Z. Coban. 2004. Relationships between fish length and otolith length in the population of *Chondrostoma regium* (Heckel, 1843) inhabiting Kebam Dam Lake. Pakistan Journal of Biological Science 7(9): 1550-1553.
- Bahri, S., L.J.L. Lumingas., F.B.Mangisela. 2018. Otolith biometry analysis of betong fish, *Selar crumenophthalmus* (Bloch, 1793) (Teleostei: Carangidae) in Manado Bay, NorthSulawesi. Jurnal Ilmiah Platax 6(2): 124-138.
- Baweleng, S., F. B. Mangisnsela., J.R.R. Sangari. 2018. Studi otolith ikan layang, *Decapterus akaadsi* Abe 1958 dari perairan Teluk Amurang. Jurnal Ilmiah Platax 6(2): 66-76.
- Bayyinah, A., Ismail, dan T.D. Hapsari. 2014. Analisis finansial usaha perikanan tangkap cantrang 30 GT di Pelabuhan Perikanan Pantai (PPN) Tasikagung Rembang. Journal of Fisheries Resources Utilization Management and Technology 3(3): 218-227.
- Begg, G.A. and Brown, R.W. 2000. Stock identification of Haddock *Melanogrammus aeglefinus* on Georges Bank based on otolith shape analysis. Transactions of the American Fisheries Society 129: 935-945.
- Bose, A.P.H., J.B. Adragna., S. Balshine. 2017. Otolith morphology varies between populations, sexes, and male alternative reproductive tactics in a vocal Toadfish *Porichthys notatus*. Journal of Fish Biology 90: 311-325.
- Bostanci, D., N. Polat., G. Kurucu., S. Yedier., S. Kontas., M. Darcin. 2015. Using otolith shape and morphometry to identify four Alburnus species (*A. chalcoides*, *A. escherichii*, *A. mossulensis* and *A. tarichi*) in Turkish inland waters. Journal of Applied Ichthyology 31(6): 1013–1022.

- Breder C.M., D.E. Rosen. 1966. Modes of reproduction in fishes. T.F.H. Publications, New Jersey.
- Budiati, O. C., Djumanto, S. Partosuwiryo., N. Probosunu. 2024. Morphometric relationship of otolith with length and weight of barracuda *Sphyraena forsteri* (Cuvier, 1829) at the Tasikagung Rembang Coastal Fishing Port, Central Java. *AAACL Bioflux* 17(6): 2685-2695.
- Burke, N., D. Brophy., P.A. King. 2008. Otolith shape analysis: its application for discriminating between stocks of Irish Sea and Celtic Sea herring (*Clupea harengus*) in the Irish Sea. *ICES Journal of Marine Science* 65(9): 1670–1675.
- Al-Busaidi, H.K., L. A. Jawad., and A.H. Al-Balushi. 2017. Relationships between fish and otolith size of the Blackspot Snapper *Lutjanus ehrenbergii* (Peters, 1869) collected from the coast of Muscat City, Sea of Oman. *International Journal of Marine Science* 77(740):386-393.
- Cabello, M.G., E.E.Barr., M. P. Gomez., and. A.G. Boa. 2017. Reproduction of Big Eye Scad *Selar Crumenophthalmus* (Teleostei: Carangidae) in the Mexican Pacific Coast. *Asian Journal Of Science and Technology* 8(3): 4536-4542.
- Campana, S. E., J.M. Casselman. 1993. Stock discrimination using otolith shape-analysis. *Canadian Journal of Fisheries and Aquatic Sciences* 50(5): 1062–1083.
- Campana, S. E., J.D. Neilson. 1985. Microstructure of fish otoliths. *Canadian Journal of Fisheries and Aquatic Sciences* 42(5): 1014–1032.
- Capello, M., M. Soria., P. Cotel., J. Daneuborg., and I. Dagorn. 2011. Quantifying the interplay between environmental and social effects on aggregated-fish dynamics plus one 6(2): 1-7.
- Cardinale, M.,P. Doering-Arjes., M. Kastowsky.,H. Mosegaard. 2004. Effects of sex, stock, and environment on the shape of knownage atlantic cod (*Gadus morhua*) otoliths. *Canadian Journal of Fisheries and Aquatic Science* 61(2): 158-167.
- Chahyadi, E., W. Windarti. 2015. Studi pola lingkaran pertumbuhan otolith pada ikan katung (*Pristolepsis grooti*) yang di tangkap di hilir Sungai Siak Provinsi Riau. *Jurnal Perikanan dan Kelautan* 20(2): 60-67.
- Clarke T.A., L.A. Privitera. 1995. Reproductive biology of two Hawaiian pelagic carangid fishes, the bigeye scad, *Selar crumenophthalmus*, and the round scad, *Decapterus macarellus*. *Bulletin of Marine Science* 56(1): 33-47.
- Damanto, H. 2019. Pengenalan spesies ikan berdasarkan kontur otolith menggunakan convolutional neural network. *Joined Journal* 2(1): 41-59.
- Dehgani, M., E. Kamrani., A. Salarpouri., and S. Sharifan. 2016. Otolith dimensions (length, width), otolith weight and fish length of *Sardinella sindensis* (Day, 1878), as index for environmental studies, Persian Gulf, Iran. *Marine Biodiversity Records* 9-44
- Effendie, M.I. 2002. *Biologi Perikanan*. Yayasan Pustaka Nusantara, Yogyakarta.

- Ernawati, Y., M. M. Kamal, dan N. A. Y. Pellokila. 2009. Biologi reproduksi ikan betok (*Anabas testudineus* Bloch, 1792) di rawa banjir Sungai Mahakam, Kalimantan Timur. *Jurnal Iktiologi Indonesia* 9 (2): 113-127.
- FAO. 2024. Species fact sheets: *Selar crumenophthalmus* (Bloch, 1793). <https://www.fao.org/fishery/en/species/2326/en>. Diakses 13 Oktober 2024.
- Fashandi, A., T. Valinassab., F. Kaymaram., S.M.R. Fatemi. 2019. Morphometric parameters of the sagitta otolith among four carangids species in the Persian Gulf. *Iranian Journal of Fisheries Science* 18(3): 547-561.
- Fauzi, M., I. Setyobudiandi, dan A. Suman. 2018. Biologi reproduksi ikan selar bentong (*Selar crumenophthalmus* Bloch, 1793) di perairan Natuna, Laut Cina Selatan. *Bawal Widya Riset Perikanan Tangkap (BAWAL)* 1-13.
- Fitria, M.D., Rosmasita., N.M.S. Sibolga., T.M. Ghazali. 2021. Aspek pertumbuhan ikan selar bentong (*Selar crumenophthalmus*) yang di daratkan di PPN Sibolga. *Jurnal Enggano* 5(3): 473-482.
- Fishider. 2024. *Selar crumenophthalmus*. <https://fishider.org/id/guide/osteichthyes/carangidae/selar/selar-crumenophthalmus>. Diakses pada 30 Oktober 2024.
- Gauldie, R. W, dan J.S. Crampton. 2002. An eco-morphological explanation of individual variability in the shape of the fish otolith: comparison of the otolith of *Hoplostethus atlanticus* with other species by depth. *J. Fish. Biol* 60: 1204-1221.
- Genisa, A. S. 1999. Pengenalan jenis-jenis ikan laut ekonomi penting di Indonesia. *Jurnal Oseana* 24(1): 17-38.
- Ghorbel, B.M., M. Mejri., A. Houeto M.F., Chalh A., B.Faleh A., Quingnard J.P., Trabelsi M., Shahin A.A.B., Bouriga N. 2024. Discriminant stock structure of *Diplodus annularis* (Perciformes, Sparidae) in Tunisian waters inferred from saccular otolith morphometry and microchemistry. *Iranian Journal of Fisheries Sciences* 23(6): 949-969
- Hehanussa, K. G., Haruna, B., Hutabessy., J. Tuhumury. 2023. Pengaruh warna umpan buatan terhadap hasil tangkapan ikan selar (*Selar crumenophthalmus*) dan ikan layang (*Decapterus ruselli*) di Selat Seram. *ALBACORE* 7(3): 415-425.
- Hellen, M., A.B. Rondonuwu., J.R.R. Sangari., F.B. Manginsela., B. Pratasik., S.L. Undap. 2023. Biometrik otolit ikan kardinal Banggai *Pterapogon kauderni* Koumans, 1933 di Bolaang Mongondow Selatan dan Selat Lembeh Bitung. *Jurnal Ilmiah Platax* 11(1): 74-80.
- Hussy K, Mosegaard H, Albertsen C.M., Nielsen E. E., Hansen J.H., Eero M. 2016. Evaluation of otolith shape as a tool for stock discrimination in marine fishes using Baltic Sea cod as a case study. *Fisheries Research* 174: 210–218.
- Hunt, J. J. 1979. Back-calculation of length-at-age from otoliths for silver hake of the Scotian Shelf. *ICNAF Sel* 5 : 11–17.
- Jawad, L.A, and J. M. Al-Mamry. 2012. Relationship between fish length and otolith dimensions in the carangid fish (*Carangoides Coeruleopinnatus* (Rüppell, 1830)) Collected from the Sea of Oman. *Journal of Fisheries Sciences* 6: 203-208.

- Kawamoto, P.Y. 1973. Management investigation of the akule or big-eye scad, *Trachurops crumenophthalmus* (Bloch). Hawaii Div. Fish. Game, Project Report No. H-4-R, 28 p.
- Kementerian Kelautan dan Perikanan. 2012. Laporan akuntabilitas kinerja instansi pemerintah tahun 2012. Direktorat Jenderal Perikanan Tangkap, Jakarta.
- Keputusan Menteri Kelautan dan Perikanan Republik Indonesia Nomor 55 Tahun 2024 Tentang Peningkatan Kelas Pelabuhan Perikanan Pantai Tasik Agung, Kabupaten Rembang, Provinsi Jawa Tengah Menjadi Pelabuhan Perikanan Nusantara Tasik Agung.
- Kusdiantoro., A. Fahrudin., S.H.Wisudo., dan B.Juanda. 2019. Kinerja pembangunan perikanan tangkap di Indonesia. Buletin Ilmiah Marina Sosial Ekonomi Kelautan dan Perikanan 5(2): 69-84.
- Legaki,A., I.Leonhard., C. Mytilineou., A. Anastasopoulou. 2024. *Dentex maroccanus* Valenciennes, 1830 otolith morphology, age, and growth in the Aegean Sea (E. Mediterranean). Animals 3151: 1-14.
- Mahe, K., D. Ider., A. Massaro., O. Hamed., A. J. Ruzafa., P. Goncalves., A. Anastaspoulou., A. Jadaud., C. Mytilineou. R. Elleboode., Z. Ramdane., M.Bacha. R. Amara., H.D. Pountal.,and B. Ernande. 2019. Directional billateral asymmetry in otolith morphology may affect fish stock discrimination based on otolith shape analysis. ICES Journal of Marine Science 76(1): 232-243.
- Maulina, I.D., I. Triarso, dan K.E. Prihantoko. 2019. Daerah potensi penangkapan ikan tembang (*Sardinella fimbriata*) di Laut Jawa berdasarkan Satelit Aqua Modis. Journal of Fisheries Science and Technology 15(1): 32-40.
- Mourniaty, A. Z. A., M. A. Jabbar., I.N. Suyasa, dan A. Wujdi. 2020. Hubungan morfometrik otolith dengan ukuran ikan layang deles (*Decapterus macrosoma* Bleeker, 1851) di Perairan Bali Selatan. Bawal 12(3): 103–107.
- Nelwan, A.F.P., Sudirman., M. Nursam, dan M.A. Yunus. 2015. Produktivitas penangkapan ikan pelagis di perairan Kabupaten Sinjai pada musim peralihan barat-timur. Jurnal Perikanan 17(1):18-26.
- Neilson, J.D., G.H. Geen. 1985. Effects of feeding regimes and diel temperature cycles on otolith increment formation in juvenile chinook salmon, *Oncorhynchus tshawytscha*. Fishery Bulletin 83(1): 91-101.
- Nielsen JR, Methven DA, Kristensen K. 2010. A statistical discrimination method using sagittal otolith dimensions between sibling species of juvenile cod *Gadus morhua* and *Gadus ogac* from the Northwest Atlantic. Journal of Northwest Atlantic Fishery Science, 43: 27–45.
- Panda, D., A.K. Jaiswar., S.D. Sarkar, dan S.K. Chakraborty. 2015. Growth, mortality, and exploitation of bigeye scad, *Selar crumenophthalmus* off Mumbai, North-West Coast of India. Journal of the Marine Biological Association of The United Kingdom.1-6

- Parmentier, E.P. P. Vanderwalle, and F. Lagardere. 2001. Morpho-anatomy of the otic region in carapid fishes: eco-morphological study of their otoliths. *J. Fish. Biol* 58: 1046-1061.
- Pasingi, N., M.S.B., O.S.Mokoagow. 2023. Identifikasi morfologi dan analisis truss Morfometrik *Selar crumenophthalmus* (Bloch, 1973) di Teluk Tomini. *Saintek Perikanan: Indonesian Journal of Fisheries Science and Technology* 19(4): 192-198.
- Popper, A.N and R.R. Fay. 2011. Rethinking sound detection by fishes. *Hearing Research*. 275: 25-36
- PIPP. 2024. Produksi dan nilai produksi ikan di PPN Tasikagung. <https://pipp.kkp.go.id/entry/report/produksi/index> . Diakses pada 19 Oktober 2024
- Proctor, C., S.Robertson., I. Jatmiko, and N. Clear. 2021. An introductory manual fish to fish ageing using otoliths. 44pp.
- Putra, R. M. 2009. Pola lingkaran pertumbuhan otolith ikan gabus (*Channa striata*) di perairan Sungai Siak Provinsi Riau. *Berkala Perikanan Terubuk* 37(2): 1-11.
- Purwasih, A.L.E., S.W. Saputra., dan W.T. Taufani. 2021. Aspek biologi ikan selar bentong (*Selar crumenophthalmus*) di Pelabuhan Perikanan Pantai Tasikagung, Rembang. *Jurnal Ilmu dan Teknologi Perikanan Tangkap* 6(2): 40-45.
- Reader, J.M., A. Spares., M.J.W. Stokesbury., T.S. Avery., M.J. Dadswell. 2015. Elemental fingerprints of otoliths from smolt of atlantic salmon, *Salmo salar* Linnaeus, 1758, from three maritime watersheds: natural tag for stock discrimination. *Proceedings of the Nova Scotian Institute of Science* 48(1): 91-123.
- Razak, A. 2017. Mikrostruktur sisik ikan laut selar bentong (*Selar crumenophthalmus* L). *Prosiding Seminar Nasional Pascasarjana (SNP) Unsyiah*. 23-26
- Roux, O. and F. Conand, 2000. Feeding habits of the bigeye scad, *Selar crumenophthalmus* (Carangidae), in La Réunion Island waters (South-western Indian Ocean). *Cybium* 24(2):173-179.
- Saanin, H. 1984. Taksonomi dan kunci identifikasi ikan. Bina Cipta, Jakarta.
- Sadhatomo, B. and S.B. Atmadja. 1985. On the growth of some small pelagic fish in the Java Sea. *J. Pen. Perikanan Laut* 33. 53-60.
- Samanta, P.N., Y.E. Tanjov., R. Rani. 2023. Identifikasi otolith ikan tongkol lisong, komo, dan krai. *Jurnal Ilmiah Mahasiswa Pendidikan Sejarah*. 8(2):1675-1680
- Sangadji, M.2014. Biologi ikan selar (*Selar crumenophthalmus* BLOCH, 1793) di Perairan Selat Haruku Kab. Maluku Tengah. *Jurnal Ilmiah Agribisnis dan Perikanan* 7(2): 46-50
- Sapa, S.A., W. Kantun., A. Wulandari. 2024. Analisis indeks morfometrik otolith asteriscus ikan swanggi (*Priacanthus tayenus* Ricardson, 1846) dari Perairan Selat Makassar. *Jurnal Riset Diwa Bahari*. 2(2): 86-90

- Sarinastiti, I., Djumanto., dan S. Ridarwati. 2023. Morphometric relationship of otolith length, and weight of rainbow runner, *Elagatis bipinnulata* (Quoy and Gaimard, 1825) from Gunungkidul Coastal Waters. Bio Web of Conferences 112.
- Sinaga, M., Eddiwan., Winarti., N. Asiah. 2021. Growth circle patterns in the otolith of the gray (*Osteochilus melanopleurus*) fish from Siak and Kampar Rivers. Asian Journal of Aquatic Sciences 4 (2) : 144-153.
- Sparre, P. Sieben C., dan Vienna. 1999. Introduksi pengkajian stok ikan tropis. Pusat Penelitian dan Pengembangan Pertanian. Jakarta
- Stevenson, D.K., S.E.Campana. 1992. Otolith microstructure examination and analysis. Canadian Special Publication of Fisheries and Aquatic Sciences 117.
- Taliawo, R., F.B. Manginsela., N. E. Bataragoa. 2018. Morfometrik otolith ikan selar (*Selar crumenophthalmus*) dari Teluk Kema. Jurnal Ilmiah Platax. 6(1): 98-106.
- Tiku, M., Y.Krisnafi., M.N.Arkham. 2021. Keragaan alat tangkap *mini purse seine* dan cantrang di Pelabuhan Perikanan Pantai Tasikagung Kabupaten Rembang. COJ (Coastal and Ocean Journal) 5(1): 19-27
- Vignon M. 2012. Ontogenetic trajectories of otolith shape during shift in habitat use: interaction between otolith growth and environment. Journal of Experimental Marine Biology and Ecology, 420-421: 26–32.
- Volpedo, A.V. & G.A. Thompson. 1996. Diferencias en el crecimiento de las sagittae de *Prionotus nudigula* Ginsburg, 1950 (Pisces: Triglidae) en relación al sexo. Boletín del Instituto Español de Oceanografía 12: 3-16.
- Waluyo, S.P. 2014. Identifikasi dan prevalensi isopoda pada ikan selar (*selar crumenophthalmus*) di tempat pelelangan ikan (TPI) Panarukan Situbondo Jawa Timur. Fakultas Perikanan dan Kelautan Universitas Airlangga. Skripsi
- White, W.T., P.R. Last, Dharmadi, R. Faizah, U. Chodrijah, B.I. Prisantoso, J.J. Pogonoski, M. Puckridge and S.J.M. Blaber, 2013. Market fishes of Indonesia (Jenis-jenis ikan di Indonesia). ACIAR Monograph No. 155. Australian Centre for International Agricultural Research: Canberra, 438 p.
- Widiyastuti, H., Herlisman dan A.R.P. Pane. 2020. Ukuran layak tangkap ikan pelagis kecil di perairan Kendari, Sulawesi Tenggara. Marine Fisheries 11(1): 39-48.
- Wujdi A, Setyadi B, Nugroho SC. 2017. Identifikasi struktur stok ikan cakalang (*Katsuwonus pelamis* Linnaeus, 1758) di Samudra Hindia (WPP NRI 573) menggunakan analisis bentuk otolith. Jurnal Penelitian Perikanan Indonesia, 23 (2): 77-88.
- Wujdi, A., M. Agustina, I. Jatmiko. 2018. Indeks bentuk otolit ikan cakalang *Katsuwonus pelamis* (Linnaeus, 1758) dari Samudra Hindia. Jurnal Iktiologi Indonesia. 18(2): 151-163

- Yazici, R., O. Yazicioglu., M. Yilmaz. 2020. Otolith morphometry of wels catfish, *Silurus glanis* L., 1758. *Limnofish-Journal of Limnology and Freshwater Fisheries Research* 6(3):215-222.
- Yunita, L.H., Y. Wulanda., F. Ramdhani., S. Heltria., F. Harjuni., Windarti., dan M. Fauzi. 2023. Pola lingkaran pertumbuhan otolith pada ikan juaro (*Pangasius polyuradon*) di perairan Sungai Kampar dan Sungai Siak Provinsi Riau. *Jurnal Pengelolaan Perikanan Tropis* 7(1): 46-54.
- Zischke, M., L. Litherland., B.R. Tilyard., N.J. Stratford., E.L. Jones., Y.G. Wang. 2016. Otolith morphology of four mackerel species (*Scomberomorus* spp.) in Australia: Species differentiation and prediction for fisheries monitoring and assessment. *Fisheries Research* 176:39-47
- Zorica, B., Sinoveia, G, and V. Eikeskee. 2010. Preliminary data on the study of otolith morphology of five pelagic fish species from the Adriatic Sea (Croatia). *Acta Adriatica* 51(1): 89-96.