

DAFTAR PUSTAKA

- Caporgno, M. P., Böcker, L., Müssner, C., Stirnemann, E., Haberkorn, I., Adelman, H., Handschin, S., Windhab, E. J., & Mathys, A. (2020). Extruded meat analogues based on yellow, heterotrophically cultivated *Auxenochlorella protothecoides* microalgae. *Innovative Food Science & Emerging Technologies*, 59, 102275. <https://doi.org/10.1016/j.ifset.2019.102275>
- Cappellini, C., Borgianni, Y., Maccioni, L. and Nezzi, C. (2022). The effect of process parameters on geometric deviations in 3D printing with fused deposition modelling. *The International Journal of Advanced Manufacturing Technology*, 122(3-4), pp.1763–1803. doi:<https://doi.org/10.1007/s00170-022-09924-4>.
- Cheng, Z., Qiu, Y., Bian, M., He, Y., Xu, S., Li, Y., Ahmad, I., Ding, Y., & Lyu, F. (2024). Muscle fibrous structural design of plant-based meat analogs: Advances and challenges in 3D printing technology. *Trends in Food Science & Technology*, 147, 104417. <https://doi.org/10.1016/j.tifs.2024.104417>
- Cho, Y., Bae, J., & Choi, M. (2023). Physicochemical characteristics of meat analogs supplemented with vegetable oils. *Foods*, 12(2), 312. <https://doi.org/10.3390/foods12020312>
- Demircan, E., Aydar, E.F., Mertdinc (Mertdinç), Z., Kasapoglu (Kasapoğlu), K.N. and Ozcelik (Özçelik), B. (2023). 3D printable vegan plant-based meat analogue: Fortification with three different mushrooms, investigation of printability, and characterization. *Food Research International*, [online] 173, p.113259. <https://doi.org/10.1016/j.foodres.2023.113259>.
- Dick, A., Bhandari, B., & Prakash, S. (2019). 3D printing of meat. *Meat Science*, 153, 35-44. <https://doi.org/10.1016/j.meatsci.2019.03.005>
- Eckl, M.R., Biesbroek, S., van't Veer, P. and Geleijnse, J.M. (2021). Replacement of Meat with Non-Meat Protein Sources: A Review of the Drivers

- and Inhibitors in Developed Countries. *Nutrients*, 13(10), p.3602.
doi:<https://doi.org/10.3390/nu13103602>.
- Hemmer, W., Klug, C. and Swoboda, I. (2016). Update on the bird-egg syndrome and genuine poultry meat allergy. *Allergo Journal International*, [online] 25(3), pp.68–75.
doi:<https://doi.org/10.1007/s40629-016-0108-2>.
- Ismail, I., Hwang, Y., & Joo, S. (2020). Meat analog as future food: A review. *Journal of Animal Science and Technology*, 62(2), 111-120.
<https://doi.org/10.5187/jast.2020.62.2.111>
- Jagadiswaran, B., Alagarasan, V., Palanivelu, P., Theagarajan, R., Moses, J., & Anandharamakrishnan, C. (2021). Valorization of food industry waste and by-products using 3D printing: A study on the development of value-added functional cookies. *Future Foods*, 4, 100036. <https://doi.org/10.1016/j.fufo.2021.100036>
- Ko, H. J., Wen, Y., Choi, J. H., Park, B. R., Kim, H. W., & Park, H. J. (2021). Meat analog production through artificial muscle fiber insertion using coaxial nozzle-assisted three-dimensional food printing. *Food Hydrocolloids*, 120, 106898.
<https://doi.org/10.1016/j.foodhyd.2021.106898>
- Lipton, J. I., Cutler, M., Nigl, F., Cohen, D., & Lipson, H. (2015). Additive manufacturing for the space industry. *Additive Manufacturing*, 290-309. <https://doi.org/10.1201/b18893-14>
- Liu, L., & Ciftci, O. N. (2021). Effects of high oil compositions and printing parameters on food paste properties and printability in a 3D printing food processing model. *Journal of Food Engineering*, 288, 110135.
<https://doi.org/10.1016/j.jfoodeng.2020.110135>
- Liu, Z., Bhandari, B., Prakash, S., Mantihal, S., & Zhang, M. (2019). Linking rheology and printability of a multicomponent gel system of carrageenan-xanthan-starch in extrusion based additive manufacturing. *Food Hydrocolloids*, 87, 413-424.
<https://doi.org/10.1016/j.foodhyd.2018.08.026>

- Liu, Y., Liang, X., Saeed, A., Lan, W., & Qin, W. (2019). Properties of 3D printed dough and optimization of printing parameters. *Innovative Food Science & Emerging Technologies*, 54, 9-18. <https://doi.org/10.1016/j.ifset.2019.03.008>
- Mária Angelovičová, Angelovič, M., Zajác, P., Jozef Čapla, Klaudia Šaraková and Jozef Čurlej (2021). The effect of essential oils on cholesterol content in chicken meat. *Potravinárstvo Slovak Journal of Food Sciences*, 15, pp.1069–1081. doi:<https://doi.org/10.5219/1691>.
- Mateen, A., Mathpati, M., & Singh, G. (2023). A study on high moisture extrusion for making whole cut meat analogue: Characterization of system, process and product parameters. *Innovative Food Science & Emerging Technologies*, 85, 103315. <https://doi.org/10.1016/j.ifset.2023.103315>
- MacQueen, L. A., Alver, C. G., Chantre, C. O., Ahn, S., Cera, L., Gonzalez, G. M., O'Connor, B. B., Drennan, D. J., Peters, M. M., Motta, S. E., Zimmerman, J. F., & Parker, K. K. (2019). Muscle tissue engineering in fibrous gelatin: Implications for meat analogs. *npj Science of Food*, 3(1). <https://doi.org/10.1038/s41538-019-0054-8>
- Marcoulides, G.A. (1998). *Modern Methods for Business Research*. Psychology Press.
- Nollet, L. (2007). *Handbook of Meat, Poultry and Seafood Quality*. Blackwell Publishing.
- Pérez, B., Nykvist, H., Brøgger, A. F., Larsen, M. B., & Falkeborg, M. F. (2019). Impact of macronutrients printability and 3D-printer parameters on 3D-food printing: A review. *Food Chemistry*, 287, 249-257. <https://doi.org/10.1016/j.foodchem.2019.02.090>
- Qiu, Y., McClements, D. J., Chen, J., Li, C., Liu, C., & Dai, T. (2023). Construction of 3D printed meat analogs from plant-based proteins: Improving the printing performance of soy protein- and gluten-based pastes facilitated by rice protein. *Food Research International*, 167, 112635. <https://doi.org/10.1016/j.foodres.2023.112635>

- Rubio, N. R., Xiang, N., & Kaplan, D. L. (2020). Plant-based and cell-based approaches to meat production. *Nature Communications*, 11(1).
<https://doi.org/10.1038/s41467-020-20061-y>
- Schreuders, F. K., Dekkers, B. L., Bodnár, I., Erni, P., Boom, R. M., & Van der Goot, A. J. (2019). Comparing structuring potential of pea and soy protein with gluten for meat analogue preparation. *Journal of Food Engineering*, 261, 32-39.
<https://doi.org/10.1016/j.jfoodeng.2019.04.022>
- Shi, H., Li, J., Xu, E., Yang, H., Liu, D., & Yin, J. (2023). Microscale 3D printing of fish analogues using soy protein food ink. *Journal of Food Engineering*, 347, 111436.
<https://doi.org/10.1016/j.jfoodeng.2023.111436>
- Singh, M., Trivedi, N., Enamala, M. K., Kuppam, C., Parikh, P., Nikolova, M. P., & Chavali, M. (2021). Plant-based meat analogue (PBMA) as a sustainable food: A concise review. *European Food Research and Technology*, 247(10), 2499-2526.
<https://doi.org/10.1007/s00217-021-03810-1>
- Song, Y., Liu, J., Zhao, K., Gao, L. and Zhao, J. (2021). Cholesterol-induced toxicity: An integrated view of the role of cholesterol in multiple diseases. *Cell Metabolism*, [online] 33(10), pp.1911–1925.
doi:<https://doi.org/10.1016/j.cmet.2021.09.001>.
- Springmann, M., Clark, M., Mason-D’Croz, D., Wiebe, K., Bodirsky, B. L., Lassaletta, L., De Vries, W., Vermeulen, S. J., Herrero, M., Carlson, K. M., Jonell, M., Troell, M., DeClerck, F., Gordon, L. J., Zurayk, R., Scarborough, P., Rayner, M., Loken, B., Fanzo, J., ... Willett, W. (2018). Options for keeping the food system within environmental limits. *Nature*, 562(7728), 519-525.
<https://doi.org/10.1038/s41586-018-0594-0>
- TSAI, C., & LIN, Y. (2022). Artificial steak: A 3D printable hydrogel composed of egg albumen, pea protein, gellan gum, sodium alginate and rice

- mill by-products. *Future Foods*, 5, 100121.
<https://doi.org/10.1016/j.fufo.2022.100121>
- Wang, L., Zhang, M., Bhandari, B., & Yang, C. (2018). Investigation on fish surimi gel as promising food material for 3D printing. *Journal of Food Engineering*, 220, 101-108.
<https://doi.org/10.1016/j.jfoodeng.2017.02.029>
- Wen, Y., Chao, C., Che, Q. T., Kim, H. W., & Park, H. J. (2023). Development of plant-based meat analogs using 3D printing: Status and opportunities. *Trends in Food Science & Technology*, 132, 76-92.
<https://doi.org/10.1016/j.tifs.2022.12.010>
- Wen, Y., Kim, H. W., & Park, H. J. (2022). Effect of xylose on rheological, printing, color, texture, and microstructure characteristics of 3D-printable colorant-containing meat analogs based on mung bean protein. *Food Research International*, 160, 111704.
<https://doi.org/10.1016/j.foodres.2022.111704>
- Wijaya, D.K., Suprijono, H. and Nugroho, D.S. (2020). Optimasi Proses Cutting Mesin CNC Router G-Weike WK1212 dengan Metode Full Factorial Design dan Optimasi Plot Multi Respon. *Jurnal PASTI*, 14(1).
doi:<https://doi.org/10.22441/pasti.2020.v14i1.001>.
- Yang, F., Zhang, M., Bhandari, B., & Liu, Y. (2018). Investigation on lemon juice gel as food material for 3D printing and optimization of printing parameters. *LWT*, 87, 67-76.
<https://doi.org/10.1016/j.lwt.2017.08.054>
- Yang, G., Tao, Y., Wang, P., Xu, X., & Zhu, X. (2022). Optimizing 3D printing of chicken meat by response surface methodology and genetic algorithm: Feasibility study of 3D printed chicken product. *LWT*, 154, 112693. <https://doi.org/10.1016/j.lwt.2021.112693>