

DAFTAR PUSTAKA

1 th Report Of Indonesian Renal Registry 2018. (n.d.).

Abbate, M., Zoja, C., & Remuzzi, G. (2006). How does proteinuria cause progressive renal damage? In *Journal of the American Society of Nephrology* (Vol. 17, Issue 11, pp. 2974–2984). <https://doi.org/10.1681/ASN.2006040377>

Amer, H., Fidler, M. E., Myslak, M., Morales, P., Kremers, W. K., Larson, T. S., Stegall, M. D., & Cosio, F. G. (2007). Proteinuria after kidney transplantation, pathoge to allograft histology and survival. *American Journal of Transplantation*, 7(12), 2748–2756. <https://doi.org/10.1111/j.1600-6143.2007.02006.x>

Bidani, A. K., & Griffin, K. A. (2004). Pathophysiology of hypertensive renal damage: Implications for therapy. In *Hypertension* (Vol. 44, Issue 5, pp. 595–601). <https://doi.org/10.1161/01.HYP.0000145180.38707.84>

Bikbov, B., Purcell, C. A., Levey, A. S., Smith, M., Abdoli, A., Abebe, M., Adebayo, O. M., Afarideh, M., Agarwal, S. K., Agudelo-Botero, M., Ahmadian, E., Al-Aly, Z., Alipour, V., Almasi-Hashiani, A., Al-Raddadi, R. M., Alvis-Guzman, N., Amini, S., Andrei, T., Andrei, C. L., ... Murray, C. J. L. (2020). Global, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 395(10225), 709–733. [https://doi.org/10.1016/S0140-6736\(20\)30045-3](https://doi.org/10.1016/S0140-6736(20)30045-3)

Blakeley S. (2008). Chapter 12: End Stage Renal Disease. *Renal Failure and Replacement Therapy*, 60-70. Springer-Verlag London.

Cacho, D. T., Piqué, A. A., Cusi, L. I. P., Reyes, L. I., Salinas, F. O., & Del Pozo, R. G. (2005). Living donor renal transplantation: Prognostic factors on graft survival. *Transplantation Proceedings*, 37(9), 3679–3681. <https://doi.org/10.1016/j.transproceed.2005.10.071>

Chronic Kidney Disease Initiative. (2022). <https://www.cdc.gov/kidneydisease/basics.html#print>

Cravedi, P., & Remuzzi, G. (2013). Pathophysiology of proteinuria and its value as an outcome measure in chronic kidney disease. *British Journal of Clinical Pharmacology*, 76(4), 516–523. <https://doi.org/10.1111/bcp.12104>

D'Amico, G., & Bazzi, C. (2003). Pathophysiology of proteinuria. In *Kidney International* (Vol. 63, Issue 3, pp. 809–825). Blackwell Publishing Inc. <https://doi.org/10.1046/j.1523-1755.2003.00840.x>

Ghelichi-Ghojogh, M., Ghaem, H., Mohammadizadeh, F., Vali, M., Ahmed, F., Hassanipour, S., Nikbakht, H.-A., Rezaei, F., & Fararouei, M. (2021). Graft and Patient Survival Rates in Kidney Transplantation, and Their Associated Factors: A Systematic Review and Meta-Analysis. In *Iran J Public Health* (Vol. 50, Issue 8). <https://creativecommons.org/licenses/by-nc/4.0/>

Gorriz, J. L., & Martinez-Castelao, A. (2012). Proteinuria: Detection and role in native renal disease progression. In *Transplantation Reviews* (Vol. 26, Issue 1, pp. 3–13). W.B. Saunders. <https://doi.org/10.1016/j.trre.2011.10.002>

Guidelines for Living Donor Kidney Transplantation United Kingdom Guidelines. (2018). www.bts.org.uk



- Hidayangsih, P. S., Tjandrarini, D. H., Widya Sukoco, N. E., Sitorus, N., Dharmayanti, I., & Ahmadi, F. (2023). Chronic kidney disease in Indonesia: evidence from a national health survey. *Osong Public Health and Research Perspectives*, 14(1), 23–30. <https://doi.org/10.24171/j.phrp.2022.0290>
- Himmelfarb J, I. T. (2019). Chronic Kidney Disease in the Kidney Transplant Recipient. In *Chronic Kidney Disease, Dialysis, and Transplantation* (pp. 754–779). Elsevier. <https://doi.org/10.1016/B978-0-323-52978-5.18001-2>
- Hustrini, N. M., Susalit, E., Lydia, A., Marbun, M. B. H., Syafiq, M., Yassir, Sarwono, J., Wardoyo, E. Y., Jonny, Suhardjono, Pradwipa, R. Y., Nugraheni, A., Van Diepen, M., & Rotmans, J. I. (2023). The Etiology of Kidney Failure in Indonesia: A Multicenter Study in Tertiary-Care Centers in Jakarta. *Annals of Global Health*, 89(1). <https://doi.org/10.5334/aogh.4071>
- Ibis, A., Altunoglu, A., Akgül, A., Usluogullari, C. A., Arat, Z., Ozdemir, F. N., & Haberal, M. (2007). Early Onset Proteinuria After Renal Transplantation: A Marker for Allograft Dysfunction. *Transplantation Proceedings*, 39(4), 938–940. <https://doi.org/10.1016/j.transproceed.2007.02.027>
- Jefferson, J. A., Shankland, S. J., & Pichler, R. H. (2008). Proteinuria in diabetic kidney disease: A mechanistic viewpoint. In *Kidney International* (Vol. 74, Issue 1, pp. 22–36). Nature Publishing Group. <https://doi.org/10.1038/ki.2008.128>
- Kang, N. R., Lee, J. E., Huh, W., Kim, S. J., Kim, Y. G., Kim, D. J., & Oh, H. Y. (2009). Minimal proteinuria one year after transplant is a risk factor for graft survival in kidney transplantation. *Journal of Korean Medical Science*, 24(SUPPL.1). <https://doi.org/10.3346/jkms.2009.24.S1.S129>
- Kasiske, B. L., Vazquez, M. A., Harmon, W. E., Brown, R. S., Danovitch, G. M., Gaston, R. S., Roth, D., Scandling, J. D., & Singer, G. G. (2000). Recommendations for the outpatient surveillance of renal transplant recipients. *Journal of the American Society of Nephrology*, 11(SUPPL. 15). https://doi.org/10.1681/asn.v11suppl_1s1
- Kasiske, B. L., Zeier, M. G., Chapman, J. R., Craig, J. C., Ekberg, H., Garvey, C. A., Green, M. D., Jha, V., Josephson, M. A., Kiberd, B. A., Kreis, H. A., McDonald, R. A., Newmann, J. M., Obrador, G. T., Vincenti, F. G., Cheung, M., Earley, A., Raman, G., Abariga, S., ... Balk, E. M. (2010). KDIGO clinical practice guideline for the care of kidney transplant recipients: A summary. In *Kidney International* (Vol. 77, Issue 4, pp. 299–311). <https://doi.org/10.1038/ki.2009.377>
- KEMENTERIAN KESEHATAN REPUBLIK INDONESIA. (2017). *Ginjal Kronis*. <https://p2ptm.kemkes.go.id/adminpanel>
- Kidney International Supplements. (2013). *Official Journal Of the internatiOnal SOciety Of nephroLOgy KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease*. www.publicationethics.org
- Kimmel, P. L., & Rosenberg, M. E. (2020). *Chronic renal disease* (2nd ed.). Elsevier.
- Kovesdy, C. P. (2022). Epidemiology of chronic kidney disease: an update 2022. In *Kidney International Supplements* (Vol. 12, Issue 1, pp. 7–11). Elsevier B.V. <https://doi.org/10.1016/j.kisu.2021.11.003>



- Kuper, T., Famure, O., Greenfield, J., Li, Y., Ibrahim, S., Narang, T., Ashwin, M., & Joseph Kim, S. (2021). Time-Varying Proteinuria and the Risk of Cardiovascular Disease and Graft Failure in Kidney Transplant Recipients. *Progress in Transplantation*, 31(4), 288–297. <https://doi.org/10.1177/152692482111046011>
- Lam, N. N., Tonelli, M., Lentine, K. L., Hemmelgarn, B., Ye, F., Wen, K., & Klarenbach, S. (2017). Albuminuria and posttransplant chronic kidney disease stage predict transplant outcomes. *Kidney International*, 92(2), 470–478. <https://doi.org/10.1016/j.kint.2017.01.028>
- Marbun, M. B. H., Susalit, E., Susilowati, U., & Andina, T. (2022). Long-term outcomes and prognostic factors in kidney transplant recipients in Jakarta, Indonesia: a cohort study. *BMJ Open*, 12(5). <https://doi.org/10.1136/bmjopen-2021-059631>
- Marieb EN, Hoehn K. (2007). *Kidney Physiology: Mechanisms of Urine Formation. Human Anatomy & Physiology 7Ed.* Pearson Education.
- Miller, R. D., Cohen, N. H., Eriksson, L. I., Chair, A., Dripps, R. D., Wiener-Kronish, J. P., Young, W. L., & Chair, V. (n.d.). *lee a. FleiSHeR, Md.*
- Mochtar, C. A., Alfarissi, F., Soeroto, A. A., Hamid, A. R. A. H., Wahyudi, I., Marbun, M. B. H., Rodjani, A., Susalit, E., & Rasyid, N. (2017a). Milestones of kidney transplantation in Indonesia. In *Medical Journal of Indonesia* (Vol. 26, Issue 3, pp. 229–236). Faculty of Medicine, Universitas Indonesia. <https://doi.org/10.13181/mji.v26i3.1770>
- Mochtar, C. A., Alfarissi, F., Soeroto, A. A., Hamid, A. R. A. H., Wahyudi, I., Marbun, M. B. H., Rodjani, A., Susalit, E., & Rasyid, N. (2017b). Milestones of kidney transplantation in Indonesia. In *Medical Journal of Indonesia* (Vol. 26, Issue 3, pp. 229–236). Faculty of Medicine, Universitas Indonesia. <https://doi.org/10.13181/mji.v26i3.1770>
- Morales, J. M., Marcén, R., Del Castillo, D., Andres, A., Gonzalez-Molina, M., Oppenheimer, F., Serón, D., Gil-Vernet, S., Lampreave, I., Gainza, F. J., Valdés, F., Cabello, M., Anaya, F., Escuin, F., Arias, M., Pallardó, L., & Bustamante, J. (2012). Risk factors for graft loss and mortality after renal transplantation according to recipient age: A prospective multicentre study. *Nephrology Dialysis Transplantation*, 27(SUPPL.4). <https://doi.org/10.1093/ndt/gfs544>
- Morris, P. J., Knechtle, S. J., & Marson, L. P. (n.d.). Medical Evaluation of The Living Donor. *Kidney transplantation : principles and practice.* (7)103-113. Elsevier.
- Orlando, Giuseppe., Remuzzi, Giuseppe., & Williams, D. F. (2017). *Kidney transplantation, bioengineering, and regeneration : kidney transplantation in the regenerative medicine era.* Academic Press.
- Reis Pereira, P., Almeida, M., Ribeiro, B., Oliveira, J., Costa, L., Pedroso, S., Martins, L. S., Dias, L., & Malheiro, J. (2022). *Biologically Unrelated Living Donor for Kidney Transplantation Associated With Higher Acute Rejection Rate but With Similar Graft Survival of a Related Living Donor.* *Cureus.* <https://doi.org/10.7759/cureus.30189>
- Kementerian Kesehatan Republik Indonesia (2013) Riset kesehatan dasar (RISKESDAS 2013). Kementerian Kesehatan Republik Indonesia, Jakarta, 258-259.
- Sancho, A., Gavela, E., Ávila, A., Morales, A., Fernández-Nájera, J. E., Crespo, J. F., & Pallardo, L. M. (2007). Risk Factors and Prognosis for Proteinuria in Renal Transplant Recipients.



- Santos, J. (2015). Estimating glomerular filtration rate in kidney transplantation: Still searching for the best marker. *World Journal of Nephrology*, 4(3), 345. <https://doi.org/10.5527/wjn.v4.i3.345>
- Serrano, O. K., & Matas, A. J. (2017). Living donor kidney allograft survival \geq 50 years. *Clinical Transplantation*, 31(5). <https://doi.org/10.1111/ctr.12938>
- Sharma, S., & Smyth, B. (2021). From proteinuria to fibrosis: An update on pathophysiology and treatment options. In *Kidney and Blood Pressure Research* (Vol. 46, Issue 4, pp. 411–420). S. Karger AG. <https://doi.org/10.1159/000516911>
- Toblli, J. E., Bevione, P., Di Gennaro, F., Madalena, L., Cao, G., & Angerosa, M. (2012). Understanding the mechanisms of proteinuria: Therapeutic implications. In *International Journal of Nephrology* (Vol. 2012). <https://doi.org/10.1155/2012/546039>
- Abdelrahman, S., Samir, B., Alazem, E., & Musa, N. (2022). Effect of pre and post-transplant body mass index on pediatric kidney transplant outcomes. *BMC Pediatrics*, 22(1). <https://doi.org/10.1186/s12887-022-03344-9>
- Bellini, M., Courtney, A., & McCaughan, J. (2020). Living donor kidney transplantation improves graft and recipient survival in patients with multiple kidney transplants. *Journal of Clinical Medicine*, 9(7), 2118. <https://doi.org/10.3390/jcm9072118>
- Cannon, R., Jones, C., Hughes, M., Eng, M., & Marvin, M. (2013). The impact of recipient obesity on outcomes after renal transplantation. *Annals of Surgery Open*, 257(5), 978-984. <https://doi.org/10.1097/sla.0b013e318275a6cb>
- Chan, W., Bosch, J., Jones, D., McTernan, P., Phillips, A., & Borrows, R. (2014). Obesity in kidney transplantation. *Journal of Renal Nutrition*, 24(1), 1-12. <https://doi.org/10.1053/j.jrn.2013.09.002>
- Chen, G., Ko, D., Wang, C., Qiu, J., Han, M., He, X., ... & Chen, L. (2013). Kidney transplantation from donors after cardiac death: an initial report of 71 cases from China. *American Journal of Transplantation*, 13(5), 1323-1326. <https://doi.org/10.1111/ajt.12190>
- Craig, S., Tennankore, K., Kiberd, B., Worthen, G., & Vinson, A. (2022). The role of donor sex in females undergoing repeat kidney transplant: does prior donor sex matter?. *Transplantation Direct*, 8(8), e1352. <https://doi.org/10.1097/txd.0000000000001352>
- Delay, A., Moranne, O., Fafin, C., Mariat, C., Alamartine, E., Delanaye, P., ... & Maillard, N. (2020). Relationship between decline in estimated or measured glomerular filtration rate and 16-year postrenal transplant outcome. *Clinical Kidney Journal*, 14(6), 1665-1672. <https://doi.org/10.1093/ckj/sfaa203>
- Dick, A., Hansen, R., Montenovio, M., Healey, P., & Smith, J. (2017). Body mass index as a predictor of outcomes among pediatric kidney transplant recipients. *Pediatric Transplantation*, 21(6). <https://doi.org/10.1111/petr.12992>



- Girerd, S., Frimat, L., Ducloux, D., Meur, Y., Mariat, C., Moulin, A., ... & Jaisser, F. (2018). Epure transplant (eplerenone in patients undergoing renal transplant) study: study protocol for a randomized controlled trial. *Trials*, 19(1). <https://doi.org/10.1186/s13063-018-2956-1>
- Gomes-Neto, A., Osté, M., Sotomayor, C., Berg, E., Geleijnse, J., Berger, S., ... & Navis, G. (2020). Mediterranean style diet and kidney function loss in kidney transplant recipients. *Clinical Journal of the American Society of Nephrology*, 15(2), 238-246. <https://doi.org/10.2215/cjn.06710619>
- Gramlick, M., Trevillian, P., Palazzi, K., & Heer, M. (2022). Time to move on: HLA matching should be reconsidered in modern deceased donor kidney allocation. *Transplantation Direct*, 8(3), e1295. <https://doi.org/10.1097/txd.0000000000001295>
- Huang, E., & Bunnapradist, S. (2015). Pre-transplant weight loss and survival after kidney transplantation. *American Journal of Nephrology*, 41(6), 448-455. <https://doi.org/10.1159/000437341>
- Jadlowiec, C., Mao, S., Mao, M., Leeaphorn, N., Kaewput, W., Pattharanitima, P., ... & Cheungpasitporn, W. (2023). Distinct phenotypes of kidney transplant recipients aged 80 years or older in the USA by machine learning consensus clustering. *BMJ Surgery Interventions & Health Technologies*, 5(1), e000137. <https://doi.org/10.1136/bmjst-2022-000137>
- Kang, N. R., Lee, J. E., Huh, W., Kim, S. J., Kim, Y. G., Kim, D. J., & Oh, H. Y. (2009). Minimal proteinuria one year after transplant is a risk factor for graft survival in kidney transplantation. *Journal of Korean Medical Science*, 24 Suppl(Suppl 1), S129–S134. <https://doi.org/10.3346/jkms.2009.24.S1.S129>
- Khan, F., Truong, L., Nguyen, D., Graviss, E., Bhatti, M., Frost, A., ... & Suki, W. (2020). Outcomes of kidney transplantation using deceased donors with history of diabetes. *Clinical Transplantation*, 34(2). <https://doi.org/10.1111/ctr.13775>
- Larkins, N., Wong, G., Taverniti, A., & Lim, W. (2019). Epitope matching in kidney transplantation: recent advances and current limitations. *Current Opinion in Organ Transplantation*, 24(4), 370-377. <https://doi.org/10.1097/mot.0000000000000657>
- Mao, S., Jadlowiec, C., Mao, M., Leeaphorn, N., Kaewput, W., Vaitla, P., ... & Cheungpasitporn, W. (2022). Machine learning consensus clustering of morbidly obese kidney transplant recipients in the United States. *Journal of Clinical Medicine*, 11(12), 3288. <https://doi.org/10.3390/jcm11123288>
- Moranne, O., Maillard, N., Fafin, C., Thibaudin, L., Alamartine, E., & Mariat, C. (2013). Rate of renal graft function decline after one year is a strong predictor of all-cause mortality. *American Journal of Transplantation*, 13(3), 695-706. <https://doi.org/10.1111/ajt.12053>
- Muneeruddin, S., Chandar, J., Abitbol, C., Seeherunvong, W., Freundlich, M., Ciancio, G., ... & Zilleruelo, G. (2010). Two decades of pediatric kidney transplantation in a multi-ethnic cohort. *Pediatric Transplantation*, 14(5), 667-674. <https://doi.org/10.1111/j.1399-3046.2010.01323.x>



- Paisankit, S., Wongwattanasatien, N., Choonhaklai, V., Pumpaisanchai, S., Thaidumrong, T., Kosrisirikul, C., ... & Huabkong, M. (2020). Patient survival rate and graft survival rate of kidney transplant recipients in Rajavithi Hospital. *Insight Urology*, 41(2), 29-35. <https://doi.org/10.52786/a.4>
- Pollmann, N. (2023). Donor proteinuria and allograft function in kidney transplantation: short- and long-term results from a retrospective cohort study. *Transplant International*, 36. <https://doi.org/10.3389/ti.2023.11953>
- Pruett, T., Vece, G., Carrico, R., & Klassen, D. (2021). US deceased kidney transplantation: estimated GFR, donor age and KDPI association with graft survival. *Eclinicalmedicine*, 37, 100980. <https://doi.org/10.1016/j.eclinm.2021.100980>
- Roodnat, J. I., Mulder, P. G., Rischen-Vos, J., van Riemsdijk, I. C., van Gelder, T., Zietse, R., IJzermans, J. N., & Weimar, W. (2001). Proteinuria after renal transplantation affects not only graft survival but also patient survival. *Transplantation*, 72, 438–444.
- Sayin, B., Canver, B., Demirci, B., Colak, T., Ozdemir, B., & Haberal, M. (2017). Untitled. *Experimental and Clinical Transplantation*, 15(Suppl 1). <https://doi.org/10.6002/ect.mesot2016.o19>
- Smith-Palmer, J., Kalsekar, A., & Valentine, W. (2013). Influence of renal function on long-term graft survival and patient survival in renal transplant recipients. *Current Medical Research and Opinion*, 30(2), 235-242. <https://doi.org/10.1185/03007995.2013.855189>
- Vinson, A., Kiberd, B., Davis, R., & Tennankore, K. (2019). Nonimmunologic donor-recipient pairing, HLA matching, and graft loss in deceased donor kidney transplantation. *Transplantation Direct*, 5(1), e414. <https://doi.org/10.1097/txd.0000000000000856>