

DAFTAR PUSTAKA

- Avila Hernandez AN, Singh P. Epidural Anesthesia. [Updated 2022 Mar 9]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK542219/>. [Accessed 16 Nov. 2024].
- Bruins, A. A., Kistemaker, K. R., Boom, A., Klaessens, J., Verdaasdonk, R. M., & Boer, C. (2017). Thermographic skin temperature measurement compared with cold sensation in predicting the efficacy and distribution of epidural anesthesia. *Journal of Clinical Monitoring and Computing*, 32(2), 335-341. <https://doi.org/10.1007/s10877-017-0026-y>
- Butterworth JF, Mackey DC, Wasnick JD, Morgan GE, Mikhail MS. Chapter 45 : Spinal, Epidural, & Caudal Blocks. In: Morgan & Mikhail's clinical anesthesiology. 7th ed. New York: McGraw Hill; 2022. p. 1540–54.
- Davoudi, M., Tarbiat, M., Ebadian, M. R., & Hajian, P. (2016). Effect of position during spinal anesthesia on postdural puncture headache after cesarean section: a prospective, single-blind randomized clinical trial. *Anesthesiology and Pain Medicine*, 6(4). <https://doi.org/10.5812/aapm.35486>
- Desai, N., Gardner, A. J., & Carvalho, B. (2019). Labor epidural analgesia to cesarean section anesthetic conversion failure: a national survey. *Anesthesiology Research and Practice*, 2019, 1-7. <https://doi.org/10.1155/2019/6381792>
- Delgado, C., Cleve, W. V., Kent, C., & Dinges, E. (2018). Neuraxial anesthesia for postpartum tubal ligation at an academic medical center. *F1000Research*, 7, 1557. <https://doi.org/10.12688/f1000research.16025.1>
- Faitot, V., Ourchane, R., Dahmani, S., Magheru, M., Nebout, S., Gomas, F., ... & Keïta-Meyer, H. (2011). An observational study of factors leading to difficulty in resident anaesthesiologists identifying the epidural space in obstetric patients. *International Journal of Obstetric Anesthesia*, 20(2), 124-127. <https://doi.org/10.1016/j.ijoa.2010.11.008>
- Ghosh SM, Madjdpour C, Chin KJ. Ultrasound-guided lumbar central neuraxial block. *BJA Education*. 2016;16(7):213–20.

- Godha, S. (2023). Comparison of ultrasonographic anatomy of spine in traditional sitting position versus crossed leg position in term pregnancy: a prospective, observational, crossover study. *Indian Journal of Anaesthesia*, 67(11), 973-978. https://doi.org/10.4103/ija.ija_415_23
- Gropper A. Michael, Eriksson Lars I., Fleisher Lee A., Wiener-Kronish J., Cohen Neal, H., Leslie Kate. (2019). *Miller's Anesthesia*. 9th ed. Philadelphia. Churchill Livingstone.
- Gunaydin, B., Özterlemez, N., Inan, G., & Erel, S. (2020). Yoga tarzı bağdaş oturuşu, nöralaksiyal analjezi ve / veya doğum anestezi için en iyi pozisyon mudur?. *Turkish Journal of Clinics and Laboratory*, 11(3), 212-213. <https://doi.org/10.18663/tjcl.744965>
- Günaydin, B., Özterlemez, N. T., Inan, G., & Erel, S. (2020). Is yoga-style cross-legged sitting the best position for neuraxial analgesia and/or labour anaesthesia?. *Turkish Journal of Clinics and Laboratory*, 11(3), 212-213. <https://doi.org/10.18663/tjcl.744965>
- Günkaya, M. *et al.* (2022). Effect of waist circumference and body mass index on the level of Spinal Anesthesia, *Ain-Shams Journal of Anesthesiology*, 14(1). doi:10.1186/s42077-022-00215-4.
- Hadzic Admir. (2017). *Hadzic's Textbook of Regional Anesthesia and Acute Pain Management*. Mcgraw-Hill Education. p 380-445.
- Hadzic A. *Neuraxial Anatomy*. NYSORA. 2022. Available from: <https://www.nysora.com/techniques/neuraxial-and-perineuraxial-techniques/neuraxial-anatomy-anatomy-relevant-neuraxial-anesthesia/>. [Accessed 21 Mar. 2024].
- Hermanides, J., Hollmann, M. W., Stevens, M. F., & Lirk, P. (2012). Failed epidural: causes and management. *British Journal of Anaesthesia*, 109(2), 144-154. <https://doi.org/10.1093/bja/aes214>
- Hong, J. W., Kim, E., Kim, H., Lee, D., Baik, J., & Lee, J. (2016). Combined spinal–epidural anesthesia for radical hysterectomy in a patient with sjögren syndrome with progressive interstitial lung disease. *SpringerPlus*, 5(1). <https://doi.org/10.1186/s40064-016-3352-5>

- Ibnu, M., Yadi, D.F. and Oktaliansah, E. (2017) 'Penggunaan Teknik obat Dan Permasalahan blokade epidural di Wilayah Jawa Barat pada tahun 2015', *Jurnal Anestesi Perioperatif*, 5(3), pp. 171–179. doi:10.15851/jap.v5n3.1171.
- Kim, S. H., Cho, M. J., Shin, Y. S., Lee, J. S., Lee, J. W., & Yoon, K. B. (2009). Spinal anesthesia with 3.75 mg of 0.25% hyperbaric bupivacaine for diabetic foot surgery. *Korean Journal of Anesthesiology*, 56(3), 273. <https://doi.org/10.4097/kjae.2009.56.3.273>
- Kim, Y. S., Kim, H. S., Jeong, H., Lee, C. H., Lee, M. K., & Choi, S. S. (2020). Efficacy of electrical stimulation on epidural anesthesia for cesarean section: a randomized controlled trial. *BMC Anesthesiology*, 20(1). <https://doi.org/10.1186/s12871-020-01063-1>
- Kamel, I., Ahmed, M.F. and Sethi, A. (2022) 'Regional Anesthesia for orthopedic procedures: What orthopedic surgeons need to know', *World Journal of Orthopedics*, 13(1), pp. 11–35. doi:10.5312/wjo.v13.i1.11.
- Karmakar, M.K. (2022) Spinal sonography and applications of ultrasound for central neuraxial blocks, NYSORA. Available at: <https://www.nysora.com/techniques/neuraxial-and-perineuraxial-techniques/spinal-sonography-and-applications-of-ultrasound-for-central-neuraxial-blocks/>. (Accessed: 15 September 2023, 07:22 PM). [Accessed 15 Sep. 2023].
- Kartufan FF, Karatay E, Kızılcık N, Köner Ö. The 'Cross-Legged Foetal Sitting Neuraxial Position': Is it Beneficial?-A Prospective Randomised Clinical Trial Via Ultrasonography. *Turk J Anaesthesiol Reanim*. 2020 Oct;48(5):371-378. doi: 10.5152/TJAR.2019.41017. Epub 2019 Dec 26. PMID: 33103141; PMCID: PMC7556637.
- Lee, K. C., Koo, D., Lee, W. S., Kim, H. Y., Choi, Y., & Lee, M. J. (2015). Evaluation of incidence of post-dural puncture headache with maintenance of sitting position immediately after spinal anesthesia. *Journal of Anesthesiology*, 3(4), 14. <https://doi.org/10.11648/j.ja.20150304.11>
- Lee, S., Cho, S., In, C. B., Sung, T., & Kang, P. (2019). A clinical retrospective study comparing thoracic epidural catheterization between awake and anesthetized patients.

- Anesthesia and Pain Medicine, 14(1), 95-101.
<https://doi.org/10.17085/apm.2019.14.1.95>
- Lee, S. J., Kim, S. H., Park, S. Y., Kim, M. G., Jung, B. I., & Ok, S. Y. (2011). Epidural catheter malposition in a failed epidural anesthesia confirmed by computed tomography. *The Korean Journal of Pain*, 24(1), 44-47.
<https://doi.org/10.3344/kjp.2011.24.1.44>
- Manggala, S., Tantri, A., & Satoto, D. (2016). Comparison of successful spinal needle placement between crossed-leg sitting position and traditional sitting position in patients undergoing urology surgery. *Anesthesiology and Pain Medicine*, 6(4).
<https://doi.org/10.5812/aapm.39314>
- Mohammadi, S., Piri, M., & Khajehnasiri, A. (2017). Comparing three different modified sitting positions for ease of spinal needle insertion in patients undergoing spinal anesthesia. *Anesthesiology and Pain Medicine*, 7(5).
<https://doi.org/10.5812/aapm.55932>
- Mohammadi, S. S., Hassani, M., & Marashi, S. M. (2014). Comparing the squatting position and traditional sitting position for ease of spinal needle placement: a randomized clinical trial. *Anesthesiology and Pain Medicine*, 4(2).
<https://doi.org/10.5812/aapm.13969>
- Mohammadi, S. S., Piri, M., & Khajehnasiri, A. (2017). Comparing three different modified sitting positions for ease of spinal needle insertion in patients undergoing spinal anesthesia. *Anesthesiology and Pain Medicine*, 7(5).
<https://doi.org/10.5812/aapm.55932>
- Moore, K. L., Dalley, A. F., & Agur, A. M. R. 2014. *Clinically Oriented Anatomy* (7th ed.). Philadelphia, PA: Lippincott Williams & Wilkins.). (Standing, S. (2016). *Gray's Anatomy* (41st ed.). Edinburgh: Elsevier Churchill Livingstone).
- Özhan, M. Ö., Çaparlar, C. Ö., Süzer, M. A., Eşkin, M. B., & Atik, B. (2021). Comparison of three sitting positions for combined spinal - epidural anesthesia: a multicenter randomized controlled trial. *Brazilian Journal of Anesthesiology (English Edition)*, 71(2), 129-136. <https://doi.org/10.1016/j.bjane.2020.12.012>
- Puthenveetil, N., Sandhya, S., Joseph, N., Nair, S. S., & Paul, J. (2020). Comparison of cross-legged sitting position with the traditional sitting position for the ease of

insertion of an epidural catheter in parturient for providing labour analgesia: a randomised control trial. *Indian Journal of Anaesthesia*, 64(3), 199.

https://doi.org/10.4103/ija.ija_786_19

Sugimoto, M., Nesbit, L., Barton, J. M., & Traverso, L. W. (2016). Epidural anesthesia dysfunction is associated with postoperative complications after pancreatectomy. *Journal of Hepato-Biliary-Pancreatic Sciences*, 23(2), 102-109. <https://doi.org/10.1002/jhbp.307>

Tan, E. D. and Günaydın, B. (2014). Comparison of maternal and neonatal effects of combined spinal epidural anesthesia in the sitting or lateral position during elective cesarean section. *Turkish Journal of Anesthesia and Reanimation*, 42(1), 23-32. <https://doi.org/10.5152/tjar.2013.55>

Barash, P.G., Cullen, B.F., Stoelting, R.K., Cahalan, M.K., M Christine Stock, Ortega, R.A., Sharar, S.R. and Holt, N.F. (2017). *Clinical anesthesia*. 8th ed. Philadelphia, Pa: Wolters Kluwer.

Toledano, R.D. and Van de Velde, M. (2022) Epidural anesthesia and Analgesia, NYSORA. Available at: https://www.nysora.com/topics/regional-anesthesia-for-specific-surgical-procedures/abdomen/epidural-anesthesia-analgesia/#toc_EPIDURAL-TECHNIQUE. [Accessed 15 Sep. 2023].