

DAFTAR PUSTAKA

- Ahsan-ul-Haq, M., Amin, S. and Javaid, S. (2005). Paramedian technique of spinal anesthesia in elderly patients for hip fracture surgery. *Journal of the College of Physicians and Surgeons--Pakistan: JCPSP*, [online] 15(3), pp.160–161. Available at: <https://pubmed.ncbi.nlm.nih.gov/15808095/> [Accessed 10 Sep. 2023]
- Albrecht Hogg M, Robinson S. 1996. Transient Radicular Irritation as a complication of spinal anesthesia with hyperbaric 5% Lignocaine. *Anaesth Intens Care*. 1996;24. Hal 508-510
- Ashebir, N.Y. and Ayele, B.W. (2019). Prevalence and risk factors of acute backache after spinal anesthesia in surgical procedures at Asella Teaching and Referral Hospital, Asella, Ethiopia. *International Journal of Medicine and Medical Sciences*, 11(1), pp.1–10. doi:<https://doi.org/10.5897/ijmms2018.1381>.
- Balavenkatasubramanian, J., Senthilkumar, B. and Vinoth Kumar, S.P. (2023). Current Indications For Spinal Anaesthesia- A Narrative Review. *Best Practice & Research Clinical Anaesthesiology* doi:<https://doi.org/10.1016/j.bpa.2023.04.001>.
- Barash, P.G., Cullen, B.F., Stoelting, R.K., Cahalan, M.K., M Christine Stock, Ortega, R.A., Sharar, S.R. and Holt, N.F. (2017). *Clinical anesthesia*. 8th ed. Philadelphia, Pa: Wolters Kluwer.
- Bayindir, S., Ozcan, S., Kocyigit, F. and Hanbeyoglu, O. (2017). Which Approach is Preferred in Spinal Anesthesia: Median or Paramedian? Comparison of Early and Late Complications. *Istanbul Medical Journal*, 18(4), pp.205–209. doi:<https://doi.org/10.5152/imj.2017.85866>.
- Benzon, H.T., Asher, Y.G. and Hartrick, C.T. (2016). Back Pain and Neuraxial Anesthesia. *Anesthesia & Analgesia*, 122(6), pp.2047–2058 doi:<https://doi.org/10.1213/ane.0000000000001270>.
- Blomberg, R.G., Jaanivald, A. And Walther, S. (1989). Advantages of the paramedian approach for lumbar epidural analgesia with catheter technique. *Anaesthesia*, 44(9), pp.742–746. doi:<https://doi.org/10.1111/j.1365-2044.1989.tb09260.x>.
- Bready Lois L, Noorily Susan H, Hickey Rosemary. 2017. Decision Making in Anesthesiology An Algorithmic Approach. Jaypee Brothers Medical Publisher. Hal 706-707
- Butterworth J. F., Mackey D. C., Wasnick J. D. (2022). *Morgan and Mikhail's Clinical Anesthesiology*. 7th ed. Mc Graw Hill Education LLC.
- Campbell, J. and Sultan, P. (2009). Regional anaesthesia for caesarean section: a choice of three techniques. *British Journal of Hospital Medicine*, 70(10), pp.605–605. doi:<https://doi.org/10.12968/hmed.2009.70.10.44637>.
- Dadkhah, P., Hashemi, M., Gharaei, B., Bigdeli, M.H. and Solhpour, A. (2020). Comparison of post-spinal back pain after midline versus paramedian approaches for urologic surgeries. *Ain-Shams Journal of Anesthesiology*, 12(1). doi:<https://doi.org/10.1186/s42077-020-00088-5>.

- Dahlan, S. (2018). *Langkah langkah membuat proposal penelitian bidang kedokteran dan kesehatan: seri based evidenced medicine*. Edisi 2 Seri 3. Jakarta: Sagung Seto.
- Deyo, R.A., Cherkin, D., Conrad, D. and Volinn, E. (1991). Cost, Controversy, Crisis: Low Back Pain and the Health of the Public. *Annual Review of Public Health*, 12(1), p 141–156.
doi:<https://doi.org/10.1146/annurev.pu.12.050191.001041>.
- Eidy Mahmood, Ansari Maarouf, Hosseinzadeh Hamzeh, Kolahdouzan Khosro. (2010). Incidence of back pain following spinal anesthesia and its relationship to various factors in 176 patients. *Pak J Med Sci*, 26(4). p 778-781.
- Forget Patrice, Borovac Josip A, Thackeray Elizabeth, Pace Nathan L. (2019). Transient neurological symptoms (TNS) following spinal anaesthesia with lidocaine versus other local anaesthetics in adult surgical patients: a network meta-analysis. The Cochrane Collaboration. Published by John Wiley & Sons, Ltd.
- George Bindu, Kakati Sonai D. A Comparison between Median and Paramedian Technique of Giving Spinal Anaesthesia in Elderly Patients Undergoing Elective Lower Abdominal and Lower Extremity Procedures. *International Journal of Pharmaceutical and Clinical Research* 2022; 14(12); 297-306.
- Gropper A. Michael, Eriksson Lars I., Fleisher Lee A., Wiener-Kronish J., Cohen Neal, H., Leslie Kate. (2019). *Miller's Anesthesia*. 9th ed. Philadelphia. Churchill Livingstone.
- Hadzic Admir. (2017). *Hadzic's Textbook of Regional Anesthesia and Acute Pain Management*. Mcgraw-Hill Education. p 380-445
- Hartrick Craig T., Kovan Juliann, Shapiro Sharon. (2003). The Numeric Rating Scale for Clinical Pain Measurement: A Ratio Measure?. *Pain Practice*, 3(4). p 310–316
- Hayati A., et al. (2015). Gambaran Angka Kejadian Komplikasi Pasca Anestesi Spinal Pada Pasien Seksio Sesaria. *Jurnal Berkala Kedokteran*, 11(2). p 165-169)
- Joudi, M., Fathi, M., Dalili, A., Jahanbakhsh, S., Merikhi Ardabili, A., Akhondi, M. and Izanloo, A. (2014). The Association of Anesthetic Method With Developing Back Pain After Lower Extremity Operations. *Anesthesiology and Pain Medicine*, 4(5). doi:<https://doi.org/10.5812/aapm.18194>.
- Kanagarajan, M., Vanishree, C. and Jeeva, G. (2017). *Median and paramedian approach for spinal anaesthesia for caesarean delivery: A comparative analysis of safety and effectiveness*, 4(4), pp 518-522.
- Kartal, S. And Kongur, E. (2020). Evaluation Of The Median And Paramedian Approach In Spinal Anesthesia In Elderly Patients. *Dicle Tip Dergisi*, pp.243–249. doi:<https://doi.org/10.5798/dicletip.748556>.
- Kaydu, A., Akdemir, M., Yanlı, Y., Özdemir, M., Gökçek, E. and Karaman, H. (2017). The postdural puncture headache and back pain: The comparison of 26-gauge atraucan and 26-gauge quincke spinal needles in obstetric patients. *Anesthesia: Essays and Researches*, 11(2), p.458. doi:<https://doi.org/10.4103/0259-1162.194591>.

- Lazaridou, A., Elbaridi, N., Edwards, R. R., & Berde, C. B. (2018). Pain Assessment. *Essentials of Pain Medicine*. p 39–46. doi:10.1016/b978-0-323-40196-8.00005-x
- Lee, J.H., Yoon, D.H. and Heo, B.H. (2020). Incidence of newly developed postoperative low back pain with median versus paramedian approach for spinal anesthesia. *Korean Journal of Anesthesiology*, 73(6), pp.518–524. doi:<https://doi.org/10.4097/kja.19409>.
- Mosaffa, F., Karimi, K., Madadi, F., Khoshnevis, S.H., Daftari, L. and Eajazi, A. (2011). Post Dural Puncture Headache- A comparison between median and paramedian approaches in orthopaedic patients. *Anesthesiology and Pain Medicine*, 1(2). doi:<https://doi.org/10.5812/kowsar.22287523.2159>.
- Muranaka, K., Mizutani, H., Seo, K., Yoshida, M., Gohara, T. and Miyawaki, H. (2001). [A comparison between midline and paramedian approaches for combined spinal-epidural anesthesia]. *Masui. The Japanese Journal of Anesthesiology*, [online] 50(10), pp.1085–1088. Available at: <https://pubmed.ncbi.nlm.nih.gov/11712339/> [Accessed 10 Sep. 2023].
- Ng, K.T., Lim, W.E., Teoh, W.Y., Sharifuddin, I.I., Ti, L.K. & Zainal Abidin, M.F.B., 2023. Paramedian versus midline approach of spinal anesthesia: a systematic review and meta-analysis with trial sequential analysis. *Journal of Anesthesia*. Available at: <https://doi.org/10.1007/s00540-023-03281-6> [Accessed 8 January 2025].
- Noghabi, S. Pasban, Hamzei, A., Nazemi, H. and Kamran Bilandy, H. (2013). Correlative factors of post-dural puncture backache in cesarean section. *Pars of Jahrom University of Medical Sciences*, 11(4), pp.53–59. doi:<https://doi.org/10.29252/jmj.11.4.7>.
- Prakash, S., Mishra, S., Mullick, P. and Mishra, K. (2021). Post dural puncture backache in parturients undergoing caesarean delivery under spinal anaesthesia. *Indian Journal of Anaesthesia*, 65(6), p.479 doi:https://doi.org/10.4103/ija.ija_1540_20.
- Rabinowitz, A., Bourdet, B., Minville, V., Chassery, C., Pianezza, A., Colombani, A., Eychenne, B., Samii, K. and Fourcade, O. (2007). The Paramedian Technique: A Superior Initial Approach to Continuous Spinal Anesthesia in the Elderly. *Anesthesia & Analgesia*, 105(6), pp.1855–1857 doi:<https://doi.org/10.1213/01.ane.0000287655.95619.fa>.
- Rafique M. K., Taqi A. 2011. The causes, prevention and management of post spinal backache: An overview. *Anaesthesia Pain and Intensive Care*, 15(1), pp 65-69
- Rhee, W.J., Chung, C.J., Lim, Y.H., Lee, K.H. and Lee, S.C. (2010). Factors in patient dissatisfaction and refusal regarding spinal anesthesia. *Korean Journal of Anesthesiology*, 59(4), p.260. doi:<https://doi.org/10.4097/kjae.2010.59.4.260>.
- Schwabe, K. and Hopf, H.-B. . (2001). Persistent back pain after spinal anaesthesia in the non-obstetric setting: incidence and predisposing factors. *British Journal of Anaesthesia*, 86(4), pp.535–539. doi:<https://doi.org/10.1093/bja/86.4.535>.
- Sia S, Pullano C. 1998. Transient radicular irritation after spinal anaesthesia with 2% isobaric mepivacaine. *British Journal of Anaesthesia* 1998;8.p 622–624

- Singh, B., Sohal, A., Singh, I., Goyal, S., Kaur, P. and Joginder Pal Attri (2018). Incidence of postspinal headache and low backache following the median and paramedian approaches in spinal anesthesia. *Anesthesia: Essays and Researches*, 12(1), pp.186–186. doi:https://doi.org/10.4103/aer.aer_139_17.
- Sohail Behzad, Haq Imran, Ameer Khalid, Iqbal Rashid, Adnan Ahmed. Comparison of Median and Paramedian Techniques of Spinal Anesthesia. *Pak Armed Forces Med J*. 2011;61(2). Hal 199-203
- Urbach, K.F., Lee, W.R., Sheely, L.L., Lang, F.L. and Sharp, R.P. (1964). Spinal or General Anesthesia for Inguinal Hernia Repair? *JAMA*, 190(1). doi:<https://doi.org/10.1001/jama.1964.03070140031002>.
- Vijay Aswathy, Radhika K. 2020. Comparison of Success Rates and Complications of Midline and Paramedian Approaches of Spinal Anaesthesia. *Journal of Evolution of Medical and Dental Sciences*, 9(47), pp.3538–3542. doi:<https://doi.org/10.14260/jemds/2020/776>.
- Wantman, A., Hancox, N. and Howell, P.R. (2006). Techniques for identifying the epidural space: a survey of practice amongst anaesthetists in the UK. *Anaesthesia*, 61(4), pp.370–375. doi:<https://doi.org/10.1111/j.1365-2044.2006.04534.x>.
- Zeki. T. Tekg ul, S. Pektas, M. Turan, Y. Karaman, M. akmak, M. G on ull u. 2015. Acute back pain following surgery under spinal anesthesia. *Pain Practice*, 15(8), pp. 706–711.
- Zelege, T.G., Mersha, A.T., Endalew, N.S. and Ferede, Y.A. (2021). Prevalence and Factors Associated with Back Pain among Patients Undergoing Spinal Anesthesia at the University of Gondar Comprehensive and Specialized Hospital, North West Ethiopia: An Institutional Based Cross-Sectional Study. *Advances in Medicine*, 2021, pp.1–8. doi:<https://doi.org/10.1155/2021/665432>