

DAFTAR PUSTAKA

- Abid, S., Kaliraj, L., Arif, M. H., Hurh, J., Ahn, J. C., Yang, D. C., & Jung, S. K. (2020). Molecular and morphological discrimination of *Chrysanthemum indicum* using allele-specific PCR and T-shaped trichome. *Molecular Biology Reports*, 47(10), 7699–7708. <https://doi.org/10.1007/s11033-020-05844-2>
- Adna Ridhani, M., Prahastiwi Vidyningrum, I., Nazzala Akmala, N., Fatihatunisa, R., Azzahro, S., Aini, N., Studi Teknologi Pangan, P., Pertanian, J., & Jenderal Soedirman Jalan Soeparno, U. (2021). POTENSI PENAMBAHAN BERBAGAI JENIS GULA TERHADAP SIFAT SENSORI DAN FISIKOKIMIA ROTI MANIS: REVIEW. Dalam *Pasundan Food Technology Journal (PFTJ)* (Vol. 8, Nomor 3).
- Ahmad, E. S., Girgis, S., Shoman, T. M., El-Din, A. E., & Hassanane, M. M. (2015). Impact of *Chrysanthemum Indicum* on Genotoxicity and Hepatic and Kidney Function in Anticancer Drug Adriamycin Exposed Mice. Dalam *Advances in Environmental Biology* (Vol. 9, Nomor 27). <http://www.aensiweb.com/AEB/>
- Ahmad, J., Khan, I., Blundell, R., Azzopardi, J., & Mahomoodally, M. F. (2020). *Stevia rebaudiana* Bertoni.: an updated review of its health benefits, industrial applications and safety. Dalam *Trends in Food Science and Technology* (Vol. 100, hlm. 177–189). Elsevier Ltd. <https://doi.org/10.1016/j.tifs.2020.04.030>
- Ainur, D., Chen, Q., Wang, Y., Li, H., Lin, H., Ma, X., & Xu, X. (2022). Pollution characteristics and sources of environmentally persistent free radicals and oxidation potential in fine particulate matter related to city lockdown (CLD) in Xi'an, China. *Environmental Research*, 210. <https://doi.org/10.1016/j.envres.2022.112899>
- Akib, N. I., Baane, W., & Fristiody, A. (2016). *FORMULATION OF HERBAL HARD CANDY CONTAINS RED GINGER (*Zingiber officinale* var. *rubrum*) EXTRACT* (Vol. 4, Nomor 1).
- Alberto, M. E., Russo, N., Grand, A., & Galano, A. (2013). A physicochemical examination of the free radical scavenging activity of Trolox: Mechanism, kinetics and influence of the environment. *Physical Chemistry Chemical Physics*, 15(13), 4642–4650. <https://doi.org/10.1039/c3cp43319f>
- Alim, N., Noer, S. F., Daniati, W., & Irfayanti, N. A. (2023). Aktivitas Antioksidan Klika Awar-awar (*Ficus septica* Burm. F) Asal Tanah Buton Selatan dengan Metode ABTS. *Jurnal Novem Medika farmasi*, 1(3), 1–13. <https://doi.org/https://doi.org/10.59638/junomefar.v1i3.541>
- Alkarim, M., Murti, Y. B., & Saifullah, T. N. (2012). FORMULASI HARD CANDY LOZENGES EKSTRAK DAUN LEGUNDI (*Vitex trifolia* L.) HARD CANDY LOZENGES FORMULATION OF LEGUNDI (*Vitex trifolia* L.) LEAF EXTRACT. Dalam *Majalah Obat Tradisional* (Vol. 17, Nomor 1).
- Amalia, L., Oktri Sumantri, N., Rifqi, M., Pangan dan Gizi Fakultas Teknik dan Ilmu Pangan Halal Universitas Djuanda Bogor, T., Tol Jagorawi No, J., Ciawi, K., Bogor, K., & Barat, J. (2022). *Sifat Sensory dan Kimia pada Hard Candy dengan Penambahan Ekstrak Jagung Manis (*Zea mays saccharata*), Sukrosa Serta Madu Sensory and Chemical Properties of Hard Candy with the Addition*

- of Sweet Corn Extract (Zea mays saccharata), Sucrose, and Honey* (Vol. 8, Nomor 2).
- Apsari, W. H. P. (2024). *OPTIMASI SEDIAAN GUMMY BEAR EKSTRAK BUNGA KRISAN (Chrysanthemum indicum L.) DENGAN VARIASI KOMPOSISI PEMANIS MADU DAN STEVIA*.
- Arnao, M. B. (2000). Some Methodological Problems in The Determination of Antioxidant Activity Using Chromogen Radicals: a Practical Case. *Trends in Food Science & Technology*, *11*, 419–421.
- Asman, S. (2023). Extraction of Phytochemical from *Murraya Koenigii* (L.) Spreng Leaves using Maceration Method. *Scientific Research Journal*, *20*(2), 147–160. <https://doi.org/10.24191/srj.v20i2.23459>
- Awika, J. M., Rooney, L. W., Wu, X., Prior, R. L., & Cisneros-Zevallos, L. (2003). Screening Methods to Measure Antioxidant Activity of Sorghum (*Sorghum bicolor*) and Sorghum Products. *Journal of Agricultural and Food Chemistry*, *51*(23), 6657–6662. <https://doi.org/10.1021/jf034790i>
- Badan Standardisasi Nasional. (2008). *Kembang gula - Bagian 1 : Keras*.
- Baiti, Q. A. N., Salsabila, Z., Apsari, W. H. P., Ramadhan, M. B., Karen, E., Sahid, M. N. A., Darsih, C., & Laksitorini, M. D. (2024). The Development of Plant-Based Jelly Candy for *Chrysanthemum indicum L.* Flower Extract and Evaluation of The Antioxidant Activity. Dalam *RESEARCH ARTICLE 292 Indonesian J Pharm* (Vol. 35, Nomor 2).
- Boland, A. B., Delahunty, C. M., & Van Ruth, S. M. (2006). Influence of the texture of gelatin gels and pectin gels on strawberry flavour release and perception. *Food Chemistry*, *96*(3), 452–460. <https://doi.org/10.1016/j.foodchem.2005.02.027>
- Boligon, A. A. (2014). Technical Evaluation of Antioxidant Activity. *Medicinal Chemistry*, *4*(7). <https://doi.org/10.4172/2161-0444.1000188>
- Bolton, S. (1997). *Pharmaceutical Statistics Practical And Clinical Applications* (3 ed.).
- Bolton, Sanford., & Bon, Charles. (2007). *Pharmaceutical statistics : practical and clinical applications* (4 ed.). Informa Healthcare USA Inc.
- BPOM. (2006). KEPUTUSAN KEPALA BADAN PENGAWAS OBAT DAN MAKANAN REPUBLIK INDONESIA TENTANG KATEGORI PANGAN. Dalam *BADAN PENGAWAS OBAT DAN MAKANAN REPUBLIK INDONESIA* (No. HK.00.05.52.4040).
- Bund, R. K., & Hartel, R. W. (2010). Crystallization in foods and food quality deterioration. Dalam *Chemical Deterioration and Physical Instability of Food and Beverages* (hlm. 186–215). Elsevier Inc. <https://doi.org/10.1533/9781845699260.2.186>
- Cano, A., Maestre, A. B., Hernández-Ruiz, J., & Arnao, M. B. (2023). ABTS/TAC Methodology: Main Milestones and Recent Applications. *Processes*, *11*(1). <https://doi.org/10.3390/pr11010185>
- Castro-Muñoz, R., Correa-Delgado, M., Córdova-Almeida, R., Lara-Nava, D., Chávez-Muñoz, M., Velásquez-Chávez, V. F., Hernández-Torres, C. E., Gontarek-Castro, E., & Ahmad, M. Z. (2022). Natural sweeteners: Sources, extraction and current uses in foods and food industries. Dalam *Food*

- Chemistry* (Vol. 370). Elsevier Ltd.
<https://doi.org/10.1016/j.foodchem.2021.130991>
- Cheung, P. C. K., & Mehta, B. M. (2015). *Handbook of Food Chemistry*. Springer Heidelberg.
- Chib, A., Gupta, N., Bhat, A., Anjum, N., & Yadav, G. (2020). Role of antioxidants in food. *International Journal of Chemical Studies*, 8(1), 2354–2361. <https://doi.org/10.22271/chemi.2020.v8.i1aj.8621>
- Dawidowicz, A. L., & Olszowy, M. (2013). The importance of solvent type in estimating antioxidant properties of phenolic compounds by ABTS assay. *European Food Research and Technology*, 236(6), 1099–1105. <https://doi.org/10.1007/s00217-013-1982-1>
- Delice, A. (2010). The Sampling Issues in Quantitative Research. *Educational Sciences: Theory & Practice*, 10(4), 2001–2018.
- Depkes RI. (2020). *FARMAKOPE INDONESIA EDISI VI 2020 KEMENTERIAN KESEHATAN REPUBLIK INDONESIA*.
- Dhawan, K., Rasane, P., Singh, J., Kaur, S., Kaur, D., Avinashe, H., Mahato, D. K., Kumar, P., Gunjal, M., Capanoglu, E., & Haque, S. (2023). Effect of Spice Incorporation on Sensory and Physico-chemical Properties of Matcha-Based Hard Candy. *ACS Omega*, 8(32), 29247–29252. <https://doi.org/10.1021/acsomega.3c02574>
- Díaz, L. D., Fernández-Ruiz, V., & Cámara, M. (2020). The frontier between nutrition and pharma: The international regulatory framework of functional foods, food supplements and nutraceuticals. Dalam *Critical Reviews in Food Science and Nutrition* (Vol. 60, Nomor 10, hlm. 1738–1746). Taylor and Francis Inc. <https://doi.org/10.1080/10408398.2019.1592107>
- Dirar, A. I., Alsaadi, D. H. M., Wada, M., Mohamed, M. A., Watanabe, T., & Devkota, H. P. (2019). Effects of extraction solvents on total phenolic and flavonoid contents and biological activities of extracts from Sudanese medicinal plants. *South African Journal of Botany*, 120, 261–267. <https://doi.org/10.1016/j.sajb.2018.07.003>
- Doco, R. C., Houngue, M. K., Kpotin, G. A., Kuevi, U. A., & Mensah, Y. A. et J.-B. (2017). Comparative Study of the Antioxidant Properties of Trolox, Ascorbic Acid and Butyl Hydroxytolene (BHT) by the Methods of Quantum Chemistry. *Journal of Chemical and Pharmaceutical Research*, 9(5), 231–236. <https://www.jocpr.com/articles/comparative-study-of-the-antioxidant-properties-of-trolox-ascorbic-acid-and-butyl-hydroxytolene-bht-by-the-methods-of-qu.pdf>
- Dolongtelide, J. I., Fatimawali, F., Tallei, T. E., Suoth, E. J., Simbala, H. E. I., Antasionasti, I., & Kalalo, M. J. (2023). In Vitro Antioxidant Activity of *Chrysanthemum indicum* Flowers Extract and Its Fraction. *Malacca Pharmaceutics*, 1(2), 43–47. <https://doi.org/10.60084/mp.v1i2.26>
- Dong, J.-W., Cai, L., Xing, Y., Yu, J., & Ding, Z.-T. (2015). Re-evaluation of ABTS•+ Assay for Total Antioxidant Capacity of Natural Products. *Natural Product Communications*, 10(12), 2169–2172. <https://doi.org/10.1177/1934578X1501001239>

- Efe, N., & Dawson, P. (2022). A Review: Sugar-Based Confectionery and the Importance of Ingredients. *European Journal of Agriculture and Food Sciences*, 4(5), 1–8. <https://doi.org/10.24018/ejfood.2022.4.5.552>
- El-Sayed, S. M., & Youssef, A. M. (2019). Potential application of herbs and spices and their effects in functional dairy products. Dalam *Heliyon* (Vol. 5, Nomor 6). Elsevier Ltd. <https://doi.org/10.1016/j.heliyon.2019.e01989>
- Engwa, G. A. (2018). Free Radicals and the Role of Plant Phytochemicals as Antioxidants Against Oxidative Stress-Related Diseases. Dalam *Phytochemicals - Source of Antioxidants and Role in Disease Prevention*. InTech. <https://doi.org/10.5772/intechopen.76719>
- Fiorentini, M., Kinchla, A. J., & Nolden, A. A. (2020). Role of sensory evaluation in consumer acceptance of plant-based meat analogs and meat extenders: a scoping review. Dalam *Foods* (Vol. 9, Nomor 9). MDPI AG. <https://doi.org/10.3390/foods9091334>
- Flora of China. (2024). *Chrysanthemum indicum* Linnaeus. http://www.efloras.org/florataxon.aspx?flora_id=2&taxon_id=220002857
- Frangu, A., Ashrafi, A. M., Sýs, M., Arbneshi, T., Metelka, R., Adam, V., Vlcek, M., & Richtera, L. (2020). Determination of trolox equivalent antioxidant capacity in berries using amperometric tyrosinase biosensor based on multi-walled carbon nanotubes. *Applied Sciences (Switzerland)*, 10(7). <https://doi.org/10.3390/app10072497>
- Gao, Y., Xia, W., Shao, P., Wu, W., Chen, H., Fang, X., Mu, H., Xiao, J., & Gao, H. (2022). Impact of thermal processing on dietary flavonoids. Dalam *Current Opinion in Food Science* (Vol. 48). Elsevier Ltd. <https://doi.org/10.1016/j.cofs.2022.100915>
- Giordano, M. E., Caricato, R., & Lionetto, M. G. (2020). Concentration dependence of the antioxidant and prooxidant activity of trolox in hela cells: Involvement in the induction of apoptotic volume decrease. *Antioxidants*, 9(11), 1–12. <https://doi.org/10.3390/antiox9111058>
- Gülçin, I. (2012). Antioxidant activity of food constituents: An overview. Dalam *Archives of Toxicology* (Vol. 86, Nomor 3, hlm. 345–391). <https://doi.org/10.1007/s00204-011-0774-2>
- Gulcin, İ. (2020). Antioxidants and antioxidant methods: an updated overview. Dalam *Archives of Toxicology* (Vol. 94, Nomor 3, hlm. 651–715). Springer. <https://doi.org/10.1007/s00204-020-02689-3>
- Gülçin, I., Elias, R., Gepdiremen, A., Taoubi, K., & Köksal, E. (2009). Antioxidant secoiridoids from fringe tree (*Chionanthus virginicus* L.). *Wood Science and Technology*, 43(3–4), 195–212. <https://doi.org/10.1007/s00226-008-0234-1>
- Han, A. R., Nam, B., Kim, B. R., Lee, K. C., Song, B. S., Kim, S. H., Kim, J. B., & Jin, C. H. (2019). Phytochemical composition and antioxidant activities of two different color chrysanthemum flower teas. *Molecules*, 24(2). <https://doi.org/10.3390/molecules24020329>
- Harahap, I., Fitri Rusadi, Y., & Gesriantuti, N. (2018). Phytochemical Screening and KLT Analysis of Endophytic Fungi Secondary Metabolite of *Vetiveria zizanioides* L. *Conference Proceedings CelSciTech-UMRI*, 3.

- Hartel, R. W., von Elbe, J. H., & Hofberger, R. (2018). Hard Candy. Dalam *Confectionery Science and Technology* (hlm. 211–244). Springer International Publishing. https://doi.org/10.1007/978-3-319-61742-8_8
- Henny, J., Riset, M. B., Standardisasi, D., & Manado, I. (2014). KOMPOSISI BEBERAPA SENYAWA GULA DALAM PEMBUATAN PERMEN KERAS DARI BUAH PALA COMPOSITION OF SEVERAL SUGAR COMPOUNDS IN THE MAKING OF NUTMEG HARD CANDY. Dalam *Jurnal Penelitian Teknologi Industri* (Vol. 6, Nomor Juni).
- Hernández-Rodríguez, P., Baquero, L. P., & Larrota, H. R. (2019). Flavonoids: Potential Therapeutic Agents by Their Antioxidant Capacity. Dalam *Bioactive Compounds: Health Benefits and Potential Applications* (hlm. 265–288). Elsevier. <https://doi.org/10.1016/B978-0-12-814774-0.00014-1>
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2021). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Hubbermann, E. M. (2016). Coloring of Low-Moisture and Gelatinized Food Products. Dalam *Handbook on Natural Pigments in Food and Beverages: Industrial Applications for Improving Food Color* (hlm. 179–196). Elsevier Inc. <https://doi.org/10.1016/B978-0-08-100371-8.00008-7>
- Ilie, E. I., Popescu, L., Luță, E. A., Biță, A., Corbu, A. R., Mihai, D. P., Pogan, A. C., Balaci, T. D., Mincă, A., Duțu, L. E., Olaru, O. T., Boscencu, R., & Gîrd, C. E. (2024). Phytochemical Characterization and Antioxidant Activity Evaluation for Some Plant Extracts in Conjunction with Pharmacological Mechanism Prediction: Insights into Potential Therapeutic Applications in Dyslipidemia and Obesity. *Biomedicines*, 12(7). <https://doi.org/10.3390/biomedicines12071431>
- Inoue, M., & Toyama, Y. (2023). Impact Analysis of Compression Parameters and Fracture of Gummy Candy Using the Mastication Process Simulator. *Nihon Reorji Gakkaishi*, 51(2), 97–103. <https://doi.org/10.1678/RHEOLOGY.51.97>
- Integrated Taxonomic Information System (ITIS). (2023). *Chrysanthemum indicum L.*
- Ioannou, I., Chekir, L., & Ghouil, M. (2020). Effect of heat treatment and light exposure on the antioxidant activity of flavonoids. *Processes*, 8(9). <https://doi.org/10.3390/pr8091078>
- Iryani, D., & Hidayah, N. (2022). Hedonic Test of Pegagan Chocolate Products at PT XYZ. *Journal of Agri-Food Science and Technology*, 2(2), 112–117. <https://doi.org/10.12928/jafost.v2i2.6440>
- Itam, A., Wati, M. S., Agustin, V., Sabri, N., Jumanah, R. A., & Efdi, M. (2021). Comparative Study of Phytochemical, Antioxidant, and Cytotoxic Activities and Phenolic Content of *Syzygium aqueum* (Burm. f. Alston f.) Extracts Growing in West Sumatera Indonesia. *Scientific World Journal*, 2021. <https://doi.org/10.1155/2021/5537597>
- Jeon, Y., Oh, J., & Cho, M. S. (2021). Formulation optimization of sucrose-free hard candy fortified with *Cudrania tricuspidata* extract. *Foods*, 10(10). <https://doi.org/10.3390/foods10102464>

- Jiang, H., Yu, X., Fang, R., Xiao, Z., & Jin, Y. (2019). 3D printed mold-based capsaicin candy for the treatment of oral ulcer. *International Journal of Pharmaceutics*, 568. <https://doi.org/10.1016/j.ijpharm.2019.118517>
- Jiang, S., Wang, M., Jiang, Z., Zafar, S., Xie, Q., Yang, Y., Liu, Y., Yuan, H., Jian, Y., & Wang, W. (2021). Chemistry and pharmacological activity of sesquiterpenoids from the chrysanthemum genus. *Molecules*, 26(10). <https://doi.org/10.3390/molecules26103038>
- Kementerian Kesehatan Republik Indonesia. (2017). *FARMAKOPE HERBAL INDONESIA EDISI II*.
- Kiptiyah, S. Y., Santoso, U., Supriyad, I., & Harmayani, E. (2023). Effect of heat treatment on antioxidant and antibacterial activity of *Kaempferia galanga* L. extract. *Food Research*, 7(6), 205–213. [https://doi.org/10.26656/fr.2017.7\(6\).1002](https://doi.org/10.26656/fr.2017.7(6).1002)
- Kowalska, T., & Sajewicz, M. (2022). Thin-Layer Chromatography (TLC) in the Screening of Botanicals—Its Versatile Potential and Selected Applications. Dalam *Molecules* (Vol. 27, Nomor 19). MDPI. <https://doi.org/10.3390/molecules27196607>
- Lee, K. J., Oh, Y. C., Cho, W. K., & Ma, J. Y. (2015). Antioxidant and Anti-Inflammatory Activity Determination of One Hundred Kinds of Pure Chemical Compounds Using Offline and Online Screening HPLC Assay. *Evidence-based Complementary and Alternative Medicine*, 2015. <https://doi.org/10.1155/2015/165457>
- Lim, T. K. (2014). *Chrysanthemum indicum*. Dalam *Edible Medicinal And Non-Medicinal Plants* (hlm. 270–286). Springer Netherlands. https://doi.org/10.1007/978-94-007-7395-0_18
- Lindley, M. G., Birch, G. G., & Khan, R. (1976). Sweetness of Sucrose and Xylitol. Structural Considerations. Dalam *J. Sci. Fd Agric* (Vol. 27).
- Liu, X., & Lu, M. (2023). Normal saline: Past, present, and future. Dalam *Science Progress* (Vol. 106, Nomor 2). SAGE Publications Ltd. <https://doi.org/10.1177/00368504231168821>
- Liu, Y. H., Mou, X., Zhou, D. Y., Zhou, D. Y., & Shou, C. M. (2018). Extraction of flavonoids from *Chrysanthemum morifolium* and antitumor activity in vitro. *Experimental and Therapeutic Medicine*, 15(2), 1203–1210. <https://doi.org/10.3892/etm.2017.5574>
- Luliana, S., Purwanti, N. U., & Manihuruk, K. N. (2016). Pengaruh Cara Pengeringan Simplisia Daun Senggani (*Melastoma malabathricum* L.) Terhadap Aktivitas Antioksidan Menggunakan Metode DPPH (2,2-difenil-1-pikrilhidrazil). *Pharmaceutical Sciences and Research*, 3(3), 120–129.
- Lungade, P., Karadbhajne, S. V., & Mande, V. (2022). A Review of Sugar-Based Confectionery: Properties and Types of Products. Dalam *I) Journal* (Vol. 11).
- Luyen, B. T. T., Tai, B. H., Thao, N. P., Lee, Y. M., Lee, S. H., Jang, H. D., & Kim, Y. H. (2015). The anti-osteoporosis and antioxidant activities of chemical constituents from *chrysanthemum indicum* flowers. *Phytotherapy Research*, 29(4), 540–548. <https://doi.org/10.1002/ptr.5281>
- Mandlik Satish, K., Saugat, A., & Deshpande Ameya, A. (2012). Application of simplex lattice design in formulation and development of buoyant matrices of

- dipyridamole. *Journal of Applied Pharmaceutical Science*, 2(12), 107–111. <https://doi.org/10.7324/JAPS.2012.21221>
- Mauliza, S., & Dalimunthe, G. I. (2022). Formulation And Evaluation Of The Preparation Of Hard Candy Source Of Sweet Orange (*Citrus Sinensis* (L.) Osbeck) As A Nutraceutical. Dalam *International Journal of Science*. <http://ijstm.inarah.co.id>
- Mayasari, D., Murti, Y. B., Sudarsono, S., & Pratiwi, S. U. T. (2021). Phytochemical, antioxidant and antibacterial evaluation of *Melastoma malabathricum* L.: An Indonesian traditional medicinal plant. *Tropical Journal of Natural Product Research*, 5(5), 819–824. <https://doi.org/10.26538/tjnpr/v5i5.5>
- Mukhametov, A., Paliivets, M., Berechikidze, I., & Serikkyzy, M. (2023). Evaluating the recovery of bioactive compounds and antioxidant activity of unripe red grape liquid extracts obtained by maceration. *Food Science and Technology (Brazil)*, 43. <https://doi.org/10.1590/FST.117922>
- Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant activity: A review. Dalam *International Journal of Molecular Sciences* (Vol. 22, Nomor 7). MDPI AG. <https://doi.org/10.3390/ijms22073380>
- Nadaletti, M., Di Luccio, M., & Cichoski, A. J. (2011). Sucrose inversion of hard candies formulated with rework syrup with addition of sodium lactate. *Journal of Food Process Engineering*, 34(2), 305–316. <https://doi.org/10.1111/j.1745-4530.2009.00358.x>
- Nadia, S., Nirmala, R., & Farmasi Nasional Surakarta, A. (2016). Uji Aktivitas Antioksidan Kombinasi dari Kulit Buah Naga (*Hylocereus costaricensis*) dan Bunga Rosela (*Hibiscus sabdariffa*) dengan Metode DPPH (1,1 Diphenyl-2-picrylhidrazil) Beserta Bentuk Tunggalnya. *Jurnal KesMaDaSka*, 94–99. <https://jurnal.ukh.ac.id/index.php/JK/article/download/148/176>
- Nurdyansyah, F., & Widyastuti, D. A. (2020). Advance Sustainable Science, Engineering and Technology Comparison of Antioxidant Activity of Ethanolic, Methanolic, n-Hexan, and Aqueous Extract of *Parkia speciosa* Peel based on Half-Maximal Inhibitory Concentration Through Free Radical Inhibition. *Advance Sustainable Science, Engineering and Technology*, 2(2). <https://doi.org/https://doi.org/10.26877/asset.v2i2.7129>
- Nurkhasanah, Bachri, M. S., & Yuliani, S. (2023). *Antioksidan dan Stres Oksidatif*. UAD Press.
- O'Donnell, Kay., & Kearsley, M. W. (2012). *Sweeteners and Sugar Alternatives in Food Technology - Second Edition* (2 ed.). Wiley Blackwell.
- Okere, C. E., Onwuka, D. O., Arimanwa, J., Okere, C., & Onwuka, S. U. (2013). *Optimisation of concrete mix cost using Scheffe's simplex lattice theory (pp. 443-454)*. <https://www.researchgate.net/publication/331199640>
- Ozel, B., Kuzu, S., Marangoz, M. A., Dogdu, S., Morris, R. H., & Oztop, M. H. (2024). Hard Candy Production and Quality Parameters: A review. Dalam *Open Research Europe* (Vol. 4). F1000 Research Ltd. <https://doi.org/10.12688/openreseurope.16792.1>

- Paramartha, D. Y., Faris, M., & Juni, E. (2022). *Sudah Sehatkah Indonesia Kini? Paradigma Baru Ekonomi-Sosial-Lingkungan*.
- Plotnikova, I. V., Zharkova, I. M., Magomedov, G. O., Magomedov, M. G., Khvostov, A. A., & Miroshnichenko, E. N. (2021). Forecasting and quality control of confectionery products with the use of “water activity” indicator. *IOP Conference Series: Earth and Environmental Science*, 640(6). <https://doi.org/10.1088/1755-1315/640/6/062003>
- Prasad, S., Gupta, S. C., & Tyagi, A. K. (2017). Reactive Oxygen Species (ROS) and Cancer: Role of Antioxidative Nutraceuticals. Dalam *Cancer Letters* (Vol. 387, hlm. 95–105). Elsevier Ireland Ltd. <https://doi.org/10.1016/j.canlet.2016.03.042>
- Radiartini, N. N., & Andayani, Y. (2024). Antioxidant Activity of Various Plant Extracts Assessed Using the ABTS Method. *Jurnal Biologi Tropis*, 24(1b), 196–202. <https://doi.org/https://doi.org/10.29303/jbt.v24i1b.7959>
- Rohmah, J. (2022). ANTIOXIDANT ACTIVITIES USING DPPH, FIC, FRAP, AND ABTS METHODS FROM ETHANOLIC EXTRACT OF LEMPUYANG GAJAH RHIZOME (*Zingiber zerumbet* (L.) Roscoeex Sm.). *Jurnal Kimia Riset*, 7(2), 152–166. <https://doi.org/10.20473/jkr.v7i2.34493>
- Roos, Y., & Marcus Karel. (1991). Plasticizing Effect of Water on Thermal Behavior and Crystallization of Amorphous Food Models I. *Journal of Food Science*, 56(1), 38–43.
- Rosales, E., Pazos, M., & Sanromán, M. Á. (2017). Solid-State Fermentation for Food Applications. Dalam *Current Developments in Biotechnology and Bioengineering: Current Advances in Solid-State Fermentation* (hlm. 319–355). Elsevier. <https://doi.org/10.1016/B978-0-444-63990-5.00015-3>
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press.
- Rumpf, J., Burger, R., & Schulze, M. (2023). Statistical evaluation of DPPH, ABTS, FRAP, and Folin-Ciocalteu assays to assess the antioxidant capacity of lignins. *International Journal of Biological Macromolecules*, 233. <https://doi.org/10.1016/j.ijbiomac.2023.123470>
- Sadeer, N. B., Montesano, D., Albrizio, S., Zengin, G., & Mahomoodally, M. F. (2020). The versatility of antioxidant assays in food science and safety—chemistry, applications, strengths, and limitations. *Antioxidants*, 9(8), 1–39. <https://doi.org/10.3390/antiox9080709>
- Sahlan, M., Ridhowati, A., Hermansyah, H., Wijanarko, A., Rahmawati, O., & Pratami, D. K. (2019). Formulation of hard candy contains pure honey as functional food. *AIP Conference Proceedings*, 2092. <https://doi.org/10.1063/1.5096743>
- Sahoo, M. R., Umashankar, M. S., & Varier, R. R. (2021). The research updates and prospects of herbal hard-boiled lozenges: A classical platform with promising drug delivery potential. Dalam *International Journal of Applied Pharmaceutics* (Vol. 13, Nomor 2, hlm. 1–13). Innovare Academics Sciences Pvt. Ltd. <https://doi.org/10.22159/ijap.2021v13i2.40165>
- Samuel, P., Ayoob, K. T., Magnuson, B. A., Wölwer-Rieck, U., Jeppesen, P. B., Rogers, P. J., Rowland, I., & Mathews, R. (2018). Stevia Leaf to Stevia

- Sweetener: Exploring Its Science, Benefits, and Future Potential. *Journal of Nutrition*, 148(7), 1186S-1205S. <https://doi.org/10.1093/jn/nxy102>
- Sangle, V. R., & Tathe, P. G. (2023). A review on medicated lollipop: A novel dosage form. *International Journal of Science and Research Archive*, 8(2), 565–570. <https://doi.org/10.30574/ijrsra.2023.8.2.0304>
- Sembiring, B. B., Mardiah, & Fanani, M. Z. (2024). GLIKOSIDA STEVIOL SEBAGAI PEMANIS RENDAH KALORI BERBASIS EKSTRAK STEVIA (Steviol Glycosides as Low Calorie Sweeteners Based on Stevia Extract). *Jurnal Ilmiah Pangan Halal*, 6(2), 154–156.
- Setyawati, U. G., & Mahmudiono, T. (2023). The Level of Education, Business Age and Knowledge of Food Additives and Methanil Yellow: A Study among Online Noodle Sellers (GoFood and GrabFood) in East Surabaya. *Media Gizi Indonesia*, 18(1), 56–62. <https://doi.org/10.20473/mgi.v18i1.56-62>
- Shao, Y., Sun, Y., Li, D., & Chen, Y. (2020). *Chrysanthemum indicum L.*: A Comprehensive Review of its Botany, Phytochemistry and Pharmacology. Dalam *American Journal of Chinese Medicine* (Vol. 48, Nomor 4, hlm. 871–897). World Scientific Publishing Co. Pte Ltd. <https://doi.org/10.1142/S0192415X20500421>
- Sharma, N., Radha, Kumar, M., Kumari, N., Puri, S., Rais, N., Natta, S., Dhupal, S., Navamaniraj, N., Chandran, D., Mohankumar, P., Muthukumar, M., Senapathy, M., Deshmukh, V., Damale, R. D., Anitha, T., Balamurugan, V., Sathish, G., & Lorenzo, J. M. (2023). Phytochemicals, therapeutic benefits and applications of chrysanthemum flower: A review. Dalam *Heliyon* (Vol. 9, Nomor 10). Elsevier Ltd. <https://doi.org/10.1016/j.heliyon.2023.e20232>
- Sharma, R., & Ghoshal, G. (2021). Characterization and cytotoxic activity of pigment extracted from *Rhodotorula mucilaginosa* to assess its potential as bio-functional additive in confectionary products. *Journal of Food Science and Technology*, 58(7), 2688–2698. <https://doi.org/10.1007/s13197-020-04775-x>
- Singh-Ackbarali, D., & Maharaj, R. (2014). Sensory Evaluation as a Tool in Determining Acceptability of Innovative Products Developed by Undergraduate Students in Food Science and Technology at The University of Trinidad and Tobago. *Journal of Curriculum and Teaching*, 3(1). <https://doi.org/10.5430/jct.v3n1p10>
- Souiy, Z., Amri, Z., Sharif, H., Souiy, A., Cheraief, I., Hamden, K., & Hammami, M. (2023). The Use of D-Optimal Mixture Design in Optimizing Formulation of a Nutraceutical Hard Candy. *International Journal of Food Science*, 2023. <https://doi.org/10.1155/2023/7510452>
- Supriyanto, Mojiono, M., & Ambarwati, Y. (2023). Supplementation of Javanese Long Pepper Extracts into Sucrose-Free Hard Candy for Improving Antibacterial Activity against *Streptococcus mutans*. *IOP Conference Series: Earth and Environmental Science*, 1182(1). <https://doi.org/10.1088/1755-1315/1182/1/012059>
- Taheri, Y., Suleria, H. A. R., Martins, N., Sytar, O., Beyatli, A., Yeskaliyeva, B., Seitimova, G., Salehi, B., Semwal, P., Painuli, S., Kumar, A., Azzini, E., Martorell, M., Setzer, W. N., Maroyi, A., & Sharifi-Rad, J. (2020). Myricetin

- bioactive effects: Moving from preclinical evidence to potential clinical applications. Dalam *BMC Complementary Medicine and Therapies* (Vol. 20, Nomor 1). BioMed Central. <https://doi.org/10.1186/s12906-020-03033-z>
- Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L., & Hawkins Byrne, D. (2006). Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis*, 19(6–7), 669–675. <https://doi.org/10.1016/j.jfca.2006.01.003>
- Trinh, T., Tuoc, K., & Glasgow, S. (2012). *On the texture profile analysis test*. <https://www.researchgate.net/publication/316093466>
- Tunick, M. H., Onwulata, C. I., Thomas, A. E., Phillips, J. G., Mukhopadhyay, S., Sheen, S., Liu, C. K., Latona, N., Pimentel, M. R., & Cooke, P. H. (2013). Critical evaluation of crispy and crunchy textures: A review. *International Journal of Food Properties*, 16(5), 949–963. <https://doi.org/10.1080/10942912.2011.573116>
- Üstündaş, M., yener, H. B., & Helvacı, Ş. Ş. (2018). PARAMETERS AFFECTING LYCOPENE EXTRACTION FROM TOMATO POWDER AND ITS ANTIOXIDANT ACTIVITY. *Anadolu University Journal of Science and Technology-A Applied Sciences and Engineering*, 1–1. <https://doi.org/10.18038/aubtda.363140>
- Vojvodić Cebin, A., Bunić, M., Mandura Jarić, A., Šeremet, D., & Komes, D. (2024). Physicochemical and Sensory Stability Evaluation of Gummy Candies Fortified with Mountain Germander Extract and Prebiotics. *Polymers*, 16(2). <https://doi.org/10.3390/polym16020259>
- Wagner, J., Wilkin, J. D., Szymkowiak, A., & Grigor, J. (2023). Sensory and affective response to chocolate differing in cocoa content: A TDS and facial electromyography approach. *Physiology and Behavior*, 270. <https://doi.org/10.1016/j.physbeh.2023.114308>
- Waksmundzka-Hajnos, M., Móricz, Á. M., Hawrył, A., Sajewicz, M., & Kowalska, T. (2023). Chapter 20 - Applications of thin-layer chromatography in the quality control of botanicals. Dalam C. F. Poole (Ed.), *Instrumental Thin-Layer Chromatography (Second Edition)* (hlm. 575–613). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-323-99970-0.00021-1>
- Wootton-Beard, P. C., Moran, A., & Ryan, L. (2011). Stability of the total antioxidant capacity and total polyphenol content of 23 commercially available vegetable juices before and after in vitro digestion measured by FRAP, DPPH, ABTS and Folin-Ciocalteu methods. *Food Research International*, 44(1), 217–224. <https://doi.org/10.1016/j.foodres.2010.10.033>
- Wu, L. Y., Gao, H. Z., Wang, X. L., Ye, J. H., Lu, J. L., & Liang, Y. R. (2010). Analysis of chemical composition of *Chrysanthemum indicum* flowers by GC/MS and HPLC. Dalam *Article in Journal of Medicinal Plants Research*. <http://www.academicjournals.org/JMPR>
- Yousefinejad, S., Honarasa, F., & Saeed, N. (2015). Quantitative structure-retardation factor relationship of protein amino acids in different solvent mixtures for normal-phase thin-layer chromatography. *Journal of Separation Science*, 38(10), 1771–1776. <https://doi.org/10.1002/jssc.201401427>

- Youssef, F. S., Eid, S. Y., Alshammari, E., Ashour, M. L., Wink, M., & El-Radi, M. Z. (2020). *Chrysanthemum indicum* and *chrysanthemum morifolium*: Chemical composition of their essential oils and their potential use as natural preservatives with antimicrobial and antioxidant activities. *Foods*, 9(10). <https://doi.org/10.3390/foods9101460>
- Yusuf, Y., Baladraf, D. M. S., & Yusuf, A. (2022). MANUFACTURING OF THINGS AND CHARACTERISTICS OF CHILLI, ORANGE SKIN, AND CINNAMON EXTRACT USING MACERATION METHOD. *Journal of Health, Technology and Science*, 3(2), 63–72. <https://journals.ubmg.ac.id/index.php/JHTS/>
- Zakiah, N., Dinna, C. I., Aulianshah, V., Vonna, A., Yanuarman, & Rasidah. (2017). Efek Ekstrak Air Dan Ekstrak Etanol Umbi Bawang Putih (*Allium sativum L.*) Terhadap Penyembuhan Luka Bakar Derajat II Pada Mencit (*Mus musculus*) Effectiveness Of Watery Extract And Ethanolic Extract Of Garlic Bulbs (*Allium sativum L.*) For Second Degree Burns Healing On Mice (*Mus musculus*). Dalam *Journal of Pharmaceutical Science and Clinical Research* (Vol. 02).