

## DAFTAR PUSTAKA

- Abdel-Hameed, M. (2010). Degradation Processes: An Overview. In *Advances in Degradation Modeling* (pp. 17–25). Birkhäuser Boston. [https://doi.org/10.1007/978-0-8176-4924-1\\_2](https://doi.org/10.1007/978-0-8176-4924-1_2)
- AbdelAty, A. M., Soltan, A., Ahmed, W. A., & Radwan, A. G. (2018). On the Analysis and Design of Fractional-Order Chebyshev Complex Filter. *Circuits, Systems, and Signal Processing*, 37(3), 915–938. <https://doi.org/10.1007/s00034-017-0570-1>
- Ablay, G. (2013.). *An Observer-Based Fault Diagnosis in Battery Systems of Hybrid Vehicles*.
- Acosta-González, E., Andrada-Félix, J., & Fernández-Rodríguez, F. (2022). On the evolution of the COVID-19 epidemiological parameters using only the series of deceased. A study of the Spanish outbreak using Genetic Algorithms. *Mathematics and Computers in Simulation*, 197, 91–104. <https://doi.org/10.1016/j.matcom.2022.02.007>
- Alwosheel, A., van Cranenburgh, S., & Chorus, C. G. (2018). Is your dataset big enough? Sample size requirements when using artificial neural networks for discrete choice analysis. *Journal of Choice Modelling*, 28, 167–182. <https://doi.org/10.1016/j.jocm.2018.07.002>
- Aradhya, V. N. M., Mahmud, M., Guru, D. S., Agarwal, B., & Kaiser, M. S. (2021). One-shot Cluster-Based Approach for the Detection of COVID–19 from Chest X–ray Images. *Cognitive Computation*, 13(4), 873–881. <https://doi.org/10.1007/s12559-020-09774-w>
- Bashir, S. M. A., Zaidib, S. K. H., & Zaheerc, M. (2015). Design and Development of Accelerated Life Tester for Qualification of Batteries. *Journal of Space Technology*, 5(1).
- Blank, T., Lipps, C., Ott, W., Hoffmann, P., & Weber, M. (2015). Influence of environmental conditions on the sensing accuracy of Li-ion battery management systems with passive charge balancing. 2015 17th European Conference on Power Electronics and Applications (EPE'15 ECCE-Europe). <https://doi.org/10.1109/epe.2015.7309264>
- Blanca, M. J., Alarcón, R., Arnau, J., Bono, R., & Bendayan, R. (2017). Datos no normales: ¿es el ANOVA una opción válida? *Psicothema*, 29(4), 552–557. <https://doi.org/10.7334/psicothema2016.383>
- Blanca, M. J., Arnau, J., García-Castro, F. J., Alarcón, R., & Bono, R. (2023). Non-normal Data in Repeated Measures ANOVA: Impact on Type I

- Error and Power. *Psicothema*, 35(1), 21–29.  
<https://doi.org/10.7334/psicothema2022.292>
- Badan Pusat Statistik. (2019). *Proporsi Penduduk Berumur 5 Tahun ke Atas yang Menonton Acara Televisi Selama Seminggu Terakhir menurut Provinsi, Tipe Daerah dan Jenis Kelamin, 2018*. BPS. [www.bps.go.id](http://www.bps.go.id)
- Chang, W.-Y. (2013). The State of Charge Estimating Methods for Battery: A Review. *ISRN Applied Mathematics*, 2013, 1–7.  
<https://doi.org/10.1155/2013/953792>
- Chen, Z., Wang, J., Huang, J., Fu, T., Sun, G., Lai, S., Zhou, R., Li, K., & Zhao, J. (2017). The high-temperature and high-humidity storage behaviors and electrochemical degradation mechanism of LiNi<sub>0.6</sub>Co<sub>0.2</sub>Mn<sub>0.2</sub>O<sub>2</sub> cathode material for lithium ion batteries. *Journal of Power Sources*, 363, 168–176. <https://doi.org/10.1016/j.jpowsour.2017.07.087>
- Chen, H. Y., & Chen, C. (2022). Evaluation of Calibration Equations by Using Regression Analysis: An Example of Chemical Analysis. *Sensors*, 22(2).  
<https://doi.org/10.3390/s22020447>
- Choi, C., Park, S., & Kim, J. (2023). Uniqueness of multilayer perceptron-based capacity prediction for contributing state-of-charge estimation in a lithium primary battery. *Ain Shams Engineering Journal*, 14(4).  
<https://doi.org/10.1016/j.asej.2022.101936>
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The coefficient of determination R-squared is more informative than SMAPE, MAE, MAPE, MSE and RMSE in regression analysis evaluation. *PeerJ Computer Science*, 7, 1–24. <https://doi.org/10.7717/PEERJ-CS.623>
- CLASP. (2020). *Indonesia Residential End Use Survey Final Report*. Ipsos <https://www.clasp.ngo/wp-content/uploads/2021/01/Indonesia-Residential-End-Use-Survey.pdf>
- CLASP. (2023). *Pathways to Prevent Dumping of Climate Harming Room Air Conditioners in Southeast Asia*. <https://ozone.unep.org/system/files/documents/Pathways-to-Prevent-Dumping-of-Climate-Harming-ACs-in-SEA-Sep-2023.pdf>
- Czerliński, M., & Bańka, M. S. (2021). Ticket tariffs modelling in urban and regional public transport. *Archives of Transport*, 57(1), 103–117.  
<https://doi.org/10.5604/01.3001.0014.8041>
- Deng, L.-Z., Wu, F., Gao, X.-G., & Wu, W. (2020). Development of a lifepo<sub>4</sub>-based high power lithium secondary battery for Hevs Applications. *Rare Metals*, 39(12), 1457–1463. <https://doi.org/10.1007/s12598-014-0316-1>

- Diao, W., Xing, Y., Saxena, S., & Pecht, M. (2018). Evaluation of present accelerated temperature testing and modeling of batteries. *Applied Sciences (Switzerland)*, 8(10). <https://doi.org/10.3390/app8101786>
- Ecker, M., Gerschler, J. B., Vogel, J., Käbitz, S., Hust, F., Dechent, P., & Sauer, D. U. (2012). Development of a lifetime prediction model for lithium-ion batteries based on extended accelerated aging Test Data. *Journal of Power Sources*, 215, 248–257. <https://doi.org/10.1016/j.jpowsour.2012.05.012>
- Energizer Brands, LLC. (2020). *Nickel Metal Hydride (NiMH) Handbook and Application Manual*. Energizer. [https://data.energizer.com/wp-content/uploads/2020/11/nimhhandbook\\_ver2-2.pdf](https://data.energizer.com/wp-content/uploads/2020/11/nimhhandbook_ver2-2.pdf)
- Energizer Brands, LLC. (2018). *Eveready Carbon Zinc Battery Handbook and Application Manual*. Energizer. [https://data.energizer.com/pdfs/carbonzinc\\_appman.pdf](https://data.energizer.com/pdfs/carbonzinc_appman.pdf)
- Energizer Brands, LLC. (2018). *Alkaline Manganese Dioxide Handbook and Application Manual*. Energizer. [https://data.energizer.com/pdfs/alkaline\\_appman.pdf](https://data.energizer.com/pdfs/alkaline_appman.pdf)
- Farmakis, P. M., & Chassiakos, A. P. (2018). Genetic algorithm optimization for dynamic construction site layout planning. *Organization, Technology and Management in Construction: An International Journal*, 10(1), 1655–1664. <https://doi.org/10.1515/otmcj-2016-0026>
- Freitas, F., Domingues, P., Costa, L., & Carvalho, A. M. (2022). *Development of a predictive model of financial performance indicators for organizations with integrated management systems, supported in artificial neural networks* (Vol. 2022, Issue 820).
- Feng, F., Yang, R., Meng, J., Xie, Y., Zhang, Z., Chai, Y., & Mou, L. (2022). Electrochemical impedance characteristics at various conditions for commercial solid–liquid electrolyte lithium-ion batteries: Part. 2. Modeling and prediction. *Energy*, 243. <https://doi.org/10.1016/j.energy.2021.123091>
- Goldberg, D. E. (1989). *Genetic Algorithms in Search and Optimization. Optimization*.
- GlobeNewswire. (2022). Global Power Electronics Market (2022 to 2027) - Industry Trends, Share, Size, Growth, Opportunity and Forecasts. *Power Electronics Market*.

- <https://www.proquest.com/wire-feeds/global-power-electronics-market-2022-2027/docview/2648982249/se-2>
- Grzesiak, W., Błaszczyk, P., & Lacroix, R. (2006). Methods of predicting milk yield in dairy cows-Predictive capabilities of Wood's lactation curve and artificial neural networks (ANNs). *Computers and Electronics in Agriculture*, 54(2). <https://doi.org/10.1016/j.compag.2006.08.004>
- Grolleau, S., Delaille, A., Gualous, H., Gyan, P., Revel, R., Bernard, J., Redondo-Iglesias, E., & Peter, J. (2014). Calendar aging of commercial graphite/LiFePO<sub>4</sub> cell - Predicting capacity fade under time dependent storage conditions. *Journal of Power Sources*, 255, 450–458. <https://doi.org/10.1016/j.jpowsour.2013.11.098>
- Goss-Sampson, M. A. (2020). *Statistical Analysis in JASP: A Guide For Students*. <https://doi.org/10.6084/m9.figshare.9980744>
- Gu, W., Sun, Z., Wei, X., & Dai, H. (2014). A new method of accelerated life testing based on the grey system theory for a model-based lithium-Ion Battery Life Evaluation System. *Journal of Power Sources*, 267, 366–379. <https://doi.org/10.1016/j.jpowsour.2014.05.103>
- Han, X., Lu, L., Zheng, Y., Feng, X., Li, Z., Li, J., & Ouyang, M. (2019). A review on the key issues of the lithium ion battery degradation among the whole life cycle. In *eTransportation* (Vol. 1). Elsevier B.V. <https://doi.org/10.1016/j.etrans.2019.100005>
- Han, X., Xia, S., Cao, J., Wang, C., & Chen, M. (2021). Effect of humidity on properties of lithium-ion batteries. *International Journal of Electrochemical Science*, 16(5), 210554. <https://doi.org/10.20964/2021.05.54>
- He, H., Zhang, X., Xiong, R., Xu, Y., & Guo, H. (2012). Online model-based estimation of state-of-charge and open-circuit voltage of lithium-ion batteries in electric vehicles. *Energy*, 39(1), 310–318. <https://doi.org/10.1016/j.energy.2012.01.009>
- Ibraheem, R., Strange, C., & dos Reis, G. (2023). Capacity and Internal Resistance of lithium-ion batteries: Full degradation curve prediction from Voltage response at constant Current at discharge. *Journal of Power Sources*, 556. <https://doi.org/10.1016/j.jpowsour.2022.232477>
- Kementerian Lingkungan Hidup dan Kehutanan. (2023). *KLHK Sosialisasikan Pengelolaan Sampah Spesifik di Ekoregion Sumatera*. Kementerian KLHK. [www.pp.id.menlhk.go.id](http://www.pp.id.menlhk.go.id)

- Leng, F., Tan, C. M., & Pecht, M. (2015). Effect of temperature on the aging rate of Li ion battery operating above room temperature. *Scientific Reports*, 5(1). <https://doi.org/10.1038/srep12967>
- Lewerenz, M., Münnix, J., Schmalstieg, J., Käbitz, S., Knips, M., & Sauer, D. U. (2017). Systematic aging of commercial LiFePO<sub>4</sub>|Graphite cylindrical cells including a theory explaining rise of capacity during aging. *Journal of Power Sources*, 345. <https://doi.org/10.1016/j.jpowsour.2017.01.133>
- Lin, J., Pulido, J., & Asplund, M. (2015). Reliability Analysis for preventive maintenance based on classical and Bayesian semi-parametric degradation approaches using locomotive wheel-sets as a case study. *Reliability Engineering & System Safety*, 134, 143–156. <https://doi.org/10.1016/j.ress.2014.10.011>
- Lin, L., Kawarabayashi, N., Fukui, M., Tsukiyama, S., & Shirakawa, I. (2014). A practical and accurate SOC estimation system for lithium-ion batteries by EKF. *2014 IEEE Vehicle Power and Propulsion Conference, VPPC 2014*. <https://doi.org/10.1109/VPPC.2014.7007006>
- Li, W., Zhang, H., van Vlijmen, B., Dechent, P., & Sauer, D. U. (2022). Forecasting battery capacity and power degradation with multi-task learning. *Energy Storage Materials*, 53. <https://doi.org/10.1016/j.ensm.2022.09.013>
- Liitokala Lii-500 Instruction Manual. (2016). <https://www.kupifonar.kz/upload/manuals/liitokala/liito-kala-lii-500-en.pdf>
- Ma, C., Wang, Q., Cai, Z., Si, S., & Zhao, J. (2021). Component reassignment for reliability optimization of reconfigurable systems considering component degradation. *Reliability Engineering and System Safety*, 215, 107867. <https://doi.org/10.1016/j.ress.2021.107867>
- Marin-Garcia, G., Vazquez-Guzman, G., Sosa, J. M., Lopez, A. R., Martinez-Rodriguez, P. R., & Langerica, D. (2020). Battery types and electrical models: A Review. *2020 IEEE International Autumn Meeting on Power, Electronics and Computing (ROPEC)*. <https://doi.org/10.1109/ropec50909.2020.9258711>
- Mathieu, R., Baghdadi, I., Briat, O., Gyan, P., & Vinassa, J. M. (2017). D-optimal design of experiments applied to lithium battery for ageing model calibration. *Energy*, 141, 2108–2119. <https://doi.org/10.1016/j.energy.2017.11.130>

- Matsumoto, K., Kuzuo, R., Takeya, K., & Yamanaka, A. (1999). Effects of CO<sub>2</sub> in air on Li deintercalation from LiNi<sub>1-x-y</sub>CoxAlyO<sub>2</sub>. *Journal of Power Sources*, 81–82. [https://doi.org/10.1016/S0378-7753\(99\)00216-5](https://doi.org/10.1016/S0378-7753(99)00216-5)
- Ministry of Energy and Mineral Resources Republic of Indonesia. (2018). HANDBOOK OF ENERGY & ECONOMIC STATISTICS OF INDONESIA. <https://esdm.go.id/assets/media/content/content-handbook-of-energy-and-economic-statistics-of-indonesia-2023.pdf>
- Modarres, M., Amiri, M., & Jackson, C. (2017). *Probabilistic Physics of Failure Approach to Reliability: Modeling, Accelerated Testing, Prognosis and Reliability Assessment*. <https://doi.org/10.1002/9781119388692>
- Montaño Moreno, J. J., Palmer Pol, A., Sesé Abad, A., & Cajal Blasco, B. (2013). El índice R-MAPE como medida resistente del ajuste en la previsión. *Psicothema*, 25(4), 500–506. <https://doi.org/10.7334/psicothema2013.23>
- Montgomery, D. C. . (2013). *Design and analysis of experiments*. John Wiley & Sons, Inc.
- Montgomery, D. C., & Runger, G. C. (2018). *Applied Statistics and Probability for Engineers*.
- Nematolahi M., Kafashi M., Sharifian R., & Monem H. (2017) .*Evaluation of the Users' Continuous Intention to Use PACS Based on the Expectation Confirmation Model in Teaching Hospitals of Shiraz University of Medical Sciences*. J Health Man & Info.4(1):12-16.
- Nerantzaki, S. D., Hristopulos, D. T., & Nikolaidis, N. P. (2020). Estimation of the uncertainty of hydrologic predictions in a karstic Mediterranean watershed. *Science of the Total Environment*, 717. <https://doi.org/10.1016/j.scitotenv.2020.137131>
- Patrício, J., Kalmykova, Y., Berg, P. E. O., Rosado, L., & Åberg, H. (2015). Primary and secondary battery consumption trends in Sweden 1996–2013: Method development and detailed accounting by Battery Type. *Waste Management*, 39, 236–245. <https://doi.org/10.1016/j.wasman.2015.02.008>
- Palisade. (2013). *Guide to Using Evolver The Genetic Algorithm Solver for Microsoft Excel (607) 277-8000 (607) 277-8001 (fax) http://www.palisade.com (website) sales@palisade.com (e-mail) Copyright Notice Trademark Acknowledgments*. <http://www.palisade.com>
- Pérez Rodríguez, F., Campos, D., Ryser, E. T., Buchholz, A. L., Posada-Izquierdo, G. D., Marks, B. P., Zurera, G., & Todd, E. (2011). A mathematical risk



- model for escherichia coli O157:H7 cross-contamination of lettuce during processing. *Food Microbiology*, 28(4), 694–701. <https://doi.org/10.1016/j.fm.2010.06.008>
- Republik Indonesia. (2021). Peraturan Pemerintah Republik Indonesia Nomor 22 Tahun 2021 tentang Penyelenggaraan Perlindungan Dan Pengelolaan Lingkungan Hidup. Kementerian Lingkungan Hidup dan Kehutanan
- Santoso, F. H., & Halomoan, N. (2022). KAJIAN PENGELOLAAN LIMBAH BATERAI SEKALI PAKAI DARI KEGIATAN RUMAH TANGGA DI KOTA BANDUNG, PROVINSI JAWA BARAT. *Jukung Jurnal Teknik Lingkungan*, 8(1), 117–130.
- Scarfogliero, M., Carmeli, S., Castelli-Dezza, F., Mauri, M., Rossi, M., Marchegiani, G., & Rovelli, E. (2018). Lithium-ion batteries for electric vehicles: A review on aging models for vehicle-to-grid services. *2018 International Conference of Electrical and Electronic Technologies for Automotive*. <https://doi.org/10.23919/eeta.2018.8493211>
- Schmalstieg, J., Käbitz, S., Ecker, M., & Sauer, D. U. (2014). A holistic aging model for Li(NiMnCo)O<sub>2</sub> based 18650 lithium-ion batteries. *Journal of Power Sources*, 257, 325–334. <https://doi.org/10.1016/j.jpowsour.2014.02.012>
- Shinyama, K., Magari, Y., Kumagae, K., Nakamura, H., Nohma, T., Takee, M., & Ishiwa, K. (2005). Deterioration mechanism of nickel metal-hydride batteries for hybrid electric vehicles. *Journal of Power Sources*, 141(1), 193–197. <https://doi.org/10.1016/j.jpowsour.2004.09.010>
- Shen, D., Xu, T., Wu, L., & Guan, Y. (2019). Research on Degradation Modeling and Life Prediction Method of Lithium-Ion Battery in Dynamic Environment. *IEEE Access*, 7. <https://doi.org/10.1109/ACCESS.2019.2929177>
- Stroe, D. I., Swierczynski, M., Stan, A. I., Teodorescu, R., & Andreasen, S. J. (2014). Accelerated lifetime testing methodology for lifetime estimation of lithium-ion batteries used in augmented wind power plants. *IEEE Transactions on Industry Applications*, 50(6), 4006–4017. <https://doi.org/10.1109/TIA.2014.2321028>
- Stroe, D. I., Swierczynski, M., Kær, S. K., & Teodorescu, R. (2018). Degradation Behavior of Lithium-Ion Batteries During Calendar Ageing - The Case of the Internal Resistance Increase. *IEEE Transactions on Industry Applications*, 54(1), 517–525. <https://doi.org/10.1109/TIA.2017.2756026>
- Sun, Q., Yadegari, H., Banis, M. N., Liu, J., Xiao, B., Li, X., Langford, C., Li, R., & Sun, X. (2015). Toward a sodium–“air” battery: Revealing the critical role of humidity. *The Journal of Physical Chemistry C*, 119(24), 13433–13441. <https://doi.org/10.1021/acs.jpcc.5b02673>

- Sun, Q., Ye, X., Li, H., Li, W., Yuan, R., & Zhai, G. (2021). Estimation of Lithium Primary Battery Capacity Based on Pulse Load Test. *Proceedings - 2021 3rd International Conference on System Reliability and Safety Engineering, SRSE 2021*, 139–144. <https://doi.org/10.1109/SRSE54209.2021.00031>
- Strange, C., Li, S., Gilchrist, R., & dos Reis, G. (2021). Elbows of internal resistance rise curves in li-ion cells. *Energies*, 14(4). <https://doi.org/10.3390/en14041206>
- Syamsundar, A., & Venkata, R. M. (2018). Achieving excellence in steel quality through reliability. *2018 Annual Reliability and Maintainability Symposium (RAMS)*. <https://doi.org/10.1109/ram.2018.8463095>
- Schauwecker, S., Schwarb, M., Rohrer, M., & Stoffel, M. (2021). Heavy precipitation forecasts over Switzerland – An evaluation of bias-corrected ECMWF predictions. *Weather and Climate Extremes*, 34. <https://doi.org/10.1016/j.wace.2021.100372>
- Test Navi. (n.a.). ESPEC Corp. <https://www.test-navi.com/eng/index.html>
- Ye, Z., & Xie, M. (2014). Stochastic modelling and analysis of degradation for highly reliable products. *Applied Stochastic Models in Business and Industry*, 31(1), 16–32. <https://doi.org/10.1002/asmb.2063>
- Ugwuegbu, C. C. (2013). Segilola gold mine valuation using Monte Carlo simulation approach. *Mineral Economics*, 26(1–2), 39–46. <https://doi.org/10.1007/s13563-013-0030-8>
- Wood, E., Alexander, M., & Bradley, T. H. (2011). Investigation of battery end-of-life conditions for plug-in hybrid electric vehicles. *Journal of Power Sources*, 196(11), 5147–5154. <https://doi.org/10.1016/j.jpowsour.2011.02.025>
- Watada, M., Kuzuhara, M., & Oshitani, M. (2006). *Development Trend of Rechargeable Nickel-Metal Hydride Battery for Replacement of Dry Cell*.
- Xu, X., Wu, D., Yang, L., Zhang, H., & Liu, G. (2020). State Estimation of Lithium Batteries for Energy Storage Based on Dual Extended Kalman Filter. *Mathematical Problems in Engineering*, 2020. <https://doi.org/10.1155/2020/6096834>
- Zhou, X., Young, K., West, J., Regalado, J., & Cherisol, K. (2013). Degradation mechanisms of high-energy bipolar nickel metal hydride battery with AB5 and A2B7 alloys. *Journal of Alloys and Compounds*, 580(SUPPL1). <https://doi.org/10.1016/j.jallcom.2013.03.014>
- Zhang, W., Wang, F., & Li, N. (2021). Prediction model of carbon-containing pellet reduction metallization ratio using neural network and genetic algorithm. *ISIJ International*, 61(6), 1915–1926. <https://doi.org/10.2355/isijinternational.ISIJINT-2020-637>