



## DAFTAR PUSTAKA

- Adams, S. M., Kao, O. H. W., & Berns, D. S. (1979). *Psychrophile c-phycocyanin*. 525–527.
- Adjali, A., Clarot, I., Chen, Z., Marchioni, E., & Boudier, A. (2022). Physicochemical degradation of phycocyanin and means to improve its stability: A short review. *Journal of Pharmaceutical Analysis*, 12(3), 406–414. <https://doi.org/10.1016/j.jpha.2021.12.005>
- Adsare, S. R., & Annapure, U. S. (2021). Microencapsulation of curcumin using coconut milk whey and Gum Arabic. *Journal of Food Engineering*, 298(September 2020). <https://doi.org/10.1016/j.jfoodeng.2021.110502>
- Afgatiani, P. M., Husni, A., & Budhiyanti, S. A. (2020). Aktivitas antioksidan bubuk *Sargassum hystric* selama penyimpanan pada suhu berbeda. *AgriTECH*, 40(3), 175. <https://doi.org/10.22146/agritech.18134>
- Agustina, S., Aidha, N. N., Oktarina, E., & Setiawati, I. (2020). Proses produksi emulsi virgin coconut oil (vco) dengan fikosianin sebagai antioksidan. *Biopropal Industri*, 11(2), 95. <https://doi.org/10.36974/jbi.v1i2.6245>
- Aissaoui, O., Amiali, M., Bouzid, N., Belkacemi, K., & Bitam, A. (2017). Effect of *Spirulina platensis* ingestion on the abnormal biochemical and oxidative stress parameters in the pancreas and liver of alloxan-induced diabetic rats. *Pharmaceutical Biology*, 55(1), 1304–1312. <https://doi.org/10.1080/13880209.2017.1300820>
- Akbarbaglu, Z., Peighambardoust, S. H., Sarabandi, K., & Jafari, S. M. (2021). Spray drying encapsulation of bioactive compounds within protein-based carriers; different options and applications. *Food Chemistry*, 359(December 2020). <https://doi.org/10.1016/j.foodchem.2021.129965>
- Akdeniz, B., Sumnu, G., & Sahin, S. (2017). The effects of maltodextrin and gum arabic on encapsulation of onion skin phenolic compounds. *Chemical Engineering Transactions*, 57, 1891–1896. <https://doi.org/10.3303/CET1757316>
- Akhavan Mahdavi, S., Jafari, S. M., Assadpoor, E., & Dehnad, D. (2016). Microencapsulation optimization of natural anthocyanins with maltodextrin, gum arabic and gelatin. *International Journal of Biological Macromolecules*, 85, 379–385. <https://doi.org/10.1016/j.ijbiomac.2016.01.011>
- Al-Baadani, H. H., Al-Mufarrej, S. I., Al-Garadi, M. A., Alhidary, I. A., Al-Sagan, A. A., & Azzam, M. M. (2021). The use of gum Arabic as a natural prebiotic in animals: a review. *Animal Feed Science and Technology*, 274(April 2020). <https://doi.org/10.1016/j.anifeedsci.2021.114894>
- AlFadhly, N. K. Z., Alhelfi, N., Altemimi, A. B., Verma, D. K., & Cacciola, F. (2022). Tendencies affecting the growth and cultivation of genus spirulina: an investigative review on current trends. *Plants*, 11(22), 1–21. <https://doi.org/10.3390/plants11223063>
- Ali, B. H., Ziada, A., & Blunden, G. (2009). Biological effects of gum arabic: a review of some recent research. *Food and Chemical Toxicology*, 47(1), 1–8. <https://doi.org/10.1016/j.fct.2008.07.001>



- Amila, A., Hadiansyah, C., Fazriah, Y., Darusman, F., & Topik, I. (2016). Pengaruh jenis penyalut terhadap stabilitas likopen dalam bentuk sediaan mikrokapsul. *Indonesian Journal of Pharmaceutical Science and Technology*, 3(3), 111. <https://doi.org/10.15416/ijpst.v3i3.9558>
- Aminah, S., & Hersoelistyorini, W. (2021). Review artikel : enkapsulasi meningkatkan kualitas komponen bioaktif minuman instan. *Prosiding Seminar Nasional UNIMUS*, 4 E-ISSN :, 1869–1882.
- Aminikhah, N., Mirmoghtadaie, L., Shojaee-Aliabadi, S., Khoobbakht, F., & Hosseini, S. M. (2023). Investigation of structural and physicochemical properties of microcapsules obtained from protein-polysaccharide conjugate via the Maillard reaction containing Satureja khuzestanica essential oil. *International Journal of Biological Macromolecules*, 252(August). <https://doi.org/10.1016/j.ijbiomac.2023.126468>
- Amperawati, S., Hastuti, P., Pranoto, Y., & Santoso, U. (2019). Efektifitas frekuensi ekstraksi serta pengaruh suhu dan cahaya terhadap antosianin dan daya antioksidan ekstrak kelopak rosella (*hibiscus sabdariffa* L.). *Jurnal Aplikasi Teknologi Pangan*, 8(1), 38–45. <https://doi.org/10.17728/jatp.3527>
- Ang, L. F., Darwis, Y., Por, L. Y., & Yam, M. F. (2019). Microencapsulation curcuminoids for effective delivery in pharmaceutical application. *Pharmaceutics*, 11(9). <https://doi.org/10.3390/pharmaceutics11090451>
- Arepally, D., & Goswami, T. K. (2019). Effect of inlet air temperature and gum arabic concentration on encapsulation of probiotics by spray drying. *Lwt*, 99(May 2018), 583–593. <https://doi.org/10.1016/j.lwt.2018.10.022>
- Arpagaus, C., John, P., Collenberg, A., & Rütti, D. (2017). Nanocapsules formation by nano spray drying. In *Nanoencapsulation Technologies for the Food and Nutraceutical Industries* (Issue April). <https://doi.org/10.1016/B978-0-12-809436-5.00010-0>
- Astuti, W. M., Dewi, E. N., & Kurniasih, R. A. (2019). Pengaruh perbedaan jenis pelarut dan suhu pemanasan selama ekstraksi terhadap stabilitas mikrokapsul fikosianin dari spirulina platensis. *Jurnal Ilmu Dan Teknologi Perikanan*, 1(1), 7–14.
- Atencio, S., Verkempinck, S. H. E., Reineke, K., Hendrickx, M., & Van Loey, A. (2022). Heat and light stability of pumpkin-based carotenoids in a photosensitive food: a carotenoid-coloured beverage. *Foods*, 11(3), 1–17. <https://doi.org/10.3390/foods11030485>
- Ayu, F. W., Rosidah, U., & Priyanto, G. (2016). Pembuatan sambal cabai hijau instan dengan metode foam mat drying. *Prosiding Seminar Nasional Lahan Suboptimal*.
- Aziz, Z. A. A., Nasir, H. M., Ahmad, A., Setapar, S. H. M., Ahmad, H., Noor, M. H. M., Rafatullah, M., Khatoon, A., Kausar, M. A., Ahmad, I., Khan, S., Al-Shaeri, M., & Ashraf, G. M. (2019). Enrichment of Eucalyptus oil nanoemulsion by micellar nanotechnology: transdermal analgesic activity using hot plate test in rats' assay. *Scientific Reports*, 9(1), 1–16. <https://doi.org/10.1038/s41598-019-50134-y>
- Bae, E. K., & Lee, S. J. (2008). Microencapsulation of avocado oil by spray drying using whey protein and maltodextrin. *Journal of Microencapsulation*, 25(8), 549–560. <https://doi.org/10.1080/02652040802075682>



- Bakry, A. M., Abbas, S., Ali, B., Majeed, H., Abouelwafa, M. Y., Mousa, A., & Liang, L. (2016). Microencapsulation of oils: a comprehensive review of benefits, techniques, and applications. *Comprehensive Reviews in Food Science and Food Safety*, 15(1), 143–182. <https://doi.org/10.1111/1541-4337.12179>
- Barbosa-Cánovas, G. V., & Juliano, P. (2005). Compression and compaction characteristics of selected food powders. *Advances in Food and Nutrition Research*, 49, 233–307. [https://doi.org/10.1016/S1043-4526\(05\)49006-3](https://doi.org/10.1016/S1043-4526(05)49006-3)
- Batista, M. A., Campos, N. C. A., & Silvestre, M. P. C. (2018). Whey and protein derivatives: Applications in food products development, technological properties and functional effects on child health. *Cogent Food and Agriculture*, 4(1), 1–13. <https://doi.org/10.1080/23311932.2018.1509687>
- Baysan, U., Zungur Bastioğlu, A., Coşkun, N. Ö., Konuk Takma, D., Ülkeryıldız Balçık, E., Sahin-Nadeem, H., & Koç, M. (2021). The effect of coating material combination and encapsulation method on propolis powder properties. *Powder Technology*, 384, 332–341. <https://doi.org/10.1016/j.powtec.2021.02.018>
- Berns, D. S., & MacColl, R. (1989). Phycocyanin in physical-chemical studies. *Chemical Reviews*, 89(4), 807–825. <https://doi.org/10.1021/cr00094a005>
- Bernstein, A., & Noreña, C. P. Z. (2015). Encapsulation of red cabbage (*Brassica oleracea* L. Var. *capitata* L. f. *rubra*) anthocyanins by spray drying using different encapsulating agents. *Brazilian Archives of Biology and Technology*, 58(6), 944–952. <https://doi.org/10.1590/S1516-89132015060226>
- Bertolini, A. C., Siani, A. G., & Grosso, C. R. F. (2001). Stability of monoterpenes encapsulated in gum arabic by spray-drying. *Journal of Agricultural and Food Chemistry*, 49(2), 780–785. <https://doi.org/10.1021/jf000436y>
- Biorata, A. M. (2012). Optimasi produksi selulase dari *Bacillus* sp. BPPT CC RK 2 menggunakan metode respon permukaan dengan variasi rasio C/N dan waktu fermentasi (Skripsi). Program Studi Teknologi Bioproses FT UI.
- Böcker, L., Ortmann, S., Surber, J., Leeb, E., Reineke, K., & Mathys, A. (2019). Biphasic short time heat degradation of the blue microalgae protein phycocyanin from *Arthrospira platensis*. *Innovative Food Science and Emerging Technologies*, 52(November 2018), 116–121. <https://doi.org/10.1016/j.ifset.2018.11.007>
- Budha Astawa, I. K., Wartini, N. M., & Sedana Yoga, I. W. G. (2019). Perubahan karakteristik bubuk buah pandan (*pandanus tectorius*) selama penyimpanan pada perlakuan jenis kemasan dan suhu penyimpanan. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 7(2), 254. <https://doi.org/10.24843/jrma.2019.v07.i02.p09>
- Caillard, R., Remondetto, G. E., & Subirade, M. (2009). Physicochemical properties and microstructure of soy protein hydrogels co-induced by Maillard type cross-linking and salts. *Food Research International*, 42(1), 98–106. <https://doi.org/10.1016/j.foodres.2008.10.004>
- Campos Assumpção de Amarante, M., Cavalcante Braga, A. R., Sala, L., & Juliano Kalil, S. (2020). Colour stability and antioxidant activity of C-phycocyanin-added ice creams after in vitro digestion. *Food Research International*, 137(July). <https://doi.org/10.1016/j.foodres.2020.109602>



- Cano-Chauca, M., Stringheta, P. C., Ramos, A. M., & Cal-Vidal, J. (2005). Effect of the carriers on the microstructure of mango powder obtained by spray drying and its functional characterization. *Innovative Food Science and Emerging Technologies*, 6(4), 420–428. <https://doi.org/10.1016/j.ifset.2005.05.003>
- Cao, Y., & Xiong, Y. L. (2015). Chlorogenic acid-mediated gel formation of oxidatively stressed myofibrillar protein. *Food Chemistry*, 180, 235–243. <https://doi.org/10.1016/j.foodchem.2015.02.036>
- Cerdeira, A. M., Gouveia, L. F., Goucha, P., & Almeida, A. J. (2000). Drug particle size influence on enteric beads produced by a droplet extrusion/precipitation method. *Journal of Microencapsulation*, 17(6), 733–741. <https://doi.org/10.1080/02652040050161729>
- Chaiklahan, R., Chirasuwan, N., & Bunnag, B. (2012). Stability of phycocyanin extracted from spirulina sp.: influence of temperature, pH and preservatives. *Process Biochemistry*, 47(4), 659–664. <https://doi.org/10.1016/j.procbio.2012.01.010>
- Chang, C. Y., Lee, C. L., & Pan, T. M. (2006). Statistical optimization of medium components for the production of *Antrodia cinnamomea* AC0623 in submerged cultures. *Applied Microbiology and Biotechnology*, 72(4), 654–661. <https://doi.org/10.1007/s00253-006-0325-6>
- Charve, J., & Reineccius, G. A. (2009). Encapsulation performance of proteins and traditional materials for spray dried flavors. *Journal of Agricultural and Food Chemistry*, 57(6), 2486–2492. <https://doi.org/10.1021/jf803365t>
- Cheng, J., Liu, J. H., Prasanna, G., & Jing, P. (2017). Spectrofluorimetric and molecular docking studies on the interaction of cyanidin-3-O-glucoside with whey protein, β-lactoglobulin. *International Journal of Biological Macromolecules*, 105, 965–972. <https://doi.org/10.1016/j.ijbiomac.2017.07.119>
- Chittapun, S., Jonjaroen, V., Khumrangsee, K., & Charoenrat, T. (2020). C-phycocyanin extraction from two freshwater cyanobacteria by freeze thaw and pulsed electric field techniques to improve extraction efficiency and purity. *Algal Research*, 46(October 2019). <https://doi.org/10.1016/j.algal.2020.101789>
- Choudhury, N., Meghwal, M., & Das, K. (2021). Microencapsulation: an overview on concepts, methods, properties and applications in foods. *Food Frontiers*, 2(4), 426–442. <https://doi.org/10.1002/fft2.94>
- Christwardana, M., & Nur, M. M. A. (2013). *Spirulina platensis : potensinya sebagai bahan pangan fungsional*. 2(1), 1–4.
- Cilek, B., Luca, A., Hasirci, V., Sahin, S., & Sumnu, G. (2012). Microencapsulation of phenolic compounds extracted from sour cherry pomace: effect of formulation, ultrasonication time and core to coating ratio. *European Food Research and Technology*, 235(4), 587–596. <https://doi.org/10.1007/s00217-012-1786-8>
- Contreras-Lopez, E., Castañeda-Ovando, A., González-Olivares, L. G., Añorve-Morga, J., & Jaimez-Ordaz, J. (2014). Effect of light on stability of anthocyanins in ethanolic extracts of rubus fruticosus. *Food and Nutrition Sciences*, 05(06), 488–494. <https://doi.org/10.4236/fns.2014.56058>
- Corrêa-Filho, L. C., Lourenço, M. M., Moldão-Martins, M., & Alves, V. D. (2019). Microencapsulation of β-carotene by spray drying: effect of wall material



concentration and drying inlet temperature. *International Journal of Food Science and Technology*, 2019, 12. <https://doi.org/10.1155/2019/8914852>

Crowther, J. ., Jameson, G. ., Hodgkinson, A. ., & Dobson, R. C. . (2016). Structure, oligomerisation and interactions of  $\beta$ -lactoglobulin. *Milk Proteins—From Structure to Biological Properties and Health Aspects; InTech: Sydney, Australia.*

de Cássia Gomes da Rocha, J., Caroline Buttow Rigolon, T., Lorrane Rodrigues Borges, L., Laís Alves Almeida Nascimento, A., de Andrade Neves, N., tuler Perrone, I., Stephani, R., & César Stringheta, P. (2023). Anthocyanin stability in a mix of phenolic extracts microencapsulated by maltodextrine, whey protein and gum arabic. *Journal of Food and Nutrition Research*, 11(1), 1–12. <https://doi.org/10.12691/jfnr-11-1-1>

Delavari, B., Saboury, A. A., Atri, M. S., Ghasemi, A., Bigdeli, B., Khammari, A., Maghami, P., Moosavi-Movahedi, A. A., Haertlé, T., & Goliae, B. (2015). Alpha-lactalbumin: A new carrier for vitamin D3 food enrichment. *Food Hydrocolloids*, 45, 124–131. <https://doi.org/10.1016/j.foodhyd.2014.10.017>

Deng, W., Li, X., Ren, G., Bu, Q., Ruan, Y., Feng, Y., & Li, B. (2023). Stability of purple corn anthocyanin encapsulated by maltodextrin, and its combinations with gum arabic and whey protein isolate. *Foods*, 12(12). <https://doi.org/10.3390/foods12122393>

Deniz, I., Ozen, M. O., & Yesil-Celiktas, O. (2016). Supercritical fluid extraction of phycocyanin and investigation of cytotoxicity on human lung cancer cells. *Journal of Supercritical Fluids*, 108, 13–18. <https://doi.org/10.1016/j.supflu.2015.10.015>

Dewi, E. N., Purnamayati, L., & Jaswir, I. (2022). Effects of thermal treatments on the characterisation of microencapsulated chlorophyll extract of *Caulerpa racemosa*. *International Food Research Journal*, 29(6), 1279–1292. <https://doi.org/10.47836/ifrj.29.6.05>

Dewi, E N, Purnamayati, L., & Kurniasih, R. A. (2017). Physical characteristics of phycocyanin from spirulina microcapsules using different coating materials with freeze drying method. *IOP Conference Series: Earth and Environmental Science*, 55. <https://doi.org/10.1088/1742-6596/755/1/011001>

Dewi, Eko Nurcahya, Purnamayati, L., & Kurniasih, R. A. (2016). Antioxidant activities of phycocyanin microcapsules using maltodextrin and carrageenan as coating materials. *Jurnal Teknologi*, 78(4–2), 45–50. <https://doi.org/10.11113/jt.v78.8151>

Díaz-Montes, E. (2023). Wall materials for encapsulating bioactive compounds via spray-drying: a review. *Polymers*, 15(12). <https://doi.org/10.3390/polym15122659>

Díaz, D. I., Beristain, C. I., Azuara, E., Luna, G., & Jimenez, M. (2015). Effect of wall material on the antioxidant activity and physicochemical properties of *Rubus fruticosus* juice microcapsules. *Journal of Microencapsulation*, 32(3), 247–254. <https://doi.org/10.3109/02652048.2015.1010458>

Dimarti, S. C., Susilaningsih, N., & Yunianti, R. (2020). Phycocyanin from *Spirulina platensis* induces cytotoxicity and apoptosis in t47d cells. *Biosaintifika*, 12(1), 28–34. <https://doi.org/10.15294/biosaintifika.v12i1.22992>

Djafar, F., & Supardan, M. D. (2019). Pengaruh penyalut maltodekstrin terhadap



- produk mikrokapsul minyak jahe dengan teknik spray drying. *Jurnal Litbang Industri*, 9(1), 1. <https://doi.org/10.24960/jli.v9i1.4664.1-7>
- Dragana Stanic-Vucinic, S. M., & Velickovic, M. R. N. and T. C. (2018). Spirulina phycobiliproteins as food components and complements. *Microalgal Biotechnology*, 129–149. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Du, J., Ge, Z. Z., Xu, Z., Zou, B., Zhang, Y., & Li, C. M. (2014). Comparison of the efficiency of five different drying carriers on the spray drying of persimmon pulp powders. *Drying Technology*, 32(10), 1157–1166. <https://doi.org/10.1080/07373937.2014.886259>
- Dutta, S. K., Halder, G., & Mandal, M. K. (2014). Modeling and optimization of bi-directional delignification of rice straw for production of bio-fuel feedstock using central composite design approach. *Energy*, 71, 579–587. <https://doi.org/10.1016/j.energy.2014.04.108>
- Ekantari, N., Marsono, Y., Pranoto, Y., & Harmayani, E. (2017). Pengaruh media budidaya menggunakan air laut dan air tawar terhadap sifat kimia dan fungsional biomassa kering (*spirulina platensis*). *Agritech*, 37(2), 173. <https://doi.org/10.22146/agritech.10843>
- Ernawati. (2012). Identifikasi pengaruh variabel proses dan penentuan kondisi optimal dekomposisi katalitik metana dengan metode respon permukaan (Skripsi). Fakultas Teknik Program Studi Eksistensi Teknik Kimia, Universitas Indonesia.
- Ersus, S., & Yurdagel, U. (2007). Microencapsulation of anthocyanin pigments of black carrot (*Daucus carota L.*) by spray drier. *Journal of Food Engineering*, 80(3), 805–812. <https://doi.org/10.1016/j.jfoodeng.2006.07.009>
- Estiasih, T. (2003). Peran natrium kaseinat dan fosfolipida dalam emulsifikasi dan mikroenkapsulasi trigliserida kaya asam lemak ω-3 (Disertasi). Universitas Gadjah Mada.
- Estiasih, Teti, Ahmadi, K., & Nisa, C. (2008). Karakteristik mikrokapsul minyak kaya asam lemak ω-3 dari hasil samping penepungan lemuru. *Jurnal Teknologi Dan Industri Pangan*, XIX(2).
- Eun, J. B., Maruf, A., Das, P. R., & Nam, S. H. (2020). A review of encapsulation of carotenoids using spray drying and freeze drying. *Critical Reviews in Food Science and Nutrition*, 60(21), 3547–3572. <https://doi.org/10.1080/10408398.2019.1698511>
- Fabrowska, J., Łęska, B., Schroeder, G., Messyasz, B., & Pikosz, M. (2015). Biomass and extracts of algae as material for cosmetics. *Marine Algae Extracts: Processes, Products, and Applications*, 2–2, 681–706. <https://doi.org/10.1002/9783527679577.ch38>
- Faieta, M., Corradini, M. G., Di Michele, A., Ludescher, R. D., & Pittia, P. (2020). Effect of encapsulation process on technological functionality and stability of *Spirulina platensis* extract. *Food Biophysics*, 15(1), 50–63. <https://doi.org/10.1007/s11483-019-09602-1>
- Falkeborg, M. F., Roda-Serrat, M. C., Burnæs, K. L., & Nielsen, A. L. D. (2018). Stabilising phycocyanin by anionic micelles. *Food Chemistry*, 239, 771–780.



<https://doi.org/10.1016/j.foodchem.2017.07.007>

- Fernandes, R. V. D. B., Borges, S. V., & Botrel, D. A. (2014). Gum arabic/starch/maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. *Carbohydrate Polymers*, 101(1), 524–532. <https://doi.org/10.1016/j.carbpol.2013.09.083>
- Fernandes, R. V. de B., Borges, S. V., & Botrel, D. A. (2013). Influence of spray drying operating conditions on microencapsulated rosemary essential oil properties. *Food Science and Technology*, 33(SUPPL.1), 171–178. <https://doi.org/10.1590/s0101-20612013000500025>
- Fernández-Rojas, B., Hernández-Juárez, J., & Pedraza-Chaverri, J. (2014a). Nutraceutical properties of phycocyanin. *Journal of Functional Foods*, 11(C), 375–392. <https://doi.org/10.1016/j.jff.2014.10.011>
- Fernández-Rojas, B., Hernández-Juárez, J., & Pedraza-Chaverri, J. (2014b). Nutraceutical properties of phycocyanin. *Journal of Functional Foods*, 11(C), 375–392. <https://doi.org/10.1016/j.jff.2014.10.011>
- Ferraro, G., Imbimbo, P., Marseglia, A., Lucignano, R., Monti, D. M., & Merlini, A. (2020). X-ray structure of C-phycocyanin from *Galdieria phlegrea*: Determinants of thermostability and comparison with a C-phycocyanin in the entire phycobilisome. *Biochimica et Biophysica Acta - Bioenergetics*, 1861(9), 148236. <https://doi.org/10.1016/j.bbabiobio.2020.148236>
- Figueiredo, M., Sárkány, Z., Rocha, F., & Martins, P. M. (2025). Challenges and advances in the encapsulation of bioactive ingredients using whey proteins. *Foods*, 14(4), 1–21. <https://doi.org/10.3390/foods14040691>
- Findrayani, R. P., Isrul, M., & Lolok, N. (2024). Studi molecular docking senyawa kimia dari herba putri malu (*mimosa pudica*) terhadap inhibisi enzim α-glukosidase sebagai antidiabetes melitus. *Jurnal Pharmacia Mandala Waluya*, 3(4), 225–233. <https://doi.org/10.54883/jpmw.v3i4.104>
- Frimayanti, N., Lukman, A., & Nathania, L. (2021). Studi molecular docking senyawa 1,5-benzothiazepine sebagai inhibitor dengue DEN-2 NS2B/NS3 serine protease. *Chempublish Journal*, 6(1), 54–62. <https://doi.org/10.22437/chp.v6i1.12980>
- Gad, A. S., Khadrawy, Y. A., El-Nekeety, A. A., Mohamed, S. R., Hassan, N. S., & Abdel-Wahhab, M. A. (2011). Antioxidant activity and hepatoprotective effects of whey protein and Spirulina in rats. *Nutrition*, 27(5), 582–589. <https://doi.org/10.1016/j.nut.2010.04.002>
- Gardjito, M., Murdiati, A., & Aini, N. (2006b). Mikroenkapsulasi β-karoten buah labu kuning dengan enkapsulan whey dan karbohidrat. *Jurnal Teknologi Pertanian*, 1(2), 13–18.
- Garnero, C., Aloisio, C., & Longhi, M. (2013). Ibuprofen-maltodextrin interaction: study of enantiomeric recognition and complex characterization. *Pharmacology & Pharmacy*, 04(01), 18–30. <https://doi.org/10.4236/pp.2013.41003>
- Gharibzahedi, S. M. T., Mousavi, S. M., Hamed, M., Khodaiyan, F., & Razavi, S. H. (2012). Development of an optimal formulation for oxidative stability of walnut-beverage emulsions based on gum arabic and xanthan gum using response surface methodology. *Carbohydrate Polymers*, 87(2), 1611–1619.



<https://doi.org/10.1016/j.carbpol.2011.09.067>

- Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007). Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International*, 40(9), 1107–1121. <https://doi.org/10.1016/j.foodres.2007.07.004>
- Glicksman, M. (1969). *Gum Technology in The Food Industry*. Academic Press.
- Guichard, E., & Langourieux, S. (2000). *Interactions between  $\beta$ -lactoglobulin and -avour compounds*. 71.
- Hasna, T., Anandito, B. K., Khasanah, L. U., Utami, R., & Manuhara, G. J. (2018). Effect of maltodextrin and whey combination as wall material on the characteristics of cinnamon(*cinnamomum burmanii*) oleoresin microcapsule. *Agritech*, 38(3), 259–264.
- Hagekimana, J., Masamba, K. G., Ma, J., & Zhong, F. (2015). Encapsulation of vitamin E: effect of physicochemical properties of wall material on retention and stability. *Carbohydrate Polymers*, 124, 172–179. <https://doi.org/10.1016/j.carbpol.2015.01.060>
- Ho, T. M., Ton, T. T., Gaiani, C., Bhandari, B. R., & Bansal, N. (2021). Changes in surface chemical composition relating to rehydration properties of spray-dried camel milk powder during accelerated storage. *Food Chemistry*, 361(December 2020), 130136. <https://doi.org/10.1016/j.foodchem.2021.130136>
- Homayouni, A., Azizi, A., Ehsani, M. R., Yarmand, M. S., & Razavi, S. H. (2008). Effect of microencapsulation and resistant starch on the probiotic survival and sensory properties of synbiotic ice cream. *Food Chemistry*, 111(1), 50–55. <https://doi.org/10.1016/j.foodchem.2008.03.036>
- Hosseinnia, M., Khaledabad, M. A., & Almasi, H. (2017). Optimization of *Ziziphora clinopodioides* essential oil microencapsulation by whey protein isolate and pectin: A comparative study. *International Journal of Biological Macromolecules*, 101, 958–966. <https://doi.org/10.1016/j.ijbiomac.2017.03.190>
- Hsieh-Lo, M., Castillo, G., Ochoa-Becerra, M. A., & Mojica, L. (2019a). Phycocyanin and phycoerythrin: strategies to improve production yield and chemical stability. *Algal Research*, 42(March). <https://doi.org/10.1016/j.algal.2019.101600>
- Hsieh-Lo, M., Castillo, G., Ochoa-Becerra, M. A., & Mojica, L. (2019b). Phycocyanin and phycoerythrin: strategies to improve production yield and chemical stability. *Algal Research*, 42(June). <https://doi.org/10.1016/j.algal.2019.101600>
- Huang, K., Yuan, Y., & Baojun, X. (2023). A critical review on the microencapsulation of bioactive compounds and their application. *Food Reviews International*, 39(5), 2594–2634. <https://doi.org/10.1080/87559129.2021.1963978>
- Hutasoit, L. R., Puspawati, G. A. K. D., & Permana, D. M. (2023). Pengaruh rasio maltodekstrin dan gum arab terhadap aktivitas antioksidan dan warna serbuk terung belanda (*solanum betaceum cav*) yang terkopigmentasi. *Jurnal Ilmu Dan Teknologi Pangan*, 12(2), 278–292.
- İlter, I., Koç, M., Demirel, Z., Conk Dalay, M., & Kaymak Ertekin, F. (2021). Improving the stability of phycocyanin by spray dried microencapsulation. *Journal of Food Processing and Preservation*, 45(7), 0–2. <https://doi.org/10.1111/jfpp.15646>



- İlter, I., Koç, M., Demirel, Z., Conk Dalay, M., & Kaymak Ertekin, F. (2022). Microencapsulation of phycocyanin by spray-drying method: Effect of process parameters and wall materials. *Journal of Food Processing and Preservation*, 46(4). <https://doi.org/10.1111/jfpp.16434>
- Iqbal, M. N., & Hadiyanto, H. (2020a). Experimental investigation of phycocyanin microencapsulation using maltodextrin as a coating material with spray drying method. *AIP Conference Proceedings* 2197, 100002 (2020), November 2019.
- Iqbal, M. N., & Hadiyanto, H. (2020b). Experimental investigation of phycocyanin microencapsulation using maltodextrin as a coating material with spray drying method. *AIP Conference Proceedings* 2197, 100002 (2020).
- Irwan, Lubis, S., Ramli, M., & Sheilatina. (2016). Photocatalytic degradation of indigo / activated carbon derived from waste coffee grounds. *Jurnal Natural*, 16(1), 21–26.
- Izadi, M., & Fazilati, M. (2018). Extraction and purification of phycocyanin from spirulina platensis and evaluating its antioxidant and anti-inflammatory activity. *Asian Journal of Green Chemistry*, 2(4), 364–379. <https://doi.org/10.22034/AJGC.2018.63597>
- Jafari, S. M., Assadpoor, E., He, Y., & Bhandari, B. (2008). Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology*, 26(7), 816–835. <https://doi.org/10.1080/07373930802135972>
- Jespersen, L., Strømdahl, L. D., Olsen, K., & Skibsted, L. H. (2005). Heat and light stability of three natural blue colorants for use in confectionery and beverages. *European Food Research and Technology*, 220(3–4), 261–266. <https://doi.org/10.1007/s00217-004-1062-7>
- Ji, J., Zhang, J., Chen, J., Wang, Y., Dong, N., Hu, C., Chen, H., Li, G., Pan, X., & Wu, C. (2015). Preparation and stabilization of emulsions stabilized by mixed sodium caseinate and soy protein isolate. *Food Hydrocolloids*, 51, 156–165. <https://doi.org/10.1016/j.foodhyd.2015.05.013>
- Jiang, L., Wang, Y., Yin, Q., Liu, G., Liu, H., Huang, Y., & Li, B. (2017). Phycocyanin: A potential drug for cancer treatment. *Journal of Cancer*, 8(17), 3416–3429. <https://doi.org/10.7150/jca.21058>
- Jos, B., Setyawan, P. E., & Satria, Y. (2013). Optimalisasi ekstraksi dan uji stabilitas phycocyanin dari mikroalga spirulina platensis. *Jurnal Teknologi Kimia Dan Industri*, 2, 61–67.
- Jovanović, S., Bara, M., & Ma, O. (2005). Whey proteins-Properties and Possibility of Application. *Mjekarstvo*, 55(3), 215–233.
- Kalkan, O., Topkaya, M., & Kara, H. (2021). Determination of effect of some parameters on formation of 2-monochloropropanediol, 3-monochloropropanediol and glycidyl esters in the frying process with sunflower oil, by using central composite design. *Journal of Food Composition and Analysis*, 96. <https://doi.org/10.1016/j.jfca.2020.103681>
- Kalra, A., Bhat, P., & Kaur, I. P. (2021). Deciphering molecular mechanics in the taste masking ability of Maltodextrin: Developing pediatric formulation of Oseltamivir for viral pandemic. *Carbohydrate Polymers*, 260(January). <https://doi.org/10.1016/j.carbpol.2021.117703>



- Kalušević, A. M., Lević, S. M., Čalija, B. R., Milić, J. R., Pavlović, V. B., Bugarski, B. M., & Nedović, V. A. (2017). Effects of different carrier materials on physicochemical properties of microencapsulated grape skin extract. *Journal of Food Science and Technology*, 54(11), 3411–3420. <https://doi.org/10.1007/s13197-017-2790-6>
- Kamaludin, A. M. R., & Holik, H. A. (2022). Kandungan senyawa kimia dan aktivitas farmakologi Spirulina sp. *Indonesian Journal of Biological Pharmacy*, 2(2), 59. <https://doi.org/10.24198/ijbp.v2i2.38269>
- Kandasamy, K., & Somasundaram, P. D. (2012). Microencapsulation of colors by spray drying-A review. *International Journal of Food Engineering*, 8(2). <https://doi.org/10.1515/1556-3758.2647>
- Kao, O. H. W., Edwards, M. R., & Berns, D. S. (1975). *Physical-chemical properties of c-phycocyanin isolated from an acido-thermophilic eukaryote, Cyanidium caldarium*. 63–70.
- Karbasi, M., Sánchez-Ferrer, A., Adamcik, J., Askari, G., Madadlou, A., & Mezzenga, R. (2019). Covalent  $\beta$ -lactoglobulin-Maltodextrin Amyloid Fibril Conjugate Prepared by Maillard Reaction. *Food Chemistry*.
- Karrar, E., Mahdi, A. A., Sheth, S., Mohamed Ahmed, I. A., Manzoor, M. F., Wei, W., & Wang, X. (2021). Effect of maltodextrin combination with gum arabic and whey protein isolate on the microencapsulation of gurum seed oil using a spray-drying method. *International Journal of Biological Macromolecules*, 171, 208–216. <https://doi.org/10.1016/j.ijbiomac.2020.12.045>
- Kha, T. C., Nguyen, M. H., & Roach, P. D. (2010). Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (*Momordica cochinchinensis*) fruit aril powder. *Journal of Food Engineering*, 98(3), 385–392. <https://doi.org/10.1016/j.jfoodeng.2010.01.016>
- Khaire, R. A., & Gogate, P. R. (2019). *Whey Proteins (In Protein)*. Elsevier.
- Khalifa, I., Li, M., Mamet, T., & Li, C. (2019). Maltodextrin or gum arabic with whey proteins as wall-material blends increased the stability and physiochemical characteristics of mulberry microparticles. *Food Bioscience*, 31(1). <https://doi.org/10.1016/j.fbio.2019.100445>
- Kong, F., Kang, S., Zhang, J., Jiang, L., Liu, Y., Yang, M., Cao, X., Zheng, Y., Shao, J., & Yue, X. (2022). The non-covalent interactions between whey protein and various food functional ingredients. *Food Chemistry*, 394(June). <https://doi.org/10.1016/j.foodchem.2022.133455>
- Kouamé, K. J. E. P., Bora, A. F. M., Li, X., Sun, Y., & Liu, L. (2021). Novel trends and opportunities for microencapsulation of flaxseed oil in foods: A review. *Journal of Functional Foods*, 87. <https://doi.org/10.1016/j.jff.2021.104812>
- Kuck, L. S., & Noreña, C. P. Z. (2016). Microencapsulation of grape (*Vitis labrusca* var. Bordo) skin phenolic extract using gum arabic, polydextrose, and partially hydrolyzed guar gum as encapsulating agents. *Food Chemistry*, 194, 569–576. <https://doi.org/10.1016/j.foodchem.2015.08.066>
- Kurniasih, R. A., Purnamayati, L., Amalia, U., & Dewi, E. N. (2018a). Formulation and characterization of phycocyanin microcapsules within maltodextrin-alginate. *Agritech*, 38(1), 23–29. <https://jurnal.ugm.ac.id/agritech/article/view/16752>



- Kurniasih, R. A., Purnamayati, L., Amalia, U., & Dewi, E. N. (2018b). Formulation and characterization of phycocyanin microcapsules within maltodextrin-alginate. *Agritech*, 38(1), 23–29. <https://jurnal.ugm.ac.id/agritech/article/view/16752>
- Labuschagne, P. (2018). Impact of wall material physicochemical characteristics on the stability of encapsulated phytochemicals: A review. *Food Research International*, 107(November 2017), 227–247. <https://doi.org/10.1016/j.foodres.2018.02.026>
- Lafarga, T., Fernández-Sevilla, J. M., González-López, C., & Acién-Fernández, F. G. (2020). Spirulina for the food and functional food industries. *Food Research International*, 137(April), 109356. <https://doi.org/10.1016/j.foodres.2020.109356>
- Lalasa, P., Vishal Gupta, N., Raghunandan, H. V., Prathusha, P. L., & Athkuri, K. (2013). A review on applications of GAMP -5 in pharmaceutical industries. *International Journal of Drug Development and Research*, 5(3), 4–16.
- Laokuldilok, T., & Kanha, N. (2017). Microencapsulation of black glutinous rice anthocyanins using maltodextrins produced from broken rice fraction as wall material by spray drying and freeze drying. *Journal of Food Processing and Preservation*, 41(1), 1–10. <https://doi.org/10.1111/jfpp.12877>
- Le Maux, S., Bouhallab, S., Giblin, L., Brodkorb, A., & Croguennec, T. (2014). Bovine  $\beta$ -lactoglobulin/fatty acid complexes: binding, structural, and biological properties. *Dairy Science and Technology*, 94(5), 409–426. <https://doi.org/10.1007/s13594-014-0160-y>
- Lee, W. J., Tan, C. P., Sulaiman, R., Hee, Y. Y., & Chong, G. H. (2020). Storage stability and degradation kinetics of bioactive compounds in red palm oil microcapsules produced with solution-enhanced dispersion by supercritical carbon dioxide: A comparison with the spray-drying method. *Food Chemistry*, 304(August 2019). <https://doi.org/10.1016/j.foodchem.2019.125427>
- Lekshmi, R. G. K., Tejpal, C. S., Anas, K. K., Chatterjee, N. S., Mathew, S., & Ravishankar, C. N. (2021). Binary blend of maltodextrin and whey protein outperforms gum Arabic as superior wall material for squalene encapsulation. *Food Hydrocolloids*, 121(March). <https://doi.org/10.1016/j.foodhyd.2021.106976>
- Li, J., Yadav, M. P., & Li, J. (2019). Effect of different hydrocolloids on gluten proteins, starch and dough microstructure. *Journal of Cereal Science*.
- Li, Yang, Li, X., Liang, Z. P., Chang, X. Y., Li, F. T., Wang, X. Q., & Lian, X. J. (2022). Progress of microencapsulated phycocyanin in food and pharma industries: A Review. *Molecules*, 27(18). <https://doi.org/10.3390/molecules27185854>
- Li, Ying, Zhang, Z., & Abbaspourrad, A. (2021). Improved thermal stability of phycocyanin under acidic conditions by forming soluble complexes with polysaccharides. *Food Hydrocolloids*, 119(April), 106852. <https://doi.org/10.1016/j.foodhyd.2021.106852>
- Liang, R., Huang, Q., Ma, J., Shoemaker, C. F., & Zhong, F. (2013). Effect of relative humidity on the store stability of spray-dried beta-carotene nanoemulsions. *Food Hydrocolloids*, 33(2), 225–233. <https://doi.org/10.1016/j.foodhyd.2013.03.015>
- Liao, G., Gao, B., Gao, Y., Yang, X., Cheng, X., & Ou, Y. (2016). Phycocyanin inhibits tumorigenic potential of pancreatic cancer cells: role of apoptosis and autophagy. *Scientific Reports*, 6(October), 1–12. <https://doi.org/10.1038/srep34564>



- Liu, J., Ru, Q., & Ding, Y. (2012). Glycation a promising method for food protein modification: physicochemical properties and structure, a review. *Food Research International*, 49(1), 170–183. <https://doi.org/10.1016/j.foodres.2012.07.034>
- Lodhi, D. S., Panwar, A. S., Golani, P., Verma, M., Jain, N., & Nagdev, S. (2021). Microencapsulation technology a holistic approach in the field of pharmaceutical sciences a review. *International Journal of Pharmaceutical Sciences Review and Research*, 71(2), 83–89. <https://doi.org/10.47583/ijpsrr.2021.v71i02.014>
- Lodish, H., Berk, A., Zipursky, S., Matsudaira, P., Baltimore, D., & Darnell, J. (2000). *Molecular cell biology 4th Edition*. W.H Freeman Company.
- Ma, J., Hu, J., Sha, X., Meng, D., & Yang, R. (2022). Phycobiliproteins, the pigment-protein complex form of natural food colorants and bioactive ingredients. *Critical Reviews in Food Science and Nutrition*. <https://doi.org/10.1080/10408398.2022.2128714>
- Mahdi, Amer A, Mohammed, J. K., Al-Ansia, W., Ghaleb, A. D., Al-Maqtaria, Q., Ma, M., Ahmed, M. I., & Wang, H. (2019). Microencapsulation of fingered citron extract with gum arabic, modified starch, whey protein, and maltodextrin using spray drying. *International Journal of Biological Macromolecules*, 152, 1125–1134. <https://doi.org/10.1016/j.ijbiomac.2019.10.201>
- Mardiana, L., R., Sari, N. P., & Al Amien, T. N. (2022). *Whey protein, daun kelor, kurma, dan kelelahan otot*. (Book Chapt). Universitas Negeri Semarang.
- Marpaung, A. L. R. P., Tafzi, F., & Rahmayani, I. (2021). The effect of comparison of maltodekstrin and gum arabic on the microencapsulation of duku kumpeh leaf extract (Lansium Domesticum Corr.). *Universitas Jambi*, 1–9. <https://repository.unja.ac.id/id/eprint/18952>
- Mauliasari, E. S., Agustini, T. Wi., & Amalia, U. (2019b). Stabilitas Fikosianin Spirulina platensis dengan Perlakuan Mikroenkapsulasi dan pH. *Pengolahan Hasil Perikanan Indonesia*, 22(3), 526–534.
- Metaviani, J. & Darmadji, P. (2013). Mikroenkapsulasi ekstrak bunga rosella (*hisbiscus sabdariffa* L.) Dengan enkapsulan maltodekstrin menggunakan metode pengeringan semprot (spray drying) (Skripsi). Universitas Gadjah Mada.
- Minj, S., & Anand, S. (2020). Whey proteins and its derivatives: bioactivity, functionality, and current applications. *Dairy*, 1(3), 233–258. <https://doi.org/10.3390/dairy1030016>
- Mirhojati, H., Sharaye, P., & ... (2017). Microencapsulation of anthocyanin pigments obtained from seedless barberry (*berberis vulgaris* L.) fruit using freeze drying. *Iranian Journal Food ...*, 13(3), 14–27. <https://doi.org/10.22067/ifstrj.v13n6i3.58661>
- Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblica officinalis*) juice powder. *Food and Bioproducts*



Processing, 92(3), 252–258. <https://doi.org/10.1016/j.fbp.2013.08.003>

Mohamed, S. A., Elsherbini, A. M., Alrefaey, H. R., Adelrahman, K., Moustafa, A., Egodawaththa, N. M., Crawford, K. E., Nesnas, N., & Sabra, S. A. (2025). Gum arabic: a commodity with versatile formulations and applications. *Nanomaterials*, 15(4), 1–46. <https://doi.org/10.3390/nano15040290>

Mohammadi-Gouraji, E., Soleimanian-Zad, S., & Ghiaci, M. (2019). Phycocyanin-enriched yogurt and its antibacterial and physicochemical properties during 21 days of storage. *Lwt*, 102(September 2018), 230–236. <https://doi.org/10.1016/j.lwt.2018.09.057>

Mohammadi, F., & Moeeni, M. (2015). Analysis of binding interaction of genistein and kaempferol with bovine  $\alpha$ -lactalbumin. In *Journal of Functional Foods* (Vol. 12, pp. 458–467). <https://doi.org/10.1016/j.jff.2014.12.012>

Mohammed, A., & Mohammed, E. (2015). Estimation of the active components in gum arabic collected from western sudan. *International Journal of Science and Research*, 6(3), 2319–7064. <https://doi.org/10.21275/ART20171695>

Montgomery, D. C. (2017). *Design and analysis of experiments* (Ninth Edit). Arizona State University.

Moraes, C. C., Sala, L., Cerveira, G. P., & Kalil, S. J. (2011). C-Phycocyanin extraction from *Spirulina platensis* wet biomass. *Brazilian Journal of Chemical Engineering*, 28(1), 45–49. <https://doi.org/10.1590/S0104-66322011000100006>

Munawaroh, H. S. H., Gumilar, G. G., Alifia, C. R., Marthania, M., Stellasary, B., Yuliani, G., Wulandari, A. P., Kurniawan, I., Hidayat, R., Ningrum, A., Koyande, A. K., & Show, P. L. (2020a). Photostabilization of phycocyanin from *Spirulina platensis* modified by formaldehyde. *Process Biochemistry*, 94(March), 297–304. <https://doi.org/10.1016/j.procbio.2020.04.021>

Munawaroh, H. S. H., Gumilar, G. G., Alifia, C. R., Marthania, M., Stellasary, B., Yuliani, G., Wulandari, A. P., Kurniawan, I., Hidayat, R., Ningrum, A., Koyande, A. K., & Show, P. L. (2020b). Photostabilization of phycocyanin from *Spirulina platensis* modified by formaldehyde. *Process Biochemistry*, 94(May), 297–304. <https://doi.org/10.1016/j.procbio.2020.04.021>

Munin, A., & Edwards-Lévy, F. (2011). Encapsulation of natural polyphenolic compounds; a review. In *Pharmaceutics* (Vol. 3, Issue 4). <https://doi.org/10.3390/pharmaceutics3040793>

Murtaja, Y., & Repka, D. (2023). *Application of physical-chemical approaches for encapsulation*. 1–17.

Mutavski, Z., Vidović, S., Lazarević, Z., Ambrus, R., Motzwickler-Németh, A., Aladić, K., & Nastić, N. (2025). Stabilization and preservation of bioactive compounds in black elderberry by-product extracts using maltodextrin and gum arabic via spray drying. *Foods*, 14(5), 1–14. <https://doi.org/10.3390/foods14050723>

Najafi, M. N., Kadkhodaee, R., & Mortazavi, S. A. (2011). Effect of drying process and wall material on the properties of encapsulated cardamom oil. *Food Biophysics*, 6(1), 68–76. <https://doi.org/10.1007/s11483-010-9176-x>

Nambiar, R. B., Sellamuthu, P. S., & Perumal, A. B. (2017). Microencapsulation of tender coconut water by spray drying: effect of moringa oleifera gum,



maltodextrin concentrations, and inlet temperature on powder qualities. *Food and Bioprocess Technology*, 10(9), 1668–1684. <https://doi.org/10.1007/s11947-017-1934-z>

Naser, M., (2022). Study influence arabic gum on improved oil recovery with gaberoun water leak by using spontaneous imbibition tests for sandstone core samples. *Journal of Pure & Applied Sciences*, 21(1), 184–189. <https://doi.org/10.51984/jopas.v21i1.1810>

Nasirian, F., Dadkhah, M., Moradi-Kor, N., & Obeidavi, Z. (2018). Diabetes, metabolic syndrome and obesity: targets and therapy dovepress effects of spirulina platensis microalgae on antioxidant and anti-inflammatory factors in diabetic rats. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 11–375. <http://dx.doi.org/10.2147/DMSO.S172104>

Newsome, A. G., Culver, C. A., & Van Breemen, R. B. (2014). Nature's palette: The search for natural blue colorants. *Journal of Agricultural and Food Chemistry*, 62(28), 6498–6511. <https://doi.org/10.1021/jf501419q>

Nkurunziza, D., Sivagnanam, S. P., Park, J. S., Cho, Y. J., & Chun, B. S. (2021). Effect of wall materials on the spray drying encapsulation of brown seaweed bioactive compounds obtained by subcritical water extraction. *Algal Research*, 58(May). <https://doi.org/10.1016/j.algal.2021.102381>

Norkaew, O., Thitisut, P., Mahatheeranont, S., Pawin, B., Sookwong, P., Yodpitak, S., & Lungkaphin, A. (2019). Effect of wall materials on some physicochemical properties and release characteristics of encapsulated black rice anthocyanin microcapsules. *Food Chemistry*, 294(May), 493–502. <https://doi.org/10.1016/j.foodchem.2019.05.086>

Novita, E., Purbasari, D., & Mubarok, M. S. M. (2021). Pendugaan umur simpan bubuk kopi arabika menggunakan metode arrhenius dengan kemasan aluminium foil dan plastik (Polipropilen). *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 10(3), 392–401.

Nowicka, B., & Kruk, J. (2016). Powered by light: phototrophy and photosynthesis in prokaryotes and its evolution. *Microbiological Research*, 186–187, 99–118. <https://doi.org/10.1016/j.micres.2016.04.001>

Nthimole, C. T., Kaseke, T., & Fawole, O. A. (2022). Encapsulation and characterization of raspberry juice powder for multiple applications in the food industry. *Acta Horticulturae*, 1349, 679–684. <https://doi.org/10.17660/ActaHortic.2022.1349.87>

Nugrahani, O., Budhiyanti, Si., & Husni, A. (2012b). Stabilitas mikrokapsul spirulina platensis selama penyimpanan. In *Jurnal Perikanan XIV* (Vol. 2, Issues 0853–06384, pp. 81–88).

Obón, J. M., Castellar, M. R., Alacid, M., & Fernández-López, J. A. (2009). Production of a red-purple food colorant from *Opuntia stricta* fruits by spray drying and its application in food model systems. *Journal of Food Engineering*, 90(4), 471–479. <https://doi.org/10.1016/j.jfoodeng.2008.07.013>

Oramahi, H. A. (2008). *Teori dan aplikasi penggunaan RSM*. Ardana Media.

Ozdemir, N., Bayrak, A., Tat, T., Altay, F., Kiralan, M., & Kurt, A. (2021). Microencapsulation of basil essential oil: utilization of gum arabic/whey protein



isolate/maltodextrin combinations for encapsulation efficiency and in vitro release. *Journal of Food Measurement and Characterization*, 15(2), 1865–1876. <https://doi.org/10.1007/s11694-020-00771-z>

Pan-utai, W., & Iamtham, S. (2020). Enhanced microencapsulation of C-phycocyanin from Arthrospira by freeze-drying with different wall materials. *Food Technology and Biotechnology*, 58(4), 423–432. <https://doi.org/10.17113/ftb.58.04.20.6622>

Pan-utai, W., Kahapana, W., & Iamtham, S. (2018). Extraction of C-phycocyanin from Arthrospira (Spirulina) and its thermal stability with citric acid. *Journal of Applied Phycology*, 30(1), 231–242. <https://doi.org/10.1007/s10811-017-1155-x>

Pant, K., Thakur, M., Chopra, H. K., & Nanda, V. (2022). Encapsulated bee propolis powder: Drying process optimization and physicochemical characterization. *Lwt*, 155. <https://doi.org/10.1016/j.lwt.2021.112956>

Patil, V., Chauhan, A. K., & Singh, R. P. (2014). Optimization of the spray-drying process for developing guava powder using response surface methodology. *Powder Technology*, 253, 230–236. <https://doi.org/10.1016/j.powtec.2013.11.033>

Pebriana, R. B., Romadhon, A. F., Yunianto, A., Rokhman, M. R., Fitriyah, N. Q., Jenie, R. I., Meiyanto, & Edy. (2012). Docking of curcumin and its analogues on progesterone receptor: interaction studies for selective progesterone receptor modulators (sprms). *Jurnal Farmasi Indonesia*, 13(2), 55–60.

Petkova, D., Mihaylova, D., & Desseva, I. (2022). Microencapsulation in food industry - an overview. *BIO Web of Conferences*, 45, 1–9. <https://doi.org/10.1051/bioconf/20224502005>

Pez Jaeschke, D., Rocha Teixeira, I., Damasceno Ferreira Marczak, L., & Domeneghini Mercali, G. (2021a). Phycocyanin from Spirulina: A review of extraction methods and stability. *Food Research International*, 143(October 2020). <https://doi.org/10.1016/j.foodres.2021.110314>

Pradeep, H. N., & Nayak, C. A. (2019). Enhanced stability of C-phycocyanin colorant by extrusion encapsulation. *Journal of Food Science and Technology*, 56(10), 4526–4534. <https://doi.org/10.1007/s13197-019-03955-8>

Prasadi, O. (2018). Pertumbuhan dan biomassa spirulina sp. Dalam media pupuk sebagai bahan pangan fungsional. *Jurnal Ilmiah Perikanan Dan Kelautan*, 10 No. 2(2), 119–123.

Pratiwi, I., Sarungallo, Z. L., & Santoso, B. (2020). Sifat fisikokimia minyak buah merah (pandanus conoideus lamk.) Degumming dan karakteristik mikroenkapsulat minyak buah merah yang dihasilkan. *Agritechnology*, 3(2), 50–58.

Purba, B. M. (2013). Aktivitas antioksidan sargassum sp. Yang dienkapsulasi dengan kombinasi gum arab dan maltodekstrin (Skripsi). Universitas Gadjah Mada.

Purnama, F. N. W., Agustini, T. W., & Kurniasih, R. A. (2020). The effect of different temperature on the stability of phycocyanin on microcapsule Spirulina platensis. *IOP Conference Series: Earth and Environmental Science*, 530(1). <https://doi.org/10.1088/1755-1315/530/1/012008>

Purnamayati, L., Dewi, E. N., & Kurniasih, R. A. (2018). Phycocyanin stability in



microcapsules processed by spray drying method using different inlet temperature. *IOP Conference Series: Earth and Environmental Science*, 116(1). <https://doi.org/10.1088/1755-1315/116/1/012076>

Purnamayati, Lukita, Dewi, E. N., & Kurniasih, R. A. (2016). Karakteristik fisik mikrokapsul fikosianin spirulina pada konsentrasi bahan penyalut yang berbeda. *Jurnal Teknologi Hasil Pertanian*, 9(1), 1–8. <https://doi.org/10.20961/jthp.v9i2.12844>

Purnomo, W., Khasanah, L. U., & Anandito, R. B. K. (2014). Pengaruh ratio kombinasi maltodekstrin, karagenan dan whey terhadap karakteristik mikroenkapsulan pewarna alami daun jati (*tectona grandis* L. F.). *Jurnal Aplikasi Teknologi Pangan*, 3.

Ramakrishnan, N., Sharma, S., Gupta, A., & Alashwal, B. Y. (2018). Keratin based bioplastic film from chicken feathers and its characterization. *International Journal of Biological Macromolecules*, 111, 352–358. <https://doi.org/10.1016/j.ijbiomac.2018.01.037>

Ramos, O.L, Pereira, R. N., Rodrigues, R. M., Teixeira, J. A., Vicente, A. A., & Malcata, F. X. (2016). *Whey and whey powders: production and uses*. (Encycloped). Academic Press. <http://www.sciencedirect.com/%0Ascience/article/pii/B9780123849472007479>

Ramos, Oscar L., Pereira, R. N., Martins, A., Rodrigues, R., Fuciños, C., Teixeira, J. A., Pastrana, L., Malcata, F. X., & Vicente, A. A. (2017). Design of whey protein nanostructures for incorporation and release of nutraceutical compounds in food. *Critical Reviews in Food Science and Nutrition*, 57(7), 1377–1393. <https://doi.org/10.1080/10408398.2014.993749>

Ren, Y., Liu, C., & Li, C. (2023). Performance and degradation mechanism of phycocyanin by cu-tio2. *Environmental Science and Pollution Research*, 30.

Rezvankhah, A., Emam-Djomeh, Z., & Askari, G. (2020). Encapsulation and delivery of bioactive compounds using spray and freeze-drying techniques: A review. *Drying Technology*, 38(1–2), 235–258. <https://doi.org/10.1080/07373937.2019.1653906>

Ribardo, C., & Allen, T. T. (2003). An alternative desirability function for achieving “six sigma” quality. *Quality and Reliability Engineering International*, 19(3), 227–240. <https://doi.org/10.1002/qre.523>

Ribeiro, J. S., & Veloso, C. M. (2021). Microencapsulation of natural dyes with biopolymers for application in food: A review. *Food Hydrocolloids*, 112(July 2020). <https://doi.org/10.1016/j.foodhyd.2020.106374>

Ridlo, A., Sedjati, S., & Supriyantini, E. (2016). Aktivitas anti oksidan fikosianin dari spirulina sp. Menggunakan metode transfer elektron dengan DPPH (1,1-difenil-2-pikrilhidrazil). *Jurnal Kelautan Tropis*, 18(2), 58–63. <https://doi.org/10.14710/jkt.v18i2.515>

Saavedra-Leos, Z., Leyva-Porras, C., Araujo-Díaz, S. B., Toxqui-Terán, A., & Borrás-Enríquez, A. J. (2015). Technological application of maltodextrins according to the degree of polymerization. *Molecules*, 20(12), 21067–21081. <https://doi.org/10.3390/molecules201219746>

Sablania, V., Bosco, S. J. D., Rohilla, S., & Shah, M. A. (2018). Microencapsulation



- of *Murraya koenigii* L. leaf extract using spray drying. *Journal of Food Measurement and Characterization*, 12(2), 892–901. <https://doi.org/10.1007/s11694-017-9704-1>
- Safitri, S., Manab, A., Al Awwaly, K. U., Febrisiantosa, A., & Listiani, E. (2022). Effects of whey protein isolate on black pepper essential oil ultrasound-assisted emulsion on physical characteristics, antioxidant activity, and antibacterial properties. *Jurnal Ilmu Dan Teknologi Hasil Ternak*, 17(3), 152–165. <https://doi.org/10.21776/ub.jitek.2022.017.03.2>
- Sansone, F., Mencherini, T., Picerno, P., D'Amore, M., Aquino, R. P., & Lauro, M. R. (2011). Maltodextrin/pectin microparticles by spray drying as carrier for nutraceutical extracts. *Journal of Food Engineering*, 105(3), 468–476. <https://doi.org/10.1016/j.jfoodeng.2011.03.004>
- Santana, A. A., Cano-Higuita, D. M., De Oliveira, R. A., & Telis, V. R. N. (2016). Influence of different combinations of wall materials on the microencapsulation of jussara pulp (*Euterpe edulis*) by spray drying. *Food Chemistry*, 212, 1–9. <https://doi.org/10.1016/j.foodchem.2016.05.148>
- Santoso, B., Herpandi, H., Pitayati, P. A., & Pambayun, R. (2013). Pemanfaatan karaginan dan gum arabic sebagai edible film berbasis hidrokoloid. *AgriTECH*, 33(2), 140–145. <https://doi.org/10.22146/agritech.9802>
- Sari, E. M. (2020). Identifikasi Kestabilan Pigmen Antosianin dari Ketan Hitam menggunakan Metode Akselerasi Kerusakan. *Biolearning Journal*, 7(1), 39–43.
- Sayed, A. A., Soliman, A. M., Taha, M. A., & Sadek, S. A. (2022). Spirulina and C-phycocyanin mitigate titanium dioxide nanoparticle-induced hematobiochemical and hepatorenal disorders through antioxidative pathway. *Food Chemistry Advances*, 1(April), 100035. <https://doi.org/10.1016/j.focha.2022.100035>
- Selig, M. J., Malchione, N. M., Gamaleldin, S., Padilla-Zakour, O. I., & Abbaspourrad, A. (2018). Protection of blue color in a spirulina derived phycocyanin extract from proteolytic and thermal degradation via complexation with beet-pectin. *Food Hydrocolloids*, 74, 46–52. <https://doi.org/10.1016/j.foodhyd.2017.07.027>
- Shamshad, A., Iahtisham-Ul-Haq, Butt, M. S., Nayik, G. A., Al Obaid, S., Ansari, M. J., Karabagias, I. K., Sarwar, N., & Ramniwas, S. (2023). Effect of storage on physicochemical attributes of ice cream enriched with microencapsulated anthocyanins from black carrot. *Food Science and Nutrition*, 11(7), 3976–3988. <https://doi.org/10.1002/fsn3.3384>
- Shishir, M. R. I., & Chen, W. (2017a). Trends of spray drying: A critical review on drying of fruit and vegetable juices. *Trends in Food Science and Technology*, 65, 49–67. <https://doi.org/10.1016/j.tifs.2017.05.006>
- Sobulska, M., & Zbicinski, I. (2021). Advances in spray drying of sugar-rich products. *Drying Technology*, 39(12), 1774–1799. <https://doi.org/10.1080/07373937.2020.1832513>
- Stănciuc, N., Oancea, A. M., Aprodu, I., Turturică, M., Barbu, V., Ioniță, E., Râpeanu, G., & Bahrim, G. (2018). Investigations on binding mechanism of bioactives from elderberry (*Sambucus nigra* L.) by whey proteins for efficient microencapsulation. *Journal of Food Engineering*, 223, 197–207. <https://doi.org/10.1016/j.jfoodeng.2017.10.019>



- Stanic-Vucinic, D., Minic, S., Nikolic, M. R., & Velickovic, T. C. (2018). Spirulina phycobiliproteins as food components and complements. In *Microalgal Biotechnology*. *InTech*, 11, 13. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Suzery, M., Hadiyanto, Sutanto, H., Soetrisnanto, D., Majid, D., Setyawan, D., & Azizah, N. (2015). The improvement of phycocyanin stability extracted from Spirulina sp using extrusion encapsulation technique. *AIP Conference Proceedings*, 1699. <https://doi.org/10.1063/1.4938296>
- Syamsinar, S., Saputri, N., Risnayanti, R., & Nisa, M. (2018). Mikroenkapsulasi ekstrak buah buni sebagai food safety colouring. *Jurnal Farmasi Medica/Pharmacy Medical Journal (PMJ)*, 1(2), 73–81. <https://doi.org/10.35799/pmj.1.2.2018.21654>
- Tarone, A. G., Cazarin, C. B. B., & Marostica Junior, M. R. (2020). Anthocyanins: New techniques and challenges in microencapsulation. *Food Research International*, 133(December 2019). <https://doi.org/10.1016/j.foodres.2020.109092>
- Tavares, G. M., Croguennec, T., Carvalho, A. F., & Bouhallab, S. (2014). Milk proteins as encapsulation devices and delivery vehicles: Applications and trends. *Trends in Food Science and Technology*, 37(1), 5–20. <https://doi.org/10.1016/j.tifs.2014.02.008>
- Tavares, G. M., Croguennec, T., Hamon, P., Carvalho, A. F., & Bouhallab, S. (2015). Selective coacervation between lactoferrin and the two isoforms of  $\beta$  lactoglobulin. *Food Hydrocolloids*, 48, 238–247.
- Tedjakusuma, F., & Widyaningrum, D. (2024). Improvement of phycocyanin stability at different temperatures using microencapsulation by whey protein isolate. *IOP Conference Series: Earth and Environmental Science*, 1312(1). <https://doi.org/10.1088/1755-1315/1312/1/012036>
- Teng, Z., Xu, R., & Wang, Q. (2015). Beta-lactoglobulin-based encapsulating systems as emerging bioavailability enhancers for nutraceuticals: A review. *RSC Advances*, 5(44), 35138–35154. <https://doi.org/10.1039/c5ra01814e>
- Timilsena, Y. P., Haque, M. A., & Adhikari, B. (2020). Encapsulation in the food industry: a brief historical overview to recent developments. *Food and Nutrition Sciences*, 11(06), 481–508. <https://doi.org/10.4236/fns.2020.116035>
- Tolun, A., Altintas, Z., & Artik, N. (2016). Microencapsulation of grape polyphenols using maltodextrin and gum arabic as two alternative coating materials: Development and characterization. *Journal of Biotechnology*, 239, 23–33. <https://doi.org/10.1016/j.jbiotec.2016.10.001>
- Ton, N. M. N., Tran, T. T. T., & Le, V. V. M. (2016). Microencapsulation of rambutan seed oil by spray-drying using different protein preparations. *International Food Research Journal*, 23(1), 123–128.
- Tonon, R. V., Brabet, C., & Hubinger, M. D. (2008). Influence of process conditions on the physicochemical properties of açai (*Euterpe oleracea* Mart.) powder produced by spray drying. *Journal of Food Engineering*, 88(3), 411–418. <https://doi.org/10.1016/j.jfoodeng.2008.02.029>
- Tonon, R. V., Brabet, C., & Hubinger, M. D. (2010). Anthocyanin stability and antioxidant activity of spray-dried açai (*Euterpe oleracea* Mart.) juice produced



- with different carrier agents. *Food Research International*, 43(3), 907–914. <https://doi.org/10.1016/j.foodres.2009.12.013>
- Tonon, R. V., Brabet, C., Pallet, D., Brat, P., & Hubinger, M. D. (2009). Physicochemical and morphological characterisation of açaí (*Euterpe oleraceae* Mart.) powder produced with different carrier agents. *International Journal of Food Science and Technology*, 44(10), 1950–1958. <https://doi.org/10.1111/j.1365-2621.2009.02012.x>
- Tupuna, D. S., Paese, K., Guterres, S. S., Jablonski, A., Flôres, S. H., & Rios, A. de O. (2018). Encapsulation efficiency and thermal stability of norbixin microencapsulated by spray-drying using different combinations of wall materials. *Industrial Crops and Products*, 111(December 2017), 846–855. <https://doi.org/10.1016/j.indcrop.2017.12.001>
- Ulumi, M. L. N. N., Wirandhani, D. S., Ardhani, R. F., Andhani, C. O., & Putri, D. N. (2021). Mikroenkapsulasi pigmen beta-karoten dengan metode foam mat drying menggunakan gelatin tulang ikan kakap merah sebagai bahan penyalut. *Agrointek: Jurnal Teknologi Industri Pertanian*, 15(4), 1183–1195. <https://doi.org/10.21107/agrointek.v15i4.11689>
- Walter, A., de Carvalho, J. C., Soccol, V. T., de Faria, A. B. B., Ghiggi, V., & Soccol, C. R. (2011). Study of phycocyanin production from spirulina platensis under different light spectra. *Brazilian Archives of Biology and Technology*, 54(4), 675–682. <https://doi.org/10.1590/S1516-89132011000400005>
- Wang, H. Y., Qian, H., & Yao, W. R. (2011). Melanoidins produced by the Maillard reaction: Structure and biological activity. *Food Chemistry*, 128(3), 573–584. <https://doi.org/10.1016/j.foodchem.2011.03.075>
- Wang, L., Qu, Y., Fu, X., Zhao, M., Wang, S., & Sun, L. (2014). Isolation, purification and properties of an r-phycocyanin from the phycobilisomes of a marine red macroalga polysiphonia urceolata. *PLoS ONE*, 9(2), e87833. <https://doi.org/10.1371/journal.pone.0087833>
- Wang, R., Liu, Y., Hu, X., Pan, J., Gong, D., & Zhang, G. (2019). New insights into the binding mechanism between osthole and B-lactoglobulin: Spectroscopic, chemometrics and docking studies. *Food Research International*, 120, 226–234.
- Widyaningrum, D., Sadek, N. F., Cecilia, D., Oktafika, R. A., & Tedjakusuma, F. (2024). The effect of temperature and encapsulation on the stability of microalgae pigments. *IOP Conference Series: Earth and Environmental Science*, 1352(1). <https://doi.org/10.1088/1755-1315/1352/1/012090>
- Wu, H. L., Wang, G. H., Xiang, W. Z., Li, T., & He, H. (2016a). Stability and Antioxidant Activity of Food-Grade Phycocyanin Isolated from Spirulina platensis. *International Journal of Food Properties*, 19(10), 2349–2362. <https://doi.org/10.1080/10942912.2015.1038564>
- Xiao, Z., Xia, J., Zhao, Q., Niu, Y., & Zhao, D. (2022). Maltodextrin as wall material for microcapsules: A review. *Carbohydrate Polymers*, 298(June). <https://doi.org/10.1016/j.carbpol.2022.120113>
- Yan, M., Liu, B., Jiao, X., & Qin, S. (2014). Preparation of phycocyanin microcapsules and its properties. *Food and Bioproducts Processing*, 92(1), 89–97. <https://doi.org/10.1016/j.fbp.2013.07.008>



- Yoo, S., & Krochta, J. M. (2011). Whey protein-polysaccharide blended edible film formation and barrier, tensile, thermal and transparency properties. *Journal of the Science of Food and Agriculture*, 91(14), 2628–2636. <https://doi.org/10.1002/jsfa.4502>
- Young, S. L., Sarda, X., & Rosenberg, M. (1993). Microencapsulating properties of whey proteins. 1. Microencapsulation of anhydrous milk fat. *Journal of Dairy Science*, 76(10), 2868–2877. [https://doi.org/10.3168/jds.S0022-0302\(93\)77625-0](https://doi.org/10.3168/jds.S0022-0302(93)77625-0)
- Yousefi, S., Kavyanirad, M., Aminifar, M., Weisany, W., & Mousavi Khaneghah, A. (2022). Yogurt fortification by microencapsulation of beetroot extract (*Beta vulgaris L.*) using maltodextrin, gum arabic, and whey protein isolate. *Food Science and Nutrition*, 10(6), 1875–1887. <https://doi.org/10.1002/fsn3.2804>
- Yu, P., Wu, Y., Wang, G., Jia, T., & Zhang, Y. (2017). Purification and bioactivities of phycocyanin. *Critical Reviews in Food Science and Nutrition*, 57(18), 3840–3849. <https://doi.org/10.1080/10408398.2016.1167668>
- Yuan, B., Li, Z., Shan, H., Dashnyam, B., Xu, X., McClements, D. J., Zhang, B., Tan, M., Wang, Z., & Cao, C. (2022a). A review of recent strategies to improve the physical stability of phycocyanin. *Current Research in Food Science*, 5(October), 2329–2337. <https://doi.org/10.1016/j.crefs.2022.11.019>
- Yuan, B., Li, Z., Shan, H., Dashnyam, B., Xu, X., McClements, D. J., Zhang, B., Tan, M., Wang, Z., & Cao, C. (2022b). A review of recent strategies to improve the physical stability of phycocyanin. *Current Research in Food Science*, 5(March), 2329–2337. <https://doi.org/10.1016/j.crefs.2022.11.019>
- Yuliawaty, S. T., & Susanto, W. H. (2015). Pengaruh lama pengeringan dan konsentrasi maltodekstrin terhadap karakteristik fisika kimia dan organoleptik minuman instan daun mengkudu (*Morinda citrifolia L.*). In *Jurnal Pangan dan Agroindustri* (Vol. 3, Issue 1, pp. 41–51).
- Yunilawati, R., Yemirta, Y., Cahyaningtyas, A. A., Avinandharie, S. A., Hidayati, N., & Rahmi, D. (2018). Optimasi proses spray drying pada enkapsulasi antosianin ubi ungu. *Jurnal Kimia Dan Kemasan*, 40(1), 17. <https://doi.org/10.24817/jkk.v40i1.3761>
- Yusa Ali, D., Darmadi, P., & Pranoto, Y. (2014). Optimasi nanoenkapsulasi asap cair tempurung kelapa dengan response surface methodology dan karakterisasi nanokapsul. *Jurnal Teknologi Dan Industri Pangan*, 25(1), 23–30. <https://doi.org/10.6066/jtip.2014.25.1.23>
- Zahrotunnisa, A., Kholidatuddin Sya, Y., & Nurrahman. (2023). Karakteristik fisik dan kimia teh kombucha daun tin instan berdasarkan konsentrasi maltodekstrin. *Prosiding Seminar Nasional UNIMUS*, 1, 1060–1072.
- Zen, M. B., Ganda Putra, G. P., & Suhendra, L. (2021). Karakteristik enkapsulat ekstrak kulit buah kakao (*theobroma cacao L.*) Pada perlakuan variasi jenis dan konsentrasi bahan penyalut. *Jurnal Rekayasa Dan Manajemen Agroindustri*, 9(3), 356. <https://doi.org/10.24843/jrma.2021.v09.i03.p09>
- Zhang, Z., Cho, S., Dadmohammadi, Y., Li, Y., & Abbaspourrad, A. (2021). Improvement of the storage stability of C-phycocyanin in beverages by high-pressure processing. *Food Hydrocolloids*, 110(February 2020), 106055. <https://doi.org/10.1016/j.foodhyd.2020.106055>



- Zhao, M., Li, L., Cao, W., Wang, Z., Chu, Q., Bhandari, B., Ren, G., & Duan, X. (2023). Effects of different drying methods on the properties, stability, and controlled release of *Cornus officinalis* flavonoids microparticles. *Journal of Food Science*, 88(6), 2313–2324. <https://doi.org/10.1111/1750-3841.16611>
- Zheng, J., Inoguchi, T., Sasaki, S., Maeda, Y., McCarty, M. F., Fujii, M., Ikeda, N., Kobayashi, K., Sonoda, N., & Takayanagi, R. (2013). Phycocyanin and phycocyanobilin from spirulina platensis protect against diabetic nephropathy by inhibiting oxidative stress. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, 304(2), 110–120. <https://doi.org/10.1152/ajpregu.00648.2011>
- Zheng, J. X., Yin, H., Shen, C. C., Zhang, L., Ren, D. F., & Lu, J. (2020). Functional and structural properties of spirulina phycocyanin modified by ultra-high-pressure composite glycation. *Food Chemistry*, 306(June 2019), 125615. <https://doi.org/10.1016/j.foodchem.2019.125615>
- Zhou, Z. P., Liu, L. N., Chen, X. L., Wang, J. X., Chen, M., Zhang, Y. Z., & Zhou, B. C. (2005). Factors that effect antioxidant activity of c-phycocyanins from spirulina platensis. *Journal of Food Biochemistry*, 29(3), 313–322. <https://doi.org/10.1111/j.1745-4514.2005.00035.x>
- Zuidam, N. J. and Nedović, V. A., 2010. Encapsulation Technologies for Active Food Ingredients and Food Processing. New York, USA: Springer. 269– 302.