UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adams, S. M., Kao, O. H. W., & Berns, D. S. (1979). *Psychrophile c-phycocyanin*. 525–527.

Adjali, A., Clarot, I., Chen, Z., Marchioni, E., & Boudier, A. (2022). Physicochemical degradation of phycocyanin and means to improve its stability: A short review. *Journal of Pharmaceutical Analysis*, *12*(3), 406–414. https://doi.org/10.1016/j.jpha.2021.12.005

Adsare, S. R., & Annapure, U. S. (2021). Microencapsulation of curcumin using coconut milk whey and Gum Arabic. *Journal of Food Engineering*, *298*(September 2020). https://doi.org/10.1016/j.jfoodeng.2021.110502

Afgatiani, P. M., Husni, A., & Budhiyanti, S. A. (2020). Aktivitas antioksidan bubuk *Sargassum hystrix* selama penyimpanan pada suhu berbeda. *AgriTECH*, *40*(3), 175. https://doi.org/10.22146/agritech.18134

Agustina, S., Aidha, N. N., Oktarina, E., & Setiawati, I. (2020). Proses produksi emulsi virgin coconut oil (vco) dengan fikosianin sebagai antioksidan. *Biopropal Industri*, *11*(2), 95. https://doi.org/10.36974/jbi.v11i2.6245

Aissaoui, O., Amiali, M., Bouzid, N., Belkacemi, K., & Bitam, A. (2017). Effect of *Spirulina platensis* ingestion on the abnormal biochemical and oxidative stress parameters in the pancreas and liver of alloxan-induced diabetic rats. *Pharmaceutical Biology*, *55*(1), 1304–1312. https://doi.org/10.1080/13880209.2017.1300820

Akbarbaglu, Z., Peighambardoust, S. H., Sarabandi, K., & Jafari, S. M. (2021). Spray drying encapsulation of bioactive compounds within protein-based carriers; different options and applications. *Food Chemistry*, *359*(December 2020). https://doi.org/10.1016/j.foodchem.2021.129965

Akdeniz, B., Sumnu, G., & Sahin, S. (2017). The effects of maltodextrin and gum arabic on encapsulation of onion skin phenolic compounds. *Chemical Engineering Transactions*, *57*, 1891–1896. https://doi.org/10.3303/CET1757316

Akhavan Mahdavi, S., Jafari, S. M., Assadpoor, E., & Dehnad, D. (2016). Microencapsulation optimization of natural anthocyanins with maltodextrin, gum arabic and gelatin. *International Journal of Biological Macromolecules*, *85*, 379–385. https://doi.org/10.1016/j.ijbiomac.2016.01.011

Al-Baadani, H. H., Al-Mufarrej, S. I., Al-Garadi, M. A., Alhidary, I. A., Al-Sagan, A. A., & Azzam, M. M. (2021). The use of gum Arabic as a natural prebiotic in animals: a review. *Animal Feed Science and Technology*, *274*(April 2020). https://doi.org/10.1016/j.anifeedsci.2021.114894

AlFadhly, N. K. Z., Alhelfi, N., Altemimi, A. B., Verma, D. K., & Cacciola, F. (2022). Tendencies affecting the growth and cultivation of genus spirulina: an investigative review on current trends. *Plants*, *11*(22), 1–21. https://doi.org/10.3390/plants11223063

Ali, B. H., Ziada, A., & Blunden, G. (2009). Biological effects of gum arabic: a review of some recent research. *Food and Chemical Toxicology*, *47*(1), 1–8. https://doi.org/10.1016/j.fct.2008.07.001

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Amila, A., Hadiansyah, C., Fazriah, Y., Darusman, F., & Topik, I. (2016). Pengaruh jenis penyalut terhadap stabilitas likopen dalam bentuk sediaan mikrokapsul. *Indonesian Journal of Pharmaceutical Science and Technology*, *3*(3), 111. https://doi.org/10.15416/ijpst.v3i3.9558

Aminah, S., & Hersoelistyorini, W. (2021). Review artikel : enkapsulasi meningkatkan kualitas komponen bioaktif minuman instan. *Prosiding Seminar Nasional UNIMUS*, *4 E-ISSN :*, 1869–1882.

Aminikhah, N., Mirmoghtadaie, L., Shojaee-Aliabadi, S., Khoobbakht, F., & Hosseini, S. M. (2023). Investigation of structural and physicochemical properties of microcapsules obtained from protein-polysaccharide conjugate via the Maillard reaction containing Satureja khuzestanica essential oil. *International Journal of Biological Macromolecules*, *252*(August). https://doi.org/10.1016/j.ijbiomac.2023.126468

Amperawati, S., Hastuti, P., Pranoto, Y., & Santoso, U. (2019). Efektifitas frekuensi ekstraksi serta pengaruh suhu dan cahaya terhadap antosianin dan daya antioksidan ekstrak kelopak rosella (hibiscus sabdariffa l.). *Jurnal Aplikasi Teknologi Pangan*, *8*(1), 38–45. https://doi.org/10.17728/jatp.3527

Ang, L. F., Darwis, Y., Por, L. Y., & Yam, M. F. (2019). Microencapsulation curcuminoids for effective delivery in pharmaceutical application. *Pharmaceutics*, *11*(9). https://doi.org/10.3390/pharmaceutics11090451

Arepally, D., & Goswami, T. K. (2019). Effect of inlet air temperature and gum arabic concentration on encapsulation of probiotics by spray drying. *Lwt*, *99*(May 2018), 583–593. https://doi.org/10.1016/j.lwt.2018.10.022

Arpagaus, C., John, P., Collenberg, A., & Rütti, D. (2017). Nanocapsules formation by nano spray drying. In *Nanoencapsulation Technologies for the Food and Nutraceutical Industries* (Issue April). https://doi.org/10.1016/B978-0-12-809436-5.00010-0

Astuti, W. M., Dewi, E. N., & Kurniasih, R. A. (2019). Pengaruh perbedaan jenis pelarut dan suhu pemanasan selama ekstraksi terhadap stabilitas mikrokapsul fikosianin dari spirulina platensis. *Jurnal Ilmu Dan Teknologi Perikanan*, *1*(1), 7–14.

Atencio, S., Verkempinck, S. H. E., Reineke, K., Hendrickx, M., & Van Loey, A. (2022). Heat and light stability of pumpkin-based carotenoids in a photosensitive food: a carotenoid-coloured beverage. *Foods*, *11*(3), 1–17. https://doi.org/10.3390/foods11030485

Ayu, F. W. ., Rosidah, U., & Priyanto, G. (2016). Pembuatan sambal cabai hijau instan dengan metode foam mat drying. *Prosiding Seminar Nasional Lahan Suboptimal*.

Aziz, Z. A. A., Nasir, H. M., Ahmad, A., Setapar, S. H. M., Ahmad, H., Noor, M. H. M., Rafatullah, M., Khatoon, A., Kausar, M. A., Ahmad, I., Khan, S., Al-Shaeri, M., & Ashraf, G. M. (2019). Enrichment of Eucalyptus oil nanoemulsion by micellar nanotechnology: transdermal analgesic activity using hot plate test in rats' assay. *Scientific Reports*, *9*(1), 1–16. https://doi.org/10.1038/s41598-019-50134-y

Bae, E. K., & Lee, S. J. (2008). Microencapsulation of avocado oil by spray drying using whey protein and maltodextrin. *Journal of Microencapsulation*, *25*(8), 549–560. https://doi.org/10.1080/02652040802075682

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Bakry, A. M., Abbas, S., Ali, B., Majeed, H., Abouelwafa, M. Y., Mousa, A., & Liang, L. (2016). Microencapsulation of oils: a comprehensive review of benefits, techniques, and applications. *Comprehensive Reviews in Food Science and Food Safety*, *15*(1), 143–182. https://doi.org/10.1111/1541-4337.12179

Barbosa-Cánovas, G. V., & Juliano, P. (2005). Compression and compaction characteristics of selected food powders. *Advances in Food and Nutrition Research*, *49*, 233–307. https://doi.org/10.1016/S1043-4526(05)49006-3

Batista, M. A., Campos, N. C. A., & Silvestre, M. P. C. (2018). Whey and protein derivatives: Applications in food products development, technological properties and functional effects on child health. *Cogent Food and Agriculture*, *4*(1), 1–13. https://doi.org/10.1080/23311932.2018.1509687

Baysan, U., Zungur Bastıoğlu, A., Coşkun, N. Ö., Konuk Takma, D., Ülkeryıldız Balçık, E., Sahin-Nadeem, H., & Koç, M. (2021). The effect of coating material combination and encapsulation method on propolis powder properties. *Powder Technology*, *384*, 332–341. https://doi.org/10.1016/j.powtec.2021.02.018

Berns, D. S., & MacColl, R. (1989). Phycocyanin in physical–chemical studies. *Chemical Reviews*, *89*(4), 807–825. https://doi.org/10.1021/cr00094a005

Bernstein, A., & Noreña, C. P. Z. (2015). Encapsulation of red cabbage (Brassica oleracea l. Var. capitata l. f. rubra) anthocyanins by spray drying using different encapsulating agents. *Brazilian Archives of Biology and Technology*, *58*(6), 944–952. https://doi.org/10.1590/S1516-89132015060226

Bertolini, A. C., Siani, A. G., & Grosso, C. R. F. (2001). Stability of monoterpenes encapsulated in gum arabic by spray-drying. *Journal of Agricultural and Food Chemistry*, *49*(2), 780–785. https://doi.org/10.1021/jf000436y

Biorata, A. M. (2012). Optimasi produksi selulase dari Bacillus sp. BPPT CC RK 2 menggunakan metode respon permukaan dengan variasi rasio C/N dan waktu fermentasi (Skripsi). Program Studi Teknologi Bioproses FT UI.

Böcker, L., Ortmann, S., Surber, J., Leeb, E., Reineke, K., & Mathys, A. (2019). Biphasic short time heat degradation of the blue microalgae protein phycocyanin from Arthrospira platensis. *Innovative Food Science and Emerging Technologies*, *52*(November 2018), 116–121. https://doi.org/10.1016/j.ifset.2018.11.007

Budha Astawa, I. K., Wartini, N. M., & Sedana Yoga, I. W. G. (2019). Perubahan karakteristik bubuk buah pandan (pandanus tectorius) selama penyimpanan pada perlakuan jenis kemasan dan suhu penyimpanan. *Jurnal Rekayasa Dan Manajemen Agroindustri*, *7*(2), 254. https://doi.org/10.24843/jrma.2019.v07.i02.p09

Caillard, R., Remondetto, G. E., & Subirade, M. (2009). Physicochemical properties and microstructure of soy protein hydrogels co-induced by Maillard type cross-linking and salts. *Food Research International*, *42*(1), 98–106. https://doi.org/10.1016/j.foodres.2008.10.004

Campos Assumpção de Amarante, M., Cavalcante Braga, A. R., Sala, L., & Juliano Kalil, S. (2020). Colour stability and antioxidant activity of C-phycocyanin-added ice creams after in vitro digestion. *Food Research International*, *137*(July). https://doi.org/10.1016/j.foodres.2020.109602

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cano-Chauca, M., Stringheta, P. C., Ramos, A. M., & Cal-Vidal, J. (2005). Effect of the carriers on the microstructure of mango powder obtained by spray drying and its functional characterization. *Innovative Food Science and Emerging Technologies*, *6*(4), 420–428. https://doi.org/10.1016/j.ifset.2005.05.003

Cao, Y., & Xiong, Y. L. (2015). Chlorogenic acid-mediated gel formation of oxidatively stressed myofibrillar protein. *Food Chemistry*, *180*, 235–243. https://doi.org/10.1016/j.foodchem.2015.02.036

Cerdeira, A. M., Gouveia, L. F., Goucha, P., & Almeida, A. J. (2000). Drug particle size influence on enteric beads produced by a droplet extrusion/precipitation method. *Journal of Microencapsulation*, *17*(6), 733–741. https://doi.org/10.1080/02652040050161729

Chaiklahan, R., Chirasuwan, N., & Bunnag, B. (2012). Stability of phycocyanin extracted from spirulina sp.: influence of temperature, ph and preservatives. *Process Biochemistry*, *47*(4), 659–664. https://doi.org/10.1016/j.procbio.2012.01.010

Chang, C. Y., Lee, C. L., & Pan, T. M. (2006). Statistical optimization of medium components for the production of Antrodia cinnamomea AC0623 in submerged cultures. *Applied Microbiology and Biotechnology*, *72*(4), 654–661. https://doi.org/10.1007/s00253-006-0325-6

Charve, J., & Reineccius, G. A. (2009). Encapsulation performance of proteins and traditional materials for spray dried flavors. *Journal of Agricultural and Food Chemistry*, *57*(6), 2486–2492. https://doi.org/10.1021/jf803365t

Cheng, J., Liu, J. H., Prasanna, G., & Jing, P. (2017). Spectrofluorimetric and molecular docking studies on the interaction of cyanidin-3-O-glucoside with whey protein, β-lactoglobulin. *International Journal of Biological Macromolecules*, *105*, 965–972. https://doi.org/10.1016/j.ijbiomac.2017.07.119

Chittapun, S., Jonjaroen, V., Khumrangsee, K., & Charoenrat, T. (2020). C-phycocyanin extraction from two freshwater cyanobacteria by freeze thaw and pulsed electric field techniques to improve extraction efficiency and purity. *Algal Research*, *46*(October 2019). https://doi.org/10.1016/j.algal.2020.101789

Choudhury, N., Meghwal, M., & Das, K. (2021). Microencapsulation: an overview on concepts, methods, properties and applications in foods. *Food Frontiers*, *2*(4), 426–442. https://doi.org/10.1002/fft2.94

Christwardana, M., & Nur, M. M. A. (2013). *Spirulina platensis : potensinya sebagai bahan pangan fungsional*. *2*(1), 1–4.

Cilek, B., Luca, A., Hasirci, V., Sahin, S., & Sumnu, G. (2012). Microencapsulation of phenolic compounds extracted from sour cherry pomace: effect of formulation, ultrasonication time and core to coating ratio. *European Food Research and Technology*, *235*(4), 587–596. https://doi.org/10.1007/s00217-012-1786-8

Contreras-Lopez, E., Castañeda-Ovando, A., González-Olivares, L. G., Añorve-Morga, J., & Jaimez-Ordaz, J. (2014). Effect of light on stability of anthocyanins in ethanolic extracts of rubus fruticosus. *Food and Nutrition Sciences*, *05*(06), 488–494. https://doi.org/10.4236/fns.2014.56058

Corrêa-Filho, L. C., Lourenço, M. M., Moldão-Martins, M., & Alves, V. D. (2019). Microencapsulation of b-carotene by spray drying: effect of wall material

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

concentration and drying inlet temperature. *International Journal of Food Science and Technology*, *2019*, 12. https://doi.org/10.1155/2019/8914852

Crowther, J. ., Jameson, G. ., Hodgkinson, A. ., & Dobson, R. C. . (2016). Structure, oligomerisation and interactions of β -lactoglobulin. *Milk Proteins—From Structure to Biological Properties and Health Aspects; InTech: Sydney, Australia*.

de Cássia Gomes da Rocha, J., Caroline Buttow Rigolon, T., Lorrane Rodrigues Borges, L., Laís Alves Almeida Nascimento, A., de Andrade Neves, N., tuler Perrone, Í., Stephani, R., & César Stringheta, P. (2023). Anthocyanin stability in a mix of phenolic extracts microencapsulated by maltodextrine, whey protein and gum arabic. *Journal of Food and Nutrition Research*, *11*(1), 1–12. https://doi.org/10.12691/jfnr-11-1-1

Delavari, B., Saboury, A. A., Atri, M. S., Ghasemi, A., Bigdeli, B., Khammari, A., Maghami, P., Moosavi-Movahedi, A. A., Haertlé, T., & Goliaei, B. (2015). Alpha-lactalbumin: A new carrier for vitamin D3 food enrichment. *Food Hydrocolloids*, *45*, 124–131. https://doi.org/10.1016/j.foodhyd.2014.10.017

Deng, W., Li, X., Ren, G., Bu, Q., Ruan, Y., Feng, Y., & Li, B. (2023). Stability of purple corn anthocyanin encapsulated by maltodextrin, and its combinations with gum arabic and whey protein isolate. *Foods*, *12*(12). https://doi.org/10.3390/foods12122393

Deniz, I., Ozen, M. O., & Yesil-Celiktas, O. (2016). Supercritical fluid extraction of phycocyanin and investigation of cytotoxicity on human lung cancer cells. *Journal of Supercritical Fluids*, *108*, 13–18. https://doi.org/10.1016/j.supflu.2015.10.015

Dewi, E. N., Purnamayati, L., & Jaswir, I. (2022). Effects of thermal treatments on the characterisation of microencapsulated chlorophyll extract of Caulerpa racemosa. *International Food Research Journal*, *29*(6), 1279–1292. https://doi.org/10.47836/ifrj.29.6.05

Dewi, E N, Purnamayati, L., & Kurniasih, R. A. (2017). Physical characteristics of phycocyanin from spirulina microcapsules using different coating materials with freeze drying method. *IOP Conference Series: Earth and Environmental Science*, *55*. https://doi.org/10.1088/1742-6596/755/1/011001

Dewi, Eko Nurcahya, Purnamayati, L., & Kurniasih, R. A. (2016). Antioxidant activities of phycocyanin microcapsules using maltodextrin and carrageenan as coating materials. *Jurnal Teknologi*, *78*(4–2), 45–50. https://doi.org/10.11113/jt.v78.8151

Díaz-Montes, E. (2023). Wall materials for encapsulating bioactive compounds via spray-drying: a review. *Polymers*, *15*(12). https://doi.org/10.3390/polym15122659

Diaz, D. I., Beristain, C. I., Azuara, E., Luna, G., & Jimenez, M. (2015). Effect of wall material on the antioxidant activity and physicochemical properties of Rubus fruticosus juice microcapsules. *Journal of Microencapsulation*, *32*(3), 247–254. https://doi.org/10.3109/02652048.2015.1010458

Dimarti, S. C., Susilaningsih, N., & Yuniati, R. (2020). Phycocyanin from *Spirulina platensis* induces cytotoxicity and apoptosis in t47d cells. *Biosaintifika*, *12*(1), 28–34. https://doi.org/10.15294/biosaintifika.v12i1.22992

Djafar, F., & Supardan, M. D. (2019). Pengaruh penyalut maltodekstrin terhadap

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

produk mikrokapsul minyak jahe dengan teknik spray drying. *Jurnal Litbang Industri*, *9*(1), 1. https://doi.org/10.24960/jli.v9i1.4664.1-7

Dragana Stanic-Vucinic, S. M., & Velickovic, M. R. N. and T. C. (2018). Spirulina phycobiliproteins as food components and complements. *Microalgal Biotechnology*, 129–149. https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics

Du, J., Ge, Z. Z., Xu, Z., Zou, B., Zhang, Y., & Li, C. M. (2014). Comparison of the efficiency of five different drying carriers on the spray drying of persimmon pulp powders. *Drying Technology*, *32*(10), 1157–1166. https://doi.org/10.1080/07373937.2014.886259

Dutta, S. K., Halder, G., & Mandal, M. K. (2014). Modeling and optimization of bi-directional delignification of rice straw for production of bio-fuel feedstock using central composite design approach. *Energy*, *71*, 579–587. https://doi.org/10.1016/j.energy.2014.04.108

Ekantari, N., Marsono, Y., Pranoto, Y., & Harmayani, E. (2017). Pengaruh media budidaya menggunakan air laut dan air tawar terhadap sifat kimia dan fungsional biomassa kering (spirulina platensis). *Agritech*, *37*(2), 173. https://doi.org/10.22146/agritech.10843

Ernawati. (2012). Identifikasi pengaruh variabel proses dan penentuan kondisis optimal dekomposisi katalitik metana dengan metode respon permukaan (Skripsi). Fakultas Teknik Program Studi Eksistensi Teknik Kimia, Universitas Indonesia.

Ersus, S., & Yurdagel, U. (2007). Microencapsulation of anthocyanin pigments of black carrot (Daucus carota L.) by spray drier. *Journal of Food Engineering*, *80*(3), 805–812. https://doi.org/10.1016/j.jfoodeng.2006.07.009

Estiasih, T. (2003). Peran natrium kaseinat dan fosfolipida dalam emulsifikasi dan mikroenkapsulasi trigliserida kaya asam lemak ω-3 (Disertasi). Universitas Gadjah Mada.

Estiasih, Teti, Ahmadi, K., & Nisa, C. (2008). Karakteristik mikrokapsul minyak kaya asam lemak ω-3 dari hasil samping penepungan lemuru. *Jurnal Teknologi Dan Industri Pangan*, *XIX*(2).

Eun, J. B., Maruf, A., Das, P. R., & Nam, S. H. (2020). A review of encapsulation of carotenoids using spray drying and freeze drying. *Critical Reviews in Food Science and Nutrition*, *60*(21), 3547–3572. https://doi.org/10.1080/10408398.2019.1698511

Fabrowska, J., Łęska, B., Schroeder, G., Messyasz, B., & Pikosz, M. (2015). Biomass and extracts of algae as material for cosmetics. *Marine Algae Extracts: Processes, Products, and Applications*, *2–2*, 681–706. https://doi.org/10.1002/9783527679577.ch38

Faieta, M., Corradini, M. G., Di Michele, A., Ludescher, R. D., & Pittia, P. (2020). Effect of encapsulation process on technological functionality and stability of *Spirulina platensis* extract. *Food Biophysics*, *15*(1), 50–63. https://doi.org/10.1007/s11483-019-09602-1

Falkeborg, M. F., Roda-Serrat, M. C., Burnæs, K. L., & Nielsen, A. L. D. (2018). Stabilising phycocyanin by anionic micelles. *Food Chemistry*, *239*, 771–780.

UNIVERSITAS GADJAH MADA
Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada Mikrokapsul Fikosianin dari Arthrospira Platensis
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/j.foodchem.2017.07.007

Fernandes, R. V. D. B., Borges, S. V., & Botrel, D. A. (2014). Gum arabic/starch/maltodextrin/inulin as wall materials on the microencapsulation of rosemary essential oil. *Carbohydrate Polymers*, *101*(1), 524–532. https://doi.org/10.1016/j.carbpol.2013.09.083

Fernandes, R. V. de B., Borges, S. V., & Botrel, D. A. (2013). Influence of spray drying operating conditions on microencapsulated rosemary essential oil properties. *Food Science and Technology*, *33*(SUPPL.1), 171–178. https://doi.org/10.1590/s0101-20612013000500025

Fernández-Rojas, B., Hernández-Juárez, J., & Pedraza-Chaverri, J. (2014a). Nutraceutical properties of phycocyanin. *Journal of Functional Foods*, *11*(C), 375–392. https://doi.org/10.1016/j.jff.2014.10.011

Fernández-Rojas, B., Hernández-Juárez, J., & Pedraza-Chaverri, J. (2014b). Nutraceutical properties of phycocyanin. *Journal of Functional Foods*, *11*(C), 375–392. https://doi.org/10.1016/j.jff.2014.10.011

Ferraro, G., Imbimbo, P., Marseglia, A., Lucignano, R., Monti, D. M., & Merlino, A. (2020). X-ray structure of C-phycocyanin from Galdieria phlegrea: Determinants of thermostability and comparison with a C-phycocyanin in the entire phycobilisome. *Biochimica et Biophysica Acta - Bioenergetics*, *1861*(9), 148236. https://doi.org/10.1016/j.bbabio.2020.148236

Figueiredo, M., Sárkány, Z., Rocha, F., & Martins, P. M. (2025). Challenges and advances in the encapsulation of bioactive ingredients using whey proteins. *Foods*, *14*(4), 1–21. https://doi.org/10.3390/foods14040691

Findrayani, R. P., Isrul, M., & Lolok, N. (2024). Studi molecular docking senyawa kimia dari herba putri malu (mimosa pudica) terhadap inhibisi enzim a-glukosidase sebagai antidiabetes melitus. *Jurnal Pharmacia Mandala Waluya*, *3*(4), 225–233. https://doi.org/10.54883/jpmw.v3i4.104

Frimayanti, N., Lukman, A., & Nathania, L. (2021). Studi molecular docking senyawa 1,5-benzothiazepine sebagai inhibitor dengue DEN-2 NS2B/NS3 serine protease. *Chempublish Journal*, *6*(1), 54–62. https://doi.org/10.22437/chp.v6i1.12980

Gad, A. S., Khadrawy, Y. A., El-Nekeety, A. A., Mohamed, S. R., Hassan, N. S., & Abdel-Wahhab, M. A. (2011). Antioxidant activity and hepatoprotective effects of whey protein and Spirulina in rats. *Nutrition*, *27*(5), 582–589. https://doi.org/10.1016/j.nut.2010.04.002

Gardjito, M., Murdiati, A., & Aini, N. (2006b). Mikroenkapsulasi β-karoten buah labu kuning dengan enkapsulan whey dan karbohidrat. *Jurnal Teknologi Pertanian*, *1*(2), 13–18.

Garnero, C., Aloisio, C., & Longhi, M. (2013). Ibuprofen-maltodextrin interaction: study of enantiomeric recognition and complex characterization. *Pharmacology & Pharmacy*, *04*(01), 18–30. https://doi.org/10.4236/pp.2013.41003

Gharibzahedi, S. M. T., Mousavi, S. M., Hamedi, M., Khodaiyan, F., & Razavi, S. H. (2012). Development of an optimal formulation for oxidative stability of walnut-beverage emulsions based on gum arabic and xanthan gum using response surface methodology. *Carbohydrate Polymers*, *87*(2), 1611–1619.

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1016/j.carbpol.2011.09.067

Gharsallaoui, A., Roudaut, G., Chambin, O., Voilley, A., & Saurel, R. (2007). Applications of spray-drying in microencapsulation of food ingredients: An overview. *Food Research International*, *40*(9), 1107–1121. https://doi.org/10.1016/j.foodres.2007.07.004

Glicksman, M. (1969). *Gum Technology in The Food Industry*. cademic Press.

Guichard, E., & Langourieux, S. (2000). *Interactions between b -lactoglobulin and ¯ avour compounds*. *71*.

Hasna, T., Anandito, B. K., Khasanah, L. U., Utami, R., & Manuhara, G. J. (2018). Effect of maltodextrin and whey combination as wall material on the characteristics of cinnamon(cinnamomum burmanii) oleoresin microencapsule. *Agritech*, *38*(3), 259–264.

Hategekimana, J., Masamba, K. G., Ma, J., & Zhong, F. (2015). Encapsulation of vitamin E: effect of physicochemical properties of wall material on retention and stability. *Carbohydrate Polymers*, *124*, 172–179. https://doi.org/10.1016/j.carbpol.2015.01.060

Ho, T. M., Ton, T. T., Gaiani, C., Bhandari, B. R., & Bansal, N. (2021). Changes in surface chemical composition relating to rehydration properties of spray-dried camel milk powder during accelerated storage. *Food Chemistry*, *361*(December 2020), 130136. https://doi.org/10.1016/j.foodchem.2021.130136

Homayouni, A., Azizi, A., Ehsani, M. R., Yarmand, M. S., & Razavi, S. H. (2008). Effect of microencapsulation and resistant starch on the probiotic survival and sensory properties of synbiotic ice cream. *Food Chemistry*, *111*(1), 50–55. https://doi.org/10.1016/j.foodchem.2008.03.036

Hosseinnia, M., Khaledabad, M. A., & Almasi, H. (2017). Optimization of Ziziphora clinopodiodes essential oil microencapsulation by whey protein isolate and pectin: A comparative study. *International Journal of Biological Macromolecules*, *101*, 958–966. https://doi.org/10.1016/j.ijbiomac.2017.03.190

Hsieh-Lo, M., Castillo, G., Ochoa-Becerra, M. A., & Mojica, L. (2019a). Phycocyanin and phycoerythrin: strategies to improve production yield and chemical stability. *Algal Research*, *42*(March). https://doi.org/10.1016/j.algal.2019.101600

Hsieh-Lo, M., Castillo, G., Ochoa-Becerra, M. A., & Mojica, L. (2019b). Phycocyanin and phycoerythrin: strategies to improve production yield and chemical stability. *Algal Research*, *42*(June). https://doi.org/10.1016/j.algal.2019.101600

Huang, K., Yuan, Y., & Baojun, X. (2023). A critical review on the microencapsulation of bioactive compounds and their application. *Food Reviews International*, *39*(5), 2594–2634. https://doi.org/10.1080/87559129.2021.1963978

Hutasoit, L. R. ., Puspawati, G. A. K. D., & Permana, D. M. (2023). Pengaruh rasio maltodekstrin dan gum arab terhadap aktivitas antioksidan dan warna serbuk terung belanda (solanum betaceum cav) yang terkopigmentasi. *Jurnal Ilmu Dan Teknologi Pangan*, *12*(2), 278–292.

İlter, I., Koç, M., Demirel, Z., Conk Dalay, M., & Kaymak Ertekin, F. (2021). Improving the stability of phycocyanin by spray dried microencapsulation. *Journal of Food Processing and Preservation*, *45*(7), 0–2. https://doi.org/10.1111/jfpp.15646

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

İlter, I., Koç, M., Demirel, Z., Conk Dalay, M., & Kaymak Ertekin, F. (2022). Microencapsulation of phycocyanin by spray-drying method: Effect of process parameters and wall materials. *Journal of Food Processing and Preservation*, *46*(4). https://doi.org/10.1111/jfpp.16434

Iqbal, M. N., & Hadiyanto, H. (2020a). Experimental investigation of phycocyanin microencapsulation using maltodextrin as a coating material with spray drying method. *AIP Conference Proceedings 2197, 100002 (2020)*, *November 2019*.

Iqbal, M. N., & Hadiyanto, H. (2020b). Experimental investigation of phycocyanin microencapsulation using maltodextrin as a coating material with spray drying method. *AIP Conference Proceedings 2197, 100002 (2020)*.

Irwan, Lubis, S., Ramli, M., & Sheilatina. (2016). Photocatal alytic degradation of indi indigo / activated carbon deri rived from wastte coffee grounds. *Jurnal Natural*, *16*(1), 21–26.

Izadi, M., & Fazilati, M. (2018). Extraction and purification of phycocyanin from spirulina platensis and evaluating its antioxidant and anti- inflammatory activity. *Asian Journal of Green Chemistry*, *2*(4), 364–379. https://doi.org/10.22034/AJGC.2018.63597

Jafari, S. M., Assadpoor, E., He, Y., & Bhandari, B. (2008). Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology*, *26*(7), 816–835. https://doi.org/10.1080/07373930802135972

Jespersen, L., Strømdahl, L. D., Olsen, K., & Skibsted, L. H. (2005). Heat and light stability of three natural blue colorants for use in confectionery and beverages. *European Food Research and Technology*, *220*(3–4), 261–266. https://doi.org/10.1007/s00217-004-1062-7

Ji, J., Zhang, J., Chen, J., Wang, Y., Dong, N., Hu, C., Chen, H., Li, G., Pan, X., & Wu, C. (2015). Preparation and stabilization of emulsions stabilized by mixed sodium caseinate and soy protein isolate. *Food Hydrocolloids*, *51*, 156–165. https://doi.org/10.1016/j.foodhyd.2015.05.013

Jiang, L., Wang, Y., Yin, Q., Liu, G., Liu, H., Huang, Y., & Li, B. (2017). Phycocyanin: A potential drug for cancer treatment. *Journal of Cancer*, *8*(17), 3416–3429. https://doi.org/10.7150/jca.21058

Jos, B., Setyawan, P. E., & Satria, Y. (2013). Optimalisasi ekstraksi dan uji stabilitas phycocyanin dari mikroalga spirulina platensis. *Jurnal Teknologi Kimia Dan Industri*, *2*, 61–67.

Jovanović, S., Bara, M., & Ma, O. (2005). Whey proteins-Properties and Possibility of Application. *Mljekarstvo*, *55*(3), 215–233.

Kalkan, O., Topkafa, M., & Kara, H. (2021). Determination of effect of some parameters on formation of 2-monochloropropanediol, 3-monochloropropanediol and glycidyl esters in the frying process with sunflower oil, by using central composite design. *Journal of Food Composition and Analysis*, *96*. https://doi.org/10.1016/j.jfca.2020.103681

Kalra, A., Bhat, P., & Kaur, I. P. (2021). Deciphering molecular mechanics in the taste masking ability of Maltodextrin: Developing pediatric formulation of Oseltamivir for viral pandemia. *Carbohydrate Polymers*, *260*(January). https://doi.org/10.1016/j.carbpol.2021.117703

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kalušević, A. M., Lević, S. M., Čalija, B. R., Milić, J. R., Pavlović, V. B., Bugarski, B. M., & Nedović, V. A. (2017). Effects of different carrier materials on physicochemical properties of microencapsulated grape skin extract. *Journal of Food Science and Technology*, *54*(11), 3411–3420. https://doi.org/10.1007/s13197-017-2790-6

Kamaludin, A. M. R., & Holik, H. A. (2022). Kandungan senyawa kimia dan aktivitas farmakologi Spirulina sp. *Indonesian Journal of Biological Pharmacy*, *2*(2), 59. https://doi.org/10.24198/ijbp.v2i2.38269

Kandansamy, K., & Somasundaram, P. D. (2012). Microencapsulation of colors by spray drying-A review. *International Journal of Food Engineering*, *8*(2). https://doi.org/10.1515/1556-3758.2647

Kao, O. H. W., Edwards, M. R., & Berns, D. S. (1975). *Physical-chemical properties of c-phycocyanin isolated from an acido-thermophilic eukaryote, Cyanidium caldarium*. 63–70.

Karbasi, M., Sánchez-Ferrer, A., Adamcik, J., Askari, G., Madadlou, A., & Mezzenga, R. (2019). Covalent β-lactoglobulin-Maltodextrin Amyloid Fibril Conjugate Prepared by Maillard Reaction. *Food Chemistry*.

Karrar, E., Mahdi, A. A., Sheth, S., Mohamed Ahmed, I. A., Manzoor, M. F., Wei, W., & Wang, X. (2021). Effect of maltodextrin combination with gum arabic and whey protein isolate on the microencapsulation of gurum seed oil using a spray-drying method. *International Journal of Biological Macromolecules*, *171*, 208–216. https://doi.org/10.1016/j.ijbiomac.2020.12.045

Kha, T. C., Nguyen, M. H., & Roach, P. D. (2010). Effects of spray drying conditions on the physicochemical and antioxidant properties of the Gac (Momordica cochinchinensis) fruit aril powder. *Journal of Food Engineering*, *98*(3), 385–392. https://doi.org/10.1016/j.jfoodeng.2010.01.016

Khaire, R. A., & Gogate, P. R. (2019). *Whey Proteins* (In Protein). Elsevier.

Khalifa, I., Li, M., Mamet, T., & Li, C. (2019). Maltodextrin or gum arabic with whey proteins as wall-material blends increased the stability and physiochemical characteristics of mulberry microparticles. *Food Bioscience*, *31*(1). https://doi.org/10.1016/j.fbio.2019.100445

Kong, F., Kang, S., Zhang, J., Jiang, L., Liu, Y., Yang, M., Cao, X., Zheng, Y., Shao, J., & Yue, X. (2022). The non-covalent interactions between whey protein and various food functional ingredients. *Food Chemistry*, *394*(June). https://doi.org/10.1016/j.foodchem.2022.133455

Kouamé, K. J. E. P., Bora, A. F. M., Li, X., Sun, Y., & Liu, L. (2021). Novel trends and opportunities for microencapsulation of flaxseed oil in foods: A review. *Journal of Functional Foods*, *87*. https://doi.org/10.1016/j.jff.2021.104812

Kuck, L. S., & Noreña, C. P. Z. (2016). Microencapsulation of grape (Vitis labrusca var. Bordo) skin phenolic extract using gum arabic, polydextrose, and partially hydrolyzed guar gum as encapsulating agents. *Food Chemistry*, *194*, 569–576. https://doi.org/10.1016/j.foodchem.2015.08.066

Kurniasih, R. A., Purnamayati, L., Amalia, U., & Dewi, E. N. (2018a). Formulation and characterization of phycocyanin microcapsules within maltodextrin- alginate. *Agritech*, *38*(1), 23–29. https://jurnal.ugm.ac.id/agritech/article/view/16752

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kurniasih, R. A., Purnamayati, L., Amalia, U., & Dewi, E. N. (2018b). Formulation and characterization of phycocyanin microcapsules within maltodextrin-alginate. *Agritech*, *38*(1), 23–29. https://jurnal.ugm.ac.id/agritech/article/view/16752

Labuschagne, P. (2018). Impact of wall material physicochemical characteristics on the stability of encapsulated phytochemicals: A review. *Food Research International*, *107*(November 2017), 227–247. https://doi.org/10.1016/j.foodres.2018.02.026

Lafarga, T., Fernández-Sevilla, J. M., González-López, C., & Acién-Fernández, F. G. (2020). Spirulina for the food and functional food industries. *Food Research International*, *137*(April), 109356. https://doi.org/10.1016/j.foodres.2020.109356

Lalasa, P., Vishal Gupta, N., Raghunandan, H. V., Prathusha, P. L., & Athkuri, K. (2013). A review on applications of GAMP -5 in pharmaceutical industries. *International Journal of Drug Development and Research*, *5*(3), 4–16.

Laokuldilok, T., & Kanha, N. (2017). Microencapsulation of black glutinous rice anthocyanins using maltodextrins produced from broken rice fraction as wall material by spray drying and freeze drying. *Journal of Food Processing and Preservation*, *41*(1), 1–10. https://doi.org/10.1111/jfpp.12877

Le Maux, S., Bouhallab, S., Giblin, L., Brodkorb, A., & Croguennec, T. (2014). Bovine β-lactoglobulin/fatty acid complexes: binding, structural, and biological properties. *Dairy Science and Technology*, *94*(5), 409–426. https://doi.org/10.1007/s13594-014-0160-y

Lee, W. J., Tan, C. P., Sulaiman, R., Hee, Y. Y., & Chong, G. H. (2020). Storage stability and degradation kinetics of bioactive compounds in red palm oil microcapsules produced with solution-enhanced dispersion by supercritical carbon dioxide: A comparison with the spray-drying method. *Food Chemistry*, *304*(August 2019). https://doi.org/10.1016/j.foodchem.2019.125427

Lekshmi, R. G. K., Tejpal, C. S., Anas, K. K., Chatterjee, N. S., Mathew, S., & Ravishankar, C. N. (2021). Binary blend of maltodextrin and whey protein outperforms gum Arabic as superior wall material for squalene encapsulation. *Food Hydrocolloids*, *121*(March). https://doi.org/10.1016/j.foodhyd.2021.106976

Li, J., Yadav, M. P., & Li, J. (2019). Effect of different hydrocolloids on gluten proteins, starch and dough microstructure. *Journal of Cereal Science*.

Li, Yang, Li, X., Liang, Z. P., Chang, X. Y., Li, F. T., Wang, X. Q., & Lian, X. J. (2022). Progress of microencapsulated phycocyanin in food and pharma industries: A Review. *Molecules*, *27*(18). https://doi.org/10.3390/molecules27185854

Li, Ying, Zhang, Z., & Abbaspourrad, A. (2021). Improved thermal stability of phycocyanin under acidic conditions by forming soluble complexes with polysaccharides. *Food Hydrocolloids*, *119*(April), 106852. https://doi.org/10.1016/j.foodhyd.2021.106852

Liang, R., Huang, Q., Ma, J., Shoemaker, C. F., & Zhong, F. (2013). Effect of relative humidity on the store stability of spray-dried beta-carotene nanoemulsions. *Food Hydrocolloids*, *33*(2), 225–233. https://doi.org/10.1016/j.foodhyd.2013.03.015

Liao, G., Gao, B., Gao, Y., Yang, X., Cheng, X., & Ou, Y. (2016). Phycocyanin inhibits tumorigenic potential of pancreatic cancer cells: role of apoptosis and autophagy. *Scientific Reports*, *6*(October), 1–12. https://doi.org/10.1038/srep34564

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ugm.ac.id/

Liu, J., Ru, Q., & Ding, Y. (2012). Glycation a promising method for food protein modification: physicochemical properties and structure, a review. *Food Research International*, *49*(1), 170–183. https://doi.org/10.1016/j.foodres.2012.07.034

Lodhi, D. S., Panwar, A. S., Golani, P., Verma, M., Jain, N., & Nagdev, S. (2021). Microencapsulation technology a holistic approach in the field of pharmaceutical sciences a review. *International Journal of Pharmaceutical Sciences Review and Research*, *71*(2), 83–89. https://doi.org/10.47583/ijpsrr.2021.v71i02.014

Lodish, H., Berk, A., Zipursky, S., Matsudaira, P., Baltimore, D., & Darnell, J. (2000). *Mollecular cell biology 4th Edition*. W.H Freeman Company.

Ma, J., Hu, J., Sha, X., Meng, D., & Yang, R. (2022). Phycobiliproteins, the pigment-protein complex form of natural food colorants and bioactive ingredients. *Critical Reviews in Food Science and Nutrition*. https://doi.org/10.1080/10408398.2022.2128714

Mahdi, Amer A, Mohammed, J. K., Al-Ansia, W., Ghaleb, A. D. ., Al-Maqtaria, Q., Ma, M., Ahmed, M. I., & Wang, H. (2019). Microencapsulation of fingered citron extract with gum arabic, modified starch, whey protein, and maltodextrin using spray drying. *International Journal of Biological Macromolecules*.

Mahdi, Amer Ali, Mohammed, J. K., Al-Ansi, W., Ghaleb, A. D. S., Al-Maqtari, Q. A., Ma, M., Ahmed, M. I., & Wang, H. (2020). Microencapsulation of fingered citron extract with gum arabic, modified starch, whey protein, and maltodextrin using spray drying. *International Journal of Biological Macromolecules*, *152*, 1125–1134. https://doi.org/10.1016/j.ijbiomac.2019.10.201

Mardiana, L., R., Sari, N. P., & Al Amien, T. N. (2022). *Whey protein, daun kelor, kurma, dan kelelahan otot.* (Book Chapt). Universitas Negeri Semarang.

Marpaung, A. L. R. P., Tafzi, F., & Rahmayani, I. (2021). The effect of comparison of maltodekstrin and gum arabic on the microencapsulation of duku kumpeh leaf extract (Lansium Domesticum Corr.). *Universitas Jambi*, 1–9. https://repository.unja.ac.id/id/eprint/18952

Mauliasari, E. S., Agustini, T. Wi., & Amalia, U. (2019b). Stabilitas Fikosianin Spirulina platensis dengan Perlakuan Mikroenkapsulasi dan pH. *Pengolahan Hasil Perikanan Indonesia*, *22*(3), 526–534.

Metaviani, J. & Darmadji, P. (2013). Mikroenkapsulasi ekstrak bunga rosella (hisbiscus sabdariffa l.) Dengan enkapsulan maltodekstrin menggunakan metode pengeringan semprot *(spray drying)* (Skripsi). Universitas Gadjah Mada.

Minj, S., & Anand, S. (2020). Whey proteins and its derivatives: bioactivity, functionality, and current applications. *Dairy*, *1*(3), 233–258. https://doi.org/10.3390/dairy1030016

Mirhojati, H., Sharayei, P., & ... (2017). Microencapsulation of anthocyanin pigments obtained from seedless barberry (berberis vulgaris L.) fruit using freeze drying. *Iranian Journal Food …*, *13*(3), 14–27. https://doi.org/10.22067/ifstrj.v1396i3.58661

Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (Emblica officinalis) juice powder. *Food and Bioproducts*

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Processing, *92*(3), 252–258. https://doi.org/10.1016/j.fbp.2013.08.003

Mohamed, S. A., Elsherbini, A. M., Alrefaey, H. R., Adelrahman, K., Moustafa, A., Egodawaththa, N. M., Crawford, K. E., Nesnas, N., & Sabra, S. A. (2025). Gum arabic: a commodity with versatile formulations and applications. *Nanomaterials*, *15*(4), 1–46. https://doi.org/10.3390/nano15040290

Mohammadi-Gouraji, E., Soleimanian-Zad, S., & Ghiaci, M. (2019). Phycocyanin-enriched yogurt and its antibacterial and physicochemical properties during 21 days of storage. *Lwt*, *102*(September 2018), 230–236. https://doi.org/10.1016/j.lwt.2018.09.057

Mohammadi, F., & Moeeni, M. (2015). Analysis of binding interaction of genistein and kaempferol with bovine α-lactalbumin. In *Journal of Functional Foods* (Vol. 12, pp. 458–467). https://doi.org/10.1016/j.jff.2014.12.012

Mohammed, A., & Mohammed, E. (2015). Estimation of the active components in gum arabic collected from western sudan. *International Journal of Science and Research*, *6*(3), 2319–7064. https://doi.org/10.21275/ART20171695

Montgomery, D. C. (2017). *Design and analysis of experiments* (Ninth Edit). Arizona State University.

Moraes, C. C., Sala, L., Cerveira, G. P., & Kalil, S. J. (2011). C-Phycocyanin extraction from Spirulina platensis wet biomass. *Brazilian Journal of Chemical Engineering*, *28*(1), 45–49. https://doi.org/10.1590/S0104-66322011000100006

Munawaroh, H. S. H., Gumilar, G. G., Alifia, C. R., Marthania, M., Stellasary, B., Yuliani, G., Wulandari, A. P., Kurniawan, I., Hidayat, R., Ningrum, A., Koyande, A. K., & Show, P. L. (2020a). Photostabilization of phycocyanin from Spirulina platensis modified by formaldehyde. *Process Biochemistry*, *94*(March), 297–304. https://doi.org/10.1016/j.procbio.2020.04.021

Munawaroh, H. S. H., Gumilar, G. G., Alifia, C. R., Marthania, M., Stellasary, B., Yuliani, G., Wulandari, A. P., Kurniawan, I., Hidayat, R., Ningrum, A., Koyande, A. K., & Show, P. L. (2020b). Photostabilization of phycocyanin from Spirulina platensis modified by formaldehyde. *Process Biochemistry*, *94*(May), 297–304. https://doi.org/10.1016/j.procbio.2020.04.021

Munin, A., & Edwards-Lévy, F. (2011). Encapsulation of natural polyphenolic compounds; a review. In *Pharmaceutics* (Vol. 3, Issue 4). https://doi.org/10.3390/pharmaceutics3040793

Murtaja, Y., & Repka, D. (2023). *Application of physical-chemical approaches for encapsulation*. 1–17.

Mutavski, Z., Vidović, S., Lazarević, Z., Ambrus, R., Motzwickler-Németh, A., Aladić, K., & Nastić, N. (2025). Stabilization and preservation of bioactive compounds in black elderberry by-product extracts using maltodextrin and gum arabic via spray drying. *Foods*, *14*(5), 1–14. https://doi.org/10.3390/foods14050723

Najafi, M. N., Kadkhodaee, R., & Mortazavi, S. A. (2011). Effect of drying process and wall material on the properties of encapsulated cardamom oil. *Food Biophysics*, *6*(1), 68–76. https://doi.org/10.1007/s11483-010-9176-x

Nambiar, R. B., Sellamuthu, P. S., & Perumal, A. B. (2017). Microencapsulation of tender coconut water by spray drying: effect of moringa oleifera gum,

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

maltodextrin concentrations, and inlet temperature on powder qualities. *Food and Bioprocess Technology*, *10*(9), 1668–1684. https://doi.org/10.1007/s11947-017-1934-z

Naser, M., (2022). Study influence arabic gum on improved oil recovery with gaberoun water leak by using spontaneous imbibition tests for sandstone core samples. *Journal of Pure & Applied Sciences*, *21*(1), 184–189. https://doi.org/10.51984/jopas.v21i1.1810

Nasirian, F., Dadkhah, M., Moradi-Kor, N., & Obeidavi, Z. (2018). Diabetes, metabolic syndrome and obesity: targets and therapy dovepress effects of spirulina platensis microalgae on antioxidant and anti-inflammatory factors in diabetic rats. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 11–375. http://dx.doi.org/10.2147/DMSO.S172104

Newsome, A. G., Culver, C. A., & Van Breemen, R. B. (2014). Nature's palette: The search for natural blue colorants. *Journal of Agricultural and Food Chemistry*, *62*(28), 6498–6511. https://doi.org/10.1021/jf501419q

Nkurunziza, D., Sivagnanam, S. P., Park, J. S., Cho, Y. J., & Chun, B. S. (2021). Effect of wall materials on the spray drying encapsulation of brown seaweed bioactive compounds obtained by subcritical water extraction. *Algal Research*, *58*(May). https://doi.org/10.1016/j.algal.2021.102381

Norkaew, O., Thitisut, P., Mahatheeranont, S., Pawin, B., Sookwong, P., Yodpitak, S., & Lungkaphin, A. (2019). Effect of wall materials on some physicochemical properties and release characteristics of encapsulated black rice anthocyanin microcapsules. *Food Chemistry*, *294*(May), 493–502. https://doi.org/10.1016/j.foodchem.2019.05.086

Novita, E., Purbasari, D., & Mubarok, M. S. M. (2021). Pendugaan umur simpan bubuk kopi arabika menggunakan metode arrhenius dengan kemasan aluminium foil dan plastik (Polipropilen). *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, *10*(3), 392–401.

Nowicka, B., & Kruk, J. (2016). Powered by light: phototrophy and photosynthesis in prokaryotes and its evolution. *Microbiological Research*, *186–187*, 99–118. https://doi.org/10.1016/j.micres.2016.04.001

Nthimole, C. T., Kaseke, T., & Fawole, O. A. (2022). Encapsulation and characterization of raspberry juice powder for multiple applications in the food industry. *Acta Horticulturae*, *1349*, 679–684. https://doi.org/10.17660/ActaHortic.2022.1349.87

Nugrahani, O., Budhiyanti, Si., & Husni, A. (2012b). Stabilitas mikrokapsul spirulina platensis selama penyimpanan. In *Jurnal Perikanan XIV* (Vol. 2, Issues 0853–06384, pp. 81–88).

Obón, J. M., Castellar, M. R., Alacid, M., & Fernández-López, J. A. (2009). Production of a red-purple food colorant from Opuntia stricta fruits by spray drying and its application in food model systems. *Journal of Food Engineering*, *90*(4), 471–479. https://doi.org/10.1016/j.jfoodeng.2008.07.013

Oramahi, H. A. (2008). *Teori dan aplikasi penggunaan RSM*. Ardana Media.

Ozdemir, N., Bayrak, A., Tat, T., Altay, F., Kiralan, M., & Kurt, A. (2021). Microencapsulation of basil essential oil: utilization of gum arabic/whey protein

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

isolate/maltodextrin combinations for encapsulation efficiency and in vitro release. *Journal of Food Measurement and Characterization*, *15*(2), 1865–1876. https://doi.org/10.1007/s11694-020-00771-z

Pan-utai, W., & Iamtham, S. (2020). Enhanced microencapsulation of C-phycocyanin from Arthrospira by freeze-drying with different wall materials. *Food Technology and Biotechnology*, *58*(4), 423–432. https://doi.org/10.17113/ftb.58.04.20.6622

Pan-utai, W., Kahapana, W., & Iamtham, S. (2018). Extraction of C-phycocyanin from Arthrospira (Spirulina) and its thermal stability with citric acid. *Journal of Applied Phycology*, *30*(1), 231–242. https://doi.org/10.1007/s10811-017-1155-x

Pant, K., Thakur, M., Chopra, H. K., & Nanda, V. (2022). Encapsulated bee propolis powder: Drying process optimization and physicochemical characterization. *Lwt*, *155*. https://doi.org/10.1016/j.lwt.2021.112956

Patil, V., Chauhan, A. K., & Singh, R. P. (2014). Optimization of the spray-drying process for developing guava powder using response surface methodology. *Powder Technology*, *253*, 230–236. https://doi.org/10.1016/j.powtec.2013.11.033

Pebriana, R. B., Romadhon, A. F., Yunianto, A., Rokhman, M. R., Fitriyah, N. Q., Jenie, R. I., Meiyanto, & Edy. (2012). Docking of curcumin and its analogues on progesterone receptor: interaction studies for selective progesterone receptor modulators (sprms). *Jurnal Farmasi Indonesia*, *13*(2), 55–60.

Petkova, D., Mihaylova, D., & Desseva, I. (2022). Microencapsulation in food industry - an overview. *BIO Web of Conferences*, *45*, 1–9. https://doi.org/10.1051/bioconf/20224502005

Pez Jaeschke, D., Rocha Teixeira, I., Damasceno Ferreira Marczak, L., & Domeneghini Mercali, G. (2021a). Phycocyanin from Spirulina: A review of extraction methods and stability. *Food Research International*, *143*(October 2020). https://doi.org/10.1016/j.foodres.2021.110314

Pradeep, H. N., & Nayak, C. A. (2019). Enhanced stability of C-phycocyanin colorant by extrusion encapsulation. *Journal of Food Science and Technology*, *56*(10), 4526–4534. https://doi.org/10.1007/s13197-019-03955-8

Prasadi, O. (2018). Pertumbuhan dan biomasa spirulina sp. Dalam media pupuk sebagai bahan pangan fungsional. *Jurnal Ilmiah Perikanan Dan Kelautan*, *10 No. 2*(2), 119–123.

Pratiwi, I., Sarungallo, Z. L., & Santoso, B. (2020). Sifat fisikokimia minyak buah merah (pandanus conoideus lamk.) Degumming dan karakteristik mikroenkapsulat minyak buah merah yang dihasilkan. *Agritechnology*, *3*(2), 50–58.

Purba, B. M. (2013). Aktivitas antioksidan sargassum sp. Yang dienkapsulasi dengan kombinasi gum arab dan maltodekstrin (Skripsi). Universitas Gadjah Mada.

Purnama, F. N. W., Agustini, T. W., & Kurniasih, R. A. (2020). The effect of different temperature on the stability of phycocyanin on microcapsule Spirulina platensis. *IOP Conference Series: Earth and Environmental Science*, *530*(1). https://doi.org/10.1088/1755-1315/530/1/012008

Purnamayati, L., Dewi, E. N., & Kurniasih, R. A. (2018). Phycocyanin stability in

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

microcapsules processed by spray drying method using different inlet temperature. *IOP Conference Series: Earth and Environmental Science*, *116*(1). https://doi.org/10.1088/1755-1315/116/1/012076

Purnamayati, Lukita, Dewi, E. N., & Kurniasih, R. A. (2016). Karakteristik fisik mikrokapsul fikosianin spirulina pada konsentrasi bahan penyalut yang berbeda. *Jurnal Teknologi Hasil Pertanian*, *9*(1), 1–8. https://doi.org/10.20961/jthp.v9i2.12844

Purnomo, W., Khasanah, L. U., & Anandito, R. B. K. (2014). Pengaruh ratio kombinasi maltodekstrin, karagenan dan whey terhadap karakteristik mikroenkapsulan pewarna alami daun jati (tectona grandis l. F.). *Jurnal Aplikasi Teknologi Pangan*, *3*.

Ramakrishnan, N., Sharma, S., Gupta, A., & Alashwal, B. Y. (2018). Keratin based bioplastic film from chicken feathers and its characterization. *International Journal of Biological Macromolecules*, *111*, 352–358. https://doi.org/10.1016/j.ijbiomac.2018.01.037

Ramos, O.L, Pereira, R. N., Rodrigues, R. M., Teixeira, J. A., Vicente, A. A., & Malcata, F. X. (2016). *Whey and whey powders: production and uses.* (Encycloped). Academic Press. http://www.sciencedirect.com/%0Ascience/article/pii/B9780123849472007479

Ramos, Oscar L., Pereira, R. N., Martins, A., Rodrigues, R., Fuciños, C., Teixeira, J. A., Pastrana, L., Malcata, F. X., & Vicente, A. A. (2017). Design of whey protein nanostructures for incorporation and release of nutraceutical compounds in food. *Critical Reviews in Food Science and Nutrition*, *57*(7), 1377–1393. https://doi.org/10.1080/10408398.2014.993749

Ren, Y., Liu, C., & Li, C. (2023). Performance and degradation mechanism of phycocyanin by cu-tio2. *Environmental Science and Pollution Research*, *30*.

Rezvankhah, A., Emam-Djomeh, Z., & Askari, G. (2020). Encapsulation and delivery of bioactive compounds using spray and freeze-drying techniques: A review. *Drying Technology*, *38*(1–2), 235–258. https://doi.org/10.1080/07373937.2019.1653906

Ribardo, C., & Allen, T. T. (2003). An alternative desirability function for achieving “six sigma” quality. *Quality and Reliability Engineering International*, *19*(3), 227–240. https://doi.org/10.1002/qre.523

Ribeiro, J. S., & Veloso, C. M. (2021). Microencapsulation of natural dyes with biopolymers for application in food: A review. *Food Hydrocolloids*, *112*(July 2020). https://doi.org/10.1016/j.foodhyd.2020.106374

Ridlo, A., Sedjati, S., & Supriyantini, E. (2016). Aktivitas anti oksidan fikosianin dari spirulina sp. Menggunakan metode transfer elektron dengan DPPH (1,1-difenil-2-pikrilhidrazil). *Jurnal Kelautan Tropis*, *18*(2), 58–63. https://doi.org/10.14710/jkt.v18i2.515

Saavedra-Leos, Z., Leyva-Porras, C., Araujo-Díaz, S. B., Toxqui-Terán, A., & Borrás-Enríquez, A. J. (2015). Technological application of maltodextrins according to the degree of polymerization. *Molecules*, *20*(12), 21067–21081. https://doi.org/10.3390/molecules201219746

Sablania, V., Bosco, S. J. D., Rohilla, S., & Shah, M. A. (2018). Microencapsulation

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

of Murraya koenigii L. leaf extract using spray drying. *Journal of Food Measurement and Characterization*, *12*(2), 892–901. https://doi.org/10.1007/s11694-017-9704-1

Safitri, S., Manab, A., Al Awwaly, K. U., Febrisiantosa, A., & Listiani, E. (2022). Effects of whey protein isolate on black pepper essential oil ultrasound-assisted emulsion on physical characteristics, antioxidant activity, and antibacterial properties. *Jurnal Ilmu Dan Teknologi Hasil Ternak*, *17*(3), 152–165. https://doi.org/10.21776/ub.jitek.2022.017.03.2

Sansone, F., Mencherini, T., Picerno, P., D'Amore, M., Aquino, R. P., & Lauro, M. R. (2011). Maltodextrin/pectin microparticles by spray drying as carrier for nutraceutical extracts. *Journal of Food Engineering*, *105*(3), 468–476. https://doi.org/10.1016/j.jfoodeng.2011.03.004

Santana, A. A., Cano-Higuita, D. M., De Oliveira, R. A., & Telis, V. R. N. (2016). Influence of different combinations of wall materials on the microencapsulation of jussara pulp (Euterpe edulis) by spray drying. *Food Chemistry*, *212*, 1–9. https://doi.org/10.1016/j.foodchem.2016.05.148

Santoso, B., Herpandi, H., Pitayati, P. A., & Pambayun, R. (2013). Pemanfaatan karaginan dan gum arabic sebagai edible film berbasis hidrokoloid. *AgriTECH*, *33*(2), 140–145. https://doi.org/10.22146/agritech.9802

Sari, E. M. (2020). Identifikasi Kestabilan Pigmen Antosianin dari Ketan Hitam menggunakan Metode Akselerasi Kerusakan. *Biolearning Journal*, *7*(1), 39–43.

Sayed, A. A., Soliman, A. M., Taha, M. A., & Sadek, S. A. (2022). Spirulina and C-phycocyanin mitigate titanium dioxide nanoparticle-induced hematobiochemical and hepatorenal disorders through antioxidative pathway. *Food Chemistry Advances*, *1*(April), 100035. https://doi.org/10.1016/j.focha.2022.100035

Selig, M. J., Malchione, N. M., Gamaleldin, S., Padilla-Zakour, O. I., & Abbaspourrad, A. (2018). Protection of blue color in a spirulina derived phycocyanin extract from proteolytic and thermal degradation via complexation with beet-pectin. *Food Hydrocolloids*, *74*, 46–52. https://doi.org/10.1016/j.foodhyd.2017.07.027

Shamshad, A., Iahtisham-Ul-Haq, Butt, M. S., Nayik, G. A., Al Obaid, S., Ansari, M. J., Karabagias, I. K., Sarwar, N., & Ramniwas, S. (2023). Effect of storage on physicochemical attributes of ice cream enriched with microencapsulated anthocyanins from black carrot. *Food Science and Nutrition*, *11*(7), 3976–3988. https://doi.org/10.1002/fsn3.3384

Shishir, M. R. I., & Chen, W. (2017a). Trends of spray drying: A critical review on drying of fruit and vegetable juices. *Trends in Food Science and Technology*, *65*, 49–67. https://doi.org/10.1016/j.tifs.2017.05.006

Sobulska, M., & Zbicinski, I. (2021). Advances in spray drying of sugar-rich products. *Drying Technology*, *39*(12), 1774–1799. https://doi.org/10.1080/07373937.2020.1832513

Stănciuc, N., Oancea, A. M., Aprodu, I., Turturică, M., Barbu, V., Ioniţă, E., Râpeanu, G., & Bahrim, G. (2018). Investigations on binding mechanism of bioactives from elderberry (Sambucus nigra L.) by whey proteins for efficient microencapsulation. *Journal of Food Engineering*, *223*, 197–207. https://doi.org/10.1016/j.jfoodeng.2017.10.019

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Stanic-Vucinic, D., Minic, S., Nikolic, M. R., & Velickovic, T. C. (2018). Spirulina phycobiliproteins as food components and complements. *In Microalgal Biotechnology. InTech*, *11*, 13. https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics

Suzery, M., Hadiyanto, Sutanto, H., Soetrisnanto, D., Majid, D., Setyawan, D., & Azizah, N. (2015). The improvement of phycocyanin stability extracted from Spirulina sp using extrusion encapsulation technique. *AIP Conference Proceedings*, *1699*. https://doi.org/10.1063/1.4938296

Syamsinar, S., Saputri, N., Risnayanti, R., & Nisa, M. (2018). Mikroenkapsulasi ekstrak buah buni sebagai food safety colouring. *Jurnal Farmasi Medica/Pharmacy Medical Journal (PMJ)*, *1*(2), 73–81. https://doi.org/10.35799/pmj.1.2.2018.21654

Tarone, A. G., Cazarin, C. B. B., & Marostica Junior, M. R. (2020). Anthocyanins: New techniques and challenges in microencapsulation. *Food Research International*, *133*(December 2019). https://doi.org/10.1016/j.foodres.2020.109092

Tavares, G. M., Croguennec, T., Carvalho, A. F., & Bouhallab, S. (2014). Milk proteins as encapsulation devices and delivery vehicles: Applications and trends. *Trends in Food Science and Technology*, *37*(1), 5–20. https://doi.org/10.1016/j.tifs.2014.02.008

Tavares, G. M., Croguennec, T., Hamon, P., Carvalho, A. F., & Bouhallab, S. (2015). Selective coacervation between lactoferrin and the two isoforms of β lactoglobulin. *Food Hydrocolloids*, *48*, 238–247.

Tedjakusuma, F., & Widyaningrum, D. (2024). Improvement of phycocyanin stability at different temperatures using microencapsulation by whey protein isolate. *IOP Conference Series: Earth and Environmental Science*, *1312*(1). https://doi.org/10.1088/1755-1315/1312/1/012036

Teng, Z., Xu, R., & Wang, Q. (2015). Beta-lactoglobulin-based encapsulating systems as emerging bioavailability enhancers for nutraceuticals: A review. *RSC Advances*, *5*(44), 35138–35154. https://doi.org/10.1039/c5ra01814e

Timilsena, Y. P., Haque, M. A., & Adhikari, B. (2020). Encapsulation in the food industry: a brief historical overview to recent developments. *Food and Nutrition Sciences*, *11*(06), 481–508. https://doi.org/10.4236/fns.2020.116035

Tolun, A., Altintas, Z., & Artik, N. (2016). Microencapsulation of grape polyphenols using maltodextrin and gum arabic as two alternative coating materials: Development and characterization. *Journal of Biotechnology*, *239*, 23–33. https://doi.org/10.1016/j.jbiotec.2016.10.001

Ton, N. M. N., Tran, T. T. T., & Le, V. V. M. (2016). Microencapsulation of rambutan seed oil by spray-drying using different protein preparations. *International Food Research Journal*, *23*(1), 123–128.

Tonon, R. V., Brabet, C., & Hubinger, M. D. (2008). Influence of process conditions on the physicochemical properties of açai (Euterpe oleraceae Mart.) powder produced by spray drying. *Journal of Food Engineering*, *88*(3), 411–418. https://doi.org/10.1016/j.jfoodeng.2008.02.029

Tonon, R. V., Brabet, C., & Hubinger, M. D. (2010). Anthocyanin stability and antioxidant activity of spray-dried açai (Euterpe oleracea Mart.) juice produced

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

with different carrier agents. *Food Research International*, *43*(3), 907–914. https://doi.org/10.1016/j.foodres.2009.12.013

Tonon, R. V., Brabet, C., Pallet, D., Brat, P., & Hubinger, M. D. (2009). Physicochemical and morphological characterisation of açai (Euterpe oleraceae Mart.) powder produced with different carrier agents. *International Journal of Food Science and Technology*, *44*(10), 1950–1958. https://doi.org/10.1111/j.1365-2621.2009.02012.x

Tupuna, D. S., Paese, K., Guterres, S. S., Jablonski, A., Flôres, S. H., & Rios, A. de O. (2018). Encapsulation efficiency and thermal stability of norbixin microencapsulated by spray-drying using different combinations of wall materials. *Industrial Crops and Products*, *111*(December 2017), 846–855. https://doi.org/10.1016/j.indcrop.2017.12.001

Ulumi, M. L. N. N., Wirandhani, D. S., Ardhani, R. F., Andhani, C. O., & Putri, D. N. (2021). Mikroenkapsulasi pigmen beta-karoten dengan metode foam mat drying menggunakan gelatin tulang ikan kakap merah sebagai bahan penyalut. *Agrointek : Jurnal Teknologi Industri Pertanian*, *15*(4), 1183–1195. https://doi.org/10.21107/agrointek.v15i4.11689

Walter, A., de Carvalho, J. C., Soccol, V. T., de Faria, A. B. B., Ghiggi, V., & Soccol, C. R. (2011). Study of phycocyanin production from spirulina platensis under different light spectra. *Brazilian Archives of Biology and Technology*, *54*(4), 675–682. https://doi.org/10.1590/S1516-89132011000400005

Wang, H. Y., Qian, H., & Yao, W. R. (2011). Melanoidins produced by the Maillard reaction: Structure and biological activity. *Food Chemistry*, *128*(3), 573–584. https://doi.org/10.1016/j.foodchem.2011.03.075

Wang, L., Qu, Y., Fu, X., Zhao, M., Wang, S., & Sun, L. (2014). Isolation, purification and properties of an r-phycocyanin from the phycobilisomes of a marine red macroalga polysiphonia urceolata. *PLoS ONE*, *9*(2), e87833. https://doi.org/10.1371/journal.pone.0087833

Wang, R., Liu, Y., Hu, X., Pan, J., Gong, D., & Zhang, G. (2019). New insights into the binding mechanism between osthole and B-lactoglobulin: Spectroscopic, chemometrics and docking studies. *Food Research International*, *120*, 226–234.

Widyaningrum, D., Sadek, N. F., Cecilia, D., Oktafika, R. A., & Tedjakusuma, F. (2024). The effect of temperature and encapsulation on the stability of microalgae pigments. *IOP Conference Series: Earth and Environmental Science*, *1352*(1). https://doi.org/10.1088/1755-1315/1352/1/012090

Wu, H. L., Wang, G. H., Xiang, W. Z., Li, T., & He, H. (2016a). Stability and Antioxidant Activity of Food-Grade Phycocyanin Isolated from Spirulina platensis. *International Journal of Food Properties*, *19*(10), 2349–2362. https://doi.org/10.1080/10942912.2015.1038564

Xiao, Z., Xia, J., Zhao, Q., Niu, Y., & Zhao, D. (2022). Maltodextrin as wall material for microcapsules: A review. *Carbohydrate Polymers*, *298*(June). https://doi.org/10.1016/j.carbpol.2022.120113

Yan, M., Liu, B., Jiao, X., & Qin, S. (2014). Preparation of phycocyanin microcapsules and its properties. *Food and Bioproducts Processing*, *92*(1), 89–97. https://doi.org/10.1016/j.fbp.2013.07.008

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yoo, S., & Krochta, J. M. (2011). Whey protein-polysaccharide blended edible film formation and barrier, tensile, thermal and transparency properties. *Journal of the Science of Food and Agriculture*, *91*(14), 2628–2636. https://doi.org/10.1002/jsfa.4502

Young, S. L., Sarda, X., & Rosenberg, M. (1993). Microencapsulating properties of whey proteins. 1. Microencapsulation of anhydrous milk fat. *Journal of Dairy Science*, *76*(10), 2868–2877. https://doi.org/10.3168/jds.S0022-0302(93)77625-0

Yousefi, S., Kavyanirad, M., Aminifar, M., Weisany, W., & Mousavi Khaneghah, A. (2022). Yogurt fortification by microencapsulation of beetroot extract (Beta vulgaris L.) using maltodextrin, gum arabic, and whey protein isolate. *Food Science and Nutrition*, *10*(6), 1875–1887. https://doi.org/10.1002/fsn3.2804

Yu, P., Wu, Y., Wang, G., Jia, T., & Zhang, Y. (2017). Purification and bioactivities of phycocyanin. *Critical Reviews in Food Science and Nutrition*, *57*(18), 3840–3849. https://doi.org/10.1080/10408398.2016.1167668

Yuan, B., Li, Z., Shan, H., Dashnyam, B., Xu, X., McClements, D. J., Zhang, B., Tan, M., Wang, Z., & Cao, C. (2022a). A review of recent strategies to improve the physical stability of phycocyanin. *Current Research in Food Science*, *5*(October), 2329–2337. https://doi.org/10.1016/j.crfs.2022.11.019

Yuan, B., Li, Z., Shan, H., Dashnyam, B., Xu, X., McClements, D. J., Zhang, B., Tan, M., Wang, Z., & Cao, C. (2022b). A review of recent strategies to improve the physical stability of phycocyanin. *Current Research in Food Science*, *5*(March), 2329–2337. https://doi.org/10.1016/j.crfs.2022.11.019

Yuliawaty, S. T., & Susanto, W. H. (2015). Pengaruh lama pengeringan dan konsentrasi maltodekstrin terhadap karakteristik fisika kimia dan organoleptik minuman instan daun mengkudu (Morinda citrifolia L). In *Jurnal Pangan dan Agroindustri* (Vol. 3, Issue 1, pp. 41–51).

Yunilawati, R., Yemirta, Y., Cahyaningtyas, A. A., Aviandharie, S. A., Hidayati, N., & Rahmi, D. (2018). Optimasi proses spray drying pada enkapsulasi antosianin ubi ungu. *Jurnal Kimia Dan Kemasan*, *40*(1), 17. https://doi.org/10.24817/jkk.v40i1.3761

Yusa Ali, D., Darmadji, P., & Pranoto, Y. (2014). Optimasi nanoenkapsulasi asap cair tempurung kelapa dengan response surface methodology dan karakterisasi nanokapsul. *Jurnal Teknologi Dan Industri Pangan*, *25*(1), 23–30. https://doi.org/10.6066/jtip.2014.25.1.23

Zahrotunnisa, A., Kholifatuddin Sya, Y., & Nurrahman. (2023). Karateristik fisik dan kimia teh kombucha daun tin instan berdasarkan konsentrasi maltodekstrin. *Prosiding Seminar Nasional UNIMUS*, *1*, 1060–1072.

Zen, M. B., Ganda Putra, G. P., & Suhendra, L. (2021). Karakteristik enkapsulat ekstrak kulit buah kakao (theobroma cacao l.) Pada perlakuan variasi jenis dan konsentrasi bahan penyalut. *Jurnal Rekayasa Dan Manajemen Agroindustri*, *9*(3), 356. https://doi.org/10.24843/jrma.2021.v09.i03.p09

Zhang, Z., Cho, S., Dadmohammadi, Y., Li, Y., & Abbaspourrad, A. (2021). Improvement of the storage stability of C-phycocyanin in beverages by high-pressure processing. *Food Hydrocolloids*, *110*(February 2020), 106055. https://doi.org/10.1016/j.foodhyd.2020.106055

UNIVERSITAS
GADJAH MADA
**Optimasi Konsentrasi Kombinasi Bahan Dinding Gum Arab, Maltodekstrin dan Whey Protein Isolate pada
Mikrokapsul Fikosianin dari Arthrospira Platensis**
Puspa Pebriyanti, Dr. RA. Siti A. Budhiyanti, S.T.P., M.P; Dr. Nurfitri Ekantari, S.Pi., M.P
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhao, M., Li, L., Cao, W., Wang, Z., Chu, Q., Bhandari, B., Ren, G., & Duan, X. (2023). Effects of different drying methods on the properties, stability, and controlled release of Cornus officinalis flavonoids microparticles. *Journal of Food Science*, *88*(6), 2313–2324. https://doi.org/10.1111/1750-3841.16611

Zheng, J., Inoguchi, T., Sasaki, S., Maeda, Y., Mccarty, M. F., Fujii, M., Ikeda, N., Kobayashi, K., Sonoda, N., & Takayanagi, R. (2013). Phycocyanin and phycocyanobilin from spirulina platensis protect against diabetic nephropathy by inhibiting oxidative stress. *American Journal of Physiology - Regulatory Integrative and Comparative Physiology*, *304*(2), 110–120. https://doi.org/10.1152/ajpregu.00648.2011

Zheng, J. X., Yin, H., Shen, C. C., Zhang, L., Ren, D. F., & Lu, J. (2020). Functional and structural properties of spirulina phycocyanin modified by ultra-high-pressure composite glycation. *Food Chemistry*, *306*(June 2019), 125615. https://doi.org/10.1016/j.foodchem.2019.125615

Zhou, Z. P., Liu, L. N., Chen, X. L., Wang, J. X., Chen, M., Zhang, Y. Z., & Zhou, B. C. (2005). Factors that effect antioxidant activity of c-phycocyanins from spirulina platensis. *Journal of Food Biochemistry*, *29*(3), 313–322. https://doi.org/10.1111/j.1745-4514.2005.00035.x

Zuidam, N. J. and Nedović, V. A., 2010. Encapsulation Technologies for Active Food Ingredients and Food Processing. New York, USA: Springer. 269– 302.