



## DAFTAR PUSTAKA

- Acik, R., & Sudarmadji, S. (2017). Relationship between the Ecological Factors with Community Structure of Mangrove in Pang-Pang Bay Alas Purwo National Park. *Jurnal ILMU DASAR*, 18(1), 61. <https://doi.org/10.19184/jid.v18i1.2753>
- Aiello, G., & Sacchi, M. (2022). New morpho-bathymetric data on marine hazard in the offshore of Gulf of Naples (Southern Italy). *Natural Hazards*, 111(3), 2881–2908. <https://doi.org/10.1007/s11069-021-05161-2>
- Amoroso, P. P., Aguilar, F. J., Parente, C., & Aguilar, M. A. (2023). Statistical Assessment of Some Interpolation Methods for Building Grid Format Digital Bathymetric Models. *Remote Sensing*, 15(8), 2072. <https://doi.org/10.3390/rs15082072>
- Anderson, J. T., Van Holliday, D., Kloser, R., Reid, D. G., & Simard, Y. (2008). Acoustic seabed classification: Current practice and future directions. *ICES Journal of Marine Science*, 65(6), 1004–1011. <https://doi.org/10.1093/icesjms/fsn061>
- Antunes, N. S. M. (2000). *The importance of the tidal datum in the definition of maritime limits and boundaries*. International Boundaries Research Unit, Univ. of Durham.
- Aubrey, D. G. (1986). Hydrodynamic controls on sediment transport in well-mixed bays and estuaries. Dalam J. Van De Kreeke (Ed.), *Lecture Notes on Coastal and Estuarine Studies* (Vol. 16, hlm. 245–258). American Geophysical Union. <https://doi.org/10.1029/LN016p0245>
- Aykut, N. O., Akpınar, B., & Aydın, Ö. (2013). Hydrographic data modeling methods for determining precise seafloor topography. *Computational Geosciences*, 17(4), 661–669. <https://doi.org/10.1007/s10596-013-9347-1>
- Bird, E. (2008). *Coastal geomorphology: An introduction*. Jon Wiley & Sons Ltd.
- Bishop, M. P., James, L. A., Shroder, J. F., & Walsh, S. J. (2012). Geospatial technologies and digital geomorphological mapping: Concepts, issues and research. *Geomorphology*, 137(1), 5–26. <https://doi.org/10.1016/j.geomorph.2011.06.027>
- Biswas, S. R., Mallik, A. U., Choudhury, J. K., & Nishat, A. (2009). A unified framework for the restoration of Southeast Asian mangroves—Bridging ecology, society and economics. *Wetlands Ecology and Management*, 17(4), 365–383. <https://doi.org/10.1007/s11273-008-9113-7>
- Burrough, P. A., McDonnell, R., & Lloyd, C. D. (2015). *Principles of geographical information systems* (Third edition). Oxford University Press.



- Buwono, Y. R., Ardhana, I. P. G., & Sudarma, M. (2015). POTENSI FAUNA AKUATIK EKOSISTEM HUTAN MANGROVE DI KAWASAN TELUK PANGPANG KABUPATEN BANYUWANGI. *ECOTROPHIC: Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 9(2), 28. <https://doi.org/10.24843/EJES.2015.v09.i02.p05>
- Carrilho, C. D., & Sinisgalli, P. A. D. A. (2018). Contribution to Araçá Bay management: The identification and valuation of ecosystem services. *Ocean & Coastal Management*, 164, 128–135. <https://doi.org/10.1016/j.ocecoaman.2018.03.023>
- Chen, P., Sun, Z., Zhou, X., Xia, Y., Li, L., He, Z., Wang, R., & Xie, H. (2021). Impacts of coastal reclamation on tidal and sediment dynamics in the Rui'an coast of China. *Ocean Dynamics*, 71(3), 323–341. <https://doi.org/10.1007/s10236-021-01442-3>
- Curtarelli, M., Leão, J., Ogashawara, I., Lorenzetti, J., & Stech, J. (2015). Assessment of Spatial Interpolation Methods to Map the Bathymetry of an Amazonian Hydroelectric Reservoir to Aid in Decision Making for Water Management. *ISPRS International Journal of Geo-Information*, 4(1), 220–235. <https://doi.org/10.3390/ijgi4010220>
- Dahuri, R. (2003). *Keanekaragaman hayati laut: Aset pembangunan berkelanjutan Indonesia*. Gramedia Pustaka Utama.
- Davis, E. E., & Elderfield, H. (2004). *Hydrogeology of the oceanic lithosphere*. Cambridge university press.
- Di Martino, G., Innangi, S., Sacchi, M., & Tonielli, R. (2021). Seafloor morphology changes in the inner-shelf area of the Pozzuoli Bay, Eastern Tyrrhenian Sea. *Marine Geophysical Research*, 42(2), 13. <https://doi.org/10.1007/s11001-021-09434-0>
- Diaconu, D. C., Bretcan, P., Peptenatu, D., Tanislav, D., & Mailat, E. (2019). The importance of the number of points, transect location and interpolation techniques in the analysis of bathymetric measurements. *Journal of Hydrology*, 570, 774–785. <https://doi.org/10.1016/j.jhydrol.2018.12.070>
- Dina 'Amalina, A., Atmodjo, W., & Setiyo Pranowo, W. (2019). Karakteristik Pasang Surut di Teluk Jakarta Berdasarkan Data 253 Bulan. *Jurnal Riset Jakarta*, 12(1), 25–36. <https://doi.org/10.37439/jurnaldrd.v12i1.7>
- Diposaptono, S. & Budiman. (2008). *Hidup akrab dengan gempa dan tsunami*. Buku Ilmiah Populer.



- Divins, D. (2003). *Total sediment thickness of the world's oceans and marginal seas* (Dataset NOAA National Geophysical Data Center, Boulder, CO; Versi 2). <https://www.ngdc.noaa.gov/mgg/sedthick/sedthick.html>
- Dove, D., Nanson, R., Bjarnadóttir, L. R., Guinan, J., Gafeira, J., Post, A., Dolan, M. F. J., Stewart, H., Arosio, R., & Scott, G. (2020). *A two-part seabed geomorphology classification scheme (v.2); Part 1: Morphology features glossary*. Zenodo. <https://doi.org/10.5281/ZENODO.4075248>
- Fauziyah, F., Akbarimansyah, R., Ningsih, E. N., Agustriani, F., Supriyadi, F., & Febrianti, A. A. P. (2023). Pemetaan Topografi Dasar Laut dan Jenis Sedimen di Perairan Banyuasin Kabupaten Banyuasin, Sumatera Selatan. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 15(2), 251–264. <https://doi.org/10.29244/jitkt.v15i2.45086>
- Gales, J. A., Leat, P. T., Larter, R. D., Kuhn, G., Hillenbrand, C.-D., Graham, A. G. C., Mitchell, N. C., Tate, A. J., Buys, G. B., & Jokat, W. (2014). Large-scale submarine landslides, channel and gully systems on the southern Weddell Sea margin, Antarctica. *Marine Geology*, 348, 73–87. <https://doi.org/10.1016/j.margeo.2013.12.002>
- Gay, A., Mourgues, R., Berndt, C., Bureau, D., Planke, S., Laurent, D., Gautier, S., Lauer, C., & Loggia, D. (2012). Anatomy of a fluid pipe in the Norway Basin: Initiation, propagation and 3D shape. *Marine Geology*, 332–334, 75–88. <https://doi.org/10.1016/j.margeo.2012.08.010>
- Gille, S. T., Metzger, E. J., & Tokmakian, R. (2004). Seafloor topography and ocean circulation. *Oceanography*, 17(1), 47–54.
- Gong, G., Mattevada, S., & O'Bryant, S. E. (2014). Comparison of the accuracy of kriging and IDW interpolations in estimating groundwater arsenic concentrations in Texas. *Environmental Research*, 130, 59–69. <https://doi.org/10.1016/j.envres.2013.12.005>
- Guiastrennec-Faugas, L., Gillet, H., Silva Jacinto, R., Dennielou, B., Hanquiez, V., Schmidt, S., Simplet, L., & Rousset, A. (2020). Upstream migrating knickpoints and related sedimentary processes in a submarine canyon from a rare 20-year morphobathymetric time-lapse (Capbreton submarine canyon, Bay of Biscay, France). *Marine Geology*, 423, 106143. <https://doi.org/10.1016/j.margeo.2020.106143>



- Guo-an, T., Strobl, J., Jian-ya, G., Mu-dan, Z., & Zhen-jiang, C. (2001). Evaluation on the accuracy of digital elevation models. *Journal of Geographical Sciences*, 11(2), 209–216. <https://doi.org/10.1007/BF02888692>
- Gustavsson, M., Kolstrup, E., & Seijmonsbergen, A. C. (2006). A new symbol-and-GIS based detailed geomorphological mapping system: Renewal of a scientific discipline for understanding landscape development. *Geomorphology*, 77(1–2), 90–111.
- Hashemi, M. R., Neill, S. P., & Davies, A. G. (2015). A coupled tide-wave model for the NW European shelf seas. *Geophysical & Astrophysical Fluid Dynamics*, 109(3), 234–253. <https://doi.org/10.1080/03091929.2014.944909>
- Heap, A. D., & Harris, P. T. (2008). Geomorphology of the Australian margin and adjacent seafloor. *Australian Journal of Earth Sciences*, 55(4), 555–585. <https://doi.org/10.1080/08120090801888669>
- Hengl, T. (2006). Finding the right pixel size. *Computers & Geosciences*, 32(9), 1283–1298. <https://doi.org/10.1016/j.cageo.2005.11.008>
- Hidayah, Z., Rachman, H. A., & Wiyanto, D. B. (2024). Assessment of spatio-temporal dynamics of mangrove forest in Teluk Pangpang, Banyuwangi, East Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 25(7). <https://doi.org/10.13057/biodiv/d250736>
- Hidayat, A., S, A. A. D., & Ismunarti, D. H. (2016). PEMETAAN BATIMETRI DAN SEDIMEN DASAR DI PERAIRAN TELUK BALIKPAPAN, KALIMANTAN TIMUR. *Journal of Oceanography*, 5(2), Article 2.
- Holden, J. (2017). *An Introduction to Physical Geography and the Environment*. Pearson Education.
- Huang, Z., Nanson, R., McNeil, M., Wenderlich, M., Gafeira, J., Post, A., & Nichol, S. (2023). Rule-based semi-automated tools for mapping seabed morphology from bathymetry data. *Frontiers in Marine Science*, 10, 1236788. <https://doi.org/10.3389/fmars.2023.1236788>
- Ilyas, I., Ibrahim, A. L., & Suryanegara, D. (2018). Pembuatan Peta Laut indonesia No. 63 Menggunakan Perangkat Lunak Caris Paper Chart Composer 2.1 (Studi Kasus Perairan Selat Gelasa): Making Indonesian Marine Map No. 63 Using Caris Paper Chart Composer 2.1 Software (Case Study of Gelasa Strait Waters). *Jurnal Hidropilar*, 4(2), 77–83. <https://doi.org/10.37875/hidropilar.v4i2.189>



- International Hydrographic Organization. (2019). *Standardization of Undersea Feature Names (Guidelines, Proposal Form Terminology)*. International Hydrographic Organization. <https://iho.int/en/bathymetric-publications>
- Jayne, S. R. (2004). Connections Between Ocean Bottom Topography and Earth's Climate. *Oceanography*, 17. <https://doi.org/10.5670/oceanog.2004.68>
- Keyzer, L. M., Herman, P. M. J., Smits, B. P., Pietrzak, J. D., James, R. K., Candy, A. S., Riva, R. E. M., Bouma, T. J., Van Der Boog, C. G., Katsman, C. A., Slobbe, D. C., Zijlema, M., Van Westen, R. M., & Dijkstra, H. A. (2020). The potential of coastal ecosystems to mitigate the impact of sea-level rise in shallow tropical bays. *Estuarine, Coastal and Shelf Science*, 246, 107050. <https://doi.org/10.1016/j.ecss.2020.107050>
- Kim, C. S., & Lim, H.-S. (2009). Sediment dispersal and deposition due to sand mining in the coastal waters of Korea. *Continental Shelf Research*, 29(1), 194–204. <https://doi.org/10.1016/j.csr.2008.01.017>
- King, E. V., Conley, D. C., Masselink, G., & Leonardi, N. (2021). Predicting Dominance of Sand Transport by Waves, Tides, and Their Interactions on Sandy Continental Shelves. *Journal of Geophysical Research: Oceans*, 126(9), e2021JC017200. <https://doi.org/10.1029/2021JC017200>
- Kiš, I. M. (2016). Comparison of Ordinary and Universal Kriging interpolation techniques on a depth variable (a case of linear spatial trend), case study of the Šandrovac Field. *Rudarsko-geološko-naftni zbornik*, 31(2), 41–58. <https://doi.org/10.17794/rgn.2016.2.4>
- Kunze, E., & Llewellyn Smith, S. (2004). The Role of Small-Scale Topography in Turbulent Mixing of the Global Ocean. *Oceanography*, 17(1), 55–64. <https://doi.org/10.5670/oceanog.2004.67>
- Lam, N. S.-N. (1983). Spatial Interpolation Methods: A Review. *The American Cartographer*, 10(2), 129–150. <https://doi.org/10.1559/152304083783914958>
- Lenstra, K. J. H., Pluis, S. R. P. M., Ridderinkhof, W., Ruessink, G., & Van Der Veegt, M. (2019). Cyclic channel-shoal dynamics at the Ameland inlet: The impact on waves, tides, and sediment transport. *Ocean Dynamics*, 69(4), 409–425. <https://doi.org/10.1007/s10236-019-01249-3>
- Li, F., & Tang, G. (2011). DEM based Terrain Factor of Soil Erosion at regional Scale and Soil Erosion Mapping. Dalam A. Ruas (Ed.), *Advances in Cartography and*



- GIScience. Volume 2* (Vol. 6, hlm. 383–395). Springer Berlin Heidelberg.  
[https://doi.org/10.1007/978-3-642-19214-2\\_26](https://doi.org/10.1007/978-3-642-19214-2_26)
- Li, Z. (1988). On The Measure Of Digital Terrain Model Accuracy. *The Photogrammetric Record*, 12(72), 873–877. <https://doi.org/10.1111/j.1477-9730.1988.tb00636.x>
- Lu, Y., Yuan, J., Lu, X., Su, C., Zhang, Y., Wang, C., Cao, X., Li, Q., Su, J., Ittekkot, V., Garbutt, R. A., Bush, S., Fletcher, S., Wagey, T., Kachur, A., & Sweijid, N. (2018). Major threats of pollution and climate change to global coastal ecosystems and enhanced management for sustainability. *Environmental Pollution*, 239, 670–680. <https://doi.org/10.1016/j.envpol.2018.04.016>
- Maleika, W. (2015). The influence of the grid resolution on the accuracy of the digital terrain model used in seabed modeling. *Marine Geophysical Research*, 36(1), 35–44. <https://doi.org/10.1007/s11001-014-9236-6>
- Masrukhin, M. A. A., Sugianto, D. N., & Satriadi, A. (2014). Studi Batimetri Dan Morfologi Dasar Laut Dalam Penentuan Jalur Peletakan Pipa Bawah Laut (Perairan Larangan-Maribaya, Kabupaten Tegal). *Journal of Oceanography*, 3(1), Article 1.
- Masselink, G., Hughes, M., & Knight, J. (2014). *Introduction to Coastal Processes and Geomorphology* (0 ed.). Routledge. <https://doi.org/10.4324/9780203785461>
- Mayhew, S. (2015). *A Dictionary of Geography*. OUP Oxford. <https://books.google.co.id/books?id=RVy5BgAAQBAJ>
- McArthur, M. A., Brooke, B. P., Przeslawski, R., Ryan, D. A., Lucieer, V. L., Nichol, S., McCallum, A. W., Mellin, C., Cresswell, I. D., & Radke, L. C. (2010). On the use of abiotic surrogates to describe marine benthic biodiversity. *Estuarine, Coastal and Shelf Science*, 88(1), 21–32. <https://doi.org/10.1016/j.ecss.2010.03.003>
- Micallef, A., Georgiopoulou, A., Mountjoy, J., Huvenne, V. A. I., Iacono, C. L., Le Bas, T., Del Carlo, P., & Otero, D. C. (2016). Outer shelf seafloor geomorphology along a carbonate escarpment: The eastern Malta Plateau, Mediterranean Sea. *Continental Shelf Research*, 131, 12–27. <https://doi.org/10.1016/j.csr.2016.11.002>
- Minár, J., & Evans, I. S. (2008). Elementary forms for land surface segmentation: The theoretical basis of terrain analysis and geomorphological mapping. *Geomorphology*, 95(3–4), 236–259. <https://doi.org/10.1016/j.geomorph.2007.06.003>



- Montaño-Ley, Y., Soto-Jiménez, M. F., & Páez-Osuna, F. (2023). Seabed morphodynamics of a coastal lagoon of the Gulf of California. *Environmental Fluid Mechanics*, 23(3), 533–549. <https://doi.org/10.1007/s10652-023-09916-2>
- Noor, A. (2018). Perbandingan Algoritma Support Vector Machine Biasa dan Support Vector Machine berbasis Particle Swarm Optimization untuk Prediksi Gempa Bumi. *Jurnal Humaniora Teknologi*, 4(1). <https://doi.org/10.34128/jht.v4i1.37>
- Özdamar, L., Demirhan, M., & Özpınar, A. (1999). A comparison of spatial interpolation methods and a fuzzy areal evaluation scheme in environmental site characterization. *Computers, Environment and Urban Systems*, 23(5), 399–422. [https://doi.org/10.1016/S0198-9715\(99\)00032-0](https://doi.org/10.1016/S0198-9715(99)00032-0)
- Parente, C., & Vallario, A. (2019). Interpolation of Single Beam Echo Sounder Data for 3D Bathymetric Model. *International Journal of Advanced Computer Science and Applications*, 10(10). <https://doi.org/10.14569/IJACSA.2019.0101002>
- Pineda, J., & Stefanoni, J. L. H. (2007). Comparing the performance of two spatial interpolation methods for creating a digital bathymetric model of the Yucatan submerged platform. *Pan-American Journal of Aquatic Sciences*, 2(3), 247–254.
- Pinet, P. R. (2019). *Invitation to Oceanography* (8th ed). Jones & Bartlett Learning, LLC.
- Piper, D. J. W., & Normark, W. R. (2009). Processes That Initiate Turbidity Currents and Their Influence on Turbidites: A Marine Geology Perspective. *Journal of Sedimentary Research*, 79(6), 347–362. <https://doi.org/10.2110/jsr.2009.046>
- Pitcher, T. J., Morato, T., Hart, P. J. B., Clark, M. R., Haggan, N., & Santos, R. S. (Ed.). (2007). *Seamounts: Ecology, Fisheries & Conservation*. Blackwell Publishing Ltd. <https://doi.org/10.1002/9780470691953>
- Poerbandono, D. E., & Djunarsjah, E. (2005). Survei hidrografi. *Refika Aditama. Bandung*, 166.
- Post, A. L., Przeslawski, R., Nanson, R., Siwabessy, J., Smith, D., Kirkendale, L. A., & Wilson, N. G. (2022). Modern dynamics, morphology and habitats of slope-confined canyons on the northwest Australian margin. *Marine Geology*, 443, 106694. <https://doi.org/10.1016/j.margeo.2021.106694>
- Purba, R. F., Hariadi, H., & Widada, S. (2017). Kajian Batimetri dan Morfologi Dasar Perairan Dabo Singkep, Kepulauan Riau. *Journal of Oceanography*, 6(4), Article 4.



- Pursiainen, A., Veneranta, L., Kuningas, S., Saarinen, A., & Kallasvuo, M. (2021). The more sheltered, the better – Coastal bays and lagoons are important reproduction habitats for pike in the northern Baltic Sea. *Estuarine, Coastal and Shelf Science*, 259, 107477. <https://doi.org/10.1016/j.ecss.2021.107477>
- Radiarta, I. N., Saputra, A., & Priono, B. (2017). Identifikasi Kelayakan Lahan Budi Daya Ikan Dalam Keramba Jaring Apung dengan Aplikasi Sistem Informasi Geografis di Teluk Pangpang, Jawa Timur. *Jurnal Penelitian Perikanan Indonesia*, 11(5), 31. <https://doi.org/10.15578/jppi.11.5.2005.31-41>
- Ramana Murthy, M. V., & Pari, Y. (2009). Application of wave transformation models for estimation of morphological changes at Vellar estuary, southeast coast of India. *Natural Hazards*, 49(2), 371–385. <https://doi.org/10.1007/s11069-008-9325-4>
- Ramdhan, M. (2011). Komparasi Hasil Pengamatan Pasang Surut Di Perairan Pulau Pramuka Dan Kabupaten Pati Dengan Prediksi Pasang Surut Tide Model Driver. *Jakarta Utara: Peneliti pada Pusat Penelitian dan Pengembangan Sumber Daya Pesisir dan Laut*.
- Rawa, C. G. (2019). Pengenalan Bentang Lahan Karst Puger, Pantai Pancer, Gladak Perak, Gunung Bromo, dan Pantai Bentar. *Majalah Pembelajaran Geografi*, 2(1), 22–46.
- Respatti, E., Goejantoro, R., & Wahyuningsih, S. (2014). Perbandingan Metode Ordinary Kriging dan Inverse Distance Weighted untuk Estimasi Elevasi Pada Data Topografi (Studi Kasus: Topografi Wilayah FMIPA Universitas Mulawarman). *Ekspansional*, 5(2), 163–170.
- Rezky, A. M., dan Lingkungan, J. T. S., Teknik, F., Yuwono, N., & Triatmadja, R. (2022). Evaluasi Pendangkalan Pelabuhan Penyeberangan Bira Sulawesi Selatan Dan Usaha Untuk Menanganinya. *Jurnal Teknik Pengairan: Journal of Water Resources Engineering*, 13(2), 219–231. <https://doi.org/10.21776/ub.pengairan.2022.013.02.08>
- Rodiana, L. (2019). Kesesuaian Dan Daya Dukung Ekowisata Berbasis Ekologi Mangrove di Teluk Pangpang, Banyuwangi. *JFMR-Journal of Fisheries and Marine Research*, 3(2), 77–88. <https://doi.org/10.21776/ub.jfmr.2019.003.02.10>
- Rohaendi, N., Setiawan, I. F., Budiyo, A., Harmoko, A. A., & Wahyudi, W. (2023). Geologi dan Model Kolaborasi Pengembangan Geopark Ijen, di Kabupaten Banyuwangi. *JURNAL GEOMINERBA (JURNAL GEOLOGI, MINERAL DAN BATUBARA)*, 8(2), 166–179. <https://doi.org/10.58522/ppsdm22.v8i2.145>



- Sandwell, D. T., Smith, W. H., Gille, S., & Jayne, S. (2002). *Bathymetry from Space: Oceanography, Geophysics, and Climate* (hlm. 24). Geoscience Professional Services, Bethesda. [www.igpp.ucsd.edu/bathymetry\\_workshop](http://www.igpp.ucsd.edu/bathymetry_workshop)
- Santoso, A. D. (2005). Pemantauan hidrografi dan kualitas air di Teluk Hurun Lampung dan Teluk Jakarta. *Jurnal Teknologi Lingkungan*, 6(3).
- Sasongko, D. P. (2014). Menentukan tipe pasang surut dan muka air rencana perairan laut Kabupaten Bengkulu Tengah menggunakan metode admiralty. *Maspari Journal: Marine Science Research*, 6(1), 1–12.
- Setyadi, D., & Aryanto, N. C. (2008). Proses pendangkalan di pantai dan lepas pantai Cirebon akibat laju sedimentasi asal daratan yang tinggi. *Jurnal Geologi dan Sumberdaya Mineral*, 18(5), 299–307. <https://doi.org/10.33332/jgsm.geologi.v18i5.250>
- Sidarto, S. T., & Sudana, D. (1993). Peta Geologi Lembar Banyuwangi, Jawa, Scale 1: 100.000. Bandung: Pusat Penelitian dan Pengembangan Geologi.
- Sihombing, Y. H., Muskananfolo, M. R., & A'in, C. (2018). PENGARUH KERAPATAN MANGROVE TERHADAP LAJU SEDIMENTASI DI DESA BEDONO DEMAK (The Effect of Mangrove Density on Sedimentation Rate in Bedono Village, Demak). *Management of Aquatic Resources Journal (MAQUARES)*, 6(4), 536–545. <https://doi.org/10.14710/marj.v6i4.21346>
- Smith, W. H. (2004). Introduction to this special issue on bathymetry from space. *Oceanography*, 17(1), 6–7.
- Smith, W., & Sandwell, D. (1994). Bathymetric prediction from dense satellite altimetry and sparse shipboard bathymetry. *Journal of Geophysical Research: Solid Earth*, 99(B11), 21803–21824. <https://doi.org/10.1029/94JB00988>
- Snedden, G. A., Cable, J. E., & Wiseman, W. J. (2007). Subtidal sea level variability in a shallow Mississippi River Deltaic estuary, Louisiana. *Estuaries and Coasts*, 30(5), 802–812. <https://doi.org/10.1007/BF02841335>
- Sowers, D. C., Masetti, G., Mayer, L. A., Johnson, P., Gardner, J. V., & Armstrong, A. A. (2020). Standardized Geomorphic Classification of Seafloor Within the United States Atlantic Canyons and Continental Margin. *Frontiers in Marine Science*, 7, 9. <https://doi.org/10.3389/fmars.2020.00009>
- Stagpoole, V., & Mackay, K. (2022). *Cookbook for Generic Terms of undersea feature names*. <https://iho.int/en/scufn35-2022>



- Straume, E. O., Gaina, C., Medvedev, S., Hochmuth, K., Gohl, K., Whittaker, J. M., Abdul Fattah, R., Doornenbal, J. C., & Hopper, J. R. (2019). GlobSed: Updated Total Sediment Thickness in the World's Oceans. *Geochemistry, Geophysics, Geosystems*, 20(4), 1756–1772. <https://doi.org/10.1029/2018GC008115>
- Suhana, M. P., Nurjaya, I. W., & Natih, N. M. N. (2018). Patterns and Tidal Characteristics of East Coast of Bintan Island, Riau Archipelago Province. *Journal of Applied Geospatial Information*, 2(1), 98–101. <https://doi.org/10.30871/jagi.v2i1.642>
- Suryalfihra, S. I., Rahmadi, D., & Prasetya, F. V. A. S. (2021). Studi Volume Kapasitas Air Dengan Menggunakan Single Beam Echosounder Di Area Kolam Retensi Kelurahan Air Hitam Kota Samarinda. *Buletin Poltanesa*, 22(1). <https://doi.org/10.51967/tanesa.v22i1.473>
- Syukur, A., & Khairuddin, M. Y. (2018). Analisis Kandungan Logam Berat Pada Tumbuhan Mangrove. *Jurnal Biologi Tropis*, 18(1), 69–79. <https://doi.org/10.29303/jbt.v18i1.731>
- Talling, P. J. (2014). On the triggers, resulting flow types and frequencies of subaqueous sediment density flows in different settings. *Marine Geology*, 352, 155–182. <https://doi.org/10.1016/j.margeo.2014.02.006>
- Talling, Peter. J., Paull, C. K., & Piper, D. J. W. (2013). How are subaqueous sediment density flows triggered, what is their internal structure and how does it evolve? Direct observations from monitoring of active flows. *Earth-Science Reviews*, 125, 244–287. <https://doi.org/10.1016/j.earscirev.2013.07.005>
- Triatmodjo, B. (2019). *Teknik Pantai*. Beta Offset.
- Tzevahirtzian, A., Zaragosi, S., Bachèlery, P., Biscara, L., & Marchès, E. (2021). Submarine morphology of the Comoros volcanic archipelago. *Marine Geology*, 432, 106383. <https://doi.org/10.1016/j.margeo.2020.106383>
- Ulum, M., & Khomsin, K. (2013). Perbandingan Akurasi Prediksi Pasang Surut Antara Metode Admiralty dan Metode Least Square. *Geoid*, 9(1), 65. <https://doi.org/10.12962/j24423998.v9i1.746>
- Utami, W., Rahman, A., & Sutaryono, S. (2022). Pendekatan Interpretasi Visual Dan Digital Citra Pleiades Untuk Klasifikasi Penutup Lahan. *Geography: Jurnal Kajian, Penelitian dan Pengembangan Pendidikan*, 10(1), 18–31.
- Whittaker, J. M., Goncharov, A., Williams, S. E., Müller, R. D., & Leitchenkov, G. (2013). Global sediment thickness data set updated for the Australian-Antarctic Southern



Ocean. *Geochemistry, Geophysics, Geosystems*, 14(8), 3297–3305.  
<https://doi.org/10.1002/ggge.20181>

Widodo, W. (2016). *Distribusi dan Keragaman Spesies Burung Sebaran Terbatas di Taman Nasional Alas Purwo, Jawa Timur*. 13(1), 690–700.

Widuri, F., Mubarak, M., & Rifardi, R. (2021). The Effect of Sediment Supply from Land on Changes in Bathymetry in the Waters of the Rupert Strait, Dumai City, Riau Province. *Jurnal Perikanan dan Kelautan*, 26(3), 199.  
<https://doi.org/10.31258/jpk.26.3.199-204>

Wijonarko, W. W., Sasmito, B., & Nugraha, arief L. (2016). Kajian Pemodelan Dasar Laut Menggunakan Side Scan Sonar dan Singlebeam Echosounder. *Jurnal Geodesi Undip*, 5(2), Article 2. <https://doi.org/10.14710/jgundip.2016.11533>

Williams, J. R., Dellapenna, T. M., & Lee, G. (2013). Shifts in depositional environments as a natural response to anthropogenic alterations: Nakdong Estuary, South Korea. *Marine Geology*, 343, 47–61. <https://doi.org/10.1016/j.margeo.2013.05.010>

Wood, J. D., & Fisher, P. F. (1993). Assessing interpolation accuracy in elevation models. *IEEE Computer Graphics and Applications*, 13(2), 48–56.  
<https://doi.org/10.1109/38.204967>

Wright, G., Gjerde, K. M., Johnson, D. E., Finkelstein, A., Ferreira, M. A., Dunn, D. C., Chaves, M. R., & Grehan, A. (2021). Marine spatial planning in areas beyond national jurisdiction. *Marine Policy*, 132, 103384.  
<https://doi.org/10.1016/j.marpol.2018.12.003>

Wu, C.-Y., Mossa, J., Mao, L., & Almulla, M. (2019). Comparison of different spatial interpolation methods for historical hydrographic data of the lowermost Mississippi River. *Annals of GIS*, 25(2), 133–151.  
<https://doi.org/10.1080/19475683.2019.1588781>

Wyrtki, K. (1961). *Physical oceanography of the Southeast Asian waters* (Vol. 2). University of California, Scripps Institution of Oceanography.

Yuanjaya, P. (2021). Antara Pariwisata dan Ekologi: Pengembangan Ekowisata di Taman Nasional Alas Purwo. *Jurnal Transformative*, 7(2), 261–280.  
<https://doi.org/10.21776/ub.transformative.2021.007.02.6>

Yuniastuti, F. C., Satriadi, A., Hariyadi, H., & Priyono, B. (2018). Studi Batimetri Dan Morfologi Dasar Laut di Perairan Pulau Lirang, Kabupaten Maluku Barat Daya. *Journal of Oceanography*, 6(2), Article 2.



- Zarzuelo, C., López-Ruiz, A., Díez-Minguito, M., & Ortega-Sánchez, M. (2017). Tidal and subtidal hydrodynamics and energetics in a constricted estuary. *Estuarine, Coastal and Shelf Science*, *185*, 55–68. <https://doi.org/10.1016/j.ecss.2016.11.020>
- Zeiler, M., Schwarzer, K., & Ricklefs, K. (2008). Seabed morphology and sediment dynamics. *Die Küste*, *74*, 31–44.
- Zhu, G., Noman, M. A., Narale, D. D., Feng, W., Pujari, L., & Sun, J. (2020). Evaluation of ecosystem health and potential human health hazards in the Hangzhou Bay and Qiantang Estuary region through multiple assessment approaches. *Environmental Pollution*, *264*, 114791. <https://doi.org/10.1016/j.envpol.2020.114791>