POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abali, E. E., Cline, S. D., Franklin, D. S., Viselli, S., & Ferrier, D. R. (2022). *Biochemistry (8th ed.)*. Philadelphia: Wolters Kluwer.

Adam JM. (2010). Dislipidemia. *Buku Ajar Ilmu Penyakit Dalam*. Jakarta: Interna Publishing; 1984-1992.

Adhiyani, C. (2013). Hubungan Usia dan Konsumsi Makanan Berlemak dengan Kolesterol Total pada Lansia di Kelurahan Serengan Surakarta. *Jurnal Farmasi*; 2(1): 12-18.

Adom, K. K., & Liu, R. H. (2002). Antioxidant activity of grains. *Journal of agricultural and food chemistry*, 50(21), 6182–6187.

Agolino, G., Pino, A., Vaccalluzzo, A., Cristofolini, M., Solieri, L., Caggia, C., Randazzo, C. L. (2024). Bile salt hydrolase: The complexity behind its mechanism in relation to lowering-cholesterol lactobacilli probiotics. *Journal of Functional Foods*, 120; 2-15. https://doi.org/10.1016/j.jff.2024.106357

Almatsier, S. (2010). *Prinsip Dasar Ilmu Gizi*. Jakarta: Gramedia Pustaka Utama.

Al-Hazmi, N. E. & Naguib, D. M. (2022). Amylase properties and its metal tolerance during rice germination improved by priming with rhizobacteria. *Rhizosphere*; 22, 100518. https://doi.org/10.1016/j.rhisph.2022.100518.

Al-Kuraishy, H. M., Hussian, N. R., Al-Naimi, M. S., Al-Gareeb, A. I., Al-Mamorri, F., & Al-Buhadily, A. K. (2021). The Potential Role of Pancreatic γ-Aminobutyric Acid (GABA) in Diabetes Mellitus: A Critical Reappraisal. *International journal of preventive medicine*, 12, 19. https://doi.org/10.4103/ijpvm.IJPVM_278_19

Anand, S. & Mande, S. S. (2018). Diet, Microbiota and Gut-Lung Connection. *Frontiers in microbiology*, 9, 2147. https://doi.org/10.3389/fmicb.2018.02147

Antara, I. N. B. S. (2018). *Kadar malondialdehid serum tinggi meningkatkan faktor risiko gangguan kognitif pada penderita HIV dengan haart*. Universitas Udayana.

Aoac, A. AOAC Method 991.43. (1995). Total, insoluble and soluble dietary fiber in food—Enzymatic-gravimetric method, MES-TRIS buffer. In Official Methods of Analysis; AOAC International: Gaithersburg, MD, USA.

Arkhaesi, N. (2008). Kadar Malondialdehyde (MDA) serum sebagai indikator prognosis keluaran pada sepsis neonatorum.

Ausman, L. M., N. Rong, dan R. J. Nicolosi. (2005). Hypocholesterolemic effect of physically refined rice bran oil : Studies of cholesterol metabolism and early atherosclerosis in

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

hypercholesterolemic hamsters. *Journal of Nutritional Biochemistry,* 16(9)

Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 360438. https://doi.org/10.1155/2014/360438

Barter, P. (2004). HDL: A recipe for longevity. *Atherosclerosis Supplements*, 5(2), 25–31. https://doi.org/10.1016/j.atherosclerosissup.2004.03.003

Baxter, N. T., Schmidt, A. W., Venkataraman, A., Kim, K. S., Waldron, C., & Schmidt, T. M. (2019). Dynamics of Human Gut Microbiota and Short-Chain Fatty Acids in Response to Dietary Interventions with Three Fermentable Fibers. *mBio*, 10(1), e02566-18. https://doi.org/10.1128/mBio.02566-18

Benincasa, P., Falcinelli, B., Lutts, S., Stagnari, F., & Galieni, A. (2019). Sprouted Grains: A Comprehensive Review. *Nutrients*, 11(2), 421. https://doi.org/10.3390/nu11020421

Berger, A., D. Rein, A. Schafer, I. Monnard, G. Gremaud, P. Lambelet, and C. Bertoli. (2005). Similar cholesterollowering properties of rice bran oil, with varied γ-oryzanol, in mildly hypercholesterolemic men. *European Journal of Nutrition*. 9(44), 163-73.

Bielecka, J., Markiewicz-Zukowska, ´ R., Nowakowski, P., Pu´scion-Jakubik, A., Grabia, M., Mielech, A., & Socha, K. (2021). Identifying the food sources of selected minerals for the adult European population among rice and rice products. *Foods*, 10(6), 1251.

Bielski, B. H., Arudi, R. L., & Sutherland, M. W. (1983). A study of the reactivity of HO2/O2 with unsaturated fatty acids. *The Journal of biological chemistry*, 258(8), 4759–4761.

Bittencourt, J. (2018). The power of carbohydrates, proteins, and lipids: How to make wise choices in diet and nutrition. *Create Space Independent Publishing Platform*.

Borensztajn, J., Getz, G.S., Kotlar, T.J. (1988). Uptake of chylomicron remnants by the liver: Further evidence for the modulating role of phospholipids. *J Lipid Res*; 29:1087–96.

Botham, K.M. & Mayes, P.A. (2012). Bioenergetika dan metabolisme karbohidrat serta lipid. *Biokimia Harper*. Jakarta: EGC; 95-249.

Browne, R. W. & Armstrong, D. (2000). HPLC analysis of lipid-derived polyunsaturated fatty acid peroxidation products in oxidatively modified human plasma. *Clinical chemistry*, 46(6 Pt 1), 829–836.

Bukiya, A. N. & Dopico, A. M. (2022). Cholesterol: From Chemistry and Biophysics to the Clinic. *Academic*

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Press: https://doi.org/10.1016/C2020-0-01766-4

Butterfield, D. et al. (2009) 'Oxidative stress and neurodegenerative diseases: a review of upstream and downstream antioxidant therapeutic options', *Current neuropharmacology*, 7(1), 65–74.

Callcott, E.T., Santhakumar, A.B., Luo, J., & Blanchard, C.L. (2018). Therapeutic potential of rice-derived polyphenols on obesity-related oxidative stress and inflammation. *Journal of Applied Biomedicine*, 16(4), 255-262. https://doi.org/10.1016/j.jab.2018.03.001

Canani, R. B., Costanzo, M. D., Leone, L., Pedata, M., Meli, R., & Calignano, A. (2011). Potential beneficial effects of butyrate in intestinal and extraintestinal diseases. *World journal of gastroenterology*, 17(12), 1519–1528. https://doi.org/10.3748/wjg.v17.i12.1519

Carr, T. P., & Jesch, E. D. (2006). Food components that reduce cholesterol absorption. *Advances in Food and Nutrition Research*, 51, 165–204. https://doi.org/10.1016/S1043-4526(06)51003-4.

Chen, C. C., Hsu, J. D., Wang, S. F., Chiang, H. C., Yang, M. Y., & Kao, E. S. (2003). *Hibiscus sabdariffa* extract inhibits the development of atherosclerosis in cholesterol fed rabbits. *Journal of Agriculture and Food Chemistry*, 51, 5472–5477.

Chu, C., Du, Y., Yu, X., Shi, J., Yuan, X., Liu, X., Liu, Y., Zhang, H., Zhang, Z., Yan, N. (2020). Dynamics of antioxidant activities, metabolites, phenolic acids, flavonoids, and phenolic biosynthetic genes in germinating Chinese wild rice (*Zizania latifolia*). *Food Chem*. 318, 126483. https://doi.org/10.1016/j.foodchem.2020.126483.

Chung, S.I & Kang, M.Y. (2021). Oral Administration of Germinated, Pigmented, Giant Embryo Rice (*Oryza sativa* L. cv. Keunnunjami) Extract Improves the Lipid and Glucose Metabolisms in High-Fat Diet-Fed Mice. *Oxid Med Cell Longev*. https://doi.org/10.1155/2021/8829778

Cordiano, R., Di Gioacchino, M., Mangifesta, R., Panzera, C., Gangemi, S., & Minciullo, P. L. (2023). Malondialdehyde as a Potential Oxidative Stress Marker for Allergy-Oriented Diseases: An Update. *Molecules*, 28(16), 5979. https://doi.org/10.3390/molecules28165979

Das, M., Dash, U., Mahanand, S. S., Nayak, P. K., & Kesavan, R. K. (2023). Black rice: A comprehensive review on its bioactive compounds, potential health benefits and food applications. *Food Chemistry Advanced*, .https://doi.org/10.1016/j.focha.2023.100462

Deng, G. F., Xu, X. R., Zhang, Y., Li, D., Gan, R. Y., & Li, H. Bin. (2013). Phenolic Compounds and Bioactivities of Pigmented Rice. *Critical Reviews in Food Science and Nutrition*, 53(3),

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

296 306. https://doi.org/10.1080/10408398.2010.529624

Deng, Y., Xu, L., Zeng, X., Li, Z., Qin, B., He, N. (2010). New perspective of GABA as an inhibitor of formation of advanced lipoxidation end-products: it's interaction with malondialdehyde. *J. Biomed. Nanotechnol*. 6, 318–324. https://doi.org/10.1166/jbn.2010.1130.

Desai, P. B., Manjunath, S., Kadi, S., Chetana, K., & Vanishree, J. (2010). Oxidative stress and enzymatic antioxidant status in rheumatoid arthritis: A case control study. *European Review for Medical and Pharmacological Sciences*, 14(11), 959–967.

D'Erasmo, L., Di Costanzo, A., & Arca, M. (2020). Autosomal Recessive Hypercholesterolemia: *Current Opinion in Lipidology*, 31(2), 56–61. https://doi.org/10.1097/MOL.0000000000000664

Duyi, S., Baran, A., & Chandra, D. S. (2017). Pigmented rice a potential source of bioactive compounds: A review. *International Journal of Food Science & Technology*, 52(5). 1073-1081.

Dwiningsih Y, & Alkahtani J. (2023). Potential of Pigmented Rice Variety Cempo Ireng in Rice Breeding Program for Improving Food Sustainability, 4(3): 426-433. https://doi.org/10.37871/jbres1691

Ekowati, N. Y., & Purwestri, Y. A. (2016). Analisis Kandungan Gamma Aminobutyric Acid (GABA), Fenol Total dan Aktivitas Antioksidan "Beras Kecambah" Kultivar Lokal (*Oryza Sativa L.*) Di Yogyakarta, 6 (September), 117–127.

Endo, A. (2010). A historical perspective on the discovery of statins. Proceedings of the Japan Academy. *Series B, Physical and Biological Sciences*, 86(5), 484–493. https://doi.org/10.2183/pjab.86.484.

Esterbauer, H., Schaur, R. J., & Zollner, H. (1991). Chemistry and biochemistry of 4-hydroxynonenal, malonaldehyde and related aldehydes. *Free radical biology & medicine*, 11(1), 81–128. https://doi.org/10.1016/0891-5849(91)90192-6

Fairudz, A. & Nisa, K. (2015). Pengaruh Serat Pangan terhadap Kadar Kolesterol Penderita Overweight. *Jurnal Majority*, 4(8), 121 - 126.

Feng, W., Ao, H., & Peng, C. (2018). Gut Microbiota, Short-Chain Fatty Acids, and Herbal Medicines. *Frontiers in pharmacology*, 9, 1354. https://doi.org/10.3389/fphar.2018.01354

Fernandez C, Lobo MDVT, Gomez-Coronado D, Lasuncion MA. (2004). Cholesterol is essential for mitosis progression and its deficiency induces polyploid cell formation. *Exp Cell Res* ;300:10920.

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Feingold, K. R., & Grunfeld, C. (2015). *Introduction to lipids and lipoproteins*. Endotext. South Dartmouth, MA: MDText.com, Inc.

Fredrickson , D. S. , R. I. Levy , & R. S. Lees . (1967) . Fat transport in lipoproteins–an integrated approach to mechanisms and disorders. *N. Engl. J. Med*. 276: 273 – 281 .

Ge X, Khan ZI, Chen F, Akhtar M, Ahmad K, Ejaz A, Ashraf MA, Nadeem M, Akhtar S, Alkahtani J, Dwiningsih Y, & Elshikh MS. (2021). A study on the contamination assessment, health risk and mobility of two heavy metals in the soil-plants-ruminants system of a typical agricultural region in the semi arid environment. *Environ Sci Pollut Res Int*; 29(10):14584-14594.

German, J. B., Smilowitz, J. T., & Zivkovic, A. M. (2006). Lipoproteins: When size really matters. *Current Opinion in Colloid & Interface Science*, 11 (2–3), 171–183. https://doi.org/10.1016/j.cocis.2005.11.006.

Gropper, S. A. S., Smith, J. L., & Carr, T. P. (2018). *Advanced nutrition and human metabolism (7th ed.)*. Boston, MA: Cengage Learning.

Gruber, C. J, Tschugguel, W., Schneeberger, C., Huber, J. C. (2002). Production and Action of Estrogens. *New England Journal of Medicine*. 346:340-352.

Guyton, A. C & J. E. Hall. (2012). *Buku Ajar Fisiogi Kedokteran*. Jakarta: EGC.

Guzmán-Ortiz, F. A., Castro-Rosas, J., Gómez-Aldapa, C. A., Mora-Escobedo, R., Rojas-León, A., Rodríguez-Marín, M. L., & Román-Gutiérrez, A. D. (2018). Enzyme activity during germination of different cereals: A review. *Food Reviews International*, 35(3), 177–200. https://doi.org/10.1080/87559129.2018.1514623

Halliwell, B., & Gutteridge, J. M. (1984). Oxygen toxicity, oxygen radicals, transition metals and disease. *The Biochemical Journal*, 219(1), 1–14. https://doi.org/10.1042/bj2190001

Hardini, D. (2013). Penghematan Biaya Produksi Melalui Pembatasan Pakan Pada Ayam Boiler. *Jurnal Pengkajian dan Pengembangan Teknologi Pertanian*, 16 (1), 39 - 44.

Herlambang, H. A., Kapantow, N. H., Kawengian, S. E. S. (2015). Perbandingan Efektivitas Pemberian Ekstrak Beras Hitam dan Ekstrak Beras Merah terhadap Perubahan Profil Lipid Tikus Wistar. *Jurnal Ilmu dan Teknologi Pangan*, 3(1), 26-34.

Hernawan, E., & Meylani, V. (2016). Analisis Karakteristik Fisikokimia Beras Putih, Beras Merah, dan Beras Hitam. *Jurnal Karakteristik Beras*, 15(1), 79–91.

Hiemori, M., Koh, E., & Mitchell, A. E. (2009). Influence of cooking on anthocyanins in black rice (Oryza sativa L. japonica var.

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

SBR). *Journal of Agricultural and Food Chemistry*, 57(5), 1908–1914.

Huang, Y., Tong, C., Xu, F., Chen, Y., Zhang, C., & Bao, J. (2016). Variation in mineral elements in grains of 20 brown rice accessions in two environments. *Food Chemistry*, 192, 873–878. https://doi.org/10.1016/j.foodchem.2015.07.087

Huff, T., Boyd, B., Jialal, I. (2023). *Physiology, Cholesterol*. StatPearls Publishing: Treasure Island (FL).

Indrawati, Febria, D., & Virgo, G. (2021). Pengaruh Pemberian Jus Buah Naga Merah Terhadap Penurunan Kolesterol Pada Penderita Hiperkolesterolemia Usia 35 – 50 Tahun Di Puskesmas Kampar. *Jurnal Ners*, 5(2), 35–41.

Indriarsih, S., Astuti, M., Kanoni, S., Rahayu, E. S. (2017). Fatty Acid Composition and Physicochemical Properties in Germinated Black Rice. *Indonesian Food and Nutrition Progress*, 4(1), 29-36.

Ito, V. C., & Lacerda, L. G (2019). Black rice (Oryza Sativa L.): A review of its historical aspects, chemical composition, nutritional and functional properties, and applications and processing technologies. *Food Chemistry*, 301, https://doi.org/10.1016/j.foodchem.2019.125304

Ito, M. K., & Watts, G. F. (2015). Challenges in the diagnosis and Treatment of homozygous familial hypercholesterolemia. *Drugs*, 75(15), 1715–1724. https://doi.org/10.1007/s40265-015-0466-y.

Jim, E. L. (2013). Metabolisme Lipoprotein. *Jurnal Biomedik (JBM)*, 5(3), 149-156.

Jerwood, S., & Cohen, J. (2008). Unexpected antimicrobial effect of statins. The Journal of Antimicrobial Chemotherapy, 61(2), 362 364. https://doi.org/10.1093/jac/dkm496

Kang, Y. J., Jung, S. W., & Lee, S. J. (2014). An optimal extraction solvent and purification adsorbent to produce anthocyanins from black rice (*Oryza sativa* cv. Heugjinjubyeo). *Food Science and Biotechnology*, 23(1), 97–106. https://doi.org/10.1007/s10068-014-0013-8

Karantonis HC, Nomikos T, Demopoulos CA. (2009). Triacylglycerol metabolism. *Curr Drug Targets*; 10:30219.

Kaur, B., Ranawana, V., & Henry, J. (2016). The Glycemic Index of Rice and Rice Products: A Review, and Table of GI Values. *Critical Reviews in Food Science and Nutrition*, 56(2), 215 236. https://doi.org/10.1080/10408398.2012.717976

Kaur, M., Asthir, B., Mahajan, G. (2017). Variation in antioxidants, bioactive compounds and antioxidant capacity in germinated and ungerminated grains of ten rice cultivars. *Rice Sci*, 24(6):349–359

Kementerian Kesehatan Republik Indonesia. (2017). Profil Penyakit

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Tidak Menular Tahun 2018.

Kennedy, G., Burlingame, B., & Nguyen, N. Nutrient impact assessment of rice in major rice-consuming countries. Food and Agriculture Organisation of the United Nations. http://www.fao.org/3/Y6159T/y6159t04.htm#Note1. (Accessed on 30 Jan 2025)

Kiokias, S., Proestos, C., & Oreopoulou, V. (2018). Effect of Natural Food Antioxidants against LDL and DNA Oxidative Changes. *Antioxidants (Basel, Switzerland)*, 7(10), 133. https://doi.org/10.3390/antiox7100133

Kraithong, S., Lee, S., & Rawdkuen, S. (2018). Physicochemical and functional properties of Thai organic rice flour. *Journal of Cereal Science*, 79, 259-266.

Kumari, S. (2020). Black rice: An emerging "Superfood. *Cancer*, 18.

Kushwaha, U. K. S. (2016). Black Rice: Research History and Development. *Springer International Publishing*, 21-31 (Chapter 2)

Laili, A. (2015). *Pengaruh Waktu Perkecambahan Beras Hitam Varietas Cempo Ireng Terhadap Sifat Fisik, Komposisi Gizi, dan Daya Cerna Protein Secara In Vitro*. Yogyakarta: Universitas Gadjah Mada.

Lane, N. (2002). Oxygen: the molecule that made the world. *Oxford University Press*, USA.

Lee JC, Kim JD, Hsieh FH, & Eun JB. (2008). Production of black rice cake using ground black rice and medium-grain brown rice. *Int J Food Sci Technology*; 43(6):1078-1082.

Lekjing, S., & Venkatachalam, K., (2020). Effects of germination time and kilning temperature on the malting characteristics, biochemical and structural properties of HomChaiya rice. *RSC Adv*. 10, 16254–16265. https://doi.org/10.1039/D0RA01165G

Li, C., Oh, S., Lee, D., Baik, H., & Chung, H., (2017). Effect of germination on the structures and physicochemical properties of starches from brown rice, oat, sorghum, and millet. *Int. J. Biol. Macromol*. 105, 931–939. https://doi.org/10.1016/j.ijbiomac.2017.07.123

Lisa, B., Bernard, R., Walter, W., & Frank, S. (1999). Cholesterol-lowering effects of dietar fiber: a meta-analysis. *The American Journal of Clinical Nutrition*, 69(1), 30-42. https://doi.org/10.1093/ajcn/69.1.30

Liu, T., Zhou, Y., Wu, D., Chen, Q., & Shu, X., (2022). Germinated high-resistant starch rice: A potential novel functional food. *Int. J. Food Sci. Technol*. 57, 5439–5449 https://doi.org/10.1111/ijfs.15876.

Liu, Y., Su, C., Saleh, A.S.M., Wu, H., Zhao, K., Zhang, G., Jiang, H., Yan, W., & Li, W. (2020). Effect of germination duration on structural and physicochemical properties of mung bean starch.

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Int. J. Biol. Macromol. 154, 706–713. https://doi.org/10.1016/j.ijbiomac

Long, J. (2009). Neuronal mitochondrial toxicity of malondialdehyde: Inhibitory effects on respiratory function and enzyme activities in rat brain mitochondria', *Neurochemical Research*, 34(4), pp. 786–794.

Mahley R.W. (2001). Biochemistry and physiology of lipid and lipoprotein metabolism. In: Becker KL, editor. Principles and Practice of Endocrinology and Metabolism. *Philadelphia: Lippincott William & Wilkins*; p.1503-1550.

Maisont, S. & Narkrugsa, W. (2010). The Effect of Germination on GABA Content, Chemical Composition, Total Phenolics Content and Antioxidant Capacity of Thai Waxy Paddy Rice. Kasetsart J. *(Nat. Sci.)* 44: 912 – 923

Makynen, K., Adisakwattana, S., Chitchumroonchokchai, C., Failla, M. L. (2012). Effect of gamma-oryzanol on the bioaccessibility and synthesis of cholesterol. *European Review for Medical and Pharmacological Sciences*, 16; 49-56. (Accessed on 04.02.25).

Malloy, M. J, & Kane, J. P. (2007). Disorders of lipoprotein metabolism. *Greenspan's Basic & Clinical Endocrinology (Eighth Edition).* New York: McGraw Hill; p.770-795.

Mamuaja, C. F. (2017). *Lipida*. Manado: Universitas Sam Ratulangi Press.

Mantiri, S., Mayangsari, Y., Ardiansyah, Shirakawa, H., Saputra, W. D. (2024). In vivo evaluation of germinated IR-64 brown rice dietary administration on the lipid blood profiles of rats with hypercholesterolemia. *Nutrite Journal*, 49(44).

Marlida, Y. & Anggraini, A. (2022). GABA: Asam Amino Anti Stres. Andalas University Press.

Marques, L. R., Diniz, T. A., Antunes, B. M., Rossi, F. E., Caperuto, E. C., Lira, F. S. (2018). Reverse cholesterol transport: Molecular mechanisms and the non-medical approach to enhance HDL cholesterol. *Frontiers in Physiology*, 9(526). https://doi.org/10.3389/fphys.2018.00526.

Marnett, L. J. (1999). Lipid Peroxidation—DNA Damage by Malondialdehyde. *Mech. Mutagen*, 424, 83–95. https://doi.org/10.1016/S0027-5107(99)00010-X

Mason, F & Junge, C. (2008). Kolesterol Rendah Jantung Sehat. Jakarta: PT Bhuana Ilmu Populer.

Mau, J.L., Kee, C.C, Chen, Y.P., & Lin, S.D. (2017). Physicochemical, antioxidant and sensory characteristics of chiffon cake prepared with black rice as replacement for whear flour. *LWT - Food Science and Technology*, 75, 434-439

Maurya, R. P., Prajapat, M. K., Singh, V. P., Roy, M., Todi, R., Bosak, S., Singh, S. K., Chaudhary, S., Kumar, A., & Morekar, S. R. (2021). Serum Malondialdehyde as a Biomarker of

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Oxidative Stress in Patients with Primary Ocular Carcinoma: Impacton Response to Chemotherapy. *Clinical Ophthalmology*, 15, 871–879. https://doi.org/10.2147/OPTH.S287747

McAleer, J. P., & Kolls, J. K. (2018). Contributions of the intestinal microbiome in lung immunity. *European journal of immunology*, 48(1), 39–49. https://doi.org/10.1002/eji.201646721

Melati, F. D. P., Widiany, F. L., Inayah. (2021). Asupan Lemak Jenuh dengan Kadar Kolesterol Low-Density Lipoprotein pada Kelompok Lanjut Usia. *Jurnal Nutrisia*, 23(10), 44-51.

Moldovan, L., & Moldovan, N. I. (2004). Oxygen free radicals and redox biology of organelles. *Histochemistry and cell biology*, 122(4), 395–412. https://doi.org/10.1007/s00418-004-0676-y

Muller, C.P., Hoffmann, J.F., Ferreira, C.D., Diehl, G.W., Rossi, R.C., & Ziegler, V., (2021). Effect of germination on nutritional and bioactive properties of red rice grains and its application in cupcake production. *Food Sci.* 25, 100379 https://doi.org/10.1016/j.ijgfs.2021.100379

Monikasari, Widyastiti, N. S., Mahati, E., Syauqy, A., Al-Baarri, A. N. (2023). Pengaruh pemberian ekstrak bekatul beras hitam (*Oryza sativa* L. *indica*) terhadap kadar MDA, SOD, dan trigliserida pada tikus diabetes melitus tipe 2. *Aceh Nutrition Journal*, 8(1), 129-138. http://dx.doi.org/10.30867/action.v8i1.731.

Naczk, M. & Shidi, F. (2006). Phenolics in cereals, fruits and vegetables: occurrence extraction and analysis. *Journal of Pharmaceutical and Biomedical Analysis*, 41(5), 1523 1542, https://doi.org/10.1016/j.jpba.2006.04.002

Nam, S.H., Choi, S.P., Kang, M.Y., Koh, H.J., Kozukue N., & Friedman M. (2004). Antioxidative activities of bran from twenty one pigmented rice cultivars. *Food Chem* ;94(4):613-620. https://doi.org/10.1016/j.foodchem

Nastiti, R. D. W., Nurhidajah, Yusuf, M. (2020). Berat Badan, Feed Convertion Ratio (FCR), dan Berat Jaringan Adiposa Pada Tikus Hiperkolesterolemia dengan Diet Beras Hitam. *Jurnal Pangan dan Gizi*, 10(02), 73-84.

Nelson, D.L & Cox, M.M. (2000). *Principles of biochemistry (3th ed)*. New York, NY: Worth Publishing

Nonogaki, H., Bassel, G.W., & Bewley, J.W. (2010). *Germination-still a mystery.* Plant Science

OECD, Organization for Economic Co-operation and Development (2014). Environment, health and safety publications series on the safety of novel foods and feeds. In Consensus document on compositional considerations for new varieties of rice (*Oryza sativa*): Key food and feed nutrients and anti-nutrients. Available on line: http:// www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?c

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

ote=env/jm/mono. (Accessed on 29.01.25)

Okur, E., Inanc, F., Yildirim, I., Kilinc, M., Kilinc, A. (2016). Malondialdehyde Level and Adenosine Deaminase Activity in Nasal Polyps. *Otolaryngology-Head and Neck Surgery*, 134(1), 37-40.

Oliveira, M.E.A.S., Coimbra, P.P.S., Galdeano, M.C., Carvalho, C.W.P., Takeiti, C.Y. (2022). How does germinated rice impact starch structure, products and nutrional evidences – a review. *Trends Food Sci. Technol*. 122, 13–23. https://doi.org/10.1016/j.tifs.2022.02.015.

Paiva, F. F., Vanier, N. L., Berrios, J. D. J., Pinto, V. Z., Wood, D., Williams, T., Pan, J., & Elias, M. C. (2016). Polishing and parboiling effect on the nutritional and technological properties of pigmented rice. *Food Chemistry*, 191, 105–112. https://doi.org/https://doi.org/10.1016/j.foodchem.2015.02.047

Panda DK, Jyotirmayee B, Mahalik G. (2022). Black rice: A review from its history to chemical makeup to health advantages, nutritional properties and dietary uses. *Plant Sci*. Available from: https://horizonepublishing.com/journals/index.php/PST/article/view/1817

Penaranda, J. D., Bueno, M., Alvarez, F., Perez, P. D., & Perezabad, L. (2021). Sprouted grains in product development. Case Stud. Sprout wheat Bak. flours Ferment. Beverages Int. J. Gastron. *Food Sci*. 25. https://doi.org/10.1016/j.ijgfs.2021.100375.

Praja, I. (2015). Zat Aditif Makanan. Yogyakarta: Garudhawaca

Philpot M, Gould KS, Lim C, & Ferguson LR. (2006). *In situ* and *in* vitro antioxidant activity of sweet potato anthocyanins. *J Agric Food Chem*: 54:1710-1715.

Pranoto, H.S, Mugnisjah,W.Q. & Muniarti, E. (1990). *Biologi Benih.* Institut Pertanian Bogor, Bogor.

Qin, P, Lu, H. W., & Du, H. L. (2021). Pan-genome analysis of 33 genetically diverse rice accessions reveals hidden genomic variations. *Cell*, 184(13): 3542-3558.

Qin, Y., Xia, M., Ma, J., Hao, Y., Liu, J., Mou, H., Cao, L., Ling, W. (2009). Anthocyanin supplementation improves serum LDL- and HDL- cholesterol concentrations associated with the inhibition of cholesteryl ester transfer protein in dyslipidemic subjects. *The American Journal of Clinical Nutrition*, 90(3), 485-492.

Quist-Paulsen, P. (2010). Statins and inflammation: An update. Current Opinion in Cardiology, 25(4), 399–405. https:// doi.org/10.1097/HCO.0b013e3283398e53

Rader D. J., Hobbs H. H. (2008). Disorders of lipoprotein metabolism. *Harrison's Principles of Internal Medicine*. New York: McGrawHill Medical; 2416-2428.

Rahminiwati, Handajani, Hambarsika, 2019. Pengaruh Pemberian Jus

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Buah Belimbing Wuluh (*Averrhoa bilimbi* L.) terhadap Kadar Kolesterol LDL Darah Tikus Putih (*Rattus norvegicus*) Jantan Galur Wistar dengan Diet Tinggi Lemak. *Jurnal Ilmiah Kedokteran Wijaya Kusuma;* 8(2) : 35-41

Rathna Priya, T. S., Eliazer Nelson, A. R. L., Ravichandran, K., & Antony, U. (2019). Nutritional and functional properties of coloured rice varieties of South India: A review. *Journal of Ethnic Foods,* 6(1), 1–11, https://doi.org/10.1186/s42779-019-0017-3

Rebecca, V., Lorensia M. E. P., dan Yuliarti A. (2014). Pemanfaatan Minuman Serbuk Instan Kayu Manis (*Cinnamomum burmanii BI*.) untuk menurunkan kadar Kolesterol Total Darah pada Tikus Putih (*Rattus norvegicus*). Fakultas Teknobiologi. Universitas Atma Jaya Yogyakarta.

Reriani, M. K., Dunlay, S. M., Gupta, B., West, C. P., Rihal, C. S., Lerman, L. O. (2011). Effects of statins on coronary and peripheral endothelial function in humans: A systematic review and meta-analysis of randomized controlled trials. *European Journal of Cardiovascular Prevention and Rehabilitation*, 18(5), 704–716. https://doi.org/10.1177/1741826711398430.

Rizki, M. I., Nurkhasanah, T. Yuwono. (2017). Research Journal of Pharmaceurical, Biological and Chemical Sciences Antioxidant Activity of Nanoparticle From Rosella (Hibiscus sabdariffa L) Calyx Extract Originated Indonesia and Thailand. *Research Journal of Pharmeceutical, Biological and Chemical Sciences*, 8 (1S): 149 – 157

Rusydi, M.R., Noraliza, C.W., Azrina, A., & Zulkhairi, A. (2011). Nutritional Changes in Germinated Legumes and Rice Varieties. *International Food Research Journal*, 18(2), 705-713.

Sacher. R. A. & McPherson. R. A. (2012). *Tinjauan Hasil Pemeriksaan Laboratorium*. Jakarta : EGC.

Salgado, J. M., A. G. Oliveira, D.N. Mansi, C. M. Donado-Pestana, C. R. Bastos, dan F. K. Marcondes. (2010). The role of black rice (Oryza sativa L.) in the control of hypercholesterolemia in rats. *Journal Medicinal Foods*, 13(6), 1355-1362

Schade, D. S., Shey, L., & Eaton, R. P. (2020). Cholesterol review: A metabolically important molecule. *Endocrine Practice*, 26(12), 1514–1523. https://doi.org/10.4158/EP-2020-

Schneider, C., Boeglin, W. E., Yin, H., Porter, N. A., & Brash, A. R. (2008). Intermolecular peroxyl radical reactions during autoxidation of hydroxy and hydroperoxy arachidonic acids generate a novel series of epoxidized products. *Chemical research in toxicology*, 21(4), 895–903. https://doi.org/10.1021/tx700357u

Sefatie, R.S., Fatoumata, T., Eric, K., Yong, H.S. and

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Guo-wei, L. (2013). In vitro antioxidant activities of protein hydrolysate from germinated black soybean (*Glycine max* L.). *Advance Journal of Food Science and Technology*, 5(4), 453-459. https://doi.org/10.19026/ajfst.5.3290

Selwyn, A.P., Braunwald E., 2005. Ischemic Heart Disease.. *Harrison's Principles of Internal Medicine*. 16 th ed. USA: McGraw-Hill 1434-1435.

Setyaji, DY., & Mulyati, T. (2013). Pengaruh Pemberian Nata de Coco terhadap Kadar Kolesterol LDL dan HDL pada Wanita Dislipidemia. (Skripsi). *Semarang (Indonesia)*: Universitas Diponegoro

Semenkovich CF. Disorders of lipid metabolism. In: Goldman L, Ausiello D, editors. (2011). Cecil Medicine. 24th ed. *Philadelphia*, PA: Saunders Elsevier

Silva , R. A. , R. Huang , J. Morris , J. Fang , E. O. Gracheva , G. Ren , A. Kontush , W. G. Jerome , K. A. Rye , & W. S. Davidson. (2008). Structure of apolipoprotein A-I in spherical high density lipoproteins of different sizes. *Proc Natl Acad Sci*. USA. 105: 12176 – 12181 .

Sirtori, C. R. (2014). The pharmacology of statins. *Pharmacological Research*, 88, 3–11. https://doi.org/10.1016/j.phrs.2014.03.002

Siswonto, S. (2008). Hubungan Kadar Malondialdehid Plasma Stroke Iskemik Akut Correlation of Plasma Malondyaldehyde With Program Pasca Sarjana Program Pendidikan Dokter Spesialis I; 1-116.

Sompong, R., Sienbenhandl-Ehn, S., Linsberger-Martin, G., & Berghofer, E. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China, and Sri Lanka. *Food Chemistry*, 124(1), 132-140.

Soliman G. A. (2019). Dietary Fiber, Atherosclerosis, and Cardiovascular Disease. *Nutrients*, 11(5), 1155. https://doi.org/10.3390/nu11051155

Statistik, B. P. (2023). Jumlah Penduduk Pertengahan Tahun (Ribu Jiwa) 2022-2023. https://www.bps.go.id/id/statistic-table/2/MTk3NSMy/jumlah-penduduk-pertengahan-

Steinberg D, Parthasarathy S, Carew TE, Khoo JC, Witztum JL. (1989). Beyond cholesterol. Modifications of low-density lipoprotein that increase its atherogenicity. *N Engl J Med*;320:915–24.

Stocker R, Keaney Jr JF. (2004). Role of oxidative modifications in atherosclerosis. *Physiol Rev*;84:1381–478.

Stoglet, J. C., T. Chataigneau, M. Ndiaye, M. H. Oak, J. el Bedoui, M. Chataigneau, V. B. Schini-Kerth. (2004). Vascular protection by dietary polyphenols. *European Journal of Pharmacology*, 14(500), 329-333.

Strobel, N. A., Fassett, R. G., Marsh, S. A., Coombes, J. S. (2011).

POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Oxidative stress biomarkers as predictors of cardiovascular disease. *International Journal of Cardiology*, 147(2), 191-201.

Sugiyono, (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV. Alfabeta

Suh, M. H., S. H. Yoo, dan H. G. Lee. (2005). Antioxidative activity of microencapsulated γ-oryzanol on high cholesterol-fed rats. *Journal of Agricultural and Food Chemistry*, 11(53), 9747-50

Sun, Y., Mehmood, A., Battino, M., Xiao, J. B., & Chen, X. M. (2022). Enrichment of gamma-aminobutyric acid in foods: From conventional methods to innovative technologies. *Food Research International*, 162, Article 111801.

Sutrisno, Susanto FA, Wijayanti P, Retnoningrum MD, Nuringtyas TR, Joko T, Purwestri YA. (2018). Screening of resistant Indonesian black rice cultivars against bacterial leaf blight. *Euphytica*, 214. https://doi.org/10.1007/s10681-018-2279-z

Takikawa, Masahito, Inoue, Seiya, Horio, Fumihiko, Tsuda, Takanori. (2010). Dietary Anthocyanin Rich Bilberry Extract Ameliorates Hyperglicemia and Insulin Sensitvity via activated of AMP-Activated Protein Kinase in Diabetic Mice. *The Journal of Nutrition*; 140, 527-533.

Tan, T dan Rahardja, K. (2010). *Obat-Obat Sederhana untuk Gangguan Sehari-hari*. Jakarta: Gramedia.

Tang, Y., Cai, W., & Xu, B. (2016). From rice bag to table: Fate of phenolic chemical compositions and antioxidant activities in waxy and non-waxy black rice during home cooking. *Food Chemistry*, 191, 81-90.

Tsikas, D. (2017). Assessment of lipid peroxidation by measuring malondialdehyde (MDA) and relatives in biological samples: Analytical and biological challenges. *Analytical Biochemistry*, 524, 13–30. https://doi.org/10.1016/j.ab.2016.10.02

Tuan, P.A., Sun, M., Nguyen, T.N., Park, S., Ayele, B.T. (2019). Molecular mechanisms of seed germination. In: Feng, H., Nemzer, B., DeVries, J.W. (Eds.), Sprouted Grains: Nutritional Value, Production, and Applications. *Elsevier Inc*, pp. 1–24 https://doi.org/10.1016/B978-0-12-811525-1.00001-4.

Vela, M. Thomsen, S. Delbosc, D. Calise, J. P. Cristol, & G. Mourad. (2007). Lipid and Oxidative Stress Disorders in a Rat Model of Chronic Rejection. *Transplantation Proceedings*, 39, 2617 - 2619.

Voitkun, V.; Zhitkovich, A. Analysis of DNA–Protein Crosslinking Activity of Malondialdehyde in Vitro. *Mutat. Res./Fundam. Mol. Mech. Mutagen*. 1999, 424, 97–106. https://doi.org/10.1016/S0027-5107(99)00011-1

Wang W S, Mauleon R, Hu Z Q, et al. (2018). Genomic variation in 3, 010 diverse accessions of Asian cultivated rice. *Nature*, 557(7703): 43-49.

UNIVERSITAS GADJAH MADA
POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Wangko, W. S. (2020). Aspek Fisiologis Short-Chain Fatty Acid (SCFA). *Medical Scope Journal (MSJ)*, 2(1), 26-35. https://doi.org/10.35790/msj.v2i1.31669

Wardani, D. K., Dalimunthe, N. A., & Rahman, A. (2023). Karakter Morfologi dan Identifikasi Kandungan Karbohidrat Beras Bambu sebagai Pembeda Beras Putih. *Jurnal Informasi dan Teknologi*, 5(1), 83-87.

Watts G.F., Moroz P., & Barrett P.H.R. (2000). Kinetics of very–low-density lipo- protein apolipoprotein B-100 in normolipidemic subjects: Pooled analysis of stable-isotope studies. *Metabolism*; 49:1204-10.

WHO. (2019). Word Health Organization, International Society Of Hypertension Writing. World Health Organization

Xu, M., Jin, Z., Simsek, S., Hall, C., Rao, J., & Chen, B. (2019). Effect of germination on the chemical composition, thermal, pasting, and moisture sorption properties of flours from chickpea, lentil, and yellow pea. *Food Chem.* 295, 579–587. https://doi.org/10.1016/j.foodchem.2019.05.167

Xu, L., Lam, T. H., Jiang, C. Q., Zhang, W. S., Zhu, F., & Jin, Y. L. (2019). Egg consumption and the risk of cardiovascular disease and all-cause mortality: Guangzhou Biobank Cohort Study and meta-analyses. *European Journal of Nutrition*, 58(2), 785–796. https://doi.org/10.1007/s00394-018-1692-3.

Xue, X., Du, S., Jiao, F., Xi, M., Wang, A., Xu, H., Jiao, Q., Zhang, X., Jiang, H., Chen, J., & Wang, M. (2021). The regulatory network behind maize seed germination: Effects of temperature, water, phytohormones, and nutrients. *Crop J.* 9, 718–724. https://doi.org/10.1016/j.cj.2020.11.005

Yuliyana, T. (2021). Pengaruh Waktu Perendaman Terhadap Kadar Vitamin B1 (Thiamin) dan Serat Kasar pada Nasi Beras Merah. *Jurnal Gizi & Kesehatan Manusia*, 2(1).

Zawistowski, J., A. Kopec, dan D. D. Kitts. (2009). Effects of a black rice extract (*Oryza Sativa* L. indica) on cholesterol levels and plasma lipid parameters in Wistar Kyoto rats. *Journal of Functional Foods*, Vol. I, 50-56.

Zhang, L., Song, J., Cavigiolio, G., Ishida, B. Y., Zhang, S., Kane, J. P., et al. (2011). Morphology and structure of lipoproteins revealed by an optimized negative-staining protocol of electron microscopy. *Journal of Lipid Research*, 52 (1), 175–184. https://doi.org/10.1194/jlr.D010959

Zhang, M. W., Zhang, R. F., Zhang, F. X., & Liu, R. H. (2010). Phenolic profiles and antioxidant activity of black rice bran of different commercially available varieties. *Journal of Agricultural and Food Chemistry*, 58(13), 7580–7587.

UNIVERSITAS
GADJAH MADA
POTENSI BERAS HITAM GERMINASI VARIETAS CEMPO IRENG SEBAGAI AGEN ANTIHIPERKOLESTEROL PADA MODEL IN VIVO
Audrey Gunajaya, Yunika Mayangsari, S. Si., M. Biotech, Ph. D.; Wahyu Dwi Saputra, S. T. P., M, Agr. Sc., Ph. D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, Q., Li, H., Chiou, B. S., Chen, M., Chen, L., Zhong, F., & Liu, F. (2024). Adding gamma-aminobutyric acid to modulate the *in vitro* digestive characteristics of tapioca pearls. *Food Bioscience*, 58, Article 103783.

Ziegler, V., Ferreira, C. D., Goebel, J. T. S., El Halal, S. L. M., Santetti, G. S., Gutkoksi, L. C., & Elias, M. C. (2017). Changes in properties of starch isolated from whole rice grains with brown, black, and red pericarp after storage at different temperatures. *Food Chemistry*, 2016, 194-200.