

DAFTAR PUSTAKA

- Abdullah, B. (2017). Peningkatan Kadar Antosianin Beras Merah dan Beras Hitam Melalui Biofortifikasi. *Jurnal Litbang Pertanian*, 26 (2), 91-98
- Aenugu, H., Prasad, R., Kumar, D. S., Srisudharson., Pathiban, R., Ghosh, S. S., dan Banji, D. (2011). Near Infra Red Spectroscopy-An Overview. *Article In International Journal of Chemtech Research*, 3(2), 825-836.
- Amanah, H. Z., Rahayoe, S., Harmayani, E., Hernanda, R. A. P., Khoirunnisaa., Rohmat, A. S., & Lee, H. (2024). Construction of a Sustainable Model To Predict The Moisture Content of Porang Powder (*Amorphophallus Oncophyllus*) Based on Pointed-Scan Visibe Near-Infrared Spectroscopy. *Open Agriculture*, 9(1), 1-12.
- Anissa, M. N. (2021). *Kinetika Ekstraksi dan Karakterisasi Glukomanan Porang (Amorphophallus oncophyllus) dengan Variasi Ukuran dan Umur Panen*. Skripsi. Universitas Gadjah Mada.
- AOAC. (2005). *Official Methods of Analysis of AOAC INTERNATIONAL (18th Edition)*. AOAC INTERNATIONAL.
- Arif., Alfarez, D. A., & Ramadhan, M. R. (2023). Anova dan Tukey HSD Perbandingan Produksi Padi Antara Tiga Kabupaten di Provinsi Jambi. *Jurnal Statistika Universitas Jambi*, 2(1), 23-31.
- Astawan, M. dan Wresdiyati. (2004). *Diet Sehat Dengan Makanan Berserat*. Surakarta: Tiga Serangkai
- Astuti, E. S., Suryati., Masrullita., Bahri, S., & Meriatna. (2022). Pengaruh Waktu dan Suhu Perebusan Pada Umbi Porang (*Amorphophallus Muelleri Bume*) Menggunakan Larutan NaHCO₃ Terhadap Penurunan Kadar Kalsium Oksalat. *Jurnal Teknologi Kimia Unimal.*, 11(1), 1-10
- Atkinson, F. S., Foster-Powell, K., & Brand-Miller, J. C. (2008). *International Tables of Glycemic Index and Glycemic Load Values: 2008*. *Diabetes Care*, 31(12), 2281-2283. <https://doi.org/10.2337/dc08-1239>
- Aulia, R., Kim, Y., Amanah, H. Z., Andi, A. M, A., Kim, H., Kim, H., Lee, W., Kim, K., Baek, J., dan Cho, B. (2022). Non-Destructive Prediction of Protein Contents of Soybean Seeds Using Near-Infrared Hyperspectral Imaging. *Infrared Physics & Technology*. 127. 104365.
- Badan Pusat Statistik. (2023).
- Besharati, B., Lak, A., Ghaffari, H., Karimi, H., Fattahzadeh, M. (2021). Development of a model to estimate moisture contents based on physical properties and capacitance of seeds. *Sens. Actuators A Phys.* 318, 112513.
- Bhavadarini B, Mohan V, Dehghan M, Rangarajan S, Swaminathan S, Rosengren A, Wielgosz A, Avezum A, Lopez-Jaramillo P, Lanan F, Dans AL, Yeates K, Poirier P, Chifamba J, Alhabib KF, Mohammadifard N, Zatońska K, Khatib R, Vural Keskinler M, Wei L, Wang C, Liu X, Iqbal R, Yusuf R, Wentzel-Viljoen E, Yusufali A, Diaz R, Keat NK, Lakshmi PVM, Ismail N, Gupta R, Palileo-Villanueva LM, Sheridan P, Mente A, Yusuf S. White Rice Intake

- and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. (2020). *Diabetes Care*. Nov;43(11):2643-2650.
- Bishop, C. M. (2006). *Pattern Recognition and Machine Learning*. Springer.
- Campos, G. F. C., Mastelini, S. M., Aguiar, G. J., Mantovani, R. G., Melo, L. F. de, & Barbon, S. (2019). Machine learning hyperparameter selection for Contrast Limited Adaptive Histogram Equalization. *Eurasip Journal on Image and Video Processing*. (1). <https://doi.org/10.1186/s13640-019-0445-4>
- Cen, H dan Y. He. (2007). Theory and Application of Near Infrared Reflectance Spectroscopy in Determination of Food Quality. *J. Trends in Food Sci & Technol*.18:72-83.
- Chen, H., C. Tan, Z. Lin. (2018). Authenticaty Detection of Black Rice by Near Infrared Spectroscopy and Support Vector Data Description. *International Journal of Analytical Chemistry*. 1-8.
- Craig, A. P., Franca, A. S., Oliveira, L. S., Irudayaraj, J., dan Illeleji, K. (2015). Fourier Transform Infrared Spectroscopy And Near Infrared Spectroscopy For The Quantification Of Detect In Roasted Coffees. *Talanta*, 134, 379-386.
- Dewi, A, D, U., Sutadarma, I, W, G., dan Wiryanthini, I, A, D. (2022). Hubungan Asupan Jenis Beras Terhadap Kadar Glukosa Darah Sewaktu Pada Pasien Diabetes Mellitus Tipe II. *Jurnal Medika Udayana*, 11 (5): 25-29
- Dhanoa, M. S., Lister, S. J., Sanderson, R., & Barnes, R. J. (1994). The link between multiplicative scatter correction (MSC) and standard normal variate (SNV) transformations of NIR spectra. *Journal of Near Infrared Spectroscopy*, 2(1), 43–47. <https://doi.org/10.1255/jnirs.30>
- Du, J., Lin, Y., Gao, Y., Tian, Y., Zhang, J., Fang, G. (2022). Nutritional Changes and Early Warning of Moldy Rice under Different Relative Humidity and Storage Temperature. *Foods*. 11, 185.
- Etrenas, J. A., Perez-Marin, D., Torres, I., Garrido-Varo, A., & Sanchez, M. T. (2020). Simultaneous Detection of Quality and Safety In Spinach Plants Using A New Generation of Nirs Sensors. *Postharvest Biology and Technology*, 160.
- Fachruri, M., Muhidong, J., & Sapsal, M. T. (2019). Analisis Pengaruh Suhu dan Kelembaban Ruang Terhadap Kadar Air Benih Padi di Gudang Penyimpanan PT. Sang Hyang Seri. *Jurnal Agritechno*, 12(2), 131-137
- Fangohoy, J., Sudewi, S., & Yudistira, A. (2019). Prediksi Model Penetapan Kadar Flavonoid Total pada Ekstrak *Abelmoschus Manihot* L. Menggunakan Spektroskopi IR yang Dikombinasikan dengan Kemometrik. *Pharmacon*. 8(2):480.
- Farahani, H. A., Rahiminezhad, A., Same, L., & Immanezhad, K. (2010). A Comparison of Partial Least Squares (PLS) and Ordinary Least Squares (OLS) regressions in predicting of couples mental health based on their communicational patterns. *Procedia - Social and Behavioral Sciences*, 5, 1459–1463. <https://doi.org/10.1016/j.sbspro.2010.07.308>

- Fibriyanti, Y.W. (2012) *Kajian kualitas kimia dan biologi beras merah (Oryza nivara) dalam beberapa pewadahan selama penyimpanan*. Universitas Sebelas Maret.
- Fukugawa, N., dan Lewis, Z. (2019). Rice: Importance for Global Nutrition. *Journal of Nutritional Science and Vitaminology*. 65
- Géron, A. (2019). Hands-on Machine Learning whith Scikit-Learing, Keras and Tensorfow. In *O'Reilly Media, Inc.*
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning*. MIT Press.
- Hanifah, S. M., Irianto, H., Ani, S, W. (2020). Faktor-Faktor Yang Dipertimbangkan Konsumen Dalam Keputusan Pembelian Beras Organik di Kota Surakarta. *AGRISTA*. 8 (3) 37-47.
- Hermana. (2009). *Tabel Komposisi Pangan Indonesia*. Persatuan Ahli Gizi Indonesia (PERSAGI) & PT Elex Media Komputindo.
- Hernawan, E., & Meylani, V. (2016). Analisis karakteristik fisikokimia beras putih, beras merah, dan beras hitam (*Oryza sativa L.*, *Oryza nivara* dan *Oryza sativa L. indica*). *Jurnal Kesehatan Bakti Tunas Husada*, 15(1), 79-85.
- Holden, N. M., Wolfe, M. L., Ogejo, J. A., & Cummins, E. J. (2020). *Biosystems Engineering*. ASABE.
- Igathinathane, C., & Chattopadhyay, P. K. (1999). Moisture Diffusion Modeling of Drying In Parboiled Paddy Components. *Journal of Agricultural Engineering Research*, 74(4), 399-406.
- Inoue, A., Kojima, K., Taniguchi, Y. and Suzuki, K. (1984) Near-Infrared Spectra of Water and Aqueous Electrolyte Solutions at High Pressures. *Journal of Solution Chemistry*, 13, 811-823. <http://dx.doi.org/10.1007/BF00647696>
- Karlinasari, L., Sabed, M., Wistara, N. J., Purwanto, A., & Wijayanto, H. (2012). Karakteristik Spektra Absorbansi NIR (Near Infra Red) Spektroskopi Kayu Acacia Mangium WILLD Pada 3 Umur Berbeda. *Jurnal Ilmu Kehutanan*, 6(1), 45–52.
- Koklu, M., & Ozkan, A. (2020). *Artificial Neural Networks in Agriculture: Principles, Methods and Applications*. Wiley.
- Liakos, K. G., Busato, P., Moshou, D., Pearson, S., & Bochtis, D. (2018). Machine learning in agriculture: A review. *Sensors*, 18(8), 2674. <https://doi.org/10.3390/s18082674>
- Linia, E. A., Charles, R., Hurburgh, Jr. (2014). Limitation and Current Applications of Near Infrared Spectroscopy For Single Seed Analysis. *Talanta*, 121, 288-299.
- Manley, M. (2014). Near-Infrared Spectroscopy and Hyperspectral Imaging: Non-Destructive Analysis of Biological Material. *Chem. Sos. Rev*, 43.
- Martens, H., & Naes, T. (1989). *Multivariate calibration*. Chichester, UK: John Wiley & Sons.
- Marvin, R.P. and Singh, M. (2004) Calibration of a Near-Infrared Transmission Grain Analyzer for Extractable Starch in Maize. *Biosystems Engineering*, 89, 79-83. <http://dx.doi.org/10.1016/j.biosystemseng.2004.05.009>

- Murat, M. (1993). *Spectroscopic Methods in Organic Chemistry*. McGraw-Hill.
- Murray, I. (1986). Near-infrared spectroscopy in food analysis. In D. A. Burns & E. W. Ciurczak (Eds.), *Handbook of near-infrared analysis* (pp. 1-10). CRC Press.
- Murray, M. T., Pizzorno, J. E., & Pizzorno, L. (2012). *Textbook of Natural Medicine (4th ed.)*. Elsevier Health Sciences.
- Nicolaï, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., & Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. *Postharvest Biology and Technology*, 46(2), 99–118.
<https://doi.org/10.1016/j.postharvbio.2007.06.024>
- Nurhasanah., Siregar, K., dan Zufahrizal. (2019). Prediksi Kadar Air Beras Menggunakan NIRS dengan Metode PLS dan Pretreatment Standard Normal Variate, Derivative-I, Savitzky Golay Smoothing. *Jurnal Ilmiah Mahasiswa Pertanian*. 4 (1) 628-637.
- Osborne, B. G., Fearn, T. (1986). *Near Infrared Spectroscopy in Food Analysis*. John Wiley and Sons, 86-103.
- Pengkumsri, N., C. Chaiyasut, C. Saenjum, S. Sirilun, S. Peerajan, P. Suwannalert, S. Sirisattha, B.S. Sivamaruthi. 2015. Physico chemical and antioxidatve propreties of black, brown and red rice varieties of North Thailand. *Food Sci. Technol. Campinas*, 35(2): 331–338.
- Prasetyo, T.F., Isdiana, A.F. and Sujadi, H. (2019) ‘Implementasi Alat Pendeteksi Kadar Air pada Bahan Pangan Berbasis Internet Of Things’, *SMARTICS Journal*, 5(2), pp. 81–96. Available at:
<https://doi.org/10.21067/smartics.v5i2.3700>.
- Pu, Y. Y., O’Donnell, C., Tobin, J.T., & O’Shea, N. (2020). Review of Near-Infrared Spectroscopy as A Process Analytical Technology for Real-Time Product Monitoring in Dairy Processing. *International Dairy Journal*, 103.
<https://doi.org/10.1016/j.idairyj.2019.104623>.
- Salimah, W. F., Rachmina, D., dan Dewi, T. G. Analisis Marketable Surplus Beras Merah. *Jurnal Ekonomi Pertanian dan Agribisnis (JEPA)*. 8(1), 401-413
- Santika, A., & Rozakurniati, R. (2010). Teknik evaluasi mutu beras dan beras merah pada beberapa galur padi gogo. *Buletin Teknik Pertanian*, 15(1), 1–5.
- Schaare, P. N., & Fraser, D. G. (2000). Comparison of reflectance, interactance and transmission modes of visible-near infrared spectroscopy for measuring internal properties of kiwifruit (*Actinidia chinensis*). *Postharvest Biology and Technology*, 20(2), 175–184. [https://doi.org/10.1016/S0925-5214\(00\)00130-7](https://doi.org/10.1016/S0925-5214(00)00130-7).
- Schwanninger M, Rodrigues JC, Fackler K. 2011. A Review of Band Assignments in Near Infrared Spectra of Wood and Wood Components. *J. Near Infrared Spectroscopy*, 19: 287-308.

- Shenk, J.S., dan Westerhaus, M.O. (1991). *Population Structuring of Near Infrared Spectra and Modified Partial Least Squares Regression*. *Crop Sci.* 31, 1548–1555. <https://doi.org/10.2135/cropsci1991.0011183X003100060034x>.
- Sianturi, R. (2022). Uji Homogenitas Sebagai Syarat Pengujian Analisis. *Jurnal Pendidikan, Sains Sosial, dan Agama*, 8(1), 386-397.
- Sibuea, N., Syamsudhuha., & Adnan, A. (2024). Metode Robust K-Fold Cross Validation dengan Partial Least Square Regression pada Data Near Infrared Spectroscopy. *Seminar Nasional Teknologi Informasi*, 27-33
- Somers, M. J., & Casal, J. C. (2008). Using Artificial Neural Network to Model Nonlinearity. *Organization Research Methods*, 1-15
- Suhandy, D. (2009). Pendugaan Kandungan Padatan Terlarut Buah Sawo Menggunakan Nir Spectroscopy. *Bionatura* 11(1) : 1-12.
- Suhandy, D. & Yulia, M. (2020). *Teknologi Near Infrared Spectroscopy Portabel untuk Kuantifikasi Atribut Mutu Buah-buahan*. Yogyakarta: Graha Ilmu.
- Sundaram, J., Mani, S., Kandala, C. V. K., & Holser, R. A. (2015). Application of NIR Reflectance Spectroscopy on Rapid Determination of Moisture Content of Wood Pellets. *American Journal of Analytical Chemistry*, (6), 923-932
- Suzuki, K. (Ed.). (2011). *Artificial Neural Networks: Methodological Advances and Biomedical Applications*. BoD – Books on Demand.
- Talpur, M. A., Changyng, J., Chandio, F. A., Junejo, S. A., & Mari, I. A. (2011). Application of Oven Drying Method On Moisture Content of Ungrounded and Gorunded (long and short) Rice for Storage. *Journal of Stored Products and Postharvest Research*, 2(12): 245-247
- Tasiyah, L. A., Sutriyono, R., dan Silawibawa, I. P. (2024). Analisis Tipe Iklim Berdasarkan Curah Hujan Pada Beberapa Kabupaten Lombok Barat. *Journal of Soil Quality and Management (JSQM)*. 1(1) 67-72.
- Topuz, A. (2010). Predicting Moisture Content of Agricultural Products Using Artificial Neural Network. *Advances in Engineering Software*, 41. 464-470
- USDA. (2019). *National Nutrient Database for Standard Reference*. United States Department of Agriculture.
- Wang XS, Mollie ON, William T, Joanne S. (2013). White and Brown Rice are Equally Sa tiating and More Satiating than Glucose Beverage. *Journal Obesity Weight Loss Therapy*. 3(202); 2-5.
- Wang, H., Peng, J., Xie, C., Bao, Y., & He, Y. (2015). Fruit quality evaluation using spectroscopy technology: A review. *Sensors (Switzerland)*, 15(5), 11889–11927. <https://doi.org/10.3390/s150511889>.
- Webb, A. L. (2006). Antioxidants and health. *Nutrition Bulletin*, 31(4), 312–322.
- Williams, P. C. (2001). Implementation of Near-Infrared Technology in the Agriculture and Food Industries. *AACC*, 145-171
- Wold, S., Sjöström, M., & Eriksson, L. (2001). PLS-regression: a basic tool of chemometrics. *Chemometrics and Intelligent Laboratory Systems*, 58(2), 109-130.

- Xie, L., Ying, Y., & Ying, T. (2009). Classification of tomatoes with different genotypes by visible and short-wave near-infrared spectroscopy with least squares support vector machines and other chemometrics. *Journal of Food Engineering*, 94(1), 34–39.
- Yao, X., & Lewis, R. (2010). Spectral preprocessing and calibration techniques. In *Handbook of Near-Infrared Analysis* (3rd ed., pp. 1–28). CRC Press/Taylor & Francis.
- Yodmanee, S., Suttajit, M., & Sothornvit, R. (2011). Physical, chemical and antioxidant properties of pigmented rice grown in Southern Thailand. *International Food Research Journal*, 18(4), 1427–1435.
- Zeaiter, M., Roger, J.M & Bellon-Maurel, V. (2005). Robustness of Models Developed by Multivariate Calibration. Part II: The Influence of Pre-Processing Methods. *Tr-AC – Trends in Analytical Chemistry*, 24(5), 437-445. <https://doi.org/10.1016/j.trac.2004.11.023>.
- Zhang, D., Xu, L., Wang, Q., Tian, X., & Li, J. (2019). The Optimal Local Model Selection for Robust and Fast Evaluation of Soluble Solid Content in Melon With Thick Peel and Large Size by Vis-NIR Spectroscopy. *Food Analytical Methods*, 12(1), 136-147. <https://doi.org/10.1007/s12161-018-1346-3>.
- Zulfahrizal, A., Munawar., dan H., Meilina. (2015). *Rancang Bangun Alat Sensor Portable Berbasis Pengembangan Aplikasi Teknologi Near Infrared sebagai Metode Baru yang Rapid dan NonDestruktif untuk Prediksi Kualitas Kakao*. Laporan Penelitian Pengembangan Ilmu Pengetahuan dan Teknologi. Universitas Syiah Kuala.
- Zulfahrizal., Sutrisno, I. W. Budiastira, K. B. Seminar, A. A. Munawar. (2013). Akuisisi Spektrum Near Infrared Reflectance Pada Biji Kakao. *Buletin Riset Tanaman Rempah dan AnekaTanaman Industri*. 4(1):1-9.