

## DAFTAR PUSTAKA

- Alibaba. (2024). *Alibaba*. Dipetik December 2024, dari <https://www.alibaba.com/>
- Aries, R. S., & Newton, R. D. (1955). *Chemical Engineering Cost Estimation*. McGraw-Hill.
- Asian Agri. (2023). *Kemitraan, Kunci Sukses Asian Agri Tingkatkan Kesejahteraan Petani Sawit*. Dipetik Desember 2023, dari <https://www.asianagri.com/id/media-publikasi/artikel/kemitraan-kunci-sukses-asian-agri-tingkatkan-kesejahteraan-petani-sawit/>
- ASME BPVC. (2015). *ASME Boiler and Pressure Vessel Code*. New York: The American Society of Mechanical Engineers.
- Badan Pusat Statistik. (2023). *EKSPOR DAN IMPOR*. Diambil kembali dari Badan Pusat Statistik: <https://www.bps.go.id/exim>
- Bajpai, P. (2018). *Biermann's Handbook of Pulp and Paper: Volume 1: Raw Material and Pulp Making*. Amsterdam: Elsevier.
- Biermann, C. J. (1996). *Handbook of Pulping and Papermaking*. San Diego: Academic Press.
- BPS. (2024). *Luas Tanaman Perkebunan Besar Menurut Jenis Tanaman (Ribu Hektar), 2021-2023*. Dipetik December 2024, dari <https://www.bps.go.id/id/statistics-table/2/MTg0NyMy/luas-tanaman-perkebunan-besar-menurut-jenis-tanaman--ribu-hektar-.html>
- BPS Riau. (2022). *Suhu 2020-2022*. Diambil kembali dari BPS Riau: <https://riau.bps.go.id/indicator/151/138/1/suhu.html>
- BPS Riau. (2023). *Indikator Pasar Tenaga Kerja Provinsi Riau*.



- Brown, G. G., Foust, A. S., Katz, D. L., Schneldewind, R., White, R. R., Wood, W. P., . . . York, J. L. (1950). *Unit Operations*. New Delhi: CBS.
- Brownell, L. E., & Young, E. H. (1959). *Process Equipment Design*. New York: John Wiley & Sons.
- Burkhardt, S. (2018). Does the kappa number method accurately reflect lignin content in nonwood pulps? *TAPPI Journal*, 17(11), 611-617. doi:10.32964/TJ17.11.611
- Chiang, V. L., Yu, J., & Eckert, R. C. (1990). Isothermal Reaction Kinetics of Kraft Delignification of Douglas-Fir. *Journal of Wood Chemistry and Technology*, 10(3), 293-310. doi:10.1080/02773819008050241
- Clay, D. T. (2008). *Evaporation Principles and Black Liquor Properties*. Lake Oswego: Jacobs Engineering. Diambil kembali dari <https://www.tappi.org/content/events/08kros/manuscripts/3-1.pdf>
- Crowl, D. A., & Louvar, J. F. (2002). *Chemical Process Safety: Fundamentals with Applications* (2nd ed.). Upper Saddle River: Prentice Hall PTR.
- CSIMarket. (2024). *CSIMarket*. Dipetik December 2024, dari <https://csimarket.com>
- Darmawan, A. (2020). *Studi Pembuatan Pulp dari Bahan Non-Wood Menggunakan Metode Kraft Pulping dengan Delignifikasi Oksigen*. Surabaya: Institut Teknologi Sepuluh Nopember. Diambil kembali dari <http://repository.its.ac.id/id/eprint/73600>
- Direktorat Industri Hasil Hutan dan Perkebunan Kementerian Perindustrian. (2021). *Perkembangan Industri Pulp Indonesia*.
- Dirjen PPKL KLHK. (2017). *Statistik Kualitas Air, Udara dan Tutupan Lahan Tahun 2017*. Jakarta Timur: Sekretariat Direktorat Jenderal Pengendalian Pencemaran dan Kerusakan Lingkungan.



- Eom, I.-Y., Yu, J.-H., Jung, C.-D., & Hong, K.-S. (2015). *Efficient Ethanol Production from Dried Oil Palm Trunk Treated by Hydrothermolysis and Subsequent Enzymatic Hydrolysis*. Daejeon: Korea Research Institute of Chemical Technology.
- Evans, F. L. (1974). *Equipment Design Handbook for Refineries and Chemical Plants* (2nd ed.). Houston: Gulf Publishing Company.
- Fogler, H. S. (2016). *Elements of Chemical Reaction Engineering Fifth Edition*.
- GE Global Asset Protection Guidelines. (2001). Oil and Chemical Plant Layout and Spacing. *GE GAP Guidelines, GAP.2.5.2*, 1-13. Diambil kembali dari [https://www.academia.edu/40897426/GAPS\\_Guidelines\\_GAP\\_2\\_5\\_2\\_A\\_Publication\\_of\\_Global\\_Asset\\_Protection\\_Services\\_LLC\\_OIL\\_AND\\_CHEMICAL\\_PLANT\\_LAYOUT\\_AND\\_SPACING](https://www.academia.edu/40897426/GAPS_Guidelines_GAP_2_5_2_A_Publication_of_Global_Asset_Protection_Services_LLC_OIL_AND_CHEMICAL_PLANT_LAYOUT_AND_SPACING)
- Gilarranz, M. A., Santos, A., García, J., Oliet, M., & Rodríguez, F. (2002). Kraft Pulp of *Eucalyptus globulus*: Kinetics of Residual Delignification. *Industrial & Engineering Chemistry Research*, 41(8), 1955-1959. doi:10.1021/ie0108907
- Gumbira, S. (1999). *Penanganan dan Pemanfaatan Limbah Kelapa Sawit*. Ungaran: Trubus Agriwidya.
- Ilhami, A., Hidayat, T., & Riandi. (2024). Analisis Trends Produksi dan Potensi Limbah Padat Kelapa Sawit pada Perkebunan Rakyat di Provinsi Riau. *El-Jughrafiyah*, 04(01), 14-22.
- Indiamart. (2024). *Indiamart*. Dipetik December 2024, dari <https://www.indiamart.com/>
- Iribarne, J., & Schroeder, L. R. (1997). High-Pressure Oxygen Delignification of Kraft Pulps. Part I: Kinetics. *TAPPI Journal*, 80(10), 241-250.
- Jain, S., Mortha, G., & Calais, C. (2008). New and Improved Models for all Stages in Full ECF Bleaching Sequences of Softwoods and Hardwoods. *Tenth International*

*Conference on Computer Modeling and Simulation (uksim 2008)*, 272-277.  
doi:10.1109/UKSIM.2008.7

Ji, Y. (2007). Kinetics and Mechanism of Oxygen Delignification. *Electronic Theses and Dissertations*(227). Diambil kembali dari <https://digitalcommons.library.umaine.edu/etd/227>

Johansson, E., & Ljunggren, S. (1994). The Kinetics of Lignin Reactions During Oxygen Bleaching. IV. The Reactivities of Different Lignin Model Compounds and the Influence of Metal Ions on the Rate of Degradation. *Journal of Wood Chemistry and Technology*, 14(4), 507-525. doi:10.1080/02773819408003110

Kementerian Perindustrian RI. (2021). *Mungkinkah Peran Industri Bersandar pada Industri Pulp dan Paper?*

Kemppainen, J. (2016). *Modeling and Validation of The Milk of Lime Production Process*. Espoo: Aalto University School of Electrical Engineering. Diambil kembali dari <https://api.semanticscholar.org/CorpusID:85549566>

Kern, D. Q. (1950). *Process Heat Transfer*. McGraw-Hill Book Company, Inc.

Laval, A. (2001). *Alfa Laval Pump Handbook*.

Lim, S. C., & Gan, K. S. (2005). *Characteristics and Utilisation of Oil Palm Stem*. Kepong: Timber Technology Centre.

Matche. (2014). *Matche*. Dipetik December 2024, dari <https://www.matche.com/default.html>

Maxwell, C. (2024). *Towering Skills*. Dipetik December 2025, dari <https://toweringskills.com/financial-analysis/cost-indices/>

McDonough, T. J. (1996). *Pulp Bleaching: Principles and Practice*. (C. W. Dence, & D. W. Reeve, Penyunt.) Atlanta: TAPPI Press.

- Mullins, L. J., & Rees, G. (2023). *Management and Organisational Behaviour* (13th ed.). Pearson.
- Mustikaningrum, M., Yuliansyah, A. T., & Cahyono, R. B. (2021). *Peningkatan Fungsi Limbah Batang Kelapa Sawit untuk Biosorben sebagai Dye Removal dengan Variasi Konsentrasi NaOH pada Alkaline Treatment dan Waktu Sonikasi*. Yogyakarta.
- Occupational Safety and Health Administration. (2024). *Process Safety Management of Highly Hazardous Chemicals*. OSHA Directive CPL 02-01-065.
- Pahan, I. (2010). *Panduan Lengkap Kelapa Sawit Manajemen Agribisnis Dari Hulu Hingga Hilir*. Jakarta: Penebar Swadaya.
- Perry, R. H., & Green, D. W. (1997). *Perry's Chemical Engineers' Handbook* (7th ed.). New York: McGraw-Hill.
- Peters, M. S., Timmerhaus, K. D., & West, R. E. (2003). *Plant Design and Economics for Chemical Engineers* (5th ed.). McGraw-Hill.
- Powell, S. T. (1954). *Water Conditioning for Industry* (1st ed.). New York: McGraw-Hill.
- Precedence Research. (2022). *Pulp and Paper Market*. Diambil kembali dari Precedence Research: <https://www.precedenceresearch.com/pulp-and-paper-market>
- Rase, H. F. (1977). *Chemical Reactor Design for Process Plants: Principles and Techniques*. New York: John Wiley and Sons.
- Risza, S. (1994). *Kelapa Sawit Upaya Peningkatan Produktivitas*. Yogyakarta: Kanisius.
- Sen, P. K. (2013, January 15). *Absorption and Ingestion Toxicology*. Dipetik December 22, 2024, dari <http://dx.doi.org/10.1002/9780470057339.vaa001.pub2>
- Sethuraman, J., Krishnagopalan, J., & Krishnagopalan, G. (1995). Kinetic model for the causticizing reaction. *TAPPI Journal*, 78(1), 115-120.



- Shibata, M., Varman, M., Tono, Y., Miyafuji, H., & Saka, S. (2008). Characterization in Chemical Composition of the Oil Palm (*Elaeis guineensis*). *Journal of the Japan Institute of Energy*, 87, 386.
- Sigma-Aldrich. (2012). Material Safety Data Sheet. *Material Safety Data Sheet*, 4(2).  
Diambil kembali dari  
[https://us.vwr.com/assetsvc/asset/en\\_US/id/16490607/contents](https://us.vwr.com/assetsvc/asset/en_US/id/16490607/contents)
- Sinnott, R. K. (2005). *Coulson & Richardson's Chemical Engineering Volume 6* (4th ed.). Oxford: Elsevier Butterworth-Heinemann.
- Sipayung, T., & Purba, J. H. (2015). *Ekonomi Agribisnis Minyak Sawit*. Bogor: PASPI.
- Sixta, H. (2006). *Handbook of Pulp*. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA.
- Smook, G. A. (2002). *Handbook for Pulp & Paper Technologists* (3rd ed.). Vancouver: Angus Wilde Publications.
- Treybal, R. E. (1980). *Mass-transfer Operations* (3rd ed.). New York: McGraw-Hill.
- Ulrich, G. D. (1984). *A Guide to Chemical Engineering Process Design and Economics*.
- USDA. (2024). *Foreign Agricultural Service U.S. Department of Agriculture*. Dipetik December 2024, dari <https://www.fas.usda.gov/>
- Walas, S. M. (1990). *Chemical Process Equipment: Selection and Design*. Newton: Butterworth-Heinemann.
- Weinstein, M. B. (1997). Process Safety Management Guidelines. Dalam *Total Quality Safety Management and Auditing* (1st ed.). Boca Raton: CRC Press LLC.  
doi:10.4324/9780203735442-5
- Wiley, R. J. (2014). Layer of Protection Analysis. *Procedia Engineering*, 84, 12-22.  
doi:10.1016/j.proeng.2014.10.405



- Windahl, J. (2006). *Modelling and Parameter Estimation of a Paper Machine Drying Section using Modelica*. Lund: Lund Institute of Technology. Diambil kembali dari <https://api.semanticscholar.org/CorpusID:67851323>
- Windsor, B. (2016). *Ion Exchange Design - Hand Calculation*.
- Yanti, R. N., & Lestar, I. (2020). Potensi Limbah Pada Perkebunan Kelapa Sawit Provinsi Riau. *Wahana Forestra: Jurnal Kehutanan*, 15(2), 1-11.
- Yaws, C. L. (1999). *Chemical Properties Handbook : Physical, Thermodynamic, Environmental, Transport, Safety, and Health Related Properties for Organic and Inorganic Chemicals*. New York: McGraw-Hill.