

DAFTAR PUSTAKA

- Abuelnoor, N., AlHajaj, A., Khaleel, M., Vega, L.F., and Abu-Zahra, M.R.M., 2021, Activated carbons from biomass-based sources for CO₂ capture applications, *Chemosphere*, 282, 131111.
- Ahmad, Z., Alkahem Al-Balawi, H.F., Al-Ghanim, K.A., Al-Misned, F., and Mahboob, S., 2021, Risk assessment of malathion on health indicators of catfish: Food and water security prospective research, *J. King Saud Univ. - Sci.*, 33, 101294.
- Ahmed, M.J., 2017, Adsorption of non-steroidal anti-inflammatory drugs from aqueous solution using activated carbons: Review, *J. Environ. Manage.*, 190, 274–282.
- Ahmed, M.J. and Hameed, B.H., 2019, Insights into the isotherm and kinetic models for the coadsorption of pharmaceuticals in the absence and presence of metal ions: A review, *J. Environ. Manage.*, 252, 109617.
- Alberti, G., Amendola, V., Pesavento, M., and Biesuz, R., 2012, Beyond the synthesis of novel solid phases: Review on modelling of sorption phenomena, *Coord. Chem. Rev.*, 256, 28–45.
- Aldegs, Y., Elbarghouthi, M., Elsheikh, A., and Walker, G., 2008, Effect of solution pH, ionic strength, and temperature on adsorption behavior of reactive dyes on activated carbon, *Dye. Pigment.*, 77, 16–23.
- Anwar, N.A.F., Meicahayanti, I., and Rahayu, D.E., 2022, Pengaruh Variasi Waktu Kontak Dan Massa Adsorben Kulit Jeruk Siam (*Citrus Nobilis*) Terhadap Penyisihan Kadmium (Cd) Dan Merkuri (Hg), *J. Teknol. Lingkung.*, 6, 44–52.
- Ayanda, O., Fatoki, O., Adekola, F., Suana, E., and Ximba, B., 2014, Comparative Performance Evaluation of Activated Carbon And Fly Ash/Activated Carbon Composite for Triphenyltin Chloride Removal by Adsorption, *Int. J. Nano Corros. Sci. Eng.*, 1, 1–12.
- Azargohar, R. and Dalai, A.K., 2008, Steam and KOH activation of biochar: Experimental and modeling studies, *Microporous Mesoporous Mater.*, 110, 413–421.
- Bayuo, J., Pelig-Ba, K., and Abukari, M., 2018, Isotherm Modeling Of Lead (II) Adsorption From Aqueous Solution Using Groundnut Shell As A Low-Cost Adsorbent, *OSR J. Appl. Chem.*, 11, 18–23.
- Benjelloun, M., Miyah, Y., Akdemir Evrendilek, G., Zerrouq, F., and Lairini, S., 2021, Recent Advances in Adsorption Kinetic Models: Their Application to Dye Types, *Arab. J. Chem.*, 14, 103031.
- Cha, J.S., Park, S.H., Jung, S.-C., Ryu, C., Jeon, J.-K., Shin, M.-C., and Park, Y.-K., 2016, Production and utilization of biochar: A review, *J. Ind. Eng. Chem.*, 40, 1–15.

- Chen, W., Gong, M., Li, K., Xia, M., Chen, Z., Xiao, H., Fang, Y., Chen, Y., Yang, H., and Chen, H., 2020, Insight into KOH activation mechanism during biomass pyrolysis: Chemical reactions between O-containing groups and KOH, *Appl. Energy*, 278, 115730.
- Destyorini, F., Suhandi, A., Subhan, A., and Indayaningsih, N., 2010, Pengaruh suhu karbonisasi terhadap struktur dan konduktivitas listrik arang serabut kelapa, *J. Fis. Himpun. Fis. Indones.*, 10, 122–132.
- Dethloff, G.M., Bailey, H.C., and Maier, K.J., 2001, Effects of dissolved copper on select hematological, biochemical, and immunological parameters of wild rainbow trout (*Oncorhynchus mykiss*), *Arch. Environ. Contam. Toxicol.*, 40, 371–380.
- Dewi, I.S.U., Mahardika, I.G., and Antara, M., 2017, Residu pestisida golongan organofosfat komoditas buah cabai merah (*Capsicum annum* L.) pada berbagai lama penyimpanan, *J. Ilmu Lingkungan*, 11, 34.
- Eissa, F., Alsherbeny, S., El-Sawi, S., Slaný, M., Lee, S.S., Shaheen, S.M., and Jamil, T.S., 2023, Remediation of pesticides contaminated water using biowastes-derived carbon rich biochar, *Chemosphere*, 340, 139819.
- El-Kady, A.A., Abdel Ghafar, H.H., Ibrahim, M.B.M., and Abdel-Wahhab, M.A., 2013, Utilization of activated carbon prepared from agricultural waste for the removal of organophosphorous pesticide from aqueous media, *Desalin. Water Treat.*, 51, 7276–7285.
- El-Nahhal, Y., 2018, Toxicity of some aquatic pollutants to fish, *Environ. Monit. Assess.*, 190, 449.
- Flessel, P., Quintana, P.J.E., and Hooper, K., 1993, Genetic toxicity of malathion: a review, *Environ. Mol. Mutagen.*, 22, 7–17.
- Gao, J., Si, C., and He, Y., 2015, Application of soybean residue (okara) as a low-cost adsorbent for reactive dye removal from aqueous solution, *Desalin. Water Treat.*, 53, 2266–2277.
- Gomase, V., Rathi, T., Muley, A., Saravanan, D., and Jugade, R., 2025, Soybean biochar as highly efficient adsorbent for ofloxacin from aqueous and CO₂ from gaseous phase: Mathematical modelling and regeneration studies, *Clean. Chem. Eng.*, 11, 100154.
- Sen Gupta, S. and Bhattacharyya, K.G., 2008, Immobilization of Pb(II), Cd(II) and Ni(II) ions on kaolinite and montmorillonite surfaces from aqueous medium, *J. Environ. Manage.*, 87, 46–58.
- Hafiyah, S., 2013, Kinetika Adsorpsi Zat Warna Rhodamin B Menggunakan Karbon Aktif Sekam Padi (*Oryza Sativa* L.), *J. Chem. Inf. Model.*, 53, 1689–1699.
- Hamzah, R.A., 2009, Tracer pathway dari insektisida malathion dan pengaruhnya

- terhadap organ hati dan otak tikus, *Makara Kesehat.*, 13, 69â.
- Hao, T., Zhou, Q., Jiang, J., Ren, Z., Tan, W., Song, H., He, L., Shi, D., Qin, H., Li, Y., and Pan, Y., 2025, Experimental and density functional theory calculation study on the NO₂ adsorption and reduction by KOH activated biochar, *Appl. Surf. Sci.*, 684, 161670.
- Hartini, L., Yulianti, E., and Mahmudah, R., 2014, Karakterisasi Karbon Aktif Teraktivasi NaCl dari Ampas Tahu, *ALCHEMY*, 3, .
- Hernández-Toledano, D.S., Estrada-Muñiz, E., and Vega, L., 2020, Genotoxicity of the organophosphate pesticide malathion and its metabolite dimethylthiophosphate in human cells in vitro, *Mutat. Res. Toxicol. Environ. Mutagen.*, 856–857, 503233.
- Hu, Q. and Zhang, Z., 2019, Application of Dubinin–Radushkevich isotherm model at the solid/solution interface: A theoretical analysis, *J. Mol. Liq.*, 277, 646–648.
- Irwandi, R., Yenti, S.R., and Chairul, 2015, Penentuan Massa dan Waktu Kontak Optimum Adsorpsi Karbon Aktif dari Ampas Tebu sebagai Adsorben Logam Berat Pb.,
- Jamilatun, S. and Setyawan, M., 2014, Pembuatan arang aktif dari tempurung kelapa dan aplikasinya untuk penjernihan asap cair, *Spektrum Ind.*, 12, 1–112.
- Johan, E., Yoshida, K., Munthali, M.W., Matsue, N., Itagaki, Y., and Aono, H., 2015, Adsorption characteristics of Cs⁺ onto artificial zeolites synthesized from coal fly ash and diatomite, *J. Ceram. Soc. Japan*, 123, 1065–1072.
- Kamble, D.B. and Rani, S., 2020, Bioactive components, in vitro digestibility, microstructure and application of soybean residue (okara): A review, *Legum. Sci.*, 2, e32.
- Katnić, Đ., Porobić, S.J., Lazarević-Pašti, T., Kojić, M., Tasić, T., Marinović-Cincović, M., and Živojinović, D., 2023, Sterilized plum pomace biochar as a low-cost effective sorbent of environmental contaminants, *J. Water Process Eng.*, 56, 104487.
- Klүpfel, L., Keiluweit, M., Kleber, M., and Sander, M., 2014, Redox properties of plant biomass-derived black carbon (biochar), *Environ. Sci. Technol.*, 48, 5601–5611.
- Koca, Y.O., Üstündağ, A.Ö., Yalcin, M., and Turgut, C., 2024, Assessing malathion residue impact on poultry health, human safety, and production performance, *Heliyon*, 10, e28438.
- Kumar, P., Singh, H., Kapur, M., and Mondal, M.K., 2014, Comparative study of malathion removal from aqueous solution by agricultural and commercial adsorbents, *J. Water Process Eng.*, 3, 67–73.
- Kumar, S.S., Ghosh, P., Malyan, S.K., Sharma, J., and Kumar, V., 2019, A

comprehensive review on enzymatic degradation of the organophosphate pesticide malathion in the environment, *J. Environ. Sci. Heal. Part C*, 37, 288–329.

- Li, J., Xu, K., Yao, X., and Liu, J., 2024, Slow pyrolysis experimental investigation on the tar formation and its pyrolysis behavior characteristics, *Process Saf. Environ. Prot.*, 184, 660–671.
- Li, S., Zhu, D., Li, K., Yang, Y., Lei, Z., and Zhang, Z., 2013, Soybean Curd Residue: Composition, Utilization, and Related Limiting Factors, *ISRN Ind. Eng.*, 2013, 1–8.
- Liu, C., An, X., Wang, P., Ma, X., Li, X., Chen, X., Li, Y., Hao, X., Zhang, X., Abudula, A., and Guan, G., 2025, Two step pore expansion assisted by KOH activation of nitrogen-doped biochar for enhanced gaseous iodine adsorption, *Colloids Surfaces A Physicochem. Eng. Asp.*, 709, 136184.
- Liu, Q.-H., Qiu, Y.-H., and Yang, Z.-M., 2025, KOH activation increased biochar's capacity to regulate electron transfer and promote methanogenesis, *Energy*, 322, 135650.
- Liu, S., Chen, Z., Shao, J., Luo, S., and Yu, D., 2025, Novel soybean dregs biochar concrete: Characterization and evaluation of the mechanical properties and microstructure, *Constr. Build. Mater.*, 458, 139512.
- Liu, Y., Ji, X., Gao, Z., Wang, Y., Zhu, Y., Zhang, Yan, Zhang, Yanxiang, Sun, H., Li, W., and Duan, J., 2023, Adsorption characteristics and removal mechanism of malathion in water by high and low temperature calcium–modified water hyacinth–based biochar, *J. Clean. Prod.*, 411, 137258.
- López-Luna, J., Ramírez-Montes, L.E., Martínez-Vargas, S., Martínez, A.I., Mijangos-Ricardez, O.F., González-Chávez, M. del C.A., Carrillo-González, R., Solís-Domínguez, F.A., Cuevas-Díaz, M. del C., and Vázquez-Hipólito, V., 2019, Linear and nonlinear kinetic and isotherm adsorption models for arsenic removal by manganese ferrite nanoparticles, *SN Appl. Sci.*, 1, 950.
- Lü, F., Lu, X., Li, S., Zhang, H., Shao, L., and He, P., 2022, Dozens-fold improvement of biochar redox properties by KOH activation, *Chem. Eng. J.*, 429, 132203.
- Lubis, D.M., Sintawardani, N., Hamidah, U., Astuti, D.I., and Dwiartama, A., 2021, Sustainability Assessment of Small-Scale Tofu Industry Based on Water Resource Case Study of Giriharja Hamlet, Indonesia, *Sanit. Value Chain*, 5, 55–70.
- Mei, Y., Xu, J., Zhang, Y., Li, B., Fan, S., and Xu, H., 2021, Effect of Fe–N modification on the properties of biochars and their adsorption behavior on tetracycline removal from aqueous solution, *Bioresour. Technol.*, 325, 124732.
- Milanković, V., Tasić, T., Brković, S., Potkonjak, N., Unterweger, C., Pašti, I., and

- Lazarević-Pašti, T., 2024, The adsorption of chlorpyrifos and malathion under environmentally relevant conditions using biowaste carbon materials, *J. Hazard. Mater.*, 480, 135940.
- Nohong, N., 2010, Pemanfaatan Limbah Tahu sebagai Bahan Penyerap Logam Krom, Kadmium dan Besi Dalam Air Lindi TPA, *J. Pembelajaran Sains*, 6, 257–269.
- Nurhasni, N., Hendrawati, H., and Saniyyah, N., 2010, Penyerapan ion logam Cd dan Cr dalam air limbah menggunakan sekam padi, *J. Kim. Val.*, 1, 107198.
- Oginawati, K., Kahfa, A.N., and Susetyo, S.H., 2023, The effects of the use of organochlorine and organophosphate pesticides in agriculture and households on water and sediment pollution in the Cikeruh River, Indonesia, *Int. J. River Basin Manag.*, 21, 651–657.
- Oni, B.A., Oziegbe, O., and Olawole, O.O., 2019, Significance of biochar application to the environment and economy, *Ann. Agric. Sci.*, 64, 222–236.
- Rabichi, I., Ezzahi, K., Yaacoubi, F.E., Sekkouri, C., Bouzid, T., Ennaciri, K., Ounas, A., Fels, L. El, Hafidi, M., Baçaoui, A., and Yaacoubi, A., 2025, Synthesis and application of biochar and KOH-Activated carbon from olive mill solid waste for polyphenol removal, *J. Mol. Liq.*, 421, 126875.
- Rahmalia, W., Yulistira, F., Ningrum, J., Qurbaniah, M., and Ismadi, M., 2009, Pemanfaatan potensi tandan kosong kelapa sawit (*Elaeis guineensis* Jacq) sebagai bahan dasar c-aktif untuk adsorpsi logam perak dalam larutan, *Pontianak Jur. Kim. Fak. Mat. dan Ilmu Pengetah. Alam Univ. Tanjungpura.*
- Renu and Sithole, T., 2024, A review on regeneration of adsorbent and recovery of metals: Adsorbent disposal and regeneration mechanism, *South African J. Chem. Eng.*, 50, 39–50.
- Sabbagh, N., Tahvildari, K., and Mehrdad Sharif, A.A., 2021, Application of chitosan-alginate bio composite for adsorption of malathion from wastewater: Characterization and response surface methodology, *J. Contam. Hydrol.*, 242, 103868.
- Shalaby, A.M.E., 2004, The opposing effect of ascorbic acid (vitamin C) on ochratoxin toxicity in Nile tilapia (*Oreochromis niloticus*).,
- Shan, D., Shao, Z., Liu, X., Wang, Y., Liu, Y., and Dai, Y., 2022, Efficient adsorption of three dyes by soybean residue (okara) biochar in an aqueous solution, *Desalin. Water Treat.*, 266, 212–225.
- Sorour, M.H. and Shaalan, H.F., 2013, Removal of malathion using ceramic nanofiltration/adsorption system, *Desalin. Water Treat.*, 51, 5009–5013.
- Sun, Z., Wang, M., Fan, J., Zhou, Y., and Zhang, L., 2020, Regeneration Performance of Activated Carbon for Desulfurization, *Appl. Sci.*, 10, 6107.
- Suratman, A., Astuti, D.N., Kusumastuti, P.P., and Sudiono, S., 2024, Okara

biochar immobilized calcium-alginate beads as eosin yellow dye adsorbent, *Results Chem.*, 7, 101268.

Suratman, A., Astuti, D.N., Kusumastuti, P.P., Sudiono, S., Wijaya, H.W., and Wibowo, A.H., 2024, Comprehensive study of thermochemical conversion of biomass okara into biochar, *J. Anal. Appl. Pyrolysis*, 181, 106594.

Syauqiah, I., Amalia, M., and Kartini, H.A., 2011, Analisis variasi waktu dan kecepatan pengaduk pada proses adsorpsi limbah logam berat dengan arang aktif, *Info-Teknik*, 12, 11–20.

Takarani, P. and Novita, S.F., 2019, Pengaruh massa dan waktu adsorben selulosa dari kulit jagung terhadap konsentrasi penyerapan,. In, *Seminar Nasional Rekayasa Tropis 2023.*, pp. 117–121.

Tomczyk, A., Sokołowska, Z., and Boguta, P., 2020, Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects, *Rev. Environ. Sci. Bio/Technology*, 19, 191–215.

Vegas-Mendoza, S.M., Gutierrez-Ortega, J.A., Moran-Salazar, R.G., Cortes-Llamas, S.A., Carbajal-Arizaga, G.G., Peregrina-Lucano, A.A., Shenderovich, I.G., Torres-Santiago, G., and Gómez-Salazar, S., 2022, L-Glutathione-Functionalized Silica Adsorbent for the Removal of Pesticide Malathion from Aqueous Solutions, *Processes*, 10, 2146.

Venkataramana, G. V, Rani, P.N.S., and Murthy, P.S., 2006, Impact of malathion on the biochemical parameters of gobiid fish, *Glossogobius giuris*(Ham), *J. Environ. Biol.*, 27, 119–122.

Wan, C., Li, H., Zhao, L., Li, Z., Zhang, C., Tan, X., and Liu, X., 2021, Mechanism of removal and degradation characteristics of dicamba by biochar prepared from Fe-modified sludge, *J. Environ. Manage.*, 299, 113602.

Wang, J. and Guo, X., 2022, Rethinking of the intraparticle diffusion adsorption kinetics model: Interpretation, solving methods and applications, *Chemosphere*, 309, 136732.

Wang, T., Zhou, Y., Wang, L., Sui, J., Chen, F., Yang, J., Chen, S., Cui, X., Yang, Y., and Zhang, W., 2025, Assessing the biotic and abiotic degradation of malathion in the environment: Current strategies and advances, *J. Environ. Chem. Eng.*, 13, 115429.

Wang, Z., Li, Y., Guo, P., and Meng, W., 2016, Analyzing the Adaption of Different Adsorption Models for Describing the Shale Gas Adsorption Law, *Chem. Eng. Technol.*, 39, 1921–1932.

Wu, F.-C., Tseng, R.-L., and Juang, R.-S., 2009, Initial behavior of intraparticle diffusion model used in the description of adsorption kinetics, *Chem. Eng. J.*, 153, 1–8.

Yang, H., Gong, M., Hu, J., Liu, B., Chen, Y., Xiao, J., Li, S., Dong, Z., and Chen,

- H., 2020, Cellulose Pyrolysis Mechanism Based on Functional Group Evolutions by Two-Dimensional Perturbation Correlation Infrared Spectroscopy, *Energy & Fuels*, 34, 3412–3421.
- Yang, Y., Kumar Awasthi, M., Wu, L., Yan, Y., and Lv, J., 2020, Microbial driving mechanism of biochar and bean dregs on NH₃ and N₂O emissions during composting, *Bioresour. Technol.*, 315, 123829.
- Yao, Y., Xu, F., Chen, M., Xu, Z., and Zhu, Z., 2010, Adsorption behavior of methylene blue on carbon nanotubes, *Bioresour. Technol.*, 101, 3040–3046.
- Yuniarizky, F. and Nazriati, 2021, Adsorpsi Zat Warna Remazol Red menggunakan Nanokomposit Silika Aerogel-Karbon Aktif, *J. Cis-Trans*, 5, 25–33.
- Zeng, S., Xia, X., Miao, S., Zhang, J., and Li, K., 2024, Green synthesis of highly pyrrolic nitrogen-doped biochar for enhanced tetracycline degradation: New insights from endogenous mineral components and organic nitrogen synergy, *J. Clean. Prod.*, 444, 141177.
- Zhang, Y. and Pagilla, K., 2010, Treatment of malathion pesticide wastewater with nanofiltration and photo-Fenton oxidation, *Desalination*, 263, 36–44.
- Zian, Z., Ulfen, I., and Harmami, H., 2016, Pengaruh Waktu Kontak pada Adsorpsi Remazol Violet 5R Menggunakan Adsorben Nata de Coco, *J. Sains dan Seni ITS*, 5.