

DAFTAR PUSTAKA

- Ali, A., Chong, C. H., Mah, S. H., Abdullah, L. C., Choong, T. S. Y., & Chua, B. L. (2018). Impact of storage conditions on the stability of predominant phenolic constituents and antioxidant activity of dried Piper betle extracts. *Molecules*, 23(2), 484.
- Ali, M. A., Yusof, Y. A., Chin, N. L., & Ibrahim, M. N. (2017). Processing of Moringa leaves as natural source of nutrients by optimization of drying and grinding mechanism. *Journal of Food Process Engineering*, 40(6), 1–17. <https://doi.org/10.1111/jfpe.12583>.
- Aminah, S., Ramdhan, T., & Yanis, M. (2015). Kandungan nutrisi dan sifat fungsional tanaman kelor (*Moringa oleifera*). *Buletin Pertanian Perkotaan*, 5(2), 35-44.
- Apriantini, A., Putra, R. G., & Suryati, T. (2022). Aplikasi ekstrak daun kelor (*Moringa oleifera*) pada berbagai produk olahan daging. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 10(3), 132-143.
- Asiah, N., & Djaeni, M. (2021). *Konsep Dasar Proses Pengeringan Pangan* (Nurenik, Ed.). AE Publishing.
- Asiah, N., Sembodo, R., & Prasetyaningum, A. (2012). Aplikasi metode foam-mat drying pada proses pengeringan spirulina. *Jurnal Teknologi Kimia dan Industri*, 1(1), 461-467.
- Azizpour, M., Mohebbi, M., & Khodaparast, M. H. H. (2016). Effects of foam-mat drying 495 temperature on physico-chemical and microstructural properties of shrimp powder. *496 Innovative Food Science and Emerging Technologies*, 34, 122–126. 497
<https://doi.org/10.1016/j.ifset.2016.01.002>.
- Biksono, D. (2022). *Teknik Pengeringan Dasar*. CV BUDI UTAMA.
- Cueto Covarrubias, L. A., Valdez Solana, M. A., Avitia Domínguez, C., Téllez Valencia, A., Meza Velázquez, J. A., & Sierra Campos, E. (2023). Characterization of Moringa oleifera Seed Oil for the Development of a Biopackage Applied to Maintain the Quality of Turkey Ham. *Polymers*, 16(1), 132.
- Da-Costa-Rocha, I, Bonnlaender, B, Sievers, H, Pischell&Heinrich, M 2014,Hibiscus sabdariffa L., A phytochemical and pharma-cological review,*Food Chemistry*, 165:424+443.
- Daud, A., Suriati, S., & Nuzulyanti, N. (2019). Kajian Penerapan Faktor yang Mempengaruhi Akurasi Penentuan Kadar Air Metode Thermogravimetri. *Lutjanus*, 24(2), 11-16.
- Dhanasekaran, S., Rajesh, A., Mathimani, T., Samuel, S. M., Shanmuganathan, R., & Brindhadevi, K. (2019). Efficacy of crude extracts of *Clitoria ternatea* for antibacterial activity against gram negative bacterium (*Proteus mirabilis*). *Biocatalysis and Agricultural Biotechnology*, 21, 101328.
- Djaeni, M., Prasetyaningrum, A., Sasongko, S. B., Widayat, W., & Hii, C. L. (2015). 532 Application of foam-mat drying with egg white for carrageenan: drying rate and product 533 quality aspects. *Journal of Food Science and Technology*, 52(2), 1170–1175. 534
<https://doi.org/10.1007/s13197-013-1081-0>.

- Driscoll, R. 2008. Food dehydration. In J. Smith dan Y. Hui (Eds.), Food processing: principles and applications. Blackwell Publishing.
- Engelen, A. (2018). Analisis Kekerasan, Kadar Air, Warna dan Sifat Sensori pada Pembuatan Keripik Daun Kelor. *Journal of Agritech Science*, 2(1), 10–15.
- Escher, G. B., Wen, M., Zhang, L., Rosso, N. D., & Granato, D. (2020). Phenolic composition by UHPLC-Q-TOF-MS/MS and stability of anthocyanins from *Clitoria ternatea* L.(butterfly pea) blue petals. *Food chemistry*, 331, 127341.
- Falowo, A.B., Mukumbo, F.E., Idamokoro, E.M., Lorenzo, J. M., Afolayan, A. J., & Muchenje, V. (2018). Multi-functional application of *Moringa oleifera* Lam. in nutrition and animal food products: A review. *Food Research International*, 106, 317-334.
- Fitriana, W. D., Ersam, T., Shimizu, K., & Fatmawati, S. (2016). Antioxidant activity of *Moringa oleifera* extracts. *Indonesian Journal of Chemistry*, 16(3), 297-301.
- Franco, T.S., Perussello, C.A., Ellendersen, L.N., Masson, M.L., 2016. Effects of foam mat drying on physicochemical and microstructural properties of yacon juice powder. *LWT - Food Sci. Technol. Elsevier Ltd* 66, 503–513.
- Gandji, K., Chadare, F.J., Idohou, R., Salako, V.K., Assogbadjo, A.E., & Glele Kakai, R.I. (2018). Status and utilisation of *Moringa oleifera* Lam: A review. *African Crop Science Journal*, 26(1), 137-156.
- Hardiyanthi, F. 2015. Pemanfaatan aktivitas antioksidan ekstrak daun kelor (*moringa oleifera*) dalam sediaan hand and body cream. Skripsi UIN Syarif Hidayatullah Jakarta.
- Hariyadi, T. (2018). Pengaruh suhu operasi terhadap penentuan karakteristik pengeringan busa sari buah tomat menggunakan tray dryer. *Jurnal Rekayasa Proses*, 12(2), 104-113.
- Hossain, M. A., Ahmed, T., Ferdous, J., & Zzaman, W. (2024). Optimization of the foam-mat drying process to develop high-quality tomato powder: A response surface methodology approach. *Heliyon*, 10(21).
- Integrated Taxonomic Information System.(2013). *Moringa oleifera* (Drumstick Tree): Biological Classification and Name. *Encyclopedia of Life Newsletter*. Tanggal akses 6 November 2021. http://hy_ent ri e s / 4 6214757/overview/moringa-oleifera.
- Irwan, Z. (2020). Kandungan zat gizi daun kelor (*Moringa oleifera*) berdasarkan metode pengeringan. *Jurnal Kesehatan Manarang*, 6(1), 69-77.
- Jafari, S. M. (2017). *Nanoencapsulation Technologies for the Food and Nutraceutical Industries*. Iran: Academic Press.
- Jangam, S.V., Law, C. L., and Mujumdar A.S. (2010). Use of renewable source of energy for drying of FVF in *Drying of Foods, Vegetables and Fruits*, Vol. 1, National University of Singapore, Singapore.
- Jayaraman, K., dan D. Gupta. 2007. Drying of fruits and vegetables. In A. Mujumdar (Ed.), *Handbook of industrial drying* (3rd ed., pp. 606–633). Taylor dan Francis.

- Kaur, G., Saha, S., Kumari, K., & Datta, A. K. (2017). Mango pulp drying by refractance window method. *Agricultural Engineering International: CIGR Journal*, 19(4).
- Khaled, B. M., Das, A. K., Alam, S. S., Saqib, N., Rana, M. S., Sweet, S. R., ... & Yesmin, A. (2024). Effect of different drying techniques on the physicochemical and nutritional properties of *Moringa oleifera* leaves powder and their application in bakery product. *Applied Food Research*, 4(2), 100599.
- Khalishah, A. N., Mawarni, B., Hidayati, L., & Dhiya, S. S. (2023). Pemanfaatan Daun Kelor (*Moringa oleifera L.*) untuk mengatasi anemia. *Jurnal Pengemas Kesehatan*, 2(1), 18-25.
- Khasanah, R., Jumari., & Nurchayati, Y. (2023). Etnobotani Tumbuhan Kelor (*Moringa Oelifera L.*) di Kabupaten Pemalang Jawa Tengah. *Jurnal Ilmu Lingkungan*, 21(4), 870-880.
- Khwaja, O., Siddiqui, M. H., & Younis, K. (2020). Underutilized kadam (*Neolamarckia 551 cadamba*) fruit: Determination of some engineering properties and drying kinetics. *Journal of the Saudi Society of Agricultural Sciences*, 19(6), 401–408. 553
<https://doi.org/10.1016/j.jssas.2020.06.001>.
- Kortei, N.K., Odamtten, G.T., Obodai, M., Appiah, V., Akonor, P.T. 2015. Determination of color parameters of gamma irradiated fresh and dried mushrooms during storage. *Croatian Journal of Food Technology, Biotechnology and Nutrition*, 10 (1-2): 66-71.
- Kumar, C., & Karim, M. A. (2019). Microwave-convective drying of food materials: A critical review. *Critical reviews in food science and nutrition*, 59(3), 379-394.
- Kurniasari, H. B., & Akhlis, I. (2012). Penerapan Pengolahan Citra Digital Dengan Matlab 7.1 Pada Citra Radiografi. *Unnes Physics Journal*, 1(1).
- Madane, P., Das, A.K., Pateiro, M., Nanda, P.K., Bandyopadhyay, S., Jagtap, P., Barba, F.J., Shewalkar, A., Maity, B., & Lorenzo, J.M. (2019). Drumstick (*Moringa oleifera*) flower as an antioxidant dietary fibre in chicken meat nuggets. *Foods*, 8(307), 1-19.
- Maity, T., Bawa, A. S., & Raju, P. S. (2018). Effect of preconditioning on physicochemical, microstructural, and sensory quality of vacuum-fried jackfruit chips. *Drying Technology*, 36(1), 63–71.
<https://doi.org/10.1080/07373937.2017.1300590>.
- Mangueira, E. R., de Assis Cavalcante, J., Costa, N. A., & Barbosa de Lima, A. G. (2020). 563 Foam-Mat Drying Process of Duck Egg White. *Diffusion Foundations*, 25, 54–82. 564
<https://doi.org/10.4028/www.scientific.net/df.25.54>.
- Ma'ruf, A. (2023). Pengabdian kepada Masyarakat Peningkatan Pendapatan Komunitas Serayu Network Banjarnegara Melalui Produksi Kapsul Daun Kelor. *Jurnal Pengabdian Masyarakat Teknik*, 6(1), 8-14.
- Mayasari, E., Harahap, Y. W., & Rahayuni, T. (2023). Aplikasi Pengeringan Foam-Mat Dengan Kombinasi Tween 80 Dan Maltodekstrin Pada Pembuatan

- Bubuk Daun Kesum (*Polygonum minus* Huds.). *Jurnal Ilmu dan Teknologi Pangan*, 9(1), 68-75.
- Melo, N. V., Vargas, T. Quirino and C. M. C. Calvo. (2013). *Moringa oleifera* L. An underutilized tree with macronutrients for human health *Emir. J. Food Agric*, 25 (10): 785-789.
- Oktaviani, D. J., Widiyastuti, S., Maharani, D. A., Amalia, A. N., Ishak, A. M., & Zuhrotun, A. (2019). Review: Bahan Alami Penyembuh Luka. *Farmasetika.com*, 4(3), 44.
- Oyeyinka, A. T., & Oyeyinka, S. A. (2018). *Moringa oleifera* as a food fortificant: Recent trends and prospects. *Journal of the Saudi Society of Agricultural Sciences*, 17(2), 127–136.
- Panjaitan, B., Harahap, S., Lumbantobing, K. N., & Romadhon, S. (2021). Rancang Bangun Pewaktu Centrifuge Dengan Tampilan Seven segment berbasis mikrokontroler At89s51. *Jurnal Darma Agung*, 29(2), 298-307.
- Patil, D., Vaknin, Y., Rytwo, G., Lakemond, C., & Benjamin, O. (2022). Characterization of *Moringa oleifera* leaf and seed protein extract functionality in emulsion model system. *Innovative Food Science & Emerging Technologies*, 75, 102903.
- Rekayasa, J., Agroindustri, M., Komang, N., Ardyanti, N. T., Suhendra, L., & Ganda Puta, G. P. (2020). Pengaruh Ukuran Partikel dan Lama Maserasi terhadap Karakteristik Ekstrak Virgin Coconut Oil Wortel (*Daucus carota* L.) sebagai Pewarna Alami. *The Effect of Particle Size and Maceration Time On The Characteristics of Virgin Coconut Oil Extract of Carrot (*Daucus carota* L.) As A Natural Dye*, 8(3).
- Ridlo, A., Sedjati, S., & Supriyantini, E. (2016). Aktivitas anti oksidan fikosianin dari *Spirulina* Sp. menggunakan metode transfer elektron dengan DPPH (1, 1-difenil-2-pikrilhidrazil). *Jurnal Kelautan Tropis*, 18(2).
- Rifkia, V., & Prabowo, I. (2020). Pengaruh variasi suhu dan waktu terhadap rendemen dan kadar total flavonoid pada ekstraksi daun *Moringa oleifera* Lam. dengan metode ultrasonik. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(2), 387-395.
- Risdianti, D., Murad, M., & Putra, G. M. D. (2016). Kajian Pengeringan Jahe (*Zingiber Officinale* Rosc) berdasarkan Perubahan Geometrik dan Warna menggunakan Metode Image Analysis. *Jurnal Ilmiah Rekayasa Pertanian dan Biosistem*, 4(2), 275-284.
- Rosyidi, M., & Fahrudin, A. (2022). Design And Construction Of Cabinet Dryer With Variation Of Blower Speed Using Charcoal Combustion On Chilli Plants. *Procedia of Engineering and Life Science*, 3.
- Salahi, M. R., Mohebbi, M., & Taghizadeh, M. (2015). Foam-Mat Drying of Cantaloupe 577 (*Cucumis melo*): Optimization of Foaming Parameters and Investigating Drying 578 Characteristics. *Journal of Food Processing and Preservation*, 39(6), 1798–1808. 579 <https://doi.org/10.1111/jfpp.12414>.
- Sangamithra, A., Sivakumar Venkatachalam, S. V., John, S. G., & Kannan Kuppuswamy, K. K. (2015). Foam mat drying of food materials: A review.

- Sanjaya, R. (2022). Penerapan Metode “Foam-Mat Drying” Pada Pembuatan Sari Buah Mengkudu (*Morinda citrifolia*). *Jurnal Ilmiah Mahasiswa Pertanian (JIMTANI)*, 2(4).
- Saputri, A. D., Amalia, R., Yulianto, M. E., & Paramita, V. (2020). Effect of Banana Types on Oven Drying Process for Crispy Banana Production. *Journal of Vocational Studies on Applied Research*, 2(2), 20-24.
- Sari, D. K., Affandi, D. R., & Prabawa, S. (2020). Pengaruh waktu dan suhu pengeringan terhadap karakteristik teh daun tin (*Ficus carica L.*). *Jurnal Teknologi Hasil Pertanian*, 12(2), 68-77.
- Satriyani, D. P. P. (2021). Review artikel: Aktivitas antioksidan ekstrak daun kelor (*Moringa oleifera Lam.*). *Jurnal Farmasi Malahayati*, 4(1), 31-43.
- Sharma, P., Kachhwaha, S., Jain, R., Kothari, S. (2022). Comparative Analysis of Iron Content in Drumstick Leaves of Different Maturity Collected from Different Regions of Jaipur, Rajasthan, India. *NanoWorld J.* 8, S1-S5.
- Shi, Q., Zheng, Y., & Zhao, Y. (2013). Mathematical Volume 8, 2020 Kinetika Pengeringan Lapisan Tipis 62 modeling on thin-layer heat pump drying of yacon (*Smallanthus sonchifolius*) slices. *Energy Conversion and Management*, 71, 208-216.
- Shiriki, D., Igyor, M.A. and Gernah, D.I. (2015). Nutritional evaluation of complementary food formulations from maize, soybean and peanut fortified with moringa oleifera leaf powder. *Food and Nutrition Sciences*, 6, 494-500.
- Sokhansanj, S., dan D. Jayas. 2007. Drying of foodstuffs. In A. Mujundar (Ed.), *Handbook of industrial drying* (3rd ed., pp. 522–546). Taylor dan Francis.
- Su, Y., Zhang, M., Adhikari, B., Mujumdar, A. S., & Zhang, W. (2018). Improving the energy efficiency and the quality of fried products using a novel *vacuum frying* assisted by combined ultrasound and microwave technology. *Innovative Food Science & Emerging Technologies*, 50, 148–159. <https://doi.org/10.1016/j.ifset.2018.10.011>
- Susanti, D. Y., Sediawan, W. B., Fahrurrozi, M., & Hidayat, M. (2021). Foam-mat drying in the encapsulation of red sorghum extract: Effects of xanthan gum addition on foam properties and drying kinetics. *Journal of the Saudi society of Agricultural Sciences*, 20(4), 270-279.
- Susanto, D., Winarsih, L., & Supriati, R. (2021). Perbandingan Penggunaan Sasak Berbahan Kayu Dan Besi Terhadap Kecepatan Pengeringan Herbarium Di Laboratorium Biologi, Universitas Bengkulu. *Jurnal Pengelolaan Laboratorium Sains dan Teknologi*, 1(1), 25-33.
- Susanty, S., Yudistirani, S. A., & Islam, M. B. (2019). Metode Ekstraksi Untuk Perolehan Kandungan Flavonoid Tertinggi Dari Ekstrak Daun Kelor (*Moringa Oleifera Lam.*). *Jurnal Konversi*, 8(2), 6.
- Syah, H., Tambunan, A. H., Hartulistiyoso, E., & Manalu, L. P. (2020). Kinetika Pengeringan Lapisan Tipis Daun Jati Belanda (*Thin Layer Drying Kinetics of Guazuma Ulmifolia Leaves*). *Jurnal Keteknikaan Pertanian*, 8(2), 53-62.
- Teixeira, E. M., Carvalho, M. R., Neves, V. A., Silva, M. A., Arantes-Pereira, L., & al, e.. (2014). Chemical characteristics and fractionation of proteins

- from *M. oleifera* Lam. leaves. *Food Chemistry*, 147, 51–54. <https://doi.org/10.1016/j.foodchem.2013.09.135>.
- Tumbel, N. & Manurung, S., 2017. Pengaruh Suhu dan Waktu Penggorengan terhadap Mutu Keripik Nanas Menggunakan Penggorengan Vakum. *Jurnal Penelitian Teknologi Industri*, 9(1), pp. 9-22.
- Qadri, O. S., Srivastava, A. K., & Yousuf, B. (2020). Trends in foam mat drying of foods: Special emphasis on hybrid foam mat drying technology. *Critical Reviews in Food Science and Nutrition*, 60(10), 1667-1676.
- Widarti, W., Hartati, I., Harianingsih, H., & Maharani, F. (2021). Pembuatan Bubuk Bayam dengan Metode Foam Mat Drying. *Jurnal Inovasi Teknik Kimia*, 6(1).
- Widyasanti, A., Septianti, N. A., & Nurjanah, S. (2019). Pengaruh penambahan maltodekstrin terhadap karakteristik fisikokimia bubuk tomat hasil pengeringan pembusaan (foam mat drying). *Agrin*, 22(1), 22-38.
- Yılmaz, F. M., Yüksekaya, S., Vardin, H., & Karaaslan, M. (2017). The effects of drying 600 conditions on moisture transfer and quality of pomegranate fruit leather (pestil). *Journal 601 of the Saudi Society of Agricultural Sciences*, 16(1), 33–40. [602 https://doi.org/10.1016/j.jssas.2015.01.003](https://doi.org/10.1016/j.jssas.2015.01.003).