

DAFTAR PUSTAKA

- Ma, Y., Liu, Y., and Cheng, J., 2018. Protein secondary structure prediction based on data partition and semi-random subspace method. *Scientific Reports*, 8(1), p.9856. <https://doi.org/10.1038/s41598-018-28084-8>.
- Blundell, T.L., Bedarkar, S., Rinderknecht, E. and Humbel, R.E., 1978. Insulin-like growth factor: a model for tertiary structure accounting for immunoreactivity and receptor binding. *Proceedings of the National Academy of Sciences*, 75(1), pp.180–184. <https://doi.org/10.1073/pnas.75.1.180>.
- Baker, D. and Sali, A., 2001. Protein Structure Prediction and Structural Genomics. *Science*, 294(5540), pp.93–96. <https://doi.org/10.1126/science.1065659>.
- Wang, L., Zhang, H., Xu, W., Xue, Z., and Wang, Y., 2023. Deciphering the protein landscape with ProtFlash, a lightweight language model. *Cell Reports Physical Science*, 4(10), p.101600. <https://doi.org/10.1016/j.xcrp.2023.101600>.
- Chandra, A., Tünnermann, L., Löfstedt, T., and Gratz, R., 2023. Transformer-based deep learning for predicting protein properties in the life sciences. *eLife*, 12, p.e82819. <https://doi.org/10.7554/eLife.82819>.
- Dong, B., et al., 2024. SERT-StructNet: Protein secondary structure prediction method based on multi-factor hybrid deep model. *Computational and Structural Biotechnology Journal*, 23, pp.1364–1375. <https://doi.org/10.1016/j.csbj.2024.03.018>.
- Sonsare, Pravinkumar M. and Gunavathi, Chellamuthu. "A novel approach for protein secondary structure prediction using encoder–decoder with attention mechanism model" *Biomolecular Concepts*, vol. 15, no. 1, 2024, pp. 20220043. <https://doi.org/10.1515/bmc-2022-0043>
- Nahid, T.H., Jui, F.A., and Shill, P.C., 2021. Protein secondary structure prediction using graph neural network. *2021 5th International Conference on Electrical Information and Communication Technology (EICT)*, Khulna, Bangladesh, pp.1–6. <https://doi.org/10.1109/EICT54103.2021.9733590>.
- Zhao, Y. and Liu, Y., 2021. OCLSTM: Optimized convolutional and long short-term memory neural network model for protein secondary structure prediction. *PLOS ONE*, 16(2), p.e0245982. <https://doi.org/10.1371/journal.pone.0245982>.
- Lyu, Z., Wang, Z., Luo, F., Shuai, J. and Huang, Y., 2021. Protein Secondary Structure Prediction With a Reductive Deep Learning Method. *Frontiers in Bioengineering and Biotechnology*, 9, p.687426. <https://doi.org/10.3389/fbioe.2021.687426>.
- Remmert, M., Biegert, A., Hauser, A. and Söding, J., 2012. HHblits: lightning-fast iterative protein sequence searching by HMM-HMM alignment. *Nature Methods*, 9(2), pp.173–175. <https://doi.org/10.1038/nmeth.1818>.
- Ismi, D.P., Pulungan, R., and Afiahayati, 2022. Deep learning for protein secondary structure prediction: Pre and post-AlphaFold. *Computational and Structural Biotechnology Journal*, 20, pp.6271–6286. <https://doi.org/10.1016/j.csbj.2022.11.012>.
- Uddin, M.R., Mahbub, S., Rahman, M.S., and Bayzid, M.S., 2020. SAINT: self-attention augmented inception-inside-inception network improves

protein secondary structure prediction. *Bioinformatics*, 36(17), pp.4599–4608.
<https://doi.org/10.1093/bioinformatics/btaa531>.

Szegedy, C., Liu, W., Jia, Y., Sermanet, P., Reed, S., Anguelov, D., Erhan, D., Vanhoucke, V., and Rabinovich, A., 2014. Going deeper with convolutions.
<https://doi.org/10.48550/arXiv.2312.00752>

Zhang, Y. and Okumura, M., 2024. *ProtHyena: A fast and efficient foundation protein language model at single amino acid Resolution*. [preprint] *Bioinformatics*. <https://doi.org/10.1101/2024.01.18.576206>.

Ema, R. R., Khatun, A., Hossain, M. A., Akhond, M. R., Hossain, N. & Arafat, M. Y. (2022). Protein Secondary Structure Prediction using Hybrid Recurrent Neural Networks. *Journal of Computer Science*, 18(7), 599-611.
<https://doi.org/10.3844/jcssp.2022.599.611>

Milne, P.J., and Kilian, G., 2010. 5.20 - The properties, formation, and biological activity of 2,5-diketopiperazines. In: Liu, H.-W. (Ben) and Mander, L., eds. *Comprehensive Natural Products II*. Elsevier, pp.657–698.
<https://doi.org/10.1016/B978-008045382-8.00716-4>.

Jiang, Q., Jin, X., Lee, S.-J., and Yao, S., 2017. Protein secondary structure prediction: A survey of the state of the art. *Journal of Molecular Graphics and Modelling*, 76, pp.379–402. <https://doi.org/10.1016/j.jmgm.2017.07.015>.

Kabsch, W., and Sander, C., 1983. Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features. *Biopolymers*, 22(12), pp.2577–2637. <https://doi.org/10.1002/bip.360221211>.

Kocincová, L., Jarešová, M., Byška, J., Parulek, J., Hauser, H., and Kozlíková, B., 2017. Comparative visualization of protein secondary structures. *BMC Bioinformatics*, 18(Suppl 2), p.23.
<https://doi.org/10.1186/s12859-016-1449-z>.

Samuels, J., 2024. One-Hot Encoding and Two-Hot Encoding: An Introduction. <https://doi.org/10.13140/RG.2.2.21459.76327>.

Choong, A. C. H., & Lee, N. K. (2017). Evaluation of convolutionary neural networks modeling of DNA sequences using ordinal versus one-hot encoding method. 2017 International Conference on Computer and Drone Applications (ICONDA), Kuching, Malaysia, pp. 60-65.
<https://doi.org/10.1109/ICONDA.2017.8270400>.

Mohammadi, A., Zahiri, J., Mohammadi, S., Khodarahmi, M., and Arab, S.S., 2022. PSSMCOOL: a comprehensive R package for generating evolutionary-based descriptors of protein sequences from PSSM profiles. *Biological Methods and Protocols*, 7(1), p.bpac008.
<https://doi.org/10.1093/biomethods/bpac008>.

Ruan, X., Zhou, D., Nie, R., and Guo, Y., 2020. Predictions of apoptosis proteins by integrating different features based on improving pseudo-position-specific scoring matrix. *BioMed Research International*, 2020, p.4071508. <https://doi.org/10.1155/2020/4071508>.

Moczulski, M., Denil, M., Appleyard, J., and de Freitas, N., 2016. ACDC: A structured efficient linear layer. *arXiv*. <https://arxiv.org/abs/1511.05946>.

Ioffe, S., and Szegedy, C., 2015. Batch normalization: Accelerating deep network training by reducing internal covariate shift. *arXiv*.

<https://arxiv.org/abs/1502.03167>.

Li, Z., Liu, F., Yang, W., Peng, S., and Zhou, J., 2022. A survey of convolutional neural networks: Analysis, applications, and prospects. *IEEE Transactions on Neural Networks and Learning Systems*, 33(12), pp.6999–7019.

<https://doi.org/10.1109/TNNLS.2021.3084827>.

Nwankpa, C., Ijomah, W., Gachagan, A., & Marshall, S. (2018). Activation Functions: Comparison of trends in Practice and Research for Deep Learning. *arXiv preprint arXiv:1811.03378*. Retrieved from

<https://arxiv.org/abs/1811.03378>.

Ba, J.L., Kiros, J.R., and Hinton, G.E., 2016. Layer normalization. *arXiv*. <https://arxiv.org/abs/1607.06450>.

Srivastava, N., Hinton, G., Krizhevsky, A., Sutskever, I., & Salakhutdinov, R. (2014). Dropout: A simple way to prevent neural networks from overfitting. *Journal of Machine Learning Research*, 15(56), 1929-1958.

<http://jmlr.org/papers/v15/srivastava14a.html>.

Dubey, S. R., Singh, S. K., & Chaudhuri, B. B. (2022). Activation Functions in Deep Learning: A Comprehensive Survey and Benchmark. *arXiv preprint arXiv:2109.14545*. Retrieved from <https://arxiv.org/abs/2109.14545>.

Gu, A., and Dao, T., 2024. Mamba: Linear-time sequence modeling with selective state spaces. *arXiv*. <https://arxiv.org/abs/2312.00752>.

Mao, A., Mohri, M., and Zhong, Y., 2023. Cross-entropy loss functions: Theoretical analysis and applications. *arXiv*. <https://arxiv.org/abs/2304.07288>.

Yuan, L., Hu, X., Ma, Y., and Liu, Y., 2022. DLBLS_SS: Protein secondary structure prediction using deep learning and broad learning system. *RSC Advances*, 12(52), pp. 33479-33487. <https://doi.org/10.1039/D2RA06433B>.

Kryshtafovych, A., Schwede, T., Topf, M., Fidelis, K., & Moult, J. (2019). Critical assessment of methods of protein structure prediction (CASP)-Round XIII. *Proteins*, 87(12), 1011-1020. <https://doi.org/10.1002/prot.25823>.

Zhang, B., Li, J., & Lü, Q. (2018). Prediction of 8-state protein secondary structures by a novel deep learning architecture. *BMC Bioinformatics*, 19, 293. <https://doi.org/10.1186/s12859-018-2280-5>.

Fang, C., Shang, Y., & Xu, D. (2018). MUFOLD-SS: New deep inception-inside-inception networks for protein secondary structure prediction. *Proteins: Structure, Function, and Bioinformatics*, 86(5), 592-598. <https://doi.org/10.1002/prot.25487>.

Klausen, M. S., Jespersen, M. C., Nielsen, H., Jensen, K. K., Jurtz, V. I., S nderby, C. K., Sommer, M. O. A., Winther, O., Nielsen, M., Petersen, B., & Marcatili, P. (2019). NetSurfP-2.0: Improved prediction of protein structural features by integrated deep learning. *Proteins: Structure, Function, and Bioinformatics*, 87(6), 520-527. <https://doi.org/10.1002/prot.25674>.