



## DAFTAR PUSTAKA

- Adam, F., Agustina, R., & Fadhil, R. (2022). Pengujian Cita Rasa Kopi Arabika dengan Metode Cupping Test. *Jurnal Ilmiah Mahasiswa Pertanian*, 7(1), 517–521.
- Afonso, T., Moresco, R., Uarrota, V. G., Navarro, B. B., Nunes, E. C., Maraschin, M., & Rocha, M. (2017). UV-Vis and CIELAB Based Chemometric Characterization of *Manihot esculenta* Carotenoid Contents. *Journal of Integrative Bioinformatics*, 14(4), 1–13.
- Alamri, E., Rozan, M., & Bayomy, H. (2022). A study of chemical Composition, Antioxidants, and volatile compounds in roasted Arabic coffee. *Saudi Journal of Biological Sciences*, 29(5), 3133—3139.
- Alwi, A. L., Nuraisyah, A., Ulma, Z., Mastutik, L., & Kusumaningtyas, R. N. (2023). Water Content Comparison of Green Bean and Roasted Bean of Robusta Gunitir Coffee Based on Processing Method and Roast Level. *Gontor Agrotech Science Journal*, 9(1), 82–88.
- Andrade, P. S., Duarte, C. R., Souza Barrozo, M. A. (2024). Improving the Quality of Arabica Coffee (*Coffea arabica* L.) through Innovative Optimization of Roto-aerated Drying. *Innovative Food Science and Emerging Technologies*, 96, 1–13.
- Anggraini, A. P., Damat, Manshur, H. A. (2023). Studi Karakteristik Fisikokimia dan Organoleptik Bubuk Kopi dari Biji Cacat Hitam Kopi Robusta dengan Perbedaan Suhu Penyangraian. *Food Technology and Halal Science Journal*, 6(2), 117–132.
- Anokye-Bempah, L., Styczynski, T., Fernandes, N. A. T., Gervay-Hague, J., Ristenpart, W. D., & Donis-González, I. R. (2024). The effect of roast profiles on the dynamics of titratable acidity during coffee roasting. *Scientific Report*, 14(1), 1–11.
- Asiah, N., Aqil, M., Dwiranti, N. S., David, W., & Ardiansyah. (2019). Sensory and Chemical Changes of Cold and Hot Brew Arabica Coffee at Various Resting Time. *Asia Pacific Journal of Sustainable Agriculture Food and Energy*, 7(2), 23–26.
- Astuti, Machmudah, S., Winardi, S., Manalu, L. P., Atmaji, G., Widodo, W. E., Hartono, L. K., Komariyah, K., Alfa, M. N., & Kurniasari, I. (2023). The effect of roasting Toraja Arabica coffee with a fluidized roaster on the antioxidant and proximate content. *IOP conference series*, 1182(1), 012076-012076. doi: 10.1088/1755-1315/1182/1/012076.
- Arnold, M. B. A. U., Parulian, J. J., Delviani, Nelson, & Rahmi. (2022). Analysis of Caffeine, Ash, Water and Coffee Extract Levels On Commercial Ground Coffee Samples. *Jurnal Ilmu Kimia dan Terapan*, 2(6), 276–284.
- Assa, A., Loppies, J. E., Amalia, A. N., Imdriana, D., Mamang, Utami, R. R., Ariyanti, M., & Winaldi, A. (2021). Chemical Compounds and Sensory Characteristics of Arabica Coffee (*Coffea arabica*) as a Novel Specialty Coffee from Sinjai Regency, Indonesia. *Food Research*, 5(2), 107–112.



- Baggenstoss, J., Poisson, L., Kaegi, R., Perren, R., & Escher, F. (2008). Coffee Roasting and Aroma Formation: Application of Different Time-Temperature Conditions. *Journal of Agricultural and Food Chemistry*, 56(14), 5847–5851. <https://doi.org/10.1021/jf800327j>.
- Bähre, F. & Maier, H. G. (1996). Electrophoretic Clean-up of Organic Acids from Coffee for the GC/MS Analysis. *Fresenius Journal of Analytical Chemistry*, 355, 190–193.
- Balzer, H. H. (2001). *Acids in coffee*. In Coffee: Recent Development (eds Clarke, R. J. & Vitzthum, O. G.). Oxford, England: Blackwell Science.
- Batali, M. E., Cotter, A. R., Frost, S. C., Ristenpart, W. D., & Guinard, J.-X. (2021). Titratable acidity, perceived sourness, and liking of acidity in drip brewed coffee. *ACS Food Science & Technology*, 1(4), 559–69.
- Bekedam, E. K., Loots, M. J., Schols, H. A., Van Boekel, M. A. J. S., & Smit, G. (2008). Roasting Effects on Formation Mechanisms of Coffee Brew Melanoidins. *Journal of Agricultural and Food Chemistry*, 56(16), 7138–7145.
- Bhumiratana, N., Adhikari, K., & Chambers, E. (2011). Evolution of sensory aroma attributes from coffee beans to brewed coffee. *LWT - Food Science and Technology*, 44(10), 1185–1191.
- Buffo, R. A. & Cardelli-Freire, C. (2004). Coffee flavour: an overview. *Flavour and Fragrance Journal*, 19(2), 99–104.
- Cao, X., Wu, H., Viejo, C. G., Dunshea, F. R., & Suleria, H. A. R. (2023). Effects of postharvest processing on aroma formation in roasted coffee – a review. *International Journal of Food Science and Technology*, 58, 1007–1027.
- Caporaso, N., Whitworth, M. B., Cui, C., Fisk, I. D. (2018). Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS. *Food Research International*, 108, 628–640.
- Chardon, A., Cretois, I., Hourseau, C. (1991). Skin colour typology and suntanning pathways. *International Journal of Cosmetic Science*, 13(4), 191–208.
- Chatterjee, B. & Patel, T. (2015). Green Coffee Bean extract-Infuse Obesity. *International Journal of Innovative Research and Development*, 4(11), 237–239.
- Chiang, D., Lin, C., Hu, C., & Lee, S. (2018). Caffeine Extraction from Raw and Roasted Coffee Beans. *Journal of Food Science*, 83(4), 975–983.
- Choo, E. (2019). *Belajar Roasting Kopi. Banda Aceh*. <https://coffeeroaster.id/>. Diakses tanggal 20 Januari 2025.
- Clarke, R. J. (1993). *The Shelf Life of Coffee*. London: Elsevier.
- Comejina, P., Kanna, M., & Somnam, S. (2024). Development of an ESP32 Microcontroller-based Colorimeter with an Android App for the Verification of Roasting Degree of Coffee Beans. *Chiang Mai Journal of Science*, 51(5), 1–10.
- Condelli, N., Cela, N., Cairano, M. D., Scarpa, T., Milella, L., Ascrizzi, R., Flamini, G., & Galgano, F. (2022). Drivers of Coffee Liking: Effect of Physicochemical characteristics and Aromatic Profile on Consumers' Acceptability of Mono-origin and Mono-variety Coffees. *Journal of Food Science*, 87(10), 4688–4702.



- Corrêa, P. C., Oliveira, G. H. H., Vasconcelos, W. L., Vargas-Elías, G. A., Santos, F. L., & Nunes, E. H. M. (2016). Preservation of Roasted and Ground Coffee during Storage. Part 2: Bulk Density and Intergranular Porosity. *Revista Brasileira de Engenharia Agrícola e Ambiental*, 20(7), 666–671.
- Da Costa, D. S., Albuquerque, T. G., Costa, H. S., Bragotto, A. P. A. (2023). Thermal Contaminants in Coffee Induced by Roasting: A Review. *International Journal of Environmental Research and Public Health*, 20(8), 1–25.
- Del Bino, S., Ito, S., Sok, J., Nakanishi, Y., Bastien, P., Wakamatsu, K., & Bernerd, F. (2015). Chemical analysis of constitutive pigmentation of human epidermis reveals constant eumelanin to pheomelanin ratio. *Pigment Cell & Melanoma Research*, 28(6), 707–717.
- Del Rio, D., Rodriguez-Mateos, A., Spencer, J. P. E., Tognolini, M., Borges, G., & Crozier, A. (2013). Dietary (Poly)phenolics in Human Health: Structures, Bioavailability, and Evidence of Protective Effects Against Chronic Diseases. *Antioxidants and Redox Signaling*, 18(14), 1818–1892.
- Donfrancesco, B. D., Guzman, N. G., & Iv, E. C. (2014). Comparison of Results from Cupping and Descriptive Sensory Analysis of Colombian Brewed Coffee. *Journal of Sensory Studies*, 29, 301–3011.
- Dwiranti, N. S., Ardiansyah, Asiah, N. (2019). Sensory Attributes of Cold Brew Coffee Products at Various Resting Time After Roasting Process. *Pelita Perkebunan*, 35(1), 42–50.
- Edvan, B. T., Edison, R., Same, M. (2016). Pengaruh Jenis dan Lama Penyangraian pada mutu Kopi Robusta (*Coffea robusta*). *Jurnal Agro Industri Perkebunan*, 41(1), 31–40.
- Fadai, N.T., Melrose, J., Please, C. P., Schulman, A., Van, & Gorder, R. A. (2017). A Heat and Mass Transfer Study of Coffee Bean Roasting. *International Journal of Heat and Mass Transfer*, 104, 787–799.
- Fadhil, R., Safrizal, S., Rizal, K., Putra, B. S., & Firmansyah, J. (2023). Study of Variations in the Roasting Time of Gayo Arabica Coffee in the Drying Phase. *Coffee Science*, 18, 1–12.
- Folmer, B., Farah, A., Jones, L., & Fogliano, V. (2017). *The Craft and Science of Coffee*. Elsevier.
- Frank O., Blumberg S., Kunert C., Zehentbauer G., & Hofmann T. (2007) Structure determination and sensory analysis of bitter-tasting 4-vinylcatechol oligomers and their identification in roasted coffee by means of LC-MS / MS. *Journal of Agricultural and Food Chemistry*, 5, 1945–1954.
- Frega, N. G., Pacetti, D., Mozzon, M., Balzano, M. (2015). *Authentication of Coffee Blends Coffee in health and disease prevention*. 107–115.
- Gottstein, V., Krumbüge, K., Kuballa, T., Schwarz, S., Walch, E., Pascal, W., & Lachenmeier, D. W. (2023). Monitoring of Chemical Changes in Coffee Beans during the Roasting Process Using Different Roasting Technologies with Nuclear Magnetic Resonance Spectroscopy. *Beverages*, 9(87), 1–15.
- Grosso, G., Micek, A., Godos, J., Sciacca, S., Pajak, A., Martí'nez-González, M. A., Giovannucci, E. L., & Galvano, F. (2016). Coffee consumption and risk of all-cause, cardiovascular, and cancer mortality in smokers and non-



- smokers: a dose-response meta-analysis. *European Journal of Epidemiology*, 31, 1191–1205.
- Haile, M., Bae, H. M., & Kang, W. H. (2020). Comparison of the Antioxidant Activities and Volatile Compounds of Coffee Beans Obtained Using Digestive Bio-Processing (Elephant Dung Coffee) and Commonly Known Processing Methods. *Antioxidants*, 9(5), 1–21. <https://doi.org/10.3390/antiox9050408>.
- Hasibuan, M. L., Sumardi, Zebua, N. F., & Sari, N. (2023). Caffeine Content Analysis of Arabica Coffee Beans with Variation Roasting Temperatures Grown in Aek Sabaon South Tapanuli. *Journal of Pharmaceutical and Sciences*, 6(2), 681–691.
- Hong, S. J., Boo, C. G., Yoon, S., Jeong, H., Jo, S. M., Youn, M. Y., Kim, J. Y., Kim, Y. J., & Sin, E. C. (2024). Impact of roasting conditions on physicochemical, taste, volatile, and odor-active compound profiles of *Coffea arabica* L. (cv. Yellow Bourbon) using electronic sensors and GC–MS-O using a multivariate approach. *Food Chemistry: X*, 4(21), 101119. doi: 10.1016/j.fochx.2024.101119.
- Illy, A. & Viani, R. (1995). *Espresso Coffee: The Chemistry of Quality*. London: Academic Press.
- Iwasa, K., Seta, H., Matsuo, Y., & Nakahara, K. (2021). Evaluation of 3-methylbutanoic acid methyl ester as a factor influencing flavor cleanness in arabica specialty coffee. *Applied Sciences*, 11, 5413.
- Jokanovic, M. R., Džinić, N. R., Cvetković, B. R., Grujić, S., & Odžaković, B. (2012). Changes of Physical Properties of Coffee Beans During Roasting. *APTEFF*, 43, 21–31.
- Kim, S. Y., Ko, J. A., Kang, B. S., & Park, H. J. (2018). Prediction of key aroma development in coffees roasted to different degrees by colorimetric sensor array. *Food Chemistry*, 1(240), 808–816.
- Knopp, S., Bytof, G., & Selmar, D. (2006). Influence of processing on the content of sugars in green arabica coffee beans. *European Food Research and Technology*, 223, 195–201
- Kurniawati, A. D. (2023). *Pengembangan Produk Pangan: Rancangan Penelitian dan Aplikasinya*. Universitas Brawijaya Press.
- Lachenmeier, D. W., Teipel, J., Scharinger, A., Kuballa, T., Walch, S. G., Grosch, F., Bunzel, M., Okaru, A. O., & Schwarz, S. (2020). Fully automated identification of coffee species and simultaneous quantification of furfuryl alcohol using NMR spectroscopy. *J. AOAC Int.*, 103, 306–314.
- Laukaleja, I. & Koppel, K. (2021). Aroma active compound perception in differently roasted and brewed coffees by gas chromatography–olfactometry. *Journal of Sensory Studies*, 36(6), 1–15.
- Laukaleja, I. & Kruma, Z. (2019). Phenolic and Volatile Compound Composition Influence to Specialty Coffee Cup Quality. *Agronomy Research*, 2(17), 1367–1379.
- Laukalēja, I., Krūma, Z., & Cinkmanis, I. (2022). Impact of the Roast Level on Chemical Composition of Coffee from Colombia. *Proceedings of the Latvian Academy of Science*, 76(1), 145–151.



- Lawless, H. T. & Heymann, H. (2010). *Sensory Evaluation of Food Principles and Practices 2nd Edition*. New York: Springer Verlag.
- Ly, B. C. K., Dyer, E. B., Feig, J. L., Chien, A. L., & Del Bino, S. (2020). Research Techniques Made Simple: Cutaneous Colorimetry: A Reliable Technique for Objective Skin Color Measurement. *Journal of Investigative Dermatology*, 140, 3—12.
- Loppies, J. E., Assa, A., Winanda, E., Utami, R. R., Amalia, A. N., Rosniati, Smith, H., & Wahyudi, R. (2024). Physical Quality and Flavor Profile of Arabica Coffee Beans (*Coffea arabica*) from Seko, South Sulawesi as A Specialty Coffee. *International Conference on Food and Agriculture (ICoFA)*, 1–10.
- Marcason, W. (2013). What is green coffee extract?. *Journal of the Academy of Nutrition and Dietetics*, 113(2), 364.
- Martin, C. D. & Redwood, D. (2023). From Bean to Brew: Exploring the Formation of Process Contaminants in Coffee Roasting. *Journal of Experimental Food Chemistry*, 9(3), 1—3.
- Mehaya, F. M. & Mohammad, A. A. (2020). Thermostability of Bioactive Compounds during Roasting Process of Coffee Beans. *Heliyon*, 6(11), 1–7. doi: 10.1016/j.heliyon.2020.e05508.
- Mendes, G de A., de Oliveira, M. A. L., Rodarte, M. P., de Carvalho dos Anjos, V., & Bell, M. J. V. (2022). Origin geographical classification of green coffee beans (*Coffea arabica* L.) produced in different regions of the Minas Gerais state by FT-MIR and chemometric. *Curr Res Food Sci*, 31(5), 298–305.
- Moon, J. K. & Shibamoto, T. (2009). Role of Roasting Conditions in the Profile of Volatile Flavor Chemicals Formed from Coffee Beans. *J. Agric. Food Chem*, 57, 5823—5831.
- Moon, J. K., Yoo, H. S., & Shibamoto, T. (2009). Role of roasting conditions in the level of chlorogenic acid content in coffee beans: Correlation with coffee acidity. *J. Agric. Food Chem*, 57, 5365–5369.
- Moreira, A. S., Nunes, F. M., Domingues, M. R., Coimbra, M. A. (2012). Coffee Melanoidins: Structures, Mechanisms of Formation and Potential Health Impacts. *Food & Function*, 3(9), 903–915.
- Mitas, O., Han, D., Struijer, B., Willems, L., & Chadwick, T. H. (2024). Taking Pleasure in Distinction: Unlocking Specialty Coffee Preference. *Journal of Global Business Insights*, 9(1), 77–98.
- Mizuno, K., Kurosawa, S., Yoshizawa, Y., & Kato, M. (2010). Essential region for 3-N methylation in N-methyltransferases involved in caffeine biosynthesis. *Z Naturforsch C J Biosci*. 65(3-4), 257—265. doi: 10.1515/znc-2010-3-414. PMID: 20469646.
- Münchow, M., Alstrup, J., Steen, I., Giacalone, D. (2020). Roasting Conditions and Coffee Flavor: A Multi-Study Empirical Investigation. *Beverages*, 6(29), 1—14.
- Nakilcioglu-Taş, E. & Ötleş, S. (2019). Physical characterization of Arabica ground coffee with different roasting degrees. *Anais da Academia Brasileira de Ciências*, 91(2), 1—15.
- Norazlin, A., Muhammad-Adib, A., Wan-Razarinah, W. A. R., Roohinejad, S., Koubaa, M., & Raseetha, S. (2023). Antioxidant and Antimicrobial Activity



- of Green and Roasted Coffee Beans on Human Oral Pathogens. *Food Research*, 7(4), 130–138.
- Obando, A. M. & Figueroa, J. G. (2024). Effect of Roasting Level on the Development of Key Aroma-Active Compounds in Coffee. *Molecules*, 29(19), 1–12.
- Oksari, A. A., Hasanah, N., Wanda, I. F., & Sutamihardja, R. T. M. (2023). Characteristics of Ground Coffee Quality on Variations in Temperature and Roasting Time for Robusta Coffee (*Coffea Canephora* Pierre Ex A. Froehner) Green Bean. *Indonesian Journal of Applied Research*, 4(1), 11–26.
- Oñatibia-Astibia, A., Franco, R., & Martínez-Pinilla, E. (2017). Health benefits of methylxanthines in neurodegenerative diseases. *Molecular Nutrition & Food Research*, 1–44.
- Opitz, S. E. W., Goodman, B. A., Keller, M., Smrke, S., Wellinger, M., Schenker, S., & Yeretzyan, C. (2016). Understanding the Effects of Roasting on Antioxidant Components of Coffee Brews by Coupling On-line ABTS Assay to High Performance Size Exclusion Chromatography. *Phytochemical Analysis*, 28(2), 106–114. doi: 10.1002/pca.2661.
- Pilipcuk, T., Kusznierevicz, B., Zielińska, D., & Bartoszek, A. (2015). The influence of roasting and additional processing on the content of bioactive components in special purpose coffees. *Journal of Food Science and Technology*, 52(9), 5736–5744.
- Pittia, P., Nicoli, M. C., & Sacchetti, G. (2007). Effect of moisture and water activity on textural properties of raw and roasted coffee beans. *Journal of Texture Studies*, 38, 116–134.
- Poisson, L., Blank, I., Dunkel, A., & Hofmann, T. (2017). The Chemistry of Roasting-Decoding Flavor Formation. In *The Craft and Science of Coffee* (pp. 273–309). Elsevier Inc.. <https://doi.org/10.1016/B978-0-12-803520-7.00012-8>.
- Pragathi, S. P. & Jacob, L. (2024). *Arabica Coffee Bean Grading into Specialty and Commodity Type Based on Quality Using Visual Inspection*, 13–20. doi: 10.1007/978-981-99-7137-4\_2.
- Pratama, G. R. & Salikudin, M., (2022). Analisis Rantai Nilai Kopi Ponorogo. *Jurnal Agroindustri Pangan*, 1(1), 18–31.
- Putri, D. P., Ardiansyah, R. C. E., Setiyoningrum, F., Yulianti, L. E., & Hidayat, D. D. (2023). Physicochemical properties of Robusta coffee at various roasting levels using different roaster types. *Bio Web of Conferences*, 69, 1–9.
- Ramadhani, S., Muhidong, J., & Mursalim. (2019). Pola Perubahan Dimensi Biji Kopi Arabika (*Coffea arabica*) Selama Proses Pengeringan. *Jurnal Agritechno*, 12(1), 78–84.
- Ramadhani, A. F., Nisa, F. C., & Yunianta. (2023). Differences in chemical characteristics due to different roasting of robusta coffee beans. *Coffee Science*, 18, 1–10.
- Rune, C. J. B., Giacalone, D., Steen, I., Duelund, L., Münchow, M., & Clausen, M. P. (2023). Acids in Brewed Coffees: Chemical Composition and Sensory Threshold. *Current Research in Food Science*, 6(100485), 1–13.



- Rao, N. Z. & Fuller, M. (2018). Acidity and Antioxidant Activity of Cold Brew Coffee. *Scientific Reports*, 8(16030), 1–10.
- Rodriguez, Y. F. B., Guzman, N. G., & Hernandez, J. G. (2020). Effect of the Postharvest Processing Method on the Biochemical Composition and Sensory Analysis of Arabica Coffee. *Engenharia Agrícola*, 40(2), 177–183.
- Rodrigues, M. A. A., Borges, M. L. A., Franca, A. S., Oliveira, L. S., Corrêa, P. C. (2003). Evaluation of Physical Properties of Coffee during Roasting. *Agricultural Engineering International: the CIGR Journal of Scientific Research and Development*, 5, 1–12.
- Rosa, J. S., Freitas-Silva, O., Godoy, R. L. O., Rezende, C. M. (2016). Roasting effects on nutritional and antinutritional compounds in coffee. In Amit K. Jaiswal (Ed.). *Food Processing Technologies: impact on products attributes* (pp. 48–76). CRC Press.
- Safe, S., Kothari, J., Hailemariam, A., Upadhyay, S., Davidson, L. A., & Chapkin, R. S. (2023). Health Benefits of Coffee Consumption for Cancer and Other Diseases and Mechanisms of Action. *International Journal of Molecular Sciences*, 24(3), 2706. <https://doi.org/10.3390/ijms24032706>.
- Saloko, S., Sulastri, Y., Murada, & Rinjani, M. A. (2019). The effects of temperature and roasting time on the quality of ground Robusta coffee (*Coffea robusta*) using Gene café roaster. *AIP Conference Proceedings*, 2199(1), 13–14.
- Santoso, I., Yuanita, E. A., & Karomah, R. S. (2024). Application of Digital Image Processing Method for Roasted Coffee Bean Quality Identification: A Systematic Literature Review. *African Journal of Food Agriculture*, 24(1), 25264–25287.
- Somporn, C., Kamtuo, A., Theerakulpisut, P., & Siriamornpun, S. (2011). Effects of roasting degree on radical scavenging activity, phenolics and volatile compounds of Arabica coffee beans (*Coffea arabica* L. cv. Catimor). *International Journal of Food Science and Technology*, 46, 2287–2296.
- Specialty Coffee Association of America. (2015). *Specialty Coffee Association of America Cupping Protocols* (pp. 1–6). Specialty Coffee Association of America.
- Specialty Coffee Association of America. (2023). *A New System to Assess Coffee Value*. Specialty Coffee Association of America.
- Specialty Coffee Association of America. (2024). *What Color is Your Coffee?*. Specialty Coffee Association of America.
- Standar Nasional Indonesia. (2008). *Biji Kopi*. Jakarta: Badan Standardisasi Nasional.
- Standar Nasional Indonesia. (2004). *Kopi Bubuk*. Jakarta: Badan Standardisasi Nasional.
- Stefanello, N., Spanevello, R. M., Passamonti, S., Porciúncula, L., Bonan, C. D., Olabiyi, A. A., Teixeira da Rocha, J. B., Assmann, C. E., Morsch, V. M., & Schetinger, M. R. C. (2019). Coffee, caffeine, chlorogenic acid, and the purinergic system. *Food and Chemical Toxicology*, 123, 298–313.



- Sudarmadji, S. (1997). *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Yogyakarta: Liberty.
- Sunarharum, W. B., Williams, D. J., & Smyth, H. E. (2014). Complexity of Coffee Flavor: A Compositional and Sensory Perspective. *Food Research International*, 62, 315–325.
- Supermanto, Priyono, S., Purwayantie, S., Saputri, N. E., Fadly, D., & Ayuni, D. (2022). Study of the Temperature and Timing Roasting of Black Glutinous Rice and Robusta Beans on the Quality of Coffee Powder. *Journal of Health and Nutrition*, 1(2), 56–63.
- Sutrisno, K. (2006). *Kopi Rendah Kafein*. Jakarta: Penebar Swadaya.
- Toledo, P. R. A. B., Melo, M. M. R., Pezza, H. R., Toci, A. T., Pezza, L., & Silva, C. M. (2017). Discriminant analysis for unveiling the origin of roasted coffee sample: A tool for quality control of coffee related product. *Food Control*, 73, 164–174.
- Tsai, C-F. & Jioe, I. P. J. (2021). The Analysis of Chlorogenic Acid and Caffeine Content and Its Correlation with Coffee Bean Color under Different Roasting Degree and Sources of Coffee (*Coffea arabica* Typica). *Processes*, 9(11), 1–15. <https://doi.org/10.3390/pr9112040>.
- Tucker, C.M. (2017). *Coffee Culture: Local Experiences, Global Connections* (2nd ed.). New York: Routledge.
- Van der Werf, R., Marcic, C., Khalil, A., Sigrist, S., & Marchioni, E. (2014). ABTS Radical Scavenging Capacity in Green and Roasted Coffee Extracts. *Lebensmittel-Wissenschaft und-Technologie*, 58, 77–85.
- Vignoli, J. A., Viegas, M. C., Bassoli, D. G., & Benassi, M. T. (2014). Roasting Process Affects Differently the Bioactive Compounds and the Antioxidant Activity of Arabica and Robusta Coffees. *Food Research International*, 61(1), 279–285.
- Vincent, J. (1987). *Coffee, vol 2: Technology*. London: Elsevier.
- Wachamo, H. L. (2017). Review on Health Benefit and Risk of Coffee Consumption. *Medicinal & Aromatic Plants*, 6(4), 1–12.
- Wahyuni, E., Karim, A., & Anhar, A. (2013). 3 Analisis Citarasa Kopi Arabika Organik pada Beberapa Ketinggian Tempat dan Cara Pengolahannya di Dataran Tinggi Gayo. *Jurnal Manajemen Sumberdaya Lahan*, 2, 261–269.
- Wang, X., Lim, L-t, Fu, Y. (2020). Review of Analytical Methods to Detect Adulteration in Coffee. *Journal of AOAC International*, 103(2), 295–305.
- Yeager, S. E., Batali, M. E., Lim, L. X., Liang, J., Han, J., Thompson, A. N., Guinard, J. X., & Ristenpart, W. D. (2022). *Journal of Food Science*, 87(4), 1837–1850.
- Yeager, S. E., Batali, M. E., Guinard, J. X., & Ristenpart, W. D. (2023). Acids in coffee: A review of Sensory Measurements and Meta-Analysis of Chemical Composition. *Critical Reviews in Food Science and Nutrition*, 63, 1010–1036.
- Yeretzian, C., Jordan, A., Badoud, R., & Lindinger, W. (2002). From the green bean to the cup of coffee: investigating coffee roasting by on-line monitoring of volatiles. *European Food Research and Technology*, 214(2), 92–104.



- Yusibani, E., Putra, R. I., Rahwanto, A., Surbakti, M. S., Rajibussalim, & Rahmi. (2022). Physical properties of Sidikalang robusta coffee beans medium roasted from various colors of coffee cherries. *Journal of Physics: Conference Series*, 2243(1), 1–7.
- Zainuri, Paramartha, D. N. A., Fatinah, A., Nofrida, R., Rahayu, N., Anggraini, D., & Utama, Q. D. (2023). The Chemical Characteristics of Arabica and Robusta Green Coffee Beans from Geopark Rinjani, Indonesia. *Biotropia*, 30(3), 318—328.