

## DAFTAR PUSTAKA

- Annabi, A., K. Said, B. Reichenbacher. (2013). Interpopulation differences in otolith morphology are genetically encoded in the killifish *Aphanius fasciatus* (Cyprinodontiformes). *Scientia Marina*, 77(2): 269–279.
- Aufy, L. A., S. A. Al-Jumaiee, I. A. Al-Atbee, & K. A. Al-Mansy. (2023). The relationship between otolith dimensions and fish body size of *Nemipterus japonicus* (Bloch, 1791) in Iraqi Marine Water. *Journal of Survey in Fisheries Sciences*, 10(3S): 5209-5215.
- Bani, A., S. Poursaeid, & V. M. Tuset. (2013). Comparative morphology of the sagittal otolith in three species of South Caspian gobies. *Journal of Fish Biology*, 82(4): 1321-1332.
- Baweleng, S., F. B. Manginsela, & J. R. Sangari. (2018). Studi otolith ikan layang, *Decapterus akaadsi* Abe 1958 dari Perairan Teluk Amurang. *Jurnal Ilmiah Platax*, 6(2): 66-76.
- Campana, S. E. (2004). Photographic atlas of fish otoliths of the Northwest Atlantic Ocean. Canadian Special Publication of Fisheries and Aquatic Science Vol. 133. NRC Research Press, Ottawa, Canada. 284 p.
- Campana, S. E., & S. R. Thorrold. (2001). Otoliths, increment chemistry, and fish populations: the evolution of a scientific odyssey. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(1): 30-38.
- Campana, S. E., J. D. Neilson. (1985). Microstructure of fish otoliths. *Canadian Journal of Fisheries and Aquatic Sciences*, 42(5): 1014–1032.
- Cardinale, M., P. Doering-Arjes, M. Kastowsky, & H. Mosegaard. (2004). Effects of sex, stock, and environment on the shape of known-age Atlantic cod (*Gadus morhua*) otoliths. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 158–167.
- Dehghani, M., E. Kamrani, A. Salarpouri, & S. Sharifian. (2016). Otolith dimensions (length, width), otolith weight and fish length of *Sardinella sindensis* (Day, 1878), as index for environmental studies, Persian Gulf, Iran. *Marine Biodiversity Records*, 9(1): 44.
- Djumanto. (2020). Fish length and otolith size relationship of the *Channa striata* in Lake Rawa Pening, Central Java, Indonesia. *AAFL Bioflux*, 13(4): 1917–1924.
- Froese, R. & D. Pauly. (Eds.). (2025). FishBase. *Decapterus macarellus* (Cuvier, 1833). Accessed through: World Register of Marine Species at: <https://www.marinespecies.org/aphia.php?p=taxdetails&id=126807> on 2025-04-30
- Froese, R. (2006). Cube law, condition factor and weight–length relationships: history, meta-analysis and recommendations. *Journal of Applied Ichthyology*, 22(4): 241-253.

- Froese, R., & D. Pauly. (Eds.). (2025). *Decapterus macarellus*. FishBase. Retrieved April 30, 2025, from <https://www.fishbase.se/summary/Decapterus-macarellus.html>
- Granadeiro, J. P., & M. A. Silva. (2000). The use of otoliths and vertebrae in the identification and size-estimation of fish in predator-prey studies. *Cybiurn*, 24(4): 383–393.
- Kantun, W., S. A. Sapa, & S. Wulandari. (2024). Analisis indeks morfometrik otolith *asteriscus* ikan swangi (*Priacanthus tayenus* Ricardson, 1846) dari Perairan Selat Makassar. *Jurnal Riset Diwa Bahari (JRDB)*, 86-90.
- Karundeng, C., F. B. Manginsela, A. V. Lohoo, F. F. Tilaar, J. R. Sangari, & J. D. Kusen. (2022). Karakteristik meristik dan morfometrik ikan layang biru *Decapterus macarellus* (Cuvier, 1833). *Jurnal Ilmiah PLATAX*, 10(2): 46-56.
- Khasanah A. N., S. W. Saputra, W. T. Taufani. (2020). Population dynamic of Indian Scad (*Decapterus russelli*) based on data in Tasikagung Fishing Port of Rembang. *IOP Conference Series: Earth and Environmental Science*. 530(1): 1–12.
- Magwa, R. J., E. R. E. Gelis, S. Heltria, F. Ramdhani, L. Hermala, Y. W. Yunita, ... & S. Hadi. (2023). Analisis morfometrik ikan layang (*Decapterus russelli*) pada musim peralihan 1 yang didaratkan di Kaliadem dan Pasar Ikan Muara Angke, Jakarta. *Journal of Tropical Fisheries Management*, 7(1): 62-68.
- Manginsela, F. B., G. E. Mamuaya, R. M. Rompas, & L. J. Lumingas. (2020). The size and the shape of sagittal otolith of Redtail Scad, *Decapterus kurroides* Bleeker 1855 from Kema Bay, North Minahasa Regency, North Sulawesi, Indonesia. *Omni-Akuatika*, 16(3): 99-110.
- Melani, H., A. B. Rondonuwu, J. R. Sangari, F. B. Manginsela, S. B. Pratasik, & S. L. Undap. (2023). Cardinal fish otolith biometrics banggai *Pterapogon kauderni* Koumans, 1933 in the front waters of Dudepo TPI Dudepo, South Bolaang Mongondow Regency and in The Lembeh Strait, Bitung City. *Jurnal Ilmiah PLATAX*, 11(1): 74-80.
- Metillo, E. B., & A. A. Aspiras-Eya. (2014). Fatty acids in six small pelagic fish species and their crustacean prey from the Mindanao Sea, Southern Philippines. *Tropical Life Sciences Research*, 25(1): 105.
- Moore, B. R., S. J. Parker, & M. H. Pinkerton. (2022). Otolith shape as a tool for species identification of the grenadiers *Macrourus caml* and *M. whitsoni*. *Fisheries Research*, 253: 1-11.
- Mourniaty, A. Z. A., M. A. Jabbar, I. N. Suyasa, & A. Wujdi, (2020). Hubungan morfometrik otolith dengan ukuran ikan layang deles (*Decapterus macrosoma* Bleeker, 1851) di Perairan Bali Selatan. *BAWAL Widya Riset Perikanan Tangkap*, 12(3): 103-107.

- Panfili, J., H. De Pontual, H. Troadec, & P. J. Wrigh. (2002). Manual of fish sclerochronology. Brest, France: Ifremer-IRD coedition.
- Popper, A. N., J. Ramcharitar, & S. E. Campana. (2005). Why otoliths? insights from inner ear physiology and fisheries biology. *Marine and Freshwater Research*, 56(5): 497-504.
- Prihartini, A. (2006). Analisis tampilan biologis ikan layang (*Decapterus* spp) hasil tangkapan *purse seine* yang didaratkan di PPN Pekalongan (Doctoral dissertation, Program Pascasarjana Universitas Diponegoro).
- Safarini, D., & A. Mashar. (2017). Kematangan gonad dan potensi reproduksi ikan banyar (*Rastrelliger kanagurta*, Cuvier 1817). *Jurnal Pengelolaan Perikanan Tropis*, 1(1): 11-16.
- Sartika, D., R. M. Putra, & W. Windarti. (2015). A study on reproductive biology of *Osteochilus wandersii* from the Rokan Kiri River, Rokan Hulu Regency, Riau Province (Doctoral dissertation, Riau University).
- Schulz-Mirbach, T., F. Ladich, M. Plath, & M. Heß.(2019). Enigmatic ear stones: what we know about the functional role and evolution of fish otoliths. *Biological Reviews*, 94(2): 457-482.
- Sinaga, M., E. Eddiwan, W. Windarti, & N. Asiah. (2021). Growth circle patterns in the otolith of the gray fish (*Osteochilus melanopleurus*) from the Siak and Kampar Rivers. *Asian Journal of Aquatic Sciences*, 4(2): 144-153.
- Smoliński, S., & J. Gutkowska. (2024). Otolith biochronology for the long-term reconstruction of growth and stock dynamics of fish. *Reviews in Fish Biology and Fisheries*, 34(1): 405-419.
- Tuset, V. M., A. Lombarte, & C. A. Assis. (2003). Otolith shape and its relationship with the body shape of 22 fish species. *Journal of Morphology*, 257(2): 275-284.
- Umar, Y., F. B. Manginsela, & R. D. Moningkey. (2019). Otolith and growth pattern layang fish, *Decapterus muroadsi* Temminck & Schlegel, 1844 in Manado Bay. *Jurnal Ilmiah Platax*, 7(1): 27-33.
- Vignon, M., & F. Morat. (2010). Environmental and genetic determinant of otolith shape revealed by a non-indigenous tropical fish. *Marine Ecology Progress Series*, 411: 231-241.
- Wahyudi, A. D., & A. F. Syah. (2022). Penilaian keberlanjutan pengelolaan hasil tangkapan ikan layang (*Decapterus* sp.) di WPP 712, Perairan Utara Kabupaten Sumenep. *Juvenil: Jurnal Ilmiah Kelautan dan Perikanan*, 3(4): 151-158.
- Widiyastuti, H., T. Noegroho, & N. Pangaribuan. (2023). Karakteristik perikanan *mini purse seine* pelagis kecil di Rembang, Jawa Tengah. *Marine Fisheries: Journal of Marine Fisheries Technology and Management*, 14(1): 53-64.

- Wujdi, A. (2016). Karakteristik morfologi dan hubungan morfometrik otolith dengan ukuran ikan lemuru (*Sardinella lemuru* Bleeker, 1853) di Selat Bali. *BAWAL Widya Riset Perikanan Tangkap*, 8(3): 159-172.
- Wujdi, A., M. Agustina, dan I. Jatmiko. (2018). Indeks bentuk otolit ikan cakalang, *Katsuwonus pelamis* (Linnaeus, 1758) dari Samudra Hindia. *Jurnal Iktiologi Indonesia*, 18(2): 151-163.
- Wujdi, A., B. Setyadji, dan S. C. Nugroho. (2017). Identifikasi struktur stok ikan cakalang (*Katsuwonus pelamis* Linnaeus, 1758) di Samudra Hindia (WPP NRI 573 menggunakan analisis bentuk otolith. *Jurnal Penelitian Perikanan Indonesia*, 23(2): 77-88.
- Yang, T., P. Xiao, X. Jiang, Q. Zhang, & Y. Zhao. (2024). Otolith morphometrics and variations between two populations of *Sillago sinica* (Perciformes, Sillaginidae) in the East China Sea and the Yellow Sea. *Thalassas: An International Journal of Marine Sciences*, 40(2): 1007-1017.
- Zan, X. X., C. Zhang, B. D. Xu, & C. L. Zhang. (2015). Relationships between fish size and otolith measurements for 33 fish species caught by bottom trawl in Haizhou Bay, China. *Journal of Applied Ichthyology*, 31 (3): 544–548.
- Zorica, B., G. Sinovčić, & V. Čikeš Keč. (2010). Preliminary data on the study of otolith morphology of five pelagic fish species from the Adriatic Sea (Croatia). *Acta Adriatica*, 51(1): 89-96.