

## References

- Ansari, W. E., Khalil, K., & Stock, C. (2014). Symptoms and Health Complaints and Their Association with Perceived Stressors among Students at Nine Libyan Universities. *International Journal of Environmental Research and Public Health/International Journal of Environmental Research and Public Health*, 11(12), 12088–12107. <https://doi.org/10.3390/ijerph111212088>
- Badan Pusat Statistik. (2024, January 2). *Persentase Merokok Pada Penduduk Umur ≥ 15 Tahun Menurut Kelompok Umur (Persen), 2021-2023*. Retrieved May 30, 2024, from <https://www.bps.go.id/id/statistics-table/2/MTOzOCMy/persentase-merokok-pada-penduduk-umur---15-tahun-menurut-kelompok-umur--persen-.html>
- Boden, J. M., Fergusson, D. M., & Horwood, L. J. (2010). Cigarette smoking and depression: tests of causal linkages using a longitudinal birth cohort. *British Journal of Psychiatry*, 196(6), 440–446. <https://doi.org/10.1192/bjp.bp.109.065912>
- Boksa, P. (2017). Smoking, psychiatric illness and the brain. *Journal of Psychiatry & Neuroscience*, 42(3), 147–149. <https://doi.org/10.1503/jpn.170060>
- Breslau, N., Schultz, L. R., Johnson, E. O., Peterson, E. L., & Davis, G. C. (2005). Smoking and the risk of suicidal behavior. *Archives of General Psychiatry*, 62(3), 328. <https://doi.org/10.1001/archpsyc.62.3.328>
- Brown, A. E., Carpenter, M. J., & Sutfin, E. L. (2011). Occasional smoking in college: Who, what, when and why? *Addictive Behaviors*, 36(12), 1199–1204. <https://doi.org/10.1016/j.addbeh.2011.07.024>
- Chivate, P., Umate, M., Nimkar, S., Mercker, R., Karia, S., & De Sousa, A. (n.d.). Smoking and Peer Preference in College Students: an exploratory study. *Indian Journal of Mental Health*, 6(3), 266. <https://doi.org/10.30877/ijmh.6.3.2019.266-271>
- Choi, D., Ota, S., & Watanuki, S. (2015). Does cigarette smoking relieve stress? Evidence from the event-related potential (ERP). *International Journal of Psychophysiology*, 98(3), 470–476. <https://doi.org/10.1016/j.ijpsycho.2015.10.005>
- De Beurs, D., Fried, E., Wetherall, K., Cleare, S., Connor, D. O., Ferguson, E., O'Carroll, R., & Connor, R. O. (2019). Exploring the psychology of suicidal ideation: A theory driven network analysis. *Behaviour Research and Therapy*, 120, 103419. <https://doi.org/10.1016/j.brat.2019.10341>
- Dian, C. N., Effendy, E., & Amin, M. M. (2022). The validation of Indonesian version of Patient Health Questionnaire-9. *Open Access Macedonian Journal of Medical Sciences*, 10(T7), 193–198. <https://doi.org/10.3889/oamjms.2022.9293>
- Eskin, M., Tran, U. S., Carta, M. G., Poyrazli, S., Flood, C., Mechri, A., Shaheen, A., Janghorbani, M., Khader, Y., Yoshimasu, K., Sun, J., Kujan, O., Abuidhail, J., Aidoudi, K., Bakhshi, S., Harlak, H., Moro, M. F., Phillips, L., Hamdan, M., Voracek, M. (2020). Is individualism suicidogenic? Findings from a multinational study of young adults from 12 countries. *Frontiers in Psychiatry*, 11. <https://doi.org/10.3389/fpsy.2020.00259>
- Farooqui, M., Shoaib, S., Afaq, H., Quadri, S., Zaina, F., Baig, A., Liaquat, A., Sarwar, Z., Zafar, A., & Younus, S. (2023). Bidirectionality of smoking and depression in

- adolescents: a systematic review. *Trends in Psychiatry and Psychotherapy*. <https://doi.org/10.47626/2237-6089-2021-0429>
- Firth, J., Wootton, R. E., Sawyer, C., & Taylor, G. M. (2023). Clearing the air: clarifying the causal role of smoking in mental illness. *World Psychiatry/World Psychiatry*, 22(1), 151–152. <https://doi.org/10.1002/wps.21023>
- Fitriana, E., Purba, F. D., Salsabila, S. P., Danasasmita, F. S., Afriandi, I., Tarigan, R., Ichsan, A., & Pandia, V. (2022). Psychometric properties of the suicidal ideation scale in the Indonesian language. *Journal of Primary Care & Community Health*, 13, 215013192211437. <https://doi.org/10.1177/21501319221143716>
- Fluharty, M., Taylor, A. E., Grabski, M., & Munafò, M. R. (2016). The Association of Cigarette Smoking with Depression and Anxiety: A Systematic review. *Nicotine & Tobacco Research*, 19(1), 3–13. <https://doi.org/10.1093/ntr/ntw140>
- Friedman, A. S. (2020). Smoking to cope: Addictive behavior as a response to mental distress. *Journal of Health Economics*, 72, 102323. <https://doi.org/10.1016/j.jhealeco.2020.102323>
- Haskuka, M., Arenliu, A., & Kelmendi, K. (2017). The relationship between substance use and suicidal behaviour among adolescents in selected European countries: A test of normalisation theory. *Drugs: Education, Prevention Policy/Drugs: Education, Prevention & Policy*, 25(5), 413–421. <https://doi.org/10.1080/09687637.2017.1308468>
- Hockenberry, J. M., Timmons, E. J., & Weg, M. V. (2010). Smoking, parent smoking, depressed mood, and suicidal ideation in teens. *Nicotine & Tobacco Research*, 12(3), 235–242. <https://doi.org/10.1093/ntr/ntp199>
- Hoying, J., Melnyk, B. M., Hutson, E., & Tan, A. (2020). Prevalence and correlates of depression, anxiety, stress, healthy beliefs, and lifestyle behaviors in First-Year Graduate Health Sciences students. *Worldviews on Evidence-based Nursing*, 17(1), 49–59. <https://doi.org/10.1111/wvn.12415>
- Hughes, J. R. (2008). Smoking and suicide: A brief overview. *Drug and Alcohol Dependence*, 98(3), 169–178. <https://doi.org/10.1016/j.drugalcdep.2008.06.003>
- Jafari, A., Mahdizadeh, M., Peyman, N., Gholian-Aval, M., & Tehrani, H. (2022). Exploration the role of social, cultural and environmental factors in tendency of female adolescents to smoking based on the qualitative content analysis. *BMC Women S Health*, 22(1). <https://doi.org/10.1186/s12905-022-01617-0>
- Khantzian, E. J. (1997). The Self-Medication Hypothesis of Substance Use Disorders: A Reconsideration and Recent applications. *Harvard Review of Psychiatry*, 4(5), 231–244. <https://doi.org/10.3109/10673229709030550>
- Kementerian Kesehatan RI. (2018). *Laporan Nasional Riskesdas 2018*. Retrieved June 10, 2024, from <https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan%20Risksesdas%202018%20Nasional.pdf>
- Korhonen, T., Sihvola, E., Latvala, A., Dick, D. M., Pulkkinen, L., Nurnberger, J., Rose, R. J., & Kaprio, J. (2018). Early-onset tobacco use and suicide-related behavior – A prospective study from adolescence to young adulthood. *Addictive Behaviors*, 79, 32–38. <https://doi.org/10.1016/j.addbeh.2017.12.008>

- Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). The PHQ-9. *Journal of General Internal Medicine*, 16(9), 606–613. <https://doi.org/10.1046/j.1525-1497.2001.016009606.x>
- Kroenke, K., Strine, T. W., Spitzer, R. L., Williams, J. B., Berry, J. T., & Mokdad, A. H. (2008). The PHQ-8 as a measure of current depression in the general population. *Journal of Affective Disorders*, 114(1–3), 163–173. <https://doi.org/10.1016/j.jad.2008.06.026>
- Lerman, C., Audrain, J., Orleans, C., Boyd, R., Gold, K., Main, D., & Caporaso, N. (1996). Investigation of mechanisms linking depressed mood to nicotine dependence. *Addictive Behaviors*, 21(1), 9–19. [https://doi.org/10.1016/0306-4603\(95\)00032-1](https://doi.org/10.1016/0306-4603(95)00032-1)
- Liang, J., Kølves, K., Lew, B., De Leo, D., Yuan, L., Talib, M. A., & Jia, C. (2020). Coping Strategies and Suicidality: A Cross-Sectional Study from China. *Frontiers in Psychiatry*, 11. <https://doi.org/10.3389/fpsy.2020.00129>
- Maharani, K., Haryani, A., Rahmawati, D., Suwardiman, D., Rizkianti, I., & Biteriawati, Y. (2024). The relationship of coping mechanisms and mental health after breakup. *Health and Technology Journal (HTechJ)*, 2(1), 95–102. <https://doi.org/10.53713/htechj.v2i1.154>
- Malone, K. M., Waternaux, C., Haas, G. L., Cooper, T. B., Li, S., & Mann, J. J. (2003). Cigarette smoking, suicidal behavior, and serotonin function in major psychiatric disorders. *American Journal of Psychiatry*, 160(4), 773–779. <https://doi.org/10.1176/appi.ajp.160.4.773>
- Nurfitriani, S., Pangestu, A., & Attas, S. (2023). Smoking Culture of Indonesian Society: A Symbol of Masculinism and Capitalism. *Proceedings of the 2nd International Seminar on Cultural Sciences of Brastawijaya*. <https://doi.org/10.4108/eai.9-11-2022.2329429>
- Omasu, F., Komori, A., Higashi, K., & Yoshimura, H. (2021). Impact of smoking on lifestyle and vitality in college students. *Open Journal of Preventive Medicine*, 11(05), 199–210. <https://doi.org/10.4236/ojpm.2021.115016>
- Pasco, J. A., Williams, L. J., Jacka, F. N., Ng, F., Henry, M. J., Nicholson, G. C., Kotowicz, M. A., & Berk, M. (2008). Tobacco smoking as a risk factor for major depressive disorder: population-based study. *The British Journal of Psychiatry*, 193(4), 322–326. <https://doi.org/10.1192/bjp.bp.107.046706>
- Ribeiro, J. D., Huang, X., Fox, K. R., & Franklin, J. C. (2018). Depression and hopelessness as risk factors for suicide ideation, attempts and death: meta-analysis of longitudinal studies. *British Journal of Psychiatry*, 212(5), 279–286. <https://doi.org/10.1192/bjp.2018.27>
- Riztiardhana, D., & Dewi, T. K. (2013). Prediktor Protection Motivation Theory terhadap Perilaku Merokok Wanita Dewasa Awal yang Belum Menikah di Surabaya. *Jurnal Psikologi Klinis Dan Kesehatan Mental*, 2(2). <http://journal.unair.ac.id/filerPDF/jpkk7ea16dce1ffull.pdf>
- Rohleder, N., & Kirschbaum, C. (2005). The hypothalamic–pituitary–adrenal (HPA) axis in habitual smokers. *International Journal of Psychophysiology*, 59(3), 236–243. <https://doi.org/10.1016/j.ijpsycho.2005.10.012>

- Rokom. (2024, May 29). *Perokok Aktif di Indonesia Tembus 70 Juta Orang, Mayoritas Anak Muda*. Sehat Negeriku. Retrieved May 29, 2024, from <https://sehatnegeriku.kemkes.go.id/baca/umum/20240529/1545605/perokok-aktif-di-indonesia-tembus-70-juta-orang-mayoritas-anak-muda/>
- Saravanan, C., & Heidhy, I. (2014). Psychological Problems and Psychosocial Predictors of Cigarette Smoking Behavior among Undergraduate Students in Malaysia. *Asian Pacific Journal of Cancer Prevention*, 15(18), 7629–7634. <https://doi.org/10.7314/apjcp.2014.15.18.7629>
- Slomp, F. M., Bara, T. S., Picharski, G. L., & Cordeiro, M. L. (2019). Association Of Cigarette Smoking With Anxiety, Depression, And Suicidal Ideation Among Brazilian Adolescents. *Neuropsychiatric Disease and Treatment*, Volume 15, 2799–2808. <https://doi.org/10.2147/ndt.s217069>
- Sun, Y., Fu, Z., Bo, Q., Mao, Z., Ma, X., & Wang, C. (2020). The reliability and validity of PHQ-9 in patients with major depressive disorder in psychiatric hospital. *BMC Psychiatry*, 20(1). <https://doi.org/10.1186/s12888-020-02885-6>
- Sved, A. F., Weeks, J. J., Grace, A. A., Smith, T. T., & Donny, E. C. (2022). Monoamine oxidase inhibition in cigarette smokers: From preclinical studies to tobacco product regulation. *Frontiers in Neuroscience*, 16. <https://doi.org/10.3389/fnins.2022.886496>
- Tempier, R., & Guérin, E. (2015). Tobacco smoking and suicidal thoughts and attempts: Relationships from a general population survey. *Clinical Epidemiology and Global Health*, 3(3), 137–143. <https://doi.org/10.1016/j.cegh.2014.12.002>
- Warburton, D. M. (1987). The functions of smoking. In *Advances in behavioral biology* (p. 51). [https://doi.org/10.1007/978-1-4613-1911-5\\_4](https://doi.org/10.1007/978-1-4613-1911-5_4)
- Waters, A. F., Peltier, M. R., Roys, M. R., Stewart, S. A., & Copeland, A. L. (2020). Smoking and suicidal ideation among college students: Smoking expectancies as potential moderators. *Journal of American College Health*, 69(8), 951–958. <https://doi.org/10.1080/07448481.2020.1719112>
- Widhiarso, W. (2010). Pengategorian data dengan menggunakan statistik hipotetik dan statistik empirik. *Fakultas Psikologi Universitas Gadjah Mada*.
- Wisłowska-Stanek, A., Kołosowska, K., & Maciejak, P. (2021). Neurobiological basis of increased risk for suicidal behaviour. *Cells*, 10(10), 2519. <https://doi.org/10.3390/cells10102519>
- World Health Organization. (2021). *Suicide worldwide in 2019*. Retrieved June 10, 2024, from <https://iris.who.int/bitstream/handle/10665/341728/9789240026643-eng.pdf?sequence=1>
- World Health Organization: WHO. (2024, August 29). *Suicide*. <https://www.who.int/news-room/fact-sheets/detail/suicide>