

REFERENCES

- Alfredo Reyes Villegas, V., Isaías De León Ramírez, J., Hernandez Guevara, E., Perez Sicaños, S., Angelica Hurtado Ayala, L., and Landeros Sanchez, B., 2020, Synthesis and characterization of magnetite nanoparticles for photocatalysis of nitrobenzene, *J. Saudi Chem. Soc.*, 24, 223–235.
- Alonso, D.M., Bond, J.Q., Serrano-Ruiz, J.C., and Dumesic, J.A., 2010, Production of liquid hydrocarbon transportation fuels by oligomerization of biomass-derived C9 alkenes, *Green Chem.*, 12, 992–999.
- Arai, K., Asai, Y., Kokubo, Y., Saito, M., Inada, M., Hayashi, K., and Motohashi, T., 2023, In-situ infrared spectroscopy analysis of proton-conducting oxy-hydroxides Ba(Zn, M)O_{2.9-y}(OH)_{2y} (M = Ta or W), *J. Solid State Chem.*, 323, 124026.
- Arami, H., Stephen, Z., Veisheh, O., and Zhang, M., 2011, Chitosan-Coated Iron Oxide Nanoparticles for Molecular Imaging and Drug Delivery., In, *Advances in Polymer Science.*, pp. 163–184.
- Aranaz, I., Alcántara, A.R., Civera, M.C., Arias, C., Elorza, B., Heras Caballero, A., and Acosta, N., 2021, Chitosan: An Overview of Its Properties and Applications., *Polymers (Basel).*, 13, 3256.
- Aslibeiki, B., Eskandarzadeh, N., Jalili, H., Ghotbi Varzaneh, A., Kameli, P., Orue, I., Chernenko, V., Hajalilou, A., Ferreira, L.P., and Cruz, M.M., 2022, Magnetic hyperthermia properties of CoFe₂O₄ nanoparticles: Effect of polymer coating and interparticle interactions, *Ceram. Int.*, 48, 27995–28005.
- Ba, R.Y., Z Ba, Y.S., STSR Ba, M.U., and Srs, M., 2021, A Review: Effect of Substitution on Morphological and Magnetic behavior of W-type Hexagonal Ferrites, *J. Phys. Sci. Eng. Technol.*, 13, 308–319.
- Ballotin, F.C., da Silva, M.J., Lago, R.M., and Teixeira, A.P. de C., 2020, Solid acid catalysts based on sulfonated carbon nanostructures embedded in an amorphous matrix produced from bio-oil: esterification of oleic acid with methanol, *J. Environ. Chem. Eng.*, 8, 103674.
- Bart, H.J., Reidetschlager, J., Schatka, K., and Lehmann, A., 1994, Kinetics of esterification of levulinic acid with n-butanol by homogeneous catalysis, *Ind. Eng. Chem. Res.*, 33, 21–25.
- Bilican, I., Pekdemir, S., Onses, M.S., Akyuz, L., Altuner, E.M., Koc-Bilican, B., Zang, L.-S., Mujtaba, M., Mulerčikas, P., and Kaya, M., 2020, Chitosan Loses Innate Beneficial Properties after Being Dissolved in Acetic Acid: Supported by Detailed Molecular Modeling, *ACS Sustain. Chem. Eng.*, 8, 18083–18093.
- Bing, W. and Wei, M., 2019, Recent advances for solid basic catalysts: Structure design and catalytic performance, *J. Solid State Chem.*, 269, 184–194.
- Blokker, E., Sun, X., Poater, J., van der Schuur, J.M., Hamlin, T.A., and Bickelhaupt, F.M., 2021, The Chemical Bond: When Atom Size Instead of

- Electronegativity Difference Determines Trend in Bond Strength, *Chem. - A Eur. J.*, 27, 15616–15622.
- Branca, C., D'Angelo, G., Crupi, C., Khouzami, K., Rifici, S., Ruello, G., and Wanderlingh, U., 2016, Role of the OH and NH vibrational groups in polysaccharide-nanocomposite interactions: A FTIR-ATR study on chitosan and chitosan/clay films, *Polymer (Guildf)*., 99, 614–622.
- Britto, D. de and Assis, O.B.G., 2012, Chemical, biochemical, and microbiological aspects of chitosan quaternary salt as active coating on sliced apples, *Food Sci. Technol.*, 32, 599–605.
- Buckner, C.A., Lafrenie, R.M., Dénomée, J.A., Caswell, J.M., Want, D.A., Gan, G.G., Leong, Y.C., Bee, P.C., Chin, E., Teh, A.K.H., Picco, S., Villegas, L., Tonelli, F., Merlo, M., Rigau, J., Diaz, D., Masuelli, M., Korrapati, S., Kurra, P., et al., 2016, Green Energy Applications of Hematite (α -Fe₂O₃), Magnetite (Fe₃O₄), and Maghemite (γ -Fe₂O₃) Nanoparticles Based Hydroelectric Cell, *Intech*, 11, 13.
- Calò, V., Nacci, A., Monopoli, A., Fornaro, A., Sabbatini, L., Cioffi, N., and Ditaranto, N., 2004, Heck reaction catalyzed by nanosized palladium on chitosan in ionic liquids, *Organometallics*, 23, 5154–5158.
- Canadell, E., Badia, J.H., Ramírez, E., Fité, C., Iborra, M., and Tejero, J., 2022, Determination of Thermodynamic Properties for the Esterification of Levulinic Acid with 1-Butene, *Ind. Eng. Chem. Res.*, 61, 8313–8322.
- Cao, W., Wang, Z., Zeng, Q., and Shen, C., 2016, 13 C NMR and XPS characterization of anion adsorbent with quaternary ammonium groups prepared from rice straw, corn stalk and sugarcane bagasse, *Appl. Surf. Sci.*, 389, 404–410.
- Chapa González, C., Navarro Arriaga, J.U., and García Casillas, P.E., 2021, Physicochemical properties of chitosan–magnetite nanocomposites obtained with different pH, *Polym. Polym. Compos.*, 29, S1009–S1016.
- Chenite, A., Buschmann, M., Wang, D., Chaput, C., and Kandani, N., 2000, Rheological Characterisation of thermogelling chitosan/glycerol-phosphate solutions, *Carbohydr. Polym.*, 46, 39–47.
- Chiba, T., Hayashi, Y., Ebe, H., Hoshi, K., Sato, J., Sato, S., Pu, Y.J., Ohisa, S., and Kido, J., 2018, Anion-exchange red perovskite quantum dots with ammonium iodine salts for highly efficient light-emitting devices, *Nat. Photonics*, 12, 681–687.
- Corazzari, I., Nisticò, R., Turci, F., Faga, M.G., Franzoso, F., Tabasso, S., and Magnacca, G., 2015, Advanced physico-chemical characterization of chitosan by means of TGA coupled on-line with FTIR and GCMS: Thermal degradation and water adsorption capacity, *Polym. Degrad. Stab.*, 112, 1–9.
- Cursaru, L.M., Piticescu, R.M., Dragut, D.V., Morel, R., Thébault, C., Carrière, M., Joisten, H., and Dieny, B., 2020, One-step soft chemical synthesis of magnetite

- nanoparticles under inert gas atmosphere. Magnetic properties and in vitro study, *Nanomaterials*, 10, 1–15.
- Degfie, T.A., Mamo, T.T., and Mekonnen, Y.S., 2019, Optimized Biodiesel Production from Waste Cooking Oil (WCO) using Calcium Oxide (CaO) Nano-catalyst., *Sci. Rep.*, 9, 18982.
- Delidovich, I., Leonhard, K., and Palkovits, R., 2014, Cellulose and hemicellulose valorisation: an integrated challenge of catalysis and reaction engineering, *Energy Environ. Sci.*, 7, 2803–2830.
- Denison, M.I.J., Raman, S., Duraisamy, N., Thangavelu, R.M., Riyaz, S.U.M., Gunasekaran, D., and Krishnan, K., 2015, Preparation, characterization and application of antibody-conjugated magnetic nanoparticles in the purification of begomovirus, *RSC Adv.*, 5, 99820–99831.
- Dheyab, M.A., Aziz, A.A., Jameel, M.S., Noqta, O.A., Khaniabadi, P.M., and Mehrdel, B., 2020, Simple rapid stabilization method through citric acid modification for magnetite nanoparticles, *Sci. Rep.*, 10, 1–8.
- Dickstein, T.A., Zhou, E., Hersherberger, K.K., Haskell, A.K., Morgan, D.G., Pink, M., Stein, B.D., Nikoshvili, L.Z., Matveeva, V.G., and Bronstein, L.M., 2021, Chitosan as capping agent in a robust one-pot procedure for a magnetic catalyst synthesis, *Carbohydr. Polym.*, 269, 118267.
- Dizman, B., Elasri, M.O., and Mathias, L.J., 2004, Synthesis and antimicrobial activities of new water-soluble bis-quaternary ammonium methacrylate polymers, *J. Appl. Polym. Sci.*, 94, 635–642.
- Dugkhuntod, P., Imyen, T., Wannapakdee, W., Yutthalekha, T., Salakhum, S., and Wattanakit, C., 2019, Synthesis of hierarchical ZSM-12 nanolayers for levulinic acid esterification with ethanol to ethyl levulinate, *RSC Adv.*, 9, 18087–18097.
- El-kharrag, R., Amin, A., and Greish, Y.E., 2012, Low temperature synthesis of monolithic mesoporous magnetite nanoparticles, *Ceram. Int.*, 38, 627–634.
- Esposito, S., 2019, “Traditional” Sol-Gel Chemistry as a Powerful Tool for the Preparation of Supported Metal and Metal Oxide Catalysts, *Materials (Basel)*, 12, 668.
- Fahmiati, F., Nuryono, N., and Suyanta, S., 2016, International Conference on Recent Trends in Physics 2016 (ICRTP2016), *J. Phys. Conf. Ser.*, 755, 011001.
- Fajarwati, F.I., Kurniawan, M.A., Fatima, M.N., and Fikrina, R., 2018, Penghilangan Zat Warna menggunakan Kompleks Polielektrolit Kitosan-Alginat, *JPSCR J. Pharm. Sci. Clin. Res.*, 3, 36.
- Favela-Camacho, S., Samaniego, E., Godínez-García, A., Aviles-Arellano, L., and Pérez-Robles, J.F., 2019, How to decrease the agglomeration of magnetite nanoparticles and increase their stability using surface properties, *Colloids Surfaces A Physicochem. Eng. Asp.*, 574, 29–35.

- Favela-Camacho, S.E., Pérez-Robles, J.F., García-Casillas, P.E., and Godinez-Garcia, A., 2016, Stability of magnetite nanoparticles with different coatings in a simulated blood plasma, *J. Nanoparticle Res.*, 18, 176.
- Filoklis D. Pileidis, Maham Tabassum, Sam Coutts, M.T., 2014, Esterification of levulinic acid into ethyl levulinate catalysed by sulfonated hydrothermal carbons, *Cuihua Xuebao/Chinese J. Catal.*, 35, 1571–1577.
- Fouda, M.F.R., Amin, R.S., Saleh, H.I., Labib, A.A., and Mousa, H.A., 2010, Preparation and characterization of nanosized titania prepared from beach black sands broad on the mediterranean sea coast in Egypt via reaction with acids, *Aust. J. Basic Appl. Sci.*, 4, 4540–4553.
- Freire, T.M., Fechine, L.M.U.D., Queiroz, D.C., Freire, R.M., Denardin, J.C., Ricardo, N.M.P.S., Rodrigues, T.N.B., Gondim, D.R., Junior, I.J.S., and Fechine, P.B.A., 2020, Magnetic Porous Controlled Fe₃O₄-Chitosan Nanostructure: An Ecofriendly Adsorbent for Efficient Removal of Azo Dyes, *Nanomaterials*, 10, 1194.
- Gardy, J., Osatiashtiani, A., Céspedes, O., Hassanpour, A., Lai, X., Lee, A.F., Wilson, K., and Rehan, M., 2018, A magnetically separable SO₄/Fe-Al-TiO₂ solid acid catalyst for biodiesel production from waste cooking oil, *Appl. Catal. B Environ.*, 234, 268–278.
- Garves, K., 1988, Acid Catalyzed Degradation of Cellulose in Alcohols, *J. Wood Chem. Technol.*, 8, 121–134.
- Guo, J., Zheng, Z., Chen, C., Lu, X., Zhang, Y., and Zheng, B., 2017, Enhanced Production of κ -Carrageenase and κ -Carrageenan Oligosaccharides through Immobilization of *Thalassospira* sp. Fjfst-332 with Magnetic Fe₃O₄-Chitosan Microspheres, *J. Agric. Food Chem.*, 65, 7934–7943.
- Guo, Y., Wang, J., Liu, W., Liu, J., Wang, C., Wu, Q., and Wang, Z., 2024, Construction of magnetic hydroxyl group-enriched hyper cross-linked polymers with functional triazine as the core for efficient enrichment of plant growth regulators, *Food Chem.*, 433, 137309.
- Gurav, H.R., Nandiwale, K.Y., and Bokade, V. V., 2014, Pseudo-homogeneous kinetic model for esterification of acetic acid with propanol isomers over dodecatungstophosphoric acid supported on montmorillonite k10, *J. Phys. Org. Chem.*, 27, 121–127.
- Han, T., Cao, X., Sun, K., Peng, Q., Ye, C., Huang, A., Cheong, W.C., Chen, Z., Lin, R., Zhao, D., Tan, X., Zhuang, Z., Chen, C., Wang, D., and Li, Y., 2021, Anion-exchange-mediated internal electric field for boosting photogenerated carrier separation and utilization, *Nat. Commun.*, 12, 1–11.
- Han, X., Li, L., Wei, C., Zhang, J., and Bao, J., 2019, Facilitation of l-Lactic Acid Fermentation by Lignocellulose Biomass Rich in Vitamin B Compounds, *J. Agric. Food Chem.*, 67, 7082–7086.
- Hao, X., Chen, N., Chen, Y., and Chen, D., 2022, Accelerated degradation of

- quaternary ammonium functionalized anion exchange membrane in catholyte of vanadium redox flow battery, *Polym. Degrad. Stab.*, 197, 109864.
- Hassabo, A.G. and Mohamed, A.L., 2016, Multiamine Modified Chitosan for Removal Metal Ions from their Aqueous Solution , *Biotechnol. An Indian J.*, 12, 59–69.
- Hassan, A.H., Zainol, M.M., Samion, A.A., Azlan, M.A., Asmadi, M., Mohammad Daud, A.R., Saad, I., and Nor Azman, N.A.N.M., 2023, Synthesis of ethyl levulinate over sulfonated lignin-based carbon catalyst as a fuel additive to biodiesel-diesel blends towards engine emissions, 138101.
- Hassan, M.M., 2015, Binding of a quaternary ammonium polymer-grafted-chitosan onto a chemically modified wool fabric surface: Assessment of mechanical, antibacterial and antifungal properties, *RSC Adv.*, 5, 35497–35505.
- Hattori, H., 2015, Solid base catalysts: fundamentals and their applications in organic reactions, *Appl. Catal. A Gen.*, 504, 103–109.
- He, H., Zhong, Y.-H., Liang, X., Tan, W., and Wang, C., 2015, Natural Magnetite: an efficient catalyst for the degradation of organic contaminant, *Sci. Rep.*, 5, 10139.
- He, Q., O'Brien, J.W., Kitselman, K.A., Tompkins, L.E., Curtis, G.C.T., and Kerton, F.M., 2014, Synthesis of cyclic carbonates from CO₂ and epoxides using ionic liquids and related catalysts including choline chloride–metal halide mixtures, *Catal. Sci. Technol.*, 4, 1513–1528.
- Hossain, M.N., Siddik Bhuyan, M.S.U., Md Ashraful Alam, A.H., and Seo, Y.C., 2019, Optimization of Biodiesel Production from Waste Cooking Oil Using S–TiO₂/SBA-15 Heterogeneous Acid Catalyst, *Catalysts*, 9, 67.
- Huang, L., Li, M., Lin, H., Feng, Q., Hu, Q., Chen, Z., Lv, J., Lin, J., Li, L., and Wu, X., 2024, A Novel Magnetic and Amino Grafted Chitosan-Based Composite for Efficient Adsorption and Reduction of Cr(VI): Performance and Removal Mechanism, *J. Polym. Environ.*, 6375–6389.
- Huang, L.Y., Li, W., Du, N., Lu, H.Q., Meng, L.D., Huang, K.Y., and Li, K., 2022, Preparation of quaternary ammonium magnetic chitosan microspheres and their application for Congo red adsorption, *Carbohydr. Polym.*, 297, 119995.
- Ibrahim, A.G., Elgammal, W.E., Eid, A.M., Alharbi, M., Mohamed, A.E., Alayafi, A.A.M., Hassan, S.M., and Fouda, A., 2023, New Functionalized Chitosan with Thio-Thiadiazole Derivative with Enhanced Inhibition of Pathogenic Bacteria, Plant Threatening Fungi, and Improvement of Seed Germination, *Chemistry (Easton)*, 5, 1722–1744.
- Istiningrum, R.B., Santosa, S.J., and Nuryono, N., 2021, Preparation of Magnetic/Silica/Quaternary-Chitosan by Sol-Gel Method and Its Stability in Various pH Medium, *Rasayan J. Chem.*, 14, 2767–2775.
- Iwasaki, T., Kosaka, K., Yabuuchi, T., Watano, S., Yanagida, T., and Kawai, T., 2009, Novel mechanochemical process for synthesis of magnetite

- nanoparticles using coprecipitation method, *Adv. Powder Technol.*, 20, 521–528.
- Jayakumar, M., Karmegam, N., Gundupalli, M.P., Bizuneh Gebeyehu, K., Tessema Asfaw, B., Chang, S.W., Ravindran, B., and Kumar Awasthi, M., 2021, Heterogeneous base catalysts: Synthesis and application for biodiesel production – A review, *Bioresour. Technol.*, 331, 125054.
- Jiang, H., Xiang, G., Khoso, S.A., Xie, J., Huang, K., and Xu, L., 2019, Comparative Studies of Quaternary Ammonium Salts on the Aggregation and Dispersion Behavior of Kaolinite and Quartz, *Minerals*, 9, 473.
- K, R.M., Kodoth, A.K., Pattabi, M., S, M.M., and Pattabi, R.M., 2024, Investigation into the impact of anionic substitution on modulating the optical and catalytic properties of bismuth ferrite nanoparticles, *J. Mater. Sci. Mater. Eng.*, 19, 473.
- Kalska-Szostko, B., Wykowska, U., Piekut, K., and Zambrzycka, E., 2013, Stability of iron (Fe) nanowires, *Colloids Surfaces A Physicochem. Eng. Asp.*, 416, 66–72.
- Karim, M.M.S., Ganose, A.M., Pieters, L., Winnie Leung, W.W., Wade, J., Zhang, L., Scanlon, D.O., and Palgrave, R.G., 2019, Anion Distribution, Structural Distortion, and Symmetry-Driven Optical Band Gap Bowing in Mixed Halide Cs₂SnX₆ Vacancy Ordered Double Perovskites, *Chem. Mater.*, 31, 9430–9444.
- Karuppasamy, L., Chen, C.-Y., Anandan, S., and Wu, J.J., 2019, Sonochemical reduction method for synthesis of TiO₂/Pd nanocomposites and investigation of anode and cathode catalyst for ethanol oxidation and oxygen reduction reaction in alkaline medium, *Int. J. Hydrogen Energy*, 44, 30705–30718.
- Kawai, R., Yada, S., and Yoshimura, T., 2019, Characterization and Solution Properties of Quaternary-Ammonium-Salt-Type Amphiphilic Gemini Ionic Liquids, *ACS Omega*, 4, 14242–14250.
- Ke, P., Zeng, D., Xu, K., Cui, J., Li, X., and Wang, G., 2020, Preparation of Quaternary Ammonium Salt-Modified Chitosan Microspheres and Their Application in Dyeing Wastewater Treatment, *ACS Omega*, 5, 24700–24707.
- Khan, E., Ozaltin, K., Spagnuolo, D., Bernal-Ballen, A., Piskunov, M. V., and Di Martino, A., 2023, Biodiesel from Rapeseed and Sunflower Oil: Effect of the Transesterification Conditions and Oxidation Stability, *Energies*, 16, 657.
- Kim, M.Y., Kim, J.K., Lee, M.E., Lee, S., and Choi, M., 2017, Maximizing Biojet Fuel Production from Triglyceride: Importance of the Hydrocracking Catalyst and Separate Deoxygenation/Hydrocracking Steps, *ACS Catal.*, 7, 6256–6267.
- Kirana, K.H., Ghazali, M., Septiana, L.A.E.S., Fitriani, D., Agustine, E., Fajar, S.J., and Nugraha, M.G., 2020, Karakterisasi Mineral Magnetik Sedimen Sungai Citarum Hilir Melalui Analisa Sifat Magnetik, Mineralogi serta Morfologi Magnetik, *Positron*, 10, 52.
- Kong, P.S., Aroua, M.K.T., and Raman, A., 2011, Kinetics Study of Esterification

- Reaction of 2-Methyl-4-Chlorophenoxyacetic Acid (MCPA Acid), *Int. J. Chem. React. Eng.*, 9, A112.
- Kouzu, M., Kasuno, T., Tajika, M., Sugimoto, Y., Yamanaka, S., and Hidaka, J., 2008, Calcium oxide as a solid base catalyst for transesterification of soybean oil and its application to biodiesel production, *Fuel*, 87, 2798–2806.
- Kuwahara, Y., Kaburagi, W., Nemoto, K., and Fujitani, T., 2014, Esterification of levulinic acid with ethanol over sulfated Si-doped ZrO₂ solid acid catalyst: Study of the structure-activity relationships, *Appl. Catal. A Gen.*, 476, 186–196.
- Lee, D.W. and Yoo, B.R., 2014, Advanced metal oxide (supported) catalysts: Synthesis and applications, *J. Ind. Eng. Chem.*, 20, 3947–3959.
- Lee, S., Park, M., Kim, D., Kim, I., and Park, D., 2014, Catalytic performance of ion-exchanged montmorillonite with quaternary ammonium salts for the glycerolysis of urea, *Catal. Today*, 232, 127–133.
- Li, C., Zhao, S., Yao, X., He, L., Xu, S., Shen, X., and Yao, Z., 2022, The catalytic mechanism of intercalated chlorine anions as active basic sites in MgAl-layered double hydroxide for carbonyl sulfide hydrolysis, *Environ. Sci. Pollut. Res.*, 29, 10605–10616.
- Li, H., Peng, L., Lin, L., Chen, K., and Zhang, H., 2013, Synthesis, isolation and characterization of methyl levulinate from cellulose catalyzed by extremely low concentration acid, *J. Energy Chem.*, 22, 895–901.
- Li, S.D., Li, P.W., Yang, Z.M., Peng, Z., Quan, W.Y., Yang, X.H., Yang, L., and Dong, J.J., 2014, Synthesis and characterization of chitosan quaternary ammonium salt and its application as drug carrier for ribavirin, *Drug Deliv.*, 21, 548–552.
- Liu, J. and Du, X., 2011, Fast removal of aqueous Hg(III) with quaternary ammonium-functionalized magnetic mesoporous silica and silica regeneration, *J. Mater. Chem.*, 21, 6981–6987.
- Liu, P., Meng, W., Wang, S., Sun, Y., and Aqeel Ashraf, M., 2015, Quaternary ammonium salt of chitosan: Preparation and antimicrobial property for paper, *Open Med.*, 10, 473–478.
- Liu, P., Yang, X., Chen, W., and Hao, Y., 2024, Preparation of the modified chitosan flocculant introduced acryloyloxyethyl trimethyl ammonium chloride and 2-acrylamido-2-methyl propane sulfonic acid for the treatment of papermaking wastewater, *Colloids Surfaces A Physicochem. Eng. Asp.*, 682, 132934.
- Long, J., Etxeberria, A.E., Kornelsen, C., Nand, A. V., Ray, S., Bunt, C.R., and Seyfoddin, A., 2019, Development of a Long-Term Drug Delivery System with Levonorgestrel-Loaded Chitosan Microspheres Embedded in Poly(vinyl alcohol) Hydrogel, *ACS Appl. Bio Mater.*, 2, 2766–2779.
- Lotfi, S., Ghaderi, F., Bahari, A., and Mahjoub, S., 2017, Preparation and

Characterization of Magnetite–Chitosan Nanoparticles and Evaluation of Their Cytotoxicity Effects on MCF7 and Fibroblast Cells, *J. Supercond. Nov. Magn.*, 30, 3431–3438.

De Luca, A.C., Stevens, J.S., Schroeder, S.L.M., Guilbaud, J.B., Saiani, A., Downes, S., and Terenghi, G., 2013, Immobilization of cell-binding peptides on poly-ε-caprolactone film surface to biomimic the peripheral nervous system, *J. Biomed. Mater. Res. - Part A*, 101 A, 491–501.

Malek, M.N.F.A., Hussin, N.M., Embong, N.H., Bhuyar, P., Rahim, M.H.A., Govindan, N., and Maniam, G.P., 2023, Ultrasonication: a process intensification tool for methyl ester synthesis: a mini review, *Biomass Convers. Biorefinery*, 13, 1457–1467.

Manin, A., Golubenko, D., Novikova, S., and Yaroslavtsev, A., 2023, Composite Anion Exchange Membranes Based on Quaternary Ammonium-Functionalized Polystyrene and Cerium(IV) Phosphate with Improved Monovalent-Ion Selectivity and Antifouling Properties, *Membranes (Basel)*, 13, 624.

Margellou, A.G., Koutsouki, A.A., Petrakis, D.E., Kontominas, M.G., and Pomonis, P.J., 2023, Catalysis and Inhibition of Transesterification of Rapeseed Oil over MgO–CaO, *BioEnergy Res.*, 16, 528–538.

Melro, E., Antunes, F.E., da Silva, G.J., Cruz, I., Ramos, P.E., Carvalho, F., and Alves, L., 2021, Chitosan films in food applications. Tuning film properties by changing acidic dissolution conditions, *Polymers (Basel)*, 23, 1–12.

Di Menno Di Bucchianico, D., Wang, Y., Buvat, J.-C., Pan, Y., Casson Moreno, V., and Leveneur, S., 2022, Production of levulinic acid and alkyl levulinates: a process insight, *Green Chem.*, 24, 614–646.

Mikhaylov, R. V., Nikitin, K. V., Glazkova, N.I., and Kuznetsov, V.N., 2018, Temperature-programmed desorption of CO₂, formed by CO photooxidation on TiO₂ surface, *J. Photochem. Photobiol. A Chem.*, 360, 255–261.

Mivehi, L., Bahrami, S.H., and Malek, R.M.A., 2008, Properties of Polyacrylonitrile- N - (2-hydroxy) propyl-3-trimethylammonium Chitosan Chloride Blend Films and Fibers, *J. Appl. Polym. Sci.*, 109, 545–554.

Molnár, Á. and Papp, A., 2017, Catalyst recycling—A survey of recent progress and current status, *Coord. Chem. Rev.*, 349, 1–65.

Montagne, F., Mondain-Monval, O., Pichot, C., Mozzanega, H., and Ellassari, A., 2002, Preparation and characterization of narrow sized (o/w) magnetic emulsion, *J. Magn. Magn. Mater.*, 250, 302–312.

Mora, J.M.R., Lacson, C.F.Z., Choi, A.E.S., Chung, T.W., Retumban, J.D., Abarca, R.R.M., Grisdanurak, N., and de Luna, M.D.G., 2024, Biodiesel production from soybean oil via LiOH-pumice catalytic transesterification and BBD-RSM optimization, *Energy Reports*, 11, 4032–4043.

Mthembu, L.D., Lokhat, D., and Deenadayalu, N., 2023, Esterification of levulinic

acid to ethyl levulinate: optimization of process conditions using commercial levulinic acid and extension to the use of levulinic acid derived from depithed sugarcane bagasse, *Biomass Convers. Biorefinery*, 13, 3113–3122.

Mukhtar, A., Saqib, S., Lin, H., Hassan Shah, M.U., Ullah, S., Younas, M., Rezakazemi, M., Ibrahim, M., Mahmood, A., Asif, S., and Bokhari, A., 2022, Current status and challenges in the heterogeneous catalysis for biodiesel production, *Renew. Sustain. Energy Rev.*, 157, 112012.

Najafi Chermahini, A. and Assar, M., 2019, Production of n-butyl levulinate over modified KIT-6 catalysts: comparison of the activity of KIT-SO₃H and Al-KIT-6 catalysts, *J. Iran. Chem. Soc.*, 16, 2045–2053.

Nandiwale, K.Y., Niphadkar, P.S., Deshpande, S.S., and Bokade, V. V., 2014, Esterification of renewable levulinic acid to ethyl levulinate biodiesel catalyzed by highly active and reusable desilicated H-ZSM-5, *J. Chem. Technol. Biotechnol.*, 89, 1507–1515.

Nandiwale, K.Y., Sonar, S.K., Niphadkar, P.S., Joshi, P.N., Deshpande, S.S., Patil, V.S., and Bokade, V. V., 2013, Catalytic upgrading of renewable levulinic acid to ethyl levulinate biodiesel using dodecatungstophosphoric acid supported on desilicated H-ZSM-5 as catalyst, *Appl. Catal. A Gen.*, 460–461, 90–98.

Ngatijo, Basuki, R., Rusdiarso, B., and Nuryono, 2020, Sorption-desorption profile of Au(III) onto silica modified quaternary amines (SMQA) in gold mining effluent, *J. Environ. Chem. Eng.*, 8, 103747.

Nisar, J., Razaq, R., Farooq, M., Iqbal, M., Khan, R.A., Sayed, M., Shah, A., and Rahman, I. ur, 2017, Enhanced biodiesel production from Jatropha oil using calcined waste animal bones as catalyst, *Renew. Energy*, 101, 111–119.

Niu, Y., Wu, J., Kang, Y., Sun, P., Xiao, Z., and Zhao, D., 2023, Recent advances of magnetic chitosan hydrogel: Preparation, properties and applications, *Int. J. Biol. Macromol.*, 247, 125722.

Noqta, O.A., Sodipo, B.K., and Aziz, A.A., 2020, One-pot synthesis of highly magnetic and stable citrate coated superparamagnetic iron oxide nanoparticles by modified coprecipitation method, *Funct. Compos. Struct.*, 2, 045005.

Nuryono, N., Miswanda, D., Sakti, S.C.W., Rusdiarso, B., Krisbiantoro, P.A., Utami, N., Otomo, R., and Kamiya, Y., 2020a, Chitosan-functionalized natural magnetic particle@silica modified with (3-chloropropyl)trimethoxysilane as a highly stable magnetic adsorbent for gold(III) ion, *Mater. Chem. Phys.*, 255, 123507.

Nuryono, N., Mutia Rosiati, N., Rusdiarso, B., Sakti, S.C.W., and Tanaka, S., 2014, Coating of magnetite with mercapto modified rice hull ash silica in a one-pot process, *J. Korean Phys. Soc.*, 3, 1–12.

Ogino, I., Suzuki, Y., and Mukai, S.R., 2018, Esterification of levulinic acid with ethanol catalyzed by sulfonated carbon catalysts: Promotional effects of additional functional groups, *Catal. Today*, 314, 62–69.

- Olenik, J., Shvalya, V., Modic, M., Ekar, J., Kovač, J., Cvelbar, U., and Walsh, J.L., 2023, Plasma-Induced Interfacial Processes in Metal Halides FTIR Gas Cell Windows, *J. Anal. Test.*, 7, 392–404.
- Park, K.B., Choi, J., Na, T.W., Kang, J.W., Park, K., and Park, H.K., 2019, Oxygen reduction behavior of HDH TiH₂ powder during dehydrogenation reaction, *Metals (Basel)*, 9, 1154.
- Parks, G.A., 1967, Aqueous Surface Chemistry of Oxides and Complex Oxide Minerals,. In, *Equilibrium Concepts in Natural Water Systems*, Advances in Chemistry. American Chemical Society, pp. 121–160.
- Pasquale, G., Vázquez, P., Romanelli, G., and Baronetti, G., 2012, Catalytic upgrading of levulinic acid to ethyl levulinate using reusable silica-included Wells-Dawson heteropolyacid as catalyst, *Catal. Commun.*, 18, 115–120.
- Pellis, A., Guebitz, G.M., and Nyanhongo, G.S., 2022, Chitosan: Sources, Processing and Modification Techniques, *Gels*, 8, 5–25.
- Pham, X.N., Nguyen, T.P., Pham, T.N., Tran, T.T.N., and Tran, T.V.T., 2016, Synthesis and characterization of chitosan-coated magnetite nanoparticles and their application in curcumin drug delivery, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 7, 045010.
- Phan, T.T.V., Hoang, G., Nguyen, V.T., Nguyen, T.P., Kim, H.H., Mondal, S., Manivasagan, P., Moorthy, M.S., Lee, K.D., and Junghwan, O., 2019, Chitosan as a stabilizer and size-control agent for synthesis of porous flower-shaped palladium nanoparticles and their applications on photo-based therapies, *Carbohydr. Polym.*, 205, 340–352.
- Pileidis, F.D. and Titirici, M.M., 2016, Levulinic Acid Biorefineries: New Challenges for Efficient Utilization of Biomass, *ChemSusChem*, 9, 562–582.
- Popova, M., Shestakova, P., Lazarova, H., Dimitrov, M., Kovacheva, D., Szegedi, A., Mali, G., Dasireddy, V., Likozar, B., Wilde, N., and Gläser, R., 2018, Efficient solid acid catalysts based on sulfated tin oxides for liquid phase esterification of levulinic acid with ethanol, *Appl. Catal. A Gen.*, 560, 119–131.
- Pramanik, P., Mohapatra, S., Pramanik, N., Mukherjee, S., and Ghosh, S.K., 2007, A simple synthesis of amine-derivatised superparamagnetic iron oxide nanoparticles for bioapplications, *J. Mater. Sci.*, 42, 7566–7574.
- Prasdiatika, R. and Susanto, S., 2017, Preparasi Dan Penentuan Jenis Oksida Besi Pada Material Magnetik Pasir Besi Lansilowo, *J. Teknosains*, 6, 1–58.
- Prasetyowati, R., Widiawati, D., Swastika, P.E., Ariswan, A., and Warsono, W., 2021, Sintesis dan Karakterisasi Nanopartikel Magnetit (Fe₃O₄) Berbasis Pasir Besi Pantai Glagah Kulon Progo dengan Metode Kopresipitasi pada Berbagai Variasi Konsentrasi NH₄OH, *J. Sains Dasar*, 10, 57–61.
- Puangkaew, T., Booranabunyat, N., Kiatkamjornwong, S., Thanyasrisueng, P., and Hoven, V.P., 2022, Amphiphilic quaternized chitosan: Synthesis,

characterization, and anti-cariogenic biofilm property, 118882.

- Qian, A., Zhang, W., Shi, C., Pan, C., Giammar, D.E., Yuan, S., Zhang, H., and Wang, Z., 2019, Geochemical Stability of Dissolved Mn(III) in the Presence of Pyrophosphate as a Model Ligand: Complexation and Disproportionation, *Environ. Sci. Technol.*, 53, 5768–5777.
- Rachmat, A., Trisunaryanti, W., Sutarno, and Wijaya, K., 2017, Synthesis and characterization of sulfated zirconia mesopore and its application on lauric acid esterification, *Mater. Renew. Sustain. Energy*, 6, 1–9.
- Rahmi, Fathurrahmi, Lelifajri, and Purnama Wati, F., 2019, Preparation of magnetic chitosan using local iron sand for mercury removal, *Heliyon*, 5, e01731.
- Ramanery, F.P., Mansur, A.A.P., and Mansur, H.S., 2013, One-step colloidal synthesis of biocompatible water-soluble ZnS quantum dot/chitosan nanoconjugates, *Nanoscale Res. Lett.*, 8, 1–13.
- Ristiana, D.D., Suyanta, S., and Nuryono, N., 2021, Simple One-Pot Synthesis of Sulfonic-Acid-Functionalized Silica for Effective Catalytic Esterification of Levulinic Acid, *Indones. J. Chem.*, 22, 157–170.
- Ristiana, D.D., Suyanta, S., and Nuryono, N., 2022, Sulfonic acid-functionalized silica with controlled hydrophobicity as an effective catalyst for esterification of levulinic acid, *Mater. Today Commun.*, 32, 103953.
- Rocha, R.P., Pereira, M.F.R., and Figueiredo, J.L., 2023, Characterisation of the surface chemistry of carbon materials by temperature-programmed desorption: An assessment, *Catal. Today*, 418, 114136.
- Rodriguez Llanos, J., Vercik, L., and Vercik, A., 2015, Physical Properties of Chitosan Films Obtained after Neutralization of Polycation by Slow Drip Method, *J. Biomater. Nanobiotechnol.*, 06, 276–291.
- Roveimiab, Z., Mahdavian, A.R., Biazar, E., and Heidari, K.S., 2012, Preparation of Magnetic Chitosan Nanocomposite Particles and Their Susceptibility for Cellular Separation Applications, *J. Colloid Sci. Biotechnol.*, 1, 82–88.
- Rusdjarso, B., Giri, E., and Putra, R., 2017, Modification of Silica Coated on Iron Sand Magnetic Material with Chitosan for Adsorption of Au(III), 17, 264–273.
- Russo, P.A., Antunes, M.M., Neves, P., Wiper, P. V, Fazio, E., Neri, F., Barreca, F., Mafrá, L., Pillinger, M., Pinna, N., and Valente, A.A., 2014, Solid acids with SO₃H groups and tunable surface properties: versatile catalysts for biomass conversion, *J. Mater. Chem. A*, 2, 11813–11824.
- Russo, V., Hrobar, V., Mäki-Arvela, P., Eränen, K., Sandelin, F., Di Serio, M., and Salmi, T., 2018, Kinetics and Modelling of Levulinic Acid Esterification in Batch and Continuous Reactors, *Top. Catal.*, 61, 1856–1865.
- Russo, V., Tesser, R., Rossano, C., Coglianò, T., Vitiello, R., Leveneur, S., and Di Serio, M., 2020, Kinetic study of Amberlite IR120 catalyzed acid esterification of levulinic acid with ethanol: From batch to continuous operation, *Chem. Eng.*

J., 401, 126126.

- Sahu, A. and Panit, A.B., 2019, Facile Synthesis of Homogeneous Catalyze Esterification of Medium-Chain-Length Fatty Acids and Kinetic Study, *Ind. Eng. Chem. Res.*, 58, 22212–22224.
- Sahu, G., Gupta, N.K., Kotha, A., Saha, S., Datta, S., Chavan, P., Kumari, N., and Dutta, P., 2018, A Review on Biodiesel Production through Heterogeneous Catalysis Route, *ChemBioEng Rev.*, 5, 231–252.
- Sajjan, A.M., Premakshi, H.G., and Kariduraganavar, M.Y., 2014, Synthesis and characterization of GTMAC grafted chitosan membranes for the dehydration of low water content isopropanol by pervaporation, 151–161.
- Salaheldeen, M., Mariod, A.A., Aroua, M.K., Rahman, S.M.A., Soudagar, M.E.M., and Fattah, I.M.R., 2021, Current state and perspectives on transesterification of triglycerides for biodiesel production, *Catalysts*, 11, 1–37.
- Sanchez-Salvador, J.L., Balea, A., Monte, M.C., Blanco, A., and Negro, C., 2018, Study of the reaction mechanism to produce nanocellulose-graft-chitosan polymer, *Nanomaterials*, 8, 883.
- Sarabandi, K. and Jafari, S.M., 2020, Effect of chitosan coating on the properties of nanoliposomes loaded with flaxseed-peptide fractions: Stability during spray-drying, *Food Chem.*, 310, 125951.
- Schmidt, L.M., Mthembu, L.D., Reddy, P., Deenadayalu, N., Kaltschmitt, M., and Smirnova, I., 2017, Levulinic acid production integrated into a sugarcane bagasse based biorefinery using thermal-enzymatic pretreatment, *Ind. Crops Prod.*, 99, 172–178.
- Sekhavat Pour, Z., Makvandi, P., and Ghaemy, M., 2015, Performance properties and antibacterial activity of crosslinked films of quaternary ammonium modified starch and poly(vinyl alcohol), *Int. J. Biol. Macromol.*, 80, 596–604.
- Seo, M., Kim, S.Y., Kim, Y.D., Park, E.D., and Uhm, S., 2018, Highly stable barium zirconate supported nickel oxide catalyst for dry reforming of methane: From powders toward shaped catalysts, *Int. J. Hydrogen Energy*, 43, 11355–11362.
- Serrano-Lotina, A., Portela, R., Baeza, P., Alcolea-Rodriguez, V., Villarroel, M., and Ávila, P., 2023, Zeta potential as a tool for functional materials development, *Catal. Today*, 423, 113862.
- Shahinuzzaman, M., Yaakob, Z., and Ahmed, Y., 2017, Non-sulphide zeolite catalyst for bio-jet-fuel conversion, *Renew. Sustain. Energy Rev.*, 77, 1375–1384.
- Shakorfow, A.M. and Mohamed, A.H., 2020, Homogenous Acidic and Basic Catalysts in Biodiesel Synthesis: A Review, *Acta Chem. Malaysia*, 4, 76–85.
- Shi, F., Li, Y., Zhang, Q., and Wang, H., 2012, Synthesis of Fe₃O₄/C/TiO₂ Magnetic Photocatalyst via Vapor Phase Hydrolysis, *Int. J. Photoenergy*, 2012, 1–8.

- Singh, S., Jasti, A., Kumar, M., and Shahi, V.K., 2010, A green method for the preparation of highly stable organic-inorganic hybrid anion-exchange membranes in aqueous media for electrochemical processes, *Polym. Chem.*, 1, 1302–1312.
- Sizochenko, N., Mikolajczyk, A., Syzochenko, M., Puzyn, T., and Leszczynski, J., 2021, Zeta potentials (ζ) of metal oxide nanoparticles: A meta-analysis of experimental data and a predictive neural networks modeling, *NanoImpact*, 22, 100317.
- Śmiechowski, M. and Stangret, J., 2007, Molecular picture of hydroxide anion hydration in aqueous solutions studied by FT-IR ATR spectroscopy, *J. Mol. Struct.*, 834–836, 239–248.
- Smiri, M., Guey, F., Chemingui, H., Dekhil, A.B., Elarbaoui, S., and Hafiane, A., 2020, Remove of Humic Acid From Water Using Magnetite Nanoparticles, *Eur. J. Adv. Chem. Res.*, 1, 1–6.
- Smoláková, L., Frolich, K., Troppová, I., Kutálek, P., Kroft, E., and Čapek, L., 2017, Determination of basic sites in Mg–Al mixed oxides by combination of TPD-CO₂ and CO₂ adsorption calorimetry: When the same basic sites are reported from both techniques?, *J. Therm. Anal. Calorim.*, 127, 1921–1929.
- Smykalla, L., Shukrynau, P., Korb, M., Lang, H., and Hietschold, M., 2015, Surface-confined 2D polymerization of a brominated copper-tetraphenylporphyrin on Au(111), *Nanoscale*, 7, 4234–4241.
- Sugino, K., Oya, N., Yoshie, N., and Ogura, M., 2011, A simple modification creates a great difference: New solid-base catalyst using methylated N-substituted SBA-15, *J. Am. Chem. Soc.*, 133, 20030–20032.
- Sun, J., Wang, J., Cheng, W., Zhang, J., Li, X., Zhang, S., and She, Y., 2012, Chitosan functionalized ionic liquid as a recyclable biopolymer-supported catalyst for cycloaddition of CO₂, *Green Chem.*, 14, 654–660.
- Sutradhar, N., Sinhamahapatra, A., Pahari, S.K., Pal, P., Bajaj, H.C., Mukhopadhyay, I., and Panda, A.B., 2011, Controlled Synthesis of Different Morphologies of MgO and Their Use as Solid Base Catalysts, *J. Phys. Chem. C*, 115, 12308–12316.
- Takase, M., Bryant, I.M., Essandoh, P.K., and Amankwa, A.E.K., 2023, A comparative study on performance of KOH and 32%KOH/ZrO₂₋₇ catalysts for biodiesel via transesterification of waste *Adansonia digitata* oil, *Green Technol. Sustain.*, 1, 100004.
- Tan, H., Ma, R., Lin, C., Liu, Z., and Tang, T., 2013, Quaternized chitosan as an antimicrobial agent: Antimicrobial activity, mechanism of action and biomedical applications in orthopedics, *Int. J. Mol. Sci.*, 14, 1854–1869.
- Tang, W., Duan, J., Zhang, Y., and Luo, X., 2024, Cross-linked sponge fungal hyphae: an efficient and environmentally friendly sorbent addition of iodine, *Biomass Convers. Biorefinery*, 14, 5551–5559.

- Tantardini, C. and Oganov, A.R., 2021, Thermochemical electronegativities of the elements, *Nat. Commun.*, 12, 1–9.
- Tokarčíková, M., Tokarský, J., Kutláková, K.M., and Seidlerová, J., 2017, Testing the stability of magnetic iron oxides/kaolinite nanocomposite under various pH conditions, *J. Solid State Chem.*, 253, 329–335.
- Le Van Mao, R., Zhao, Q., Dima, G., and Petraccone, D., 2011, New Process for the Acid-Catalyzed Conversion of Cellulosic Biomass (AC3B) into Alkyl Levulinates and Other Esters Using a Unique One-Pot System of Reaction and Product Extraction, *Catal. Letters*, 141, 271–276.
- Védrine, J., 2017, Heterogeneous Catalysis on Metal Oxides, *Catalysts*, 7, 341.
- Veluturla, S., Kottam, N., P, V., Shetty, A., and Shankar, V., 2024, Process optimisation and kinetic study for esterification of levulinic acid and n-butanol using sulfonated titania–zirconia heterogeneous catalyst, *J. Chem. Technol. & Biotechnol.*, 99, 626–636.
- Verma, K.C., Singh, D., Kumar, S., and Kotnala, R.K., 2017, Multiferroic effects in $\text{MFe}_2\text{O}_4/\text{BaTiO}_3$ ($\text{M} = \text{Mn, Co, Ni, Zn}$) nanocomposites, *J. Alloys Compd.*, 709, 344–355.
- Vidojkovic, S.M. and Rakin, M.P., 2017, Surface properties of magnetite in high temperature aqueous electrolyte solutions: A review, *Adv. Colloid Interface Sci.*, 245, 108–129.
- Vijayakumar, V., Son, T.Y., Im, K.S., Chae, J.E., Kim, H.J., Kim, T.H., and Nam, S.Y., 2021, Anion Exchange Composite Membranes Composed of Quaternary Ammonium-Functionalized Poly(2,6-dimethyl-1,4-phenylene oxide) and Silica for Fuel Cell Application, *ACS Omega*, 6, 10168–10179.
- Wadekar, P.H., Pethsangave, D.A., Khose, R. V., and Some, S., 2021, Synthesis of Iodine-Functionalized Graphene Electrocatalyst Using Deep Eutectic Solvents for Oxygen Reduction Reaction and Supercapacitors, *Energy Technol.*, 9, 2000750.
- Wang, J., Zhao, L., Duan, W., Han, L., and Chen, Y., 2012, Adsorption of aqueous Cr(VI) by novel fibrous adsorbent with amino and quaternary ammonium groups, *Ind. Eng. Chem. Res.*, 51, 13655–13662.
- Wang, Q.Z., Chen, X.G., Liu, N., Wang, S.X., Liu, C.S., Meng, X.H., and Liu, C.G., 2006, Protonation constants of chitosan with different molecular weight and degree of deacetylation, *Carbohydr. Polym.*, 65, 194–201.
- Wang, S.-H., Wang, Y.-B., Dai, Y.-M., and Jehng, J.-M., 2012, Preparation and characterization of hydrotalcite-like compounds containing transition metal as a solid base catalyst for the transesterification, *Appl. Catal. A Gen.*, 439–440, 135–141.
- Wilson, D. and Langell, M.A., 2014, XPS analysis of oleylamine/oleic acid capped Fe_3O_4 nanoparticles as a function of temperature, *Appl. Surf. Sci.*, 303, 6–13.

- Windom, B.C., Lovestead, T.M., Mascal, M., Nikitin, E.B., and Bruno, T.J., 2011, Advanced distillation curve analysis on ethyl levulinate as a diesel fuel oxygenate and a hybrid biodiesel fuel, *Energy and Fuels*, 25, 1878–1890.
- Xie, W. and Li, H., 2006, Alumina-supported potassium iodide as a heterogeneous catalyst for biodiesel production from soybean oil, *J. Mol. Catal. A Chem.*, 255, 1–9.
- Xu, J., Yang, H., Fu, W., Du, K., Sui, Y., Chen, J., Zeng, Y., Li, M., and Zou, G., 2007, Preparation and magnetic properties of magnetite nanoparticles by sol-gel method, *J. Magn. Magn. Mater.*, 309, 307–311.
- Xu, K., Cheng, H., Liu, L., Lv, H., Wu, X., Wu, C., and Xie, Y., 2017, Promoting Active Species Generation by Electrochemical Activation in Alkaline Media for Efficient Electrocatalytic Oxygen Evolution in Neutral Media, *Nano Lett.*, 17, 578–583.
- Yadav, G.D. and Yadav, A.R., 2014, Synthesis of ethyl levulinate as fuel additives using heterogeneous solid superacidic catalysts: Efficacy and kinetic modeling, *Chem. Eng. J.*, 243, 556–563.
- Yavuz, C.T., Mayo, J.T., Yu, W.W., Prakash, A., Falkner, J.C., Yean, S., Cong, L., Shipley, H.J., Kan, A., Tomson, M., Natelson, D., and Colvin, V.L., 2006, Low-Field Magnetic Separation of, 964–968.
- Yazid, N.A. and Joon, Y.C., 2019, Co-precipitation synthesis of magnetic nanoparticles for efficient removal of heavy metal from synthetic wastewater, In, *AIP Conference Proceedings.*, p. 020019.
- Zainol, M.M., Amin, N.A.S., and Asmadi, M., 2019, Kinetics and thermodynamic analysis of levulinic acid esterification using lignin-furfural carbon cryogel catalyst, *Renew. Energy*, 130, 547–557.
- Zatirakha, A. V., Smolenkov, A.D., Pirogov, A. V., Nesterenko, P.N., and Shpigun, O.A., 2014, Preparation and characterisation of anion exchangers with dihydroxy-containing alkyl substitutes in the quaternary ammonium functional groups, *J. Chromatogr. A*, 1323, 104–114.
- Zeki, N.S.A., Al-Hassani, M.H., and Al-Jendeel, H.A., 2010, Kinetic Study of Esterification Reaction, *Al-Khwarizmi Eng. J.*, 6, 33–42.
- Zhang, D., Shang, L., Shen, J., Shi, Z., Wu, L., Tung, C., and Zhang, T., 2014, A mild one-step solvothermal route to truncated octahedral magnetite crystals, *Particuology*, 15, 51–55.
- Zhang, J., Tan, W., Luan, F., Yin, X., Dong, F., Li, Q., and Guo, Z., 2018, Synthesis of Quaternary Ammonium Salts of Chitosan Bearing Halogenated Acetate for Antifungal and Antibacterial Activities, *Polymers (Basel).*, 10, 530.
- Zhang, Z., Dong, K., and Zhao, Z., 2011, Efficient conversion of furfuryl alcohol into alkyl levulinates catalyzed by an organic-inorganic hybrid solid acid catalyst, *ChemSusChem*, 4, 112–118.

- Zhao, Y., Dang, L.L., Zhai, Z.M., Ma, L.F., and Wang, L.Y., 2020, Crystal structures and magnetic properties of two Co(II) coordination polymers created via in situ ligand synthesis, *J. Solid State Chem.*, 290, 121573.
- Zhao, Y., Tian, J.S., Qi, X.H., Han, Z.N., Zhuang, Y.Y., and He, L.N., 2007, Quaternary ammonium salt-functionalized chitosan: An easily recyclable catalyst for efficient synthesis of cyclic carbonates from epoxides and carbon dioxide, *J. Mol. Catal. A Chem.*, 271, 284–289.
- Zhou, L., Liu, Z., Liu, J., and Huang, Q., 2010, Adsorption of Hg(II) from aqueous solution by ethylenediamine-modified magnetic crosslinking chitosan microspheres, *Desalination*, 258, 41–47.
- Zhou, L., Zou, H., Nan, J., Wu, L., Yang, X., Su, Y., Lu, T., and Xu, J., 2014, Conversion of carbohydrate biomass to methyl levulinate with $\text{Al}_2(\text{SO}_4)_3$ as a simple, cheap and efficient catalyst, *Catal. Commun.*, 50, 13–16.
- Zhou, S., Long, M., Wu, L., Lei, M., Bai, J., Huang, K., Liu, X., and Yin, D., 2022, Titanate nanotubes covalently bonded sulfamic acid as a heterogeneous catalyst for highly efficient conversion of levulinic acid into n-butyl levulinate biofuels, *Biomass Convers. Biorefinery*, 9385–9397.
- Zhou, S., Wu, L., Bai, J., Lei, M., Long, M., and Huang, K., 2022, Catalytic Esterification of Levulinic Acid into the Biofuel n-Butyl Levulinate over Nanosized TiO_2 Particles, *Nanomaterials*, 12, 3870.
- Zhou, Z., Zhang, X., Zeng, S., Xu, Y., Nie, W., Zhou, Y., and Chen, P., 2023, Quaternary Ammonium Salts for Water Treatment with Balanced Rate of Sterilization and Degradation, 352, 141386.
- Zhu, N., Ji, H., Yu, P., Niu, J., Farooq, M.U., Akram, M.W., Udego, I.O., Li, H., and Niu, X., 2018, Surface Modification of Magnetic Iron Oxide Nanoparticles, *Nanomaterials*, 8, 810.
- Zhu, W., Chang, C., Ma, C., and Du, F., 2014, Kinetics of Glucose Ethanolysis Catalyzed by Extremely Low Sulfuric Acid in Ethanol Medium, *Chinese J. Chem. Eng.*, 22, 238–242.