

DAFTAR PUSTAKA

- Abedini, M. *et al.* (2015) 'Journal of Food Safety and Hygiene Effect of probiotic treatment on acute diarrhea in childhood', 1(2).
- Abegaz, T.M. *et al.* (2016) 'Management of children's acute diarrhea by community pharmacies in five towns of Ethiopia: Simulated client case study', *Therapeutics and Clinical Risk Management*, 12, pp. 515–526. Available at: <https://doi.org/10.2147/TCRM.S98474>.
- Abraham, O. *et al.* (2017) 'Pediatric medication use experiences and patient counseling in community pharmacies: Perspectives of children and parents', in *Journal of the American Pharmacists Association*. Elsevier B.V., pp. 38-46.e2. Available at: <https://doi.org/10.1016/j.japh.2016.08.019>.
- Al-Ghamdi, M.S. (2001) 'Continuing pharmaceutical education for community pharmacists in the eastern province of Saudi Arabia', *Journal of Family and Community Medicine*, 8(3), pp. 45–52. Available at: <https://doi.org/10.4103/2230-8229.98062>.
- Albekairy, A.M. (2014) 'Pharmacists' perceived barriers to patient counseling', *Journal of Applied Pharmaceutical Science*, 4(1), pp. 70–73. Available at: <https://doi.org/10.7324/JAPS.2014.40112>.
- Alturki, R. and Gay, V. (2017) 'Usability Testing of Fitness Mobile Application : Methodology and Quantitative Results', in. Academy and Industry Research Collaboration Center (AIRCC), pp. 97–114. Available at: <https://doi.org/10.5121/csit.2017.71108>.
- Amador-Fernández, N. *et al.* (2023) 'Documentation of drug related problems and their management in community pharmacy: Data evolution over six years', *Research in Social and Administrative Pharmacy*, 19(11), pp. 1480–1485. Available at: <https://doi.org/10.1016/j.sapharm.2023.07.001>.
- Amaratunge, S. *et al.* (2021) 'Developing a checklist for reporting research using simulated patient methodology (CRiSP): A consensus study', *International Journal of Pharmacy Practice*, 29(3), pp. 218–227. Available at: <https://doi.org/10.1093/ijpp/riaa002>.
- Anigilaje, E.A. (2018) 'Management of diarrhoeal dehydration in childhood: A review for clinicians in developing countries', *Frontiers in Pediatrics*. Frontiers Media S.A. Available at: <https://doi.org/10.3389/fped.2018.00028>.
- Anteneh, Z.A., Andargie, K. and Tarekegn, M. (2017) 'Prevalence and determinants of acute diarrhea among children younger than five years old in Jabithennan District, Northwest Ethiopia, 2014', *BMC Public Health*, 17(1), pp. 1–8. Available at: <https://doi.org/10.1186/s12889-017-4021-5>.
- Al Aqeel, S. *et al.* (2018) 'Interventions for improving pharmacist-led patient counselling in the community setting: A systematic review', *Systematic Reviews*, 7(1), pp. 1–13. Available at: <https://doi.org/10.1186/s13643-018-0727-4>.
- Arasaradnam, R.P. *et al.* (2018) 'Guidelines for the investigation of chronic diarrhoea in adults: British Society of Gastroenterology, 3rd edition', *Gut*, 67(8), pp. 1380–1399. Available at:

315909.

- Ayele, A.A. *et al.* (2018) 'Management of minor ailments in a community pharmacy setting: Findings from simulated visits and qualitative study in Gondar town, Ethiopia', *PLoS ONE*. Available at: <https://doi.org/10.1371/journal.pone.0190583>.
- Ayele, Y. and Mamu, M. (2018) 'Assessment of knowledge, attitude and practice towards disposal of unused and expired pharmaceuticals among community in Harar city, Eastern Ethiopia', *Journal of Pharmaceutical Policy and Practice*, 11(1), pp. 1–7.
- Bangor, A., Kortum, P.T. and Miller, J.T. (2008) 'An empirical evaluation of the system usability scale', *International Journal of Human-Computer Interaction*, 24(6), pp. 574–594. Available at: <https://doi.org/10.1080/10447310802205776>.
- Baptista, R., Williams, M. and Price, J. (2023) 'Improving the impact of pharmacy interventions in hospitals', *BMJ Open Quality*, 12(4). Available at: <https://doi.org/10.1136/bmjoq-2023-002276>.
- Björnsdottir, I. *et al.* (2020) 'A systematic review of the use of simulated patient methodology in pharmacy practice research from 2006 to 2016', *International Journal of Pharmacy Practice*, 28(1), pp. 13–25. Available at: <https://doi.org/10.1111/ijpp.12570>.
- Brandt, K.G., de Castro Antunes, M.M. and da Silva, G.A.P. (2015) 'Acute diarrhea: evidence-based management', *Jornal de Pediatria*, 91(6), pp. S36–S43. Available at: <https://doi.org/10.1016/j.jpmed.2015.06.002>.
- Brintz, B.J. *et al.* (2020) 'Clinical predictors for etiology of acute diarrhea in children in resource-limited settings', *PLoS Neglected Tropical Diseases*, 14(10), pp. 1–14. Available at: <https://doi.org/10.1371/journal.pntd.0008677>.
- Caramia, G. *et al.* (2015) 'Treatment of Acute Diarrhoea: Past and Now', *International Journal of Enteric Pathogens*, 3(4). Available at: <https://doi.org/10.17795/ijep28612>.
- Carpenter, D.M. *et al.* (2016) 'Counseling of children and adolescents in community pharmacies: Results from a 14-day observational study', in *Journal of the American Pharmacists Association*. Elsevier B.V., pp. 266–269.e1. Available at: <https://doi.org/10.1016/j.japh.2016.03.001>.
- Chatterjee, A. *et al.* (2021) 'The use of video for patient information and education: A scoping review of the variability and effectiveness of interventions', *Patient Education and Counseling*. Elsevier Ireland Ltd, pp. 2189–2199. Available at: <https://doi.org/10.1016/j.pec.2021.02.009>.
- Cho, J., Park, D. and Lee, H.E. (2014) 'Cognitive factors of using health apps: Systematic analysis of relationships among health consciousness, health information orientation, eHealth literacy, and health app use efficacy', *Journal of Medical Internet Research*, 16(5), pp. 1–10. Available at: <https://doi.org/10.2196/jmir.3283>.
- Collins, J.C. *et al.* (2017) 'Mystery shopping and coaching as a form of audit and feedback to improve community pharmacy management of non-prescription medicine requests: An intervention study', *BMJ Open*, 7(12). Available at:

<https://doi.org/10.1136/bmjopen-2017-019462>.

- D Sharad Gedam (2013) ‘Role of Zink in Pediatric diseases: Evidence based Guidelines’, *International Journal of Medical Research and Review*, 1(4), pp. 203–208. Available at: www.ijmrr.in.
- Das, B.P. *et al.* (2005) ‘Knowledge, attitudes and practices (KAP) regarding the management of diarrhea by pharmacists and licensed drug sellers in eastern Nepal’, *Southeast Asian Journal of Tropical Medicine and Public Health*, 36(6), pp. 1562–1567.
- Das, M. and Delhi, N. (2019) ‘Prevention of Diarrhea’, (December 2014), pp. 71–83.
- Davies, M.J. *et al.* (2014) ‘Pharmacy apps: a new frontier on the digital landscape?’, *Pharmacy Practice*, 12(3), pp. 1–11. Available at: <https://doi.org/10.4321/S1886-36552014000300009>.
- Departemen Kesehatan RI (2006) ‘Pedoman Konseling Pelayanan Kefarmasian di Rumah Sakit’, *Direktorat Bina Farmasi Komunitas Dan Klinik Direktorat Jendral Bina Kefarmasian Dan Alat Kesehatan*, p. 38.
- Dinas Kesehatan Provinsi Jawa Timur., (2020) ‘Profil Kesehatan Provinsi Jawa Timur 2019’, *Dinas Kesehatan Provinsi Jawa Tengah.*, pp. 1–123.
- Diwan, V. *et al.* (2015) ‘Treatment of pediatric diarrhea: A simulated client study at private pharmacies of Ujjain, Madhya Pradesh, India’, *Journal of Infection in Developing Countries*, 9(5), pp. 505–511. Available at: <https://doi.org/10.3855/jidc.5694>.
- Eniojukon, J.F. (2024) ‘Information technology in health care delivery: an overview’, *West African Journal of Pharmacy*, 35(1), pp. 1–21.
- Erku, D.A. and Abera, S.Y. (2018) ‘Non-prescribed sale of antibiotics for acute childhood diarrhea and upper respiratory tract infection in community pharmacies: A 2 phase mixed-methods study’, *Antimicrobial Resistance and Infection Control*, 7(1), pp. 1–7. Available at: <https://doi.org/10.1186/s13756-018-0389-y>.
- Fahrnisa, A.I.F. (2017) ‘Pendidikan Kesehatan Dengan Media Kalender “PINTARE” (Pintar Atasi Diare)’, *Jurnal of Health Education*, 2(1), pp. 47–55.
- Farthing, M. *et al.* (2013) ‘Acute Diarrhea in Adults and Children’, *Journal of Clinical Gastroenterology*, 47(1), pp. 12–20. Available at: <https://doi.org/10.1097/mcg.0b013e31826df662>.
- Federation, I.P. (2019) *mHealth Use of mobile health tools in pharmacy practice 2019*. Available at: www.fip.org.
- Fonseca, B.K. *et al.* (2004) ‘Enteral vs intravenous rehydration therapy for children with gastroenteritis: A meta-analysis of randomized controlled trials - Commentary’, *Archives de Pediatrie*, 11(11), pp. 1368–1369. Available at: [https://doi.org/10.1016/s0084-3954\(07\)70244-0](https://doi.org/10.1016/s0084-3954(07)70244-0).
- Foroughinia, F. and Zarei, P. (2016) ‘Evaluation of knowledge, attitude, and practice of community pharmacists toward administration of over-the-counter drugs for the treatment of diarrhea in children: A pretest-posttest survey’, *Journal of Research in Pharmacy Practice*, 5(3), p. 200. Available at: <https://doi.org/10.4103/2279-042x.185735>.

- García-Peñalvo, F.J. *et al.* (2018) ‘Usability test of WYRED platform’, in *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. Springer Verlag, pp. 73–84. Available at: https://doi.org/10.1007/978-3-319-91743-6_5.
- Guarino, A., Giannattasio, A. and Lo Vecchio, A. (2016) ‘Management of children with prolonged diarrhea’, *F1000Research*. Faculty of 1000 Ltd. Available at: <https://doi.org/10.12688/f1000research.7469.1>.
- Gunawan, I. and Paluti, A.R. (2017) ‘Taksonomi Bloom – Revisi Ranah Kognitif’, *E-Journal.Unipma*, 7(1), pp. 1–8.
- Haddad, M. *et al.* (2023) ‘The Role of Pharmacists in Patient Counselling for OTC Medication: A Cross-sectional Study’, *Latin American Journal of Pharmacy*, 42(3), pp. 703–709.
- Hamadouk, R.M., Arbab, A.H. and Yousef, B.A. (2021) ‘Assessment of Community Pharmacist’s Practice and Patient Counselling Toward Acute Diarrhea Treatment in Khartoum Locality: A Simulated Patient Study’, *Integrated Pharmacy Research and Practice*, Volume 10, pp. 145–152. Available at: <https://doi.org/10.2147/iprp.s340528>.
- Hamadouk RM, Arbab AH, Y.B. (2021) ‘Assessment of Community Pharmacist’s Practice and Patient Counselling Toward Acute Diarrhea Treatment in Khartoum Locality: A Simulated Patient Study’, *Integr Pharm Res Pract*, 10, pp. 145–152.
- Hardi Fardiansyah, P.M.W. (2023) *Dasar Teknologi Kesehatan Digital*. Bandung Indonesia: PENERBIT MEDIA SAINS INDONESIA.
- Hemalata, D. *et al.* (2018) ‘Patient counselling: need of hour and emerging trend’, *World Journal of Pharmaceutical and Life Sciences WJPLS*, 4(1), pp. 44–47.
- Hinchliffe, A. and Mummery, W.K. (2008) ‘Applying usability testing techniques to improve a health promotion website’, *Health Promotion Journal of Australia*, 19(1), pp. 29–35. Available at: <https://doi.org/10.1071/he08029>.
- Hitzeman, N. and Romo, C. (2011) ‘Probiotics for persistent diarrhea in children’, *American Family Physician*, 84(1), pp. 25–26. Available at: <https://doi.org/10.5281/zenodo.574854>.
- Hussain, A. and Ibrahim, M.I.M. (2012) ‘Management of diarrhoea cases by community pharmacies in 3 cities of Pakistan’, *Eastern Mediterranean Health Journal*, 18(6).
- Hussain, R. and Shakeel, S. (2020) ‘Encyclopedia of Evidence in Pharmaceutical Public Health and Health Services Research in Pharmacy’, *Encyclopedia of Evidence in Pharmaceutical Public Health and Health Services Research in Pharmacy* [Preprint], (April). Available at: <https://doi.org/10.1007/978-3-030-50247-8>.
- Ibrahim, I.R., Palaian, S. and Ibrahim, M.I.M. (2018) ‘Assessment of diarrhea treatment and counseling in community pharmacies in Baghdad, Iraq: A simulated patient study’, *Pharmacy Practice*, 16(4). Available at: <https://doi.org/10.18549/PharmPract.2018.04.1313>.
- Ilardo, M.L. and Speciale, A. (2020) ‘The community pharmacist: Perceived barriers and patient-centered care communication’, *International Journal of*

- Environmental Research and Public Health*. MDPI AG. Available at: <https://doi.org/10.3390/ijerph17020536>.
- Illahi, R.K. *et al.* (2018) ‘Short Communication The Use Of Assistive Counseling Tool “ Lung TB Care ” To Increase Patient’s Knowledge Level (A Study In Tuberculosis Patients At Malang’s Primary Health Care Centers)’, *International journal of pharmacy and pharmaceutical science*, 10(2), pp. 2–5.
- Imanadhia, A., Ranuh, I.R.G. and Nuswantoro, D. (2019) ‘Etiology Based on Clinical Manifestation of Acute Diarrhea Incidence of Children Hospitalized in Dr. Soetomo General Hospital Surabaya Period 2011-2013’, *Biomolecular and Health Science Journal*, 2(1), p. 31. Available at: <https://doi.org/10.20473/bhsj.v2i1.12744>.
- Iqbal, T. and Bahrani, B. (2019) ‘Evaluasi Usability Test e-Repository dengan menggunakan Metode Nielsen’s Attributes of Usability (NAU)’, *Jurnal JTik (Jurnal Teknologi Informasi dan Komunikasi)*, 3(2), p. 40. Available at: <https://doi.org/10.35870/jtik.v3i2.85>.
- Jaisue, S. *et al.* (2017) ‘Dispensing pattern for acute non-infectious diarrhoea in children at community pharmacies in Thailand’, *Journal of Pharmacy Practice and Research*, 47(5), pp. 383–388. Available at: <https://doi.org/10.1002/jppr.1345>.
- K. Mohiuddin, A. (2019) ‘The Excellence of Pharmacy Service: Past, Present and Future’, *International Journal of Clinical and Developmental Anatomy*, 5(2), p. 11. Available at: <https://doi.org/10.11648/j.ijcda.20190502.12>.
- Kanungo, S. *et al.* (2014) ‘Diarrhoea-related knowledge and practice of physicians in urban slums of Kolkata, India’, *Epidemiology and Infection*, 142(2), pp. 314–326. Available at: <https://doi.org/10.1017/S0950268813001076>.
- Karuniawati, H., Putra, O.N. and Wikantyasning, E.R. (2019) ‘Impact of pharmacist counseling and leaflet on the adherence of pulmonary tuberculosis patients in lungs hospital in Indonesia’, *Indian Journal of Tuberculosis*, 66(3), pp. 364–369. Available at: <https://doi.org/10.1016/j.ijtb.2019.02.015>.
- Kayyali, R. *et al.* (2017) ‘Awareness and Use of mHealth Apps: A Study from England’, *Pharmacy*, 5(2), p. 33. Available at: <https://doi.org/10.3390/pharmacy5020033>.
- Kemendes (2016) *PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 73 TAHUN 2016*. Jakarta.
- Kemendes RI (2015) *Buku Saku Lintas Diare untuk Petugas Kesehatan*. Jakarta: Kementerian Kesehatan Republik Indonesia.
- Kementerian Kesehatan Republik Indonesia (2021) ‘Cetak Biru Strategi Transformasi Digital Kesehatan 2024’, *Kementerian Kesehatan Republik Indonesia*, pp. 1–78.
- Kemendagri Kesehatan Republik Indonesia (2011) *Buku Saku Petugas Kesehatan Lintas Diare, Departemen Kesehatan RI, Direktorat Jendral Pengendalian Penyakit dan Penyehatan Lingkungan*.
- Khawiwada, A.P. *et al.* (2022) ‘Continuing Pharmacy Education: Exploring the Status and Future Prospects in Nepal’, *Advances in Medical Education and*

- Practice*, 13(April), pp. 419–425. Available at: <https://doi.org/10.2147/AMEP.S353455>.
- Kunow, C. and Langer, B. (2021) ‘Using The Simulated Patient Methodology To Assess The Quality Of Counselling In German Community Pharmacies: A Systematic Review From 2005 To 2018’, *International Journal of Pharmacy and Pharmaceutical Sciences*, pp. 10–19. Available at: <https://doi.org/10.22159/ijpps.2021v13i1.40034>.
- Kushendriawan, M.A. *et al.* (2021) *Evaluating User Experience of a Mobile Health Application Halodoc using User Experience Questionnaire and Usability Testing*, *Journal of Information System*.
- Laila Ali Layqah, Yousif S. Alakeel, J.Z.S. (2018) ‘The Practice of Counseling in Pharmacy :Patients’ Perspectives’, *Asian J. Res. Pharm. Sci.*, 8(3), pp. 170–176.
- Lanata, C.F. *et al.* (2013) ‘Global Causes of Diarrheal Disease Mortality in Children <5 Years of Age: A Systematic Review’, *PLoS ONE*, 8(9). Available at: <https://doi.org/10.1371/journal.pone.0072788>.
- Langer, B. *et al.* (2018) ‘Assessment of counselling for acute diarrhoea in German pharmacies: a simulated patient study’, *International Journal of Pharmacy Practice*, 26(4), pp. 310–317. Available at: <https://doi.org/10.1111/ijpp.12405>.
- Layqah, L. (2018) ‘The practice of counseling in pharmacy: patients’ perspectives’, *Journal of Analytical & Pharmaceutical Research*, 7(4), pp. 472–476. Available at: <https://doi.org/10.15406/japlr.2018.07.00269>.
- Leonard Sumadi Jap, A. (2021) ‘Diare Akut pada Anak yang Disebabkan oleh Infeksi Acute Diarrhea Caused by Infection in Children’, *Jurnal Kedokteran Meditek*, 27(3), pp. 282–288.
- Malik, U.R. *et al.* (2021) ‘A simulated client exploration of nonprescription dispensing of antibiotics at drugstores for pediatric acute diarrhea and upper respiratory infection in Lahore, Pakistan’, *Infection and Drug Resistance*, 14, pp. 1129–1140. Available at: <https://doi.org/10.2147/IDR.S301812>.
- Mantel-Teeuwisse, A.K. *et al.* (2021) ‘Digital health in pharmacy education: Preparedness and responsiveness of pharmacy programmes’, *Education Sciences*, 11(6). Available at: <https://doi.org/10.3390/educsci11060296>.
- Mao, Y., Zhang, Y. and Zhai, S. (2008) ‘Mobile phone text messaging for pharmaceutical care in a hospital in China’, *Journal of Telemedicine and Telecare*, 14(8), pp. 410–414. Available at: <https://doi.org/10.1258/jtt.2008.080406>.
- Maryam Handam Al Badi, H.R.C. (2015) ‘Smartphone Applications For Improved Pharmaceutical Care’, *International Jorunal of Pharmaceuticak Science and Research*, 6(5), pp. 1000–07. Available at: [https://doi.org/10.13040/IJPSR.0975-8232.6\(5\).1000-07](https://doi.org/10.13040/IJPSR.0975-8232.6(5).1000-07).
- Mengistu, G. *et al.* (2019) ‘Self-Reported and Actual Involvement of Community Pharmacy Professionals in the Management of Childhood Diarrhea: A Cross-Sectional and Simulated Patient Study at two Towns of Eastern Ethiopia’, *Clinical Medicine Insights: Pediatrics*, 13, p. 117955651985538. Available at: <https://doi.org/10.1177/1179556519855380>.

- Merghani Ali, E. *et al.* (2022) ‘Self-reported and the actual involvement of community pharmacy professionals in the management of acute childhood diarrhea in Jazan Province, Saudi Arabia: Simulated patient visits and survey study’, *Saudi Pharmaceutical Journal*, 30(10), pp. 1497–1506. Available at: <https://doi.org/10.1016/j.jsps.2022.07.012>.
- Mesquita, A.R. *et al.* (2013) ‘Assessment of pharmacist’s recommendation of non-prescription medicines in Brazil: A simulated patient study’, *International Journal of Clinical Pharmacy*, 35(4), pp. 647–655. Available at: <https://doi.org/10.1007/s11096-013-9787-7>.
- Mikhael, E.M., Al-Hamadani, F.Y. and Hadi, A.M. (2023) ‘Evaluating the Benefits of Using Mobile Application (diarrhea management step by step) in the Management of Diarrhea by Community Pharmacists’, *Iraqi Journal of Pharmaceutical Sciences*, 32(1), pp. 245–256. Available at: <https://doi.org/10.31351/vol32iss1pp245-256>.
- Mohiuddin (2019) ‘Patient Counseling: a Complete Guide for Compliance’, *Journal of Applied Pharmaceutical Sciences and Research*, 1(4), pp. 1–10. Available at: <https://doi.org/10.31069/japsr.v1i4.1>.
- Moller, A. C., Merchant, G., Conroy, D. E., West, R., Hekler, E., Kugler, K. C., & Michie, S. (2017) ‘Applying and advancing behavior change theories and techniques in the context of a digital health revolution: proposals for more effectively realizing untapped potential’, *of Behavioral Medicine*, 40(1), pp. 85–98. Available at: <https://doi.org/https://doi.org/10.1007/s10865-016-9818-7>.
- Munos, M.K., Fischer Walker, C.L. and Black, R.E. (2010) ‘The effect of oral rehydration solution and recommended home fluids on diarrhoea mortality’, *International Journal of Epidemiology*, 39(SUPPL. 1). Available at: <https://doi.org/10.1093/ije/dyq025>.
- Nadem, S. (2023) ‘Awareness and approach in a sample of Community Pharmacists’ towards Patient Counseling in Thi-Qar/ Iraq and providing the appropriate solutions for the development of counseling’, *University of Thi-Qar Journal of Science*, 10(1), pp. 154–157. Available at: <https://doi.org/10.32792/utq/utjsci/v10i1.1051>.
- Ningsih, L.F. *et al.* (2021) ‘Apa yang direkomendasikan apoteker untuk tatalaksana diare akut pada anak? Sebuah survei di wilayah timur Kota Surabaya’, *Jurnal Manajemen dan Pelayanan Farmasi*, 11(1), p. 39. Available at: <https://doi.org/10.22146/jmpf.59719>.
- Notoatmodjo (2012) *Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Nugraheni, A.Y., Sari, I.P. and Andayani, T.M. (2015) ‘Pengaruh Konseling Apoteker Dengan Alat Bantu Pada Pasien Diabetes Melitus’, *Manajemen dan Pelayanan Farmasi*, 5(4), pp. 233–240.
- Octafelia, Y. *et al.* (2021) ‘Community Pharmacists’ Recommendations in Handling a Self-Medication Request for Bloody Diarrhea: A Survey in an Indonesian Urban Setting’, *Indonesian Journal of Clinical Pharmacy*, 10(4), pp. 289–302. Available at: <https://doi.org/10.15416/ijcp.2021.10.4.289>.
- Ogbo, P.U., Aina, B.A. and Aderemi-Williams, R.I. (2014) ‘Management of acute

- diarrhea in children by community pharmacists in Lagos, Nigeria’, *Pharmacy Practice (Internet)*, 12(1), pp. 00–00. Available at: <https://doi.org/10.4321/s1886-36552014000100002>.
- Oh, Y. *et al.* (2002) ‘Pharmacist time requirements for counseling in an outpatient pharmacy’, *American Journal of Health-System Pharmacy*, 59(23), pp. 2346–2355. Available at: <https://doi.org/10.1093/ajhp/59.23.2346>.
- Page, M.J. *et al.* (2021) ‘The PRISMA 2020 statement: An updated guideline for reporting systematic reviews’, *The BMJ*, 372, pp. 2020–2021. Available at: <https://doi.org/10.1136/bmj.n71>.
- Pediatri, S., Vol, S. and Metoda, S. (2005) ‘Pola Tata laksana Diare Akut di Beberapa Rumah Sakit Swasta di Jakarta’, (4), pp. 2–7.
- Pereira, L.M.P. (2004) ‘Erratum: “Community pharmacists” knowledge and dispensing recommendations for treatment of acute diarrhoea in Trinidad, West Indies’ (International Journal of Clinical Practice)’, *International Journal of Clinical Practice*, 58(9), pp. 899–900. Available at: <https://doi.org/10.1111/j.1742-1241.2004.0429b.x>.
- Pham, D.M. *et al.* (2013) ‘Improving Pharmacy Staff Knowledge and Practice on Childhood Diarrhea Management in Vietnam: Are Educational Interventions Effective?’, *PLoS ONE*, 8(10). Available at: <https://doi.org/10.1371/journal.pone.0074882>.
- Philip O Anderson, Susan M McGuinness, P.E.B. (2010) *Pharmacy Informatics, Sustainability (Switzerland)*. United States of America: CRS Press Taylor and Francis Group.
- Della Polla, G. *et al.* (2020) ‘Knowledge, attitudes, and practices towards infectious diseases related to travel of community pharmacists in Italy’, *International Journal of Environmental Research and Public Health*, 17(6). Available at: <https://doi.org/10.3390/ijerph17062147>.
- Pramestutie, H.R. *et al.* (2018) ‘The Influence Of Sukses Ber-KB Counseling Tool To Knowledge Of Oral Contraceptive Acceptors At Pharmacies In Malang’, *Asian Journal of Pharmaceutical and clinical Research*, 11(4).
- Pramestutie, H.R. *et al.* (2023) ‘Using the Simulated Patient Method to Evaluate the Community Pharmacy Management of Childhood Diarrhoea: A Systematic Review’, *Malaysian Journal of Medical Sciences*, 30(5), pp. 52–69. Available at: <https://doi.org/10.21315/mjms2023.30.5.5>.
- Putri, A.E. *et al.* (2024) ‘Knowledge, attitudes, and practices of hospital pharmacists regarding clinically relevant drug interactions: A multi-center regional survey in Indonesia’, *Pharmacia*, 71, pp. 1–9. Available at: <https://doi.org/10.3897/pharmacia.71.130998>.
- Radlović, N. *et al.* (2015) ‘Acute diarrhea in children’, *Srpski Arhiv za Celokupno Lekarstvo*, 143(11–12), pp. 755–762. Available at: <https://doi.org/10.2298/SARH1512755R>.
- Rendang Indriyani, D.P. and Putra, I.G.N.S. (2020) ‘Penanganan terkini diare pada anak: tinjauan pustaka’, *Intisari Sains Medis*, 11(2), p. 928. Available at: <https://doi.org/10.15562/ism.v11i2.848>.
- Riddle, M.S., Dupont, H.L. and Connor, B.A. (2016) ‘ACG clinical guideline: Diagnosis, treatment, and prevention of acute diarrheal infections in adults’,

- American Journal of Gastroenterology*. Nature Publishing Group, pp. 602–622. Available at: <https://doi.org/10.1038/ajg.2016.126>.
- Riskesdas (2018) *Laporan Provinsi Jawa Timur RISKESDAS 2018*, Kementerian Kesehatan RI.
- RISKESDAS (2018) *LAPORAN PROVINSI JAWA TIMUR RISKESDAS 2018*.
- Rivkin A, Y.H. (2011) 'Evaluation of the role of the critical care pharmacist in identifying and avoiding or minimizing significant drug-drug interactions in medical intensive care patients', *J Crit Care.*, 26(1), pp. 104.e1–6.
- Da Rocha, C.E. *et al.* (2015) 'Assessment of community pharmacists' counseling practices with simulated patients who have minor illness: A pilot study', *Simulation in Healthcare*, 10(4), pp. 227–238. Available at: <https://doi.org/10.1097/SIH.0000000000000100>.
- Sancar, M. *et al.* (2015) 'Assessment of the attitude of community pharmacists and pharmacy technicians towards diarrhea: A simulated patient study in Turkey', *Tropical Journal of Pharmaceutical Research*, 14(8), pp. 1509–1515. Available at: <https://doi.org/10.4314/tjpr.v14i8.26>.
- Sanii, Y. *et al.* (2016) 'Role of pharmacist counseling in pharmacotherapy quality improvement', *Journal of Research in Pharmacy Practice*, 5(2), p. 132. Available at: <https://doi.org/10.4103/2279-042x.179580>.
- Saqib, A. *et al.* (2019) 'Factors affecting patients' knowledge about dispensed medicines: A Qualitative study of healthcare professionals and patients in Pakistan', *PLoS ONE*, 13(6). Available at: <https://doi.org/10.1371/journal.pone.0197482>.
- Shafiekhani, M. *et al.* (2019) 'Impact of clinical pharmacist's interventions on potential drug–Drug interactions in the cardiac care units of two university hospitals in Shiraz, South of Iran', *Journal of Research in Pharmacy Practice*, 8(3), p. 143. Available at: https://doi.org/10.4103/jrpp.jrpp_18_88.
- Shaikh Sana Perveen, Shweta Surve, N.R. (2020) 'Descriptive Analysis of Quality of Information of Drugs on Android-Based Indian Online Pharmacy Applications: a Preliminary Analysis', *Asian Journal of Pharmaceutical and Clinical Research*, 13(5), pp. 93–96. Available at: <https://doi.org/10.22159/ajpcr.2020.v13i5.37099>.
- Sharfina, Z. and Santoso, H.B. (2017) 'An Indonesian adaptation of the System Usability Scale (SUS)', *2016 International Conference on Advanced Computer Science and Information Systems, ICACISIS 2016*, pp. 145–148. Available at: <https://doi.org/10.1109/ICACISIS.2016.7872776>.
- Showande, S.J. and Laniyan, M.W. (2022) 'Patient medication counselling in community pharmacy: evaluation of the quality and content', *Journal of Pharmaceutical Policy and Practice*, 15(1). Available at: <https://doi.org/10.1186/s40545-022-00502-3>.
- Sobral, S.R. (2021) 'Bloom's taxonomy to improve teaching-learning in introduction to programming', *International Journal of Information and Education Technology*, 11(3), pp. 148–153. Available at: <https://doi.org/10.18178/ijiet.2021.11.3.1504>.
- Steve Kagen, A.G. (2019) 'Asthma and Allergy Mobile Apps in 2018', *Current*

- Allergy and Asthma Reports*, 19(1), pp. 1–6. Available at: <http://www.embase.com/search/results?subaction=viewrecord&from=export&id=L626233983%0Ahttp://dx.doi.org/10.1007/s11882-019-0840-z>.
- Tais Freire Galvao, Maria Fernanda Reis e Silva Thees, Rossana Ferreira Pontes, Marcus Tolentino Silva, M.G.P. (2013) 'Zink supplementation for treating diarrhea in children : a systematic review and meta-analysis', *Rev Panam Salud Publica*, 33(5), pp. 370–377.
- Thapar, N. and Sanderson, I.R. (2004) 'Diarrhoea in children: An interface between developing and developed countries', *Lancet*. Elsevier B.V., pp. 641–653. Available at: [https://doi.org/10.1016/S0140-6736\(04\)15599-2](https://doi.org/10.1016/S0140-6736(04)15599-2).
- Tong, A., Sainsbury, P. and Craig, J. (2007) 'Consolidated criteria for reporting qualitative research (COREQ): A 32-item checklist for interviews and focus groups', *International Journal for Quality in Health Care*, 19(6), pp. 349–357. Available at: <https://doi.org/10.1093/intqhc/mzm042>.
- Usman, M.L.L. and Gustalika, M.A. (2022) 'Penguujian Validitas dan Reliabilitas System Usability Scale (SUS) Untuk Perangkat Smartphone', *Jurnal Ecotipe (Electronic, Control, Telecommunication, Information, and Power Engineering)*, 9(1), pp. 19–24. Available at: <https://doi.org/10.33019/jurnalecotipe.v9i1.2805>.
- WHO (2018) *Classification of Digital Health Interventions v1.0*.
- WHO (2019) *WHO guideline recommendations on digital interventions for health system strengthening, Food and Nutrition Bulletin*. Geneva. Available at: <https://doi.org/10.1177/156482658000200103>.
- Wissam Zam, R.D. (2020) 'Overview of the Probiotics' role in Gastrointestinal disorders.', *Research J. Pharm. and Tech.*, 13(11), pp. 5557–5561.
- World Health Organization (2020) 'Diarrhoeal Disease', in. World Health Organization website.
- World Health Organization (2010) *WHO recommendations on the management of diarrhoea and pneumonia in HIV-infected infants and children, World Health Organization*. Geneva.
- Yumarlin M (2016) 'Evaluasi Penggunaan Website Universitas Janabadra Dengan Menggunakan Metode Usability Testing', *Jurnal Informasi Interaktif*, 1(1).
- Yusoff, M.S.B. (2019) 'ABC of Content Validation and Content Validity Index Calculation', *Education in Medicine Journal*, 11(2), pp. 49–54. Available at: <https://doi.org/10.21315/eimj2019.11.2.6>.
- Zaid, B., Jamaludin, R. and Wafaa, B. (2012) 'A Comparative Study of Usability Methods for Mobile Applications', *International Journal of Scientific & Engineering Research*, 3(8). Available at: <http://www.ijser.org>.
- Zhao, J., Freeman, B. and Li, M. (2016) 'Can mobile phone apps influence people's health behavior change? An evidence review', *Journal of Medical Internet Research*, 18(11), pp. 1–12. Available at: <https://doi.org/10.2196/jmir.5692>.
- Zulkarnain and Dkk (2021) *Informasi Teknologi di Bidang Kesehatan*.
- Zwisler, G., Simpson, E. and Moodley, M. (2013) 'Treatment of diarrhea in young children: Results from surveys on the perception and use of oral rehydration solutions, antibiotics, and other therapies in India and Kenya', *Journal of Global Health*, 3(1). Available at: <https://doi.org/10.7189/jogh.03.010403>.



**Pengembangan Aplikasi "EDINATEK : Edukasi Diare Anak Oleh Apoteker" Berbasis Android
Sebagai**

Alat Bantu Konseling Apoteker Di Apotek Wilayah Malang Raya

Hananditia Rachma Pramestutie, Prof. Dr. apt. Susi Ari Kristina., M.Kes; dr. M Lutfan Lazuardi, M.Kes., PhD; 3. apt. A

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>