UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbasnezhad N., Zirak N., Shirinbayan M., Tcharkhtchi A., Bakir F. 2021. On the importance of physical and mechanical properties of PLGA films during drug release. *J. Drug Deliv. Sci. Technol.* 63:102446.

Abbasnezhad N., Kebdani M., Shirinbayan M., Champmartin S., Tcharkhtchi A., Kouidri S., Bakir F. (2021). Development of a model based on physical mechanisms for the explanation of drug release: Application to diclofenac release from polyurethane films. *Polymers.*

Abbasnezhad, N., Zirak, N., Champmartin, S., Shirinbayan, M., & Bakir, F. (2022). An Overview of In Vitro Drug Release Methods for Drug-Eluting Stents. *Polymers*, *14*(13), 2751.

Abourehab, M. A. S., Pramanik, S., Abdelgawad, M. A., Abualsoud, B. M., Kadi, A., Ansari, M. J., & Deepak, A. (2022). Recent Advances of Chitosan Formulations in Biomedical Applications. *International journal of molecular sciences*, *23*(18), 10975.

Al-Mangour, B., Dallala, R., Zhim, F., Mongrain, R., & Yue, S. (2013). Fatigue behavior of annealed cold-sprayed 316L stainless steel coating for biomedical applications. *Materials Letters*, *91*, 352-355.

Acharya G, Park K. (2006) Mechanisms of Controlled Drug Release From Drug-Eluting Stents. Adv Drug Delivery Rev. 58(3):387–401.

Ardatov, K. V., & Nushtaev, D. V. (2018). Deformation characteristics of coronary stents of the matrix and continuous sinusoidal types in free expansion: Computer simulation. Современные технологии в медицине, 10(2 (eng)), 31-35.

Ahmadi, F., Oveisi, Z., Samani, S. M., & Amoozgar, Z. (2015). Chitosan based hydrogels: characteristics and pharmaceutical applications. Research in pharmaceutical sciences, 10(1), 1–16.

Ahuja, R., Kumari, N., Srivastava, A., Bhati, P., Vashisth, P., Yadav, P. K., ... & Bhatnagar, N. (2020). Biocompatibility analysis of PLA based candidate materials for cardiovascular stents in a rat subcutaneous implant model. Acta Histochemica, 122(7), 151615.

Alexeeva, O. V., Konstantinova, M. L., Siracusa, V., Podmasterev, V. V., Martirosyan, L. Y., Karyagina, O. K., Kozlov, S. S., Lomakin, S. M., Tretyakov, I. V., Petrova, T. V., & Iordanskii, A. L. (2024). Characterization and Evaluation of Zero-Order Release System Comprising Glycero-(9,10-trioxolane)-trialeate and PLA: Opportunity for Packaging and Biomedicine Applications. Polymers, 16(24), 3554.

Allison S. D. (2008). Analysis of initial burst in PLGA microparticles. Expert opinion on drug delivery, 5(6), 615–628.

Alkekhia, D., Hammond, P. T., & Shukla, A. (2020). Layer-by-layer biomaterials for drug delivery. Annual review of biomedical engineering, 22, 1-24.

Arbeiter, D., Reske, T., Teske, M., Bajer, D., Senz, V., Schmitz, K. P., ... & Oschatz, S. (2021). Influence of drug incorporation on the physico-chemical properties of poly (L-lactide) implant coating matrices—A systematic study. Polymers, 13(2), 292.

AOAC. (2023). Guidelines for Standard Method Performance Requirements. Official Methods of Analysis of AOAC INTERNATIONAL.

Asadi, M., Salehi, Z., Akrami, M., Hosseinpour, M., Jockenhövel, S., & Ghazanfari, S. (2023). 3D printed pH-responsive tablets containing

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

N-acetylglucosamine-loaded methylcellulose hydrogel for colon drug delivery applications. International Journal of Pharmaceutics, 645, 123366.

Ashgriz, N. (Ed.). (2011). Handbook of atomization and sprays: theory and applications. Springer Science & Business Media.

Asis, M. A., Purnawansyah, P., & Manga, A. R. (2020). Penerapan System Development Life Cycle pada Sistem Validasi Metode Analisis Sediaan Farmasi. Buletin Sistem Informasi dan Teknologi Islam (BUSITI), 1(3), 145-149.

Asumi, K., Fukunaga, R., Fujimura, T., & Kurosawa, M. K. (2009). High speed, high resolution ultrasonic linear motor using V-shape two bolt-clamped Langevin-type transducers. Acoustical science and technology, 30(3), 180-186.

Babapulle MN. (2002). Coated Stents for the Prevention of Restenosis: Part II. Circulation. 106(22):2859–2866.

Baggi, R. B., & Kilaru, N. B. (2016). Calculation of predominant drug release mechanism using Peppas-Sahlin model, Part-I (substitution method): A linear regression approach. Asian Journal of Pharmacy and Technology, 6(4), 223-230.

Banakar, U.V. 1992. Pharmaceutical Dissolution Testing. New York: Marcel Dekker Inc.

Baker, R. W., & Lonsdale, H. K. (1974). Controlled release: mechanisms and rates. Advances in experimental medicine and biology, 15-71.

Basalus, M. W., Ankone, M. J., van Houwelingen, K. G., de Man, F. H., & von Birgelen, C. (2009). Coating irregularities of durable polymer-based drug-eluting stents as assessed by scanning electron microscopy. EuroIntervention, 5(1), 157-165.

Bedair, T. M., Park, W., Park, B. J., Moon, M. W., Lee, K. R., Joung, Y. K., & Han, D. K. (2018). Dual-layer coated drug-eluting stents with improved degradation morphology and controlled drug release. Macromolecular Research, 26(7), 641-649.

Belu, A., Mahoney, C., & Wormuth, K. (2008). Chemical imaging of drug eluting coatings: Combining surface analysis and confocal Raman microscopy. Journal of Controlled Release, 126(2), 111–121.

Berger, H. L. (2006). Coating drug-eluting arterial stents using ultrasonic spray nozzles. In ILASS Americas, 19th Annual Conference on Liquid Atomization and Spray Systems.

Bernabé-Pineda, M., Ramírez-Silva, M., Romero-Romo, M., González-Vergara, E., & Rojas-Hernández, A. (2004). Spectrophotometric and electrochemical determination of the formation constants of the complexes Curcumin-Fe(III)-water and Curcumin-Fe(II)-water.. Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy, 60 5, 1105-13 .

Bernabé-Pineda, M., Ramírez-Silva, M. T., Romero-Romo, M., González-Vergara, E., & Rojas-Hernández, A. (2004). Determination of acidity constants of curcumin in aqueous solution and apparent rate constant of its decomposition. Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, 60(5), 1091-1097.

Berger, S., & Sicker, D. (2009). Classics in spectroscopy: isolation and structure elucidation of natural products. John Wiley & Sons.

Bharat AB, Indra BD, Ichikawa H, Ahn KS, Sethi G, Sandur SK, et al. (2005). Curcumin Biological and Medicinal Properties. p. 297-368.

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Bhowmik, D., Gopinath, H., Kumar, B., , S., & Kumar, K. (2012). Controlled Release Drug Delivery Systems. The Pharma Innovation Journal, 1, 24-32.

Balakrishnan, B., Tzafriri, A. R., Seifert, P., Groothuis, A., Rogers, C., &Edelman, E. R. (2005). Strut position, blood flow, and drug deposition : Implications for single and overlapping drug-eluting stents. Circulation (New York, N.Y.), 109 111(22), 2958–2965.

Bianchini, M., Zinno, C., Micera, S., & Redolfi Riva, E. (2023). Improved Physiochemical Properties of Chitosan@PCL Nerve Conduits by Natural Molecule Crosslinking. Biomolecules, 13(12), 1712.

Borhani, S., Hassanajili, S., Ahmadi Tafti, S. H., & Rabbani, S. (2018). Cardiovascular stents: overview, evolution, and next generation. In Progress inBiomaterials (Vol. 7). Springer Berlin Heidelberg.

Buccheri D, Piraino D, Andolina G, Cortese B. 2016. Understanding and managing in-stent restenosis: a review of clinical data, from pathogenesis to treatment. *J. Thorac. Dis.* 8, E1150–E1162.

Budari, M. K. S., Dewantara, I. G., & Wijayanti, N. P. A. D. (2015). Validasi Metode Analisis Penetapan Kadar?-Mangostin pada Gel Ekstrak Kulit Buah Manggis (Garcinia Mangostana L.) dengan Klt-spektrofotodensitometri. Jurnal Farmasi Udayana, 4(2), 279871.

Bumgardner JD, Wiser R, Elder SH, Jouett R, Yang Y, Ong JL. (2003). Contact angle, protein adsorption and osteoblast precursor cell attachment to chitosan coatings bonded to titanium. J Biomater Sci Polym Ed. 14(12).

Busch, R., Strohbach, A., Rethfeldt, S., Walz, S., Busch, M., Petersen, S., …Sternberg, K. (2014). New stent surface materials: The impact of polymer- dependent interactions of human endothelial cells, smooth muscle cells, and platelets. Acta Biomaterialia, 10(2), 688–700.

Bruschi, M. L. (2015). Strategies to modify the drug release from pharmaceutical systems. Woodhead Publishing.

Byrne, R. A., Kastrati, A., Massberg, S., Wieczorek, A., Laugwitz, K. L., Hadamitzky, M., & ISAR-TEST 4 Investigators. (2011). Biodegradable polymer versus permanent polymer drug-eluting stents and everolimus-versus sirolimus-eluting stents in patients with coronary artery disease: 3-year outcomes from a randomized clinical trial. *Journal of the American College of Cardiology*, *58*(13), 1325-1331.

Byrne, R. A., Joner, M., Tada, T., & Kastrati, A. (2012). Restenosis in bare metal and drug-eluting stents: distinct mechanistic insights from histopathology and optical intravascular imaging. Minerva Cardioangiologica, 60(5), 473–489.

Bønaa, K. H., Mannsverk, J., Wiseth, R., Aaberge, L., Myreng, Y., Nygård, O., ... & Nordrehaug, J. E. (2016). Drug-eluting or bare-metal stents for coronary artery disease. New England Journal of Medicine, 375(13), 1242-1252

Cai, T., 2023, Improved Drug Release with a Multilayer Coating for a Biodegradable Drug-Eluting Stent, M.Sc, Thesis : University of Otago

Camenzind, E., Steg, P. G. & Wijns, W. Stent thrombosis late after implantation of first-generation drug-eluting stents: a cause for concern. *Circulation 115, 1440–1455 (2007).*

Chainani-Wu, N. (2003). Safety and anti-inflammatory activity of curcumin: a component of tumeric (Curcuma longa).. Journal of alternative and complementary medicine, 9 1, 161-8 .

Cao. S, J. Chen, and J. Hu, (2009). The fabrication and progress of core-shell composite materials," Australian Journal of Chemistry, vol. 62, no. 12, pp. 1561–1576.

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Cao, S., Zhang, Y., Zhou, L., Chen, J., Fang, L., Fei, D., ... & Ge, Y. (2014). Stimuli-responsive controlled release and molecular transport from hierarchical hollow silica/polyelectrolyte multilayer formulations. Journal of Materials Chemistry B, 2(41), 7243-7249.

Cauich-Rodriguez JV, Deb S, Smith R. (1996). Effect of cross-linking agents on the dynamic mechanical properties of hydrogel blends of poly(acrylic acid)-poly(vinyl alcohol-vinyl acetate. Biomaterials 17:2259–64.

Cairns, M.-L., Dickson, G. R., Orr, J. F., Farrar, D., Hawkins, K., & Buchanan, F. J. (2011). Electron-beam treatment of poly(lactic acid) to control degradation profiles. Polymer Degradation and Stability, 96(1), 76–83.

Chen H.W. and H.C. Huang, (1998). "Effect of curcumin on cell cycle progression and apoptosis in vascular smooth muscle cells," British Journal of Pharmacology, 124, pp. 1029-1040.

Chen, M. C., Liang, H. F., Chiu, Y. L., Chang, Y., Wei, H. J., & Sung, H. W. (2005). A novel drug-eluting stent spray-coated with multi-layers of collagen and sirolimus. Journal of controlled release, 108(1), 178-189.

Chen, M. C., Chang, Y., Liu, C. T., Lai, W. Y., Peng, S. F., Hung, Y. W., ... & Sung, H. W. (2009). The characteristics and in vivo suppression of neointimal formation with sirolimus-eluting polymeric stents. Biomaterials, 30(1), 79-88

Chen, D., Tao, X., Wang, Y., Tian, F., Wei, Y., Chen, G. ... Chen, G. (2015). Curcumin accelerates reendothelialization and ameliorates intimal hyperplasia in balloon-injured rat carotid artery via the upregulation of endothelial cell autophagy. International Journal of Molecular Medicine, 36, 1563-1571. https://doi.org/10.3892/ijmm.2015.2365

Chen, Y., Zeng, Y., Zhu, X., Miao, L., Liang, X., Duan, J., Li, H., Tian, X., Pang, L., Wei, Y., & Yang, J. (2020). Significant difference between sirolimus and paclitaxel nanoparticles in anti-proliferation effect in normoxia and hypoxia: The basis of better selection of atherosclerosis treatment. *Bioactive Materials*, 6, 880 - 889.

Cheng KK, Yeung CF, Ho SW, Chow, SF, Chow AHL, Baum L. 2012. Highly Stabilized Curcumin Nanoparticles Tested in an In Vitro Blood – Brain Barrier Model and in Alzheimer's Disease Tg2576 Mice, AAPS Journal, 15(2); 324-335.

Chopade, J., & Hujare, D. P. (2023). Polymer Coated Drug Eluting Stent for Cardiovascular Diseases. *Polymer*, 40(3).

Ciocîlteu, Maria-Viorica, Rău Gabriela, Manuel Ovidiu Amzoiu, Denisa Constantina Amzoiu, Cătălina Gabriela Pisoschi, and Beatrice Anne-Marie Poenariu. (2023). "PLGA-The Smart Biocompatible Polymer: Kinetic Degradation Studies and Active Principle Release." Current Health Sciences Journal 49, no. 3 : 416.

Colinet, I., Dulong, V., Mocanu, G., Picton, L., & Le Cerf, D. (2010). Effect of chitosan coating on the swelling and controlled release of a poorly water-soluble drug from an amphiphilic and pH-sensitive hydrogel. International journal of biological macromolecules, 47(2), 120–125.

Cook, S., & Windecker, S. (2009). Early stent thrombosis: past, present, and future. *Circulation*, *119*(5), 657-659.

Costa, P., & Lobo, J. M. S. (2001). Modeling and comparison of dissolution profiles. European journal of pharmaceutical sciences, 13(2), 123-133.

Costa M.A., Simon D.I. 2005. Molecular basis of restenosis and drug-eluting stents. *Circulation* 111, 2257–2273.

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Costa RA, Lansky AJ, Abizaid A, Müeller R, Tsuchiya Y, Mori K, Cristea E, Leon MB, Eduardo Sousa J, Schmidt T. 2006. Angiographic results of the first human experience with the biolimus A 9 drug-eluting stent for de novo coronary lesions. *American Journal of Cardiology.* 98:443–446.

Cox, P. J., Khan, K. A., Munday, D. L., & Sujja-Areevath, J. (1999). Development and evaluation of a multiple-unit oral sustained release dosage form for S (+)-ibuprofen: preparation and release kinetics. International journal of pharmaceutics, 193(1), 73-84.

Currie, L. A. (1995). Nomenclature in evaluation of analytical methods including detection and quantification capabilities (IUPAC Recommendations 1995). Pure and applied chemistry, 67(10), 1699-1723.

Dake, M. D., Alstine, W. G. Van, Zhou, Q., & Ragheb, A. O. (2011). Polymer-free Paclitaxel-coated Zilver PTX Stents — Evaluation of Pharmacokinetics and Comparative Safety in Porcine Arteries. Journal of Vascular and Interventional Radiology, 22(5), 603–610

Daniel, J. M., Dutzmann, J., Brunsch, H., Bauersachs, J., Braun-Dullaeus, R., & Sedding, D. G. (2017). Systemic application of sirolimus prevents neointima formation not via a direct anti-proliferative effect but via its anti-inflammatory properties. *International Journal of Cardiology*, *238*, 79-91.

Dash, S., Murthy, P. N., Nath, L., & Chowdhury, P. (2010). Kinetic modeling on drug release from controlled drug delivery systems. Acta Pol Pharm, 67(3), 217-223.

De Azevedo, C., Stosch, M., Costa, M., Ramos, A., Cardoso, M., Danhier, F., Préat, V., & Oliveira, R. (2017). Modeling of the burst release from PLGA micro- and nanoparticles as function of physicochemical parameters and formulation characteristics.. International journal of pharmaceutics, 532 1, 229-240 .

De Clercq, K., Schelfhout, C., Bracke, M., De Wever, O., Van Bockstal, M., Ceelen, W., ... & Vervaet, C. (2016). Genipin-crosslinked gelatin microspheres as a strategy to prevent post surgical peritoneal adhesions: In vitro and in vivo characterization. Biomaterials, 96, 33-46.

Douglas, P. S. (2009). Clinical effectiveness of coronary stents in elderly persons: results from 262,700 Medicare patients in the American College of Cardiology National Cardiovascular Data Registry. *J. Am. Coll. Cardiol*. 53, 1629–1641.

Du, R., Wang, Y., Huang, Y. (2018). Design and testing of hydrophobic core/hydrophilic shell nano/micro particles for drug-eluting stent coating. *NPG Asia Mater* 10, 642–658.

Dubas ST, Schlenoff JB 2001. Polyelectrolyte multilayers containing a weak polyacid: construction and deconstruction. Macromolecules 34:3736–40

Dinda, B., Debnath, S., & Harigaya, Y. (2007). Naturally occurring iridoids. A review, part 1. Chemical and pharmaceutical bulletin, 55(2), 159-222.

Dressman, J., & Kramer, J. (2005). Pharmaceutical Dissolution Testing. CRC Press.

El Afif, A., & Grmela, M. (2002). Non-Fickian mass transport in polymers. Journal of Rheology, 46(3), 591-628.

Rajagopal, K. R. (2003). Diffusion through polymeric solids undergoing large deformations. Materials science and technology, 19(9), 1175-1180.

Ekenna, I. C., & Abali, S. O. (2022). Comparison of the use of kinetic model plots and DD solver software to evaluate the drug release from griseofulvin tablets. Journal of Drug Delivery and Therapeutics, 12(2-S), 5-13.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Engineer, C., Parikh, J., & Raval, A. (2011). Review on hydrolytic degradation behavior of biodegradable polymers from controlled drug delivery system. Trends in biomaterials & artificial organs, 25(2).

Erbetta C.D.A.C., Alves R.J., Resende J.M., Freitas R.F.S., de Sousa R.G. 2012, Synthesis and Characterization of Poly(D,L-Lactide-co-Glycolide) Copolymer. *J. Biomater. Nanobiotechnol.* 3:208–225.

Erkan, Serdar, and Inci Eroglu. (2015). "Ultrasonic Spray Coating Technique for High-Performance PEM Fuel Cell Electrode Manufacturing." In Progress in Clean Energy, Volume 2: Novel Systems and Applications, pp. 481-492. Cham: Springer International Publishing.

Esatbeyoglu, T., Huebbe, P., Ernst, I. M., Chin, D., Wagner, A. E., & Rimbach, G. (2012). Curcumin—from molecule to biological function. Angewandte Chemie International Edition, 51(22), 5308-5332.

Fadus, M., Lau, C., Bikhchandani, J., & Lynch, H. (2016). Curcumin: An age-old anti-inflammatory and anti-neoplastic agent. *Journal of Traditional and Complementary Medicine*, 7, 339 - 346.

Fan Yanqin, Xiang Li, Ruijie Yang, "The Surface Modification Methods for Constructing Polymer-Coated Stents", International Journal of Polymer Science, vol. 2018, Article ID 3891686.

Farb, A., Sangiorgi, G., Carter, A. J., Walley, V. M., Edwards, W. D., Schwartz, R. S., & Virmani, R. (1999). Pathology of acute and chronic coronary stenting in humans. Circulation, 99(1), 44-52.

Farzan, M., Roth, R., Schoelkopf, J., Huwyler, J., & Puchkov, M. (2023). The processes behind drug loading and release in porous drug delivery systems. European Journal of Pharmaceutics and Biopharmaceutics, 189, 133-151.

Fauzi, M. A. R. D., Hendradi, E., Pudjiastuti, P., & Widodo, R. T. (2020). Analysis of dissolution of salicylamide from carrageenan based hard-shell capsules: A study of the drug-matrix interaction. Indonesian Journal of Chemistry, 21(1), 148-156.

Feng, Q., Cao, H. L., Xu, W., Li, X. R., Ren, Y. Q., & Du, L. F. (2011). Apoptosis induced by genipin in human leukemia K562 cells: Involvement of c-Jun N-terminal kinase in G2/M arrest. Acta Pharmacologica Sinica, 32(4), 519-527.

FKKMK-UGM., 2017, Realizing INA-Stent which Made by Indonesian, https:// fkkmk.ugm.ac.id/realizing- ina-stent- which- made-by -indonesian/ (diakses 22 Juni 2024).

Flores, F. P., & Kong, F. (2017). In vitro release kinetics of microencapsulated materials and the effect of the food matrix. Annual Review of Food Science and Technology, 8(1), 237-259.

Fogarotto, F. (2011). *Finite element analysis of coronary artery stenting* (Doctoral dissertation, Thesis, Hermawan, H., Dubé, D, dan Mantovani, D., 2010, Developments in metallic biodegradable stents, Acta Biomaterialia).

Frank Alexis, Subbu S. Venkatraman, Santosh Kumar Rath, Freddy Boey, 2004. In vitro study of release mechanisms of paclitaxel and rapamycin from drug-incorporated biodegradable stent matrices, Journal of controlled release. 98: 67–74.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Fredenberg, S., Wahlgren, M., Reslow, M., & Axelsson, A. (2011). Pore formationand pore closure in poly(D,L-lactide-co-glycolide) films. Journal of ControlledRelease, 150(2), 142–149.

Fu, Y. & Kao, W. J. (2010). Drug release kinetics and transport mechanisms of non-degradable and degradable polymeric delivery systems. Expert Opin. Drug Deliv.7, 429–444.

Gibaldi, M., & Perrier, D. (1982). Statistical methods for population pharmacokinetic modeling. Drugs and the Pharmaceutical Sciences. 2nd ed. New York and Basel: MarcelDekker, Inc.

Graco, Atomization Concept and Theory, 1–18. Available online: http://wwwd.graco.com/training/concept_and_theory/ Atomization%20v2.pdf (accessed on 9 September 2024).

Granada, J. F., Inami, S., Aboodi, M. S., Tellez, A., Milewski, K., Wallace-Bradley, D., ... & Virmani, R. (2010). Development of a novel prohealing stent designed to deliver sirolimus from a biodegradable abluminal matrix. Circulation: Cardiovascular Interventions, 3(3), 257-266.

Gohel, M. C., Panchal, M. K., & Jogani, V. V. (2000). Novel mathematical method for quantitative expression of deviation from the Higuchi model. Aaps Pharmscitech, 1, 43-48.

Gohel M, Parikh R, Popat A, Mohapatra A, Barot B, Patel C, Joshi H, Sarvaiya K, Baldaniya L, Mistry P, Parejiya P, Parmar R, Nagori S, Patel T. (2007). Pharmaceutical Suspensions: A Review.

Gorog, S. (2018). Ultraviolet-visible spectrophotometry in pharmaceutical analysis. CRC press.

Guérin, P., Rondeau, F., Grimandi, G., Heymann, M. F., Heymann, D., Pillet, P., Al Habash, O., Loirand, G., Pacaud, P., & Crochet, D. (2004). Neointimal hyperplasia after stenting in a human mammary artery organ culture. *Journal of vascular research*, *41*(1), 46–53.

Grynkiewicz, G., & Ślifirski, P. (2012). Curcumin and curcuminoids in quest for medicinal status. Acta Biochimica Polonica, 59(2), 201-212.

Grube E, Buellesfeld L. 2006. BioMatrix Biolimus A9-eluting coronary stent: a next-generation drug-eluting stent for coronary artery disease. *Expert Review of Medical Devices.* 3:731–741.

Guilford, J.P. 1956. Fundamental Statistic in Psychology and Education. 3rd Ed. New York: McGraw-Hill Book Company, Inc.

Guo X, Carter MCD, Appadoo V, Lynn DM 2019. Tunable and selective degradation of amine-reactive multilayers in acidic media. Biomacromolecules 20:3464–74.

Gunasekaran, N. K., Tumkur, P. P., Bayon, N. N., Prabhakaran, K., Arasho, W. D., Hall, J. C., & Ramesh, G. T. (2023). Cerium Oxide Nanoparticles: Synthesis and Characterization Using Curcuma longa (Turmeric Rhizome). Energy and Environment Focus, 7(1), 83-89.

Hardesty, J. H., & Attili, B. (2010). Spectrophotometry and the Beer-Lambert Law: An important analytical technique in chemistry. Collin College, Department of Chemistry, 1-6.

Harmadha, W. S. P., Muharram, F. R., Gaspar, R. S., Azimuth, Z., Sulistya, H. A., Firmansyah, F., ... & Putra, R. M. (2023). Explaining the increase of incidence and mortality from cardiovascular disease in Indonesia: A global burden of disease study analysis (2000–2019). Plos one, 18(12), e0294128.

Harmita, H. (2004). Petunjuk pelaksanaan validasi metode dan Cara Perhitungannya. Majalah Ilmu Kefarmasian, 1(3), 1

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

He, Y., Yue, Y., Zheng, X., Zhang, K., Chen, S., & Du, Z. (2015). Curcumin, Inflammation, and Chronic Diseases: How Are They Linked?. *Molecules*, 20, 9183 - 9213.

Herliansyah, M., Ilman, K., Tontowi, A., & Siswomihardio, W. (2017). Potential of Curcumin as Antiproliferative Drug for Developing Drug Eluting Stent: A Brief Review. *2017 5th International Conference on Instrumentation, Communications, Information Technology, and Biomedical Engineering (ICICI-BME)*, 34-38.

Higuchi, T. J. J. O. P. S. (1963). Mechanism of sustained-action medication. Theoretical analysis of rate of release of solid drugs dispersed in solid matrices. Journal of pharmaceutical sciences, 52(12), 1145-1149.

Hosseinzadeh, H. (2011). Synthesis of a Chitosan-Based Super absorbing Hydrogel for Controlled Release of Gentamicin

Hu, W., Wang, Z., Xiao, Y., Zhang, S., & Wang, J. (2019). Advances in crosslinking strategies of biomedical hydrogels. Biomaterials science, 7(3), 843-855.

Hu, S., Li, Z., Shen, D., Zhu, D., Huang, K., Su, T., ... & Cheng, K. (2021). Exosome-eluting stents for vascular healing after ischaemic injury. *Nature biomedical engineering*, *5*(10), 1174-1188.

Huang, X., & Brazel, C. S. (2001). On the importance and mechanisms of burst release in matrix-controlled drug delivery systems. Journal of Controlled Release, 73(2), 121–136.

Huang, Y., Venkatraman, S. S., Boey, F. Y., Lahti, E. M., Umashankar, P. R., Mohanty, M., Arumugam, S., Khanolkar, L., & Vaishnav, S. (2010). In vitro and in vivo performance of a dual drug-eluting stent (DDES). Biomaterials, 31(15), 4382–4391.

ICH, I. (2005, November). Q2 (R1): Validation of analytical procedures: text and methodology. In International conference on harmonization, Geneva (Vol. 2005).

Iglesias, J. F., Muller, O., Heg, D., Roffi, M., Kurz, D. J., Moarof, I., ... & Pilgrim, T. (2019). Biodegradable polymer sirolimus-eluting stents versus durable polymer everolimus-eluting stents in patients with ST-segment elevation myocardial infarction (BIOSTEMI): a single-blind, prospective, randomised superiority trial. *The Lancet*, *394*(10205), 1243-1253.

Indira Priyadarsini, K. (2013). Chemical and structural features influencing the biological activity of curcumin. Current pharmaceutical design, 19(11), 2093-2100.

International Conference on Harmonisation (ICH) (2005). Validation of analytical procedures: Text and methodology (Q2R1). Geneva, 13 p

Ishaque, N., Naseer, N., Abbas, M. A., Javed, F., Mushtaq, S., Ahmad, N. M., ... & Elaissari, A. (2022). Optimize PLA/EVA Polymers Blend Compositional Coating for Next Generation Biodegradable Drug-Eluting Stents. Polymers, 14(17), 3547.

Islam S., Bhuiyan M.A.R., Islam M.N. (2017). Chitin and Chitosan: Structure, Properties and Applications in Biomedical Engineering. *J. Polym. Environ.* 25:854–866.

Jacques CHM, Hopfenberg HB, Stannett V. Super case II transport of organic vapors in glassy polymers. In: Hopfenberger HB, editor. Permeability of plastic films and coatings to gases, vapors, and liquids. New York: Plenum Press; 1974. p. 73–86.

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Jahromi, L. P., Ghazali, M., Ashrafi, H., & Azadi, A. (2020). A comparison of models for the analysis of the kinetics of drug release from PLGA-based nanoparticles. Heliyon, 6(2).

Jang, B. S., Kim, E., Gwak, M. A., Park, S. A., & Park, W. H. (2023). Fabrication and application of drug eluting stent for peripheral artery disease. Korean Journal of Chemical Engineering, 40(2), 361-368.

Jayawardana, H., & Afandi, A. (2019). The Usage of Chitosan from Shrimp Waste as Natural Preservative for Fish Cilok (Traditional Food in Indonesia). Indonesian Journal of Science and Education.

Jiménez-Gómez, C. P., & Cecilia, J. A. (2020). Chitosan: A Natural Biopolymer with a Wide and Varied Range of Applications. *Molecules (Basel, Switzerland)*, *25*(17), 3981.

Jin, J., Song, M., & Hourston, D. J. (2004). Novel chitosan-based films cross-linked by genipin with improved physical properties. Biomacromolecules, 5(1), 162-168.

Joner, M., Finn, A. V, Farb, A., Mont, E. K., Kolodgie, F. D., Ladich, E., Kutys, R., Skorija, K., Gold, H. K., & Virmani, R. (2006). Pathology of drug-eluting stents in humans: Delayed healing and late thrombotic risk. Journal of the AmericanCollege of Cardiology, 48(1), 193–202.

Joner M, Nakazawa G, Finn AV, Quee SC, Coleman L, Acampado E, Wilson PS, Skorija K, Cheng Q, Xu X, Gold HK, Kolodgie FD, Virmani R. 2008. Endothelial cell recovery between comparator polymer-based drug-eluting stents. *Journal of the American College of Cardiology.* 52:333–342.

Joung, Y. K., Jang, B. N., Kang, J. H., & Han, D. K. (2014). Precise ultrasonic coating and controlled release of sirolimus with biodegradable polymers for drug-eluting stent. Biomater. Biomed. Eng, 1, 13-25.

Kang, J., & Schwendeman, S. P. (2007). Pore closing and opening in biodegradable polymers and their effect on the controlled release of proteins. Molecular pharmaceutics, 4(1), 104-118.

Kamath, K. R., Barry, J. J., & Miller, K. M. (2006). The Taxus TM drug-eluting stent: A new paradigm in controlled drug delivery. Advanced Drug Delivery Reviews, 58(3), 412–436. https://doi.org/10.1016/j.addr.2006.01.023.

Kanai, M., Imaizumi, A., Otsuka, Y., Sasaki, H., Hashiguchi, M., Tsujiko, K., ... & Chiba, T. (2012). Dose-escalation and pharmacokinetic study of nanoparticle curcumin, a potential anticancer agent with improved bioavailability, in healthy human volunteers. Cancer chemotherapy and pharmacology, 69, 65-70.

Kandzari, D. E., Mauri, L., Koolen, J. J., Massaro, J. M., Doros, G., Garcia-Garcia, H. M., ... & Waksman, R. (2017). Ultrathin, bioresorbable polymer sirolimus-eluting stents versus thin, durable polymer everolimus-eluting stents in patients undergoing coronary revascularisation (BIOFLOW V): a randomised trial. *The Lancet*, *390*(10105), 1843-1852.

Khan W, Farah S, Domb AJ. (2012). Drug Eluting Stents: Develop-ments and Current Status. J Controlled Release. 2012;161(2):703–712.

Kedhi, E., Joesoef, K. S., McFadden, E., Wassing, J., van Mieghem, C., Goedhart, D., & Smits, P. C. (2010). Second-generation everolimus-eluting and paclitaxel-eluting stents in real-life practice (COMPARE): a randomised trial. The Lancet, 375(9710), 201–209. https://doi.org/https://doi.org/10.1016/S0140-6736(09)62127-9.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Keong LC, Halim AS (2009) In vitro models in biocompatibility assessment for biomedical-grade chitosan derivatives in wound management. Int J Mol Sci 10:1300–1313.

Khor E. 2001. *Chitin: Fulfilling a Biomaterials Promise.* Elsevier Ltd.; Amsterdam, The Netherlands.

Khosropanah.M.H. , A. Dinarvand, A. Nezhadhosseini, A. Haghighi, S. Hashemi, F. Nirouzad, S. Khatamsaz, M. Entezari, M. Hashemi and H. Dehghani, 2016. "Analysis of the antiproliferative effects of curcumin and nanocurcumin in MDA-MB231 as a breast cancer cell line," Iranian Journal of Pharmaceutical Research 15 (1), pp. 231-239.

Kil'deeva, N. R., Kasatkina, M. A., & Mikhailov, S. N. (2017). Peculiarities of obtaining biocompatible films based on chitosan cross linked by genipin. Polymer Science, Series D, 10, 189-193.

Kildeeva N, Chalykh A, Belokon M, Petrova T, Matveev V, Svidchenko E, Surin N, Sazhnev N. (2020). Influence of Genipin Crosslinking on the Properties of Chitosan-Based Films. *Polymers* 12(5):1086.

Kim, C. K., & Lee, E. J. (1992). The controlled release of blue dextran from alginate beads. International Journal of pharmaceutics, 79(1-3), 11-19.

Kim, S. J., Kim, T. H., Choi, J. W., & Kwon, I. K. (2012). Current perspectives of biodegradable drug-eluting stents for improved safety. Biotechnology and Bioprocess Engineering, 17(5), 912–924.

Kipshidze, N. N., Iversen, P., Kim, H. S., Yiazdi, H., Dangas, G., Seaborn, R., ... & Moses, J. W. (2004). Advanced c-myc antisense (AVI-4126)-eluting phosphorylcholine-coated stent implantation is associated with complete vascular healing and reduced neointimal formation in the porcine coronary restenosis model. Catheterization and cardiovascular interventions, 61(4), 518-527.

Ko, C. S., Wu, C. H., Huang, H. H., & Chu, I. M. (2007). Genipin cross-linking of type II collagen-Chondroitin sulfate-Hyaluronan scaffold for articular cartilage therapy. Journal of Medical and Biological Engineering, 27(1), 7-14.

Kolandaivelu, K., Swaminathan, R., Gibson, W. J., Kolachalama, V. B., Nguyen-Ehrenreich, K. L., Giddings, V. L., & Edelman, E. R. (2011). Stent thrombogenicity early in high-risk interventional settings is driven by stent design and deployment and protected by polymer-drug coatings. Circulation, 123(13), 1400-1409.

Kolling, O. (1968). Ion pair dissociation of solvated bases and base perchlorates in anhydrous acetic acid. Analytical Chemistry, 40, 956-959.

Konieczka, P. (2007). The role of and the place of method validation in the quality assurance and quality control (QA/QC) system. Critical reviews in analytical chemistry, 37(3), 173-190.

Kong, W., Gao, Y., Liu, Q., Dong, L., Guo, L., Fan, H., Fan, Y., & Zhang, X. (2020). The effects of crosslinking manners on the physical properties and biocompatibility of collagen type I/hyaluronic acid composite hydrogels.. *International journal of biological macromolecules*.

Korsmeyer R.W., Gurny R., Doelker E., Buri P., Peppas (1983). N.A.: Int. J. Pharm. 15, 25.

Korsmeyer, R. W., Gurny, R., Doelker, E., Buri, P., & Peppas, N. A. (1983). Mechanisms of solute release from porous hydrophilic polymers. International journal of pharmaceutics, 15(1), 25-35.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Korsmeyer, R. W., & Peppas, N. A. (1984). Solute and penetrant diffusion in swellable polymers. III. Drug release from glassy poly (HEMA-co-NVP) copolymers. Journal of Controlled Release, 1(2), 89-98.

Kuo CK, Ma PX (2001) Ionically crosslinked alginate hydrogels as scaffolds for tissue engineering: part 1. Structure, gelation rate and mechanical properties. Biomaterials 22:511–521.

Kunnumakkara, A., Bordoloi, D., Padmavathi, G., Monisha, J., Roy, N., Prasad, S., & Aggarwal, B. (2017). Curcumin, the golden nutraceutical: multi targeting for multiple chronic diseases. *British Journal of Pharmacology*, 174, 1325 - 1348.

Kranz, H., Ubrich, N., Maincent, P., Bodmeier, R., 2000. Physicomechanical properties of biodegradable poly(d,l-lactide) and poly(d,l-lactide-co-glycolide) films in the dry and wet states. J. Pharm. Sci. 89, 1558–1566

Lapple, C.E.; Henry, J.P.; Blake, D.E. Atomization—A Survey and Critique of the Literature; Special Report; Department of the Army: Edgewood Arsenal, MD, USA, 1967; pp. 11–14. Available online: https://apps.dtic.mil/dtic/tr/fulltext/u2/821314.pdf (accessed on 6 March 2021).

Lang, R. (1962). Ultrasonic Atomization of Liquids. Journal of the Acoustical Society of America, 34, 6-8.

Lee, J. K., & Lee, U. S. (1995). An Analysis of the Wave Propagation of the flow-induced Elastic Stress Waves in the Layered Structure and it's 1 DOF Modelling. Journal of the Korean Society for Precision Engineering, 12(11), 132-139.

Lee, J. E., Kim, S. E., Kwon, I. C., Ahn, H. J., Cho, H., Lee, S. H., ... & Lee, M. C. (2004). Effects of a chitosan scaffold containing TGF-β1 encapsulated chitosan microspheres on in vitro chondrocyte culture. Artificial organs, 28(9), 829-839.

Lee, J. H., & Yeo, Y. (2015). Controlled drug release from pharmaceutical nanocarriers. Chemical engineering science, 125, 75-84.

Lee, S. Y., Hong, M. K., & Jang, Y. (2017). Formation and Transformation of Neointima after Drug-eluting Stent Implantation: Insights from Optical Coherence Tomographic Studies. *Korean circulation journal*, *47*(6), 823–832.

Leon, M. B.,Mauri, L., Popma, J. J., Cutlip, D. E., Nikolsky, E., O'Shaughnessy, C., Overlie, P. A., McLaurin, B. T., Solomon, S. L., Douglas, J. S., Jr, Ball, M. W., Caputo, R. P., Jain, A., Tolleson, T. R., Reen, B. M., 3rd, Kirtane, A. J., Fitzgerald, P. J., Thompson, K., Kandzari, D. E., & ENDEAVOR IV Investigators (2010). A randomized comparison of the endeavor zotarolimus-eluting stent versus the TAXUS paclitaxel-eluting stent in de novo native coronary lesions. Journal of the American College of Cardiology, 55(6), 543–117 554. https://doi.org/10.1016/j.jacc.2009.08.067.

Lepot, M., Aubin, J. B., Clemens, F. H., & Mašić, A. (2017). Outlier detection in UV/Vis spectrophotometric data. Urban Water Journal, 14(9), 908-921.

Li, Q. L.; Huang, N.; Chen, J.; Wan, G.; Zhao, A.; Chen, J.; Wang, J.; Yang, P.; Leng, Y. (2009). Anticoagulant Surface Modification of Titanium via Layer-by-Layer Assembly of Collagen and Sulfated Chitosan Multilayers. J. Biomed. Mater. Res., Part A, 89, 575−584.

Li, F., Gu, Y., Hua, R., Ni, Z., & Zhao, G. (2018). In vitro release study of sirolimus from a PDLLA matrix on a bioresorbable drug-eluting stent. Journal of DrugDelivery Science and Technology, 48(August), 88–95.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, D., Jiang, Y., Lv, S., Liu, X., Gu, J., Chen, Q., & Zhang, Y. (2018). Preparation of plasticized poly (lactic acid) and its influence on the properties of composite materials. PLoS One, 13(3), e0193520.

Liu, Q., Wang, X., & De Kee, D. (2005). Mass transport through swelling membranes. International Journal of Engineering Science, 43(19-20), 1464-1470.

Liu, S., Jing, Y., & Liu, G. (2024). A Systematic Investigation of the Kinetic Models Applied to the Transport Behaviors of Aromatic Solvents in Unfilled Hydrogenated Nitrile Rubber/Ethylene Propylene Diene Monomer Composites. Polymers, 16(7), 892.

Lin, H., & Yeh, C. (2012). Genipin-crosslinked chitosan scaffolds and its efficacy in releasing anti-inflammatory medicine.. Bio-medical materials and engineering, 22 5, 321-32 .

Lin, Q. K., Hou, Y., Xu, X., Tang, J., Han, Y., Chen, H., & Ji, J. (2015). Anti-CD34 antibody functionalized swollen polymeric coating for endothelial cell rapid selectively capture. International Journal of Polymeric Materials and Polymeric Biomaterials, 64(2), 99-103.

Liu, L., Gao, Q., Lu, X., & Zhou, H. (2016). In situ forming hydrogels based on chitosan for drug delivery and tissue regeneration. Asian Journal of Pharmaceutical Sciences, 11(6), 673-683.

Lister, A. S. (2005). Validation of HPLC methods in pharmaceutical analysis. In Separation Science and Technology (Vol. 6, pp. 191-217). Academic Press.

Lou, W., Xie, C., & Guan, X. (2022). Understanding radiation-thermal aging of polydimethylsiloxane rubber through molecular dynamics simulation. npj Materials Degradation, 6(1), 84

Lonakar, G. S., Mahajan, M. S., Ghosh, S. S., & Sali, J. V. (2012). Modeling thin film formation by Ultrasonic Spray method: A case of PEDOT: PSS thin films. Organic Electronics, 13(11), 2575-2581.

Lysitsas, D. N., Katsouras, C. S., Papakostas, J. C., Toumpoulis, I. K., Angelidis, C., Bozidis, P., Thomas, C. G., Seferiadis, K., Psychoyios, N., Frillingos, S., Pavlidis, N., Marinos, E., Khaldi, L., Sideris, D. A., & Michalis, L. K. (2007). Antirestenotic effects of a novel polymer-coated d-24851 eluting stent. Experimental data in a rabbit iliac artery model. CardioVascular and Interventional Radiology, 30(6), 1192–1200.

Lu, S., Ramirez, W. F., & Anseth, K. S. (1998). Modeling and optimization of drug release from laminated polymer matrix devices. American Institute of Chemical Engineers. AIChE Journal, 44(7), 1689.

Lu, Z., Chen, W., & Hamman, J. H. (2007). Chitosan-polycarbophil complexes in swellable matrix systems for controlled drug release. Current drug delivery, 4(4), 257–263

Lobato, E. B. (2019). Care of the Patient With Coronary Stents Undergoing Noncardiac Surgery. Essentials of Cardiac Anesthesia for Noncardiac Surgery*, 33–69.*

Ma, X., Wu, T., Robich, M. P., Wang, X., Wu, H., Buchholz, B., & McCarthy, S. (2010). Drug-eluting stents. International journal of clinical and experimental medicine, 3(3), 192–201.

Mahmood. K, K.M. Zia, M. Zuber, M. Salman and M.N. Anjum, 2015, “Recent developments in curcumin and curcumin based polymeric materials for biomedical applications: A review,” International Journal of Biological Macromolecules, 88, pp.877–890.

Mahmood, A., Mahmood, A., Sarfraz, R. M., Hussain, Z., Afzal, A., Boublia, A., ... & Benguerba, Y. (2024). Chitosan-based intelligent polymeric networks for

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

site-specific colon medication delivery: A comprehensive study on controlled release of diloxanide furoate and network formation dynamics. International Journal of Biological Macromolecules, 255, 128089.

Martin D.M., F.J. Boyle, (2011). Drug-eluting stents for coronary artery disease: a review, Med. Eng. Phys. 33 (2): 148–163.

Mateescu M.A., Ispas-Szabo P., Assaad E. (2015). Chitosan and its derivatives as self-assembled systems for drug delivery In Controlled Drug Delivery: The Role of Self-Assembling Multi-Task Excipients. Elsevier; Amsterdam, The Netherlands.

Matsuzaki Y, John K, Shoji T, Shinoka T. (2009). The Evolution of Tissue Engineered Vascular Graft Technologies: From Preclinical Trials to Advancing Patient Care. Appl Sci. 9(7)

Marx, S. O., Totary-Jain, H., & Marks, A. R. (2011). Vascular smooth muscle cell proliferation in restenosis. Circulation. Cardiovascular interventions, 4(1), 104–111.

Mcclure, F., & Lee, J. (2006). Determining a one-tailed upper limit for future sample relative reproducibility standard deviations.. Journal of AOAC International, 89 3, 797-803 .

McNaught, A. D. (1997). Compendium of chemical terminology (Vol. 1669). Oxford: Blackwell Science.

Meng, Z., Yan, C., Deng, Q., Gao, D. F., & Niu, X. L. (2013). Curcumin inhibits LPS-induced inflammation in rat vascular smooth muscle cells in vitro via ROS-relative TLR4-MAPK/NF-κB pathways. *Acta Pharmacologica Sinica*, *34*(7), 901-911.

Meyvis, T. K. L., De Smedt, S. C., Demeester, J., & Hennink, W. E. (2000). Influence of the degradation mechanism of hydrogels on their elastic and swelling properties during degradation. Macromolecules, 33(13), 4717-4725.

Mi F.-L., Shyu S.-S., Peng C.-K. Characterization of Ring-Opening Polymerization of Genipin and pH-Dependent Cross-Linking Reactions between Chitosan and Genipin. J. Polym. Sci. Part A Polym. Chem. 2005;43:1985–2000.

Minghua Zhang., Li, Y., Xie, H., Chen, J., & Liu, S. (2020). Curcumin inhibits proliferation, migration and neointimal formation of vascular smooth muscle via activating miR-22. *Pharmaceutical Biology*, 58, 610 - 619.

Mitra, A. K., & Agrawal, D. K. (2006). In stent restenosis: bane of the stent era. Journal of Clinical Pathology, 59(3), 232.

Modesto-López, L. B., Miettinen, M., Riikonen, J., Torvela, T., Pfüller, C., Lehto, V. P., ... & Jokiniemi, J. (2015). Films of graphene nanomaterials formed by ultrasonic spraying of their stable suspensions. Aerosol Science and Technology, 49(1), 45-56.

Motulsky, H.J. and Christopoulos, A. (2003) Fitting Models to Biological Data Using Linear and Nonlinear Regression: A Practical Guide to Curve Fitting. GraphPad Software Inc., San Diego.

Mohan, L., Anandan, C., & Rajendran, N. (2016). Drug release characteristics of quercetin-loaded TiO2 nanotubes coated with chitosan. International journal of biological macromolecules, 93(Pt B), 1633–1638.

Mohanty C, Sahoo SK. 2010. The in vitro stability and in vivo pharmacokinetics of curcumin prepared as an aqueous nanoparticulate formulation. Biomaterials; 31:6597-611.

Mourya V.K., 2008. Inamdar N.N. Chitosan-modifications and applications: Opportunities galore. *React. Funct. Polym.* 68:1013–1051.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Muhamad II, Selvakumaran S, Lazim NAM (2014) Designing polymeric nanoparticles for targeted drug delivery system. In: Seifalian A, de Mel A, Kalaskar DM (eds) Nanomedicine. One central press, Cheshire, pp 287–313.

Muttaqin, K. I. Chitosan-Curcumin Coating Characterization on Cobalt-Chrome Surface by 100 kHz Ultrasonic Spray Method. *Journal of Material Processing and Characterization*, *1*(2).

Muzzarelli R.A.A., El Mehtedi M., Bottegoni C., Aquili A., Gigante A. Genipin-Crosslinked Chitosan Gels and Scaffolds for Tissue Engineering and Regeneration of Cartilage and Bone. Mar. Drugs. 2015;13:7314–7338.

N'Guessan-Gnaman, K. C., Tuo-Kouassi, A. N., Dally, I., Aka-Any-Grah, S., Chougouo Kengne-Nkuitchou, R. D., Lia, A. J., ... & N'Guessan, A. (2024). Encapsulation Methods and Releasing Mechanisms of Encapsulated Active Drug. Journal of Drug Delivery & Therapeutics, 14(1).

Naat, J.N., Tjahjanto, R.T., Masruroh. (2014). Pengaruh Kecepatan Putar Deposisi Terhadap Struktur Kristal, Ketebalan dan Morfologi Lapisan Tipis Timbal Zirkonat Titanat (PZT) dengan metode spin coater. Chimica et Natura Acta, Vol.2, No.2.

Nakayama, Y., Zhou, Y. M., & Ishibashi-Ueda, H. (2007). Development of in vivo tissue-engineered autologous tissue-covered stents (biocovered stents). Journal of Artificial Organs, 10, 171-176.

Nakazawa, G., Otsuka, F., Nakano, M., Vorpahl, M., Yazdani, S. K., Ladich, E., ... & Virmani, R. (2011). The pathology of neoatherosclerosis in human coronary implants: bare-metal and drug-eluting stents. *Journal of the American College of Cardiology*, *57*(11), 1314-1322.

Narasimhan B. (2001). Mathematical models describing polymer dissolution: consequences for drug delivery. Advanced drug delivery reviews, 48(2-3), 195–210.

Nazila, K., Yameen, B., Wu, J., & Farokhzad, O. C. (2016). Nanoparticles: Mechanisms of controlling drug release. Chem Rev., 116(4), 2602–2663.

National Center for Biotechnology Information (NIH) (2024). PubChem Compound Summary for CID 969516, Curcumin. Retrieved May 19, 2024 from https://pubchem.ncbi.nlm.nih.gov/compound/Curcumin.

National Center for Biotechnology Information. PubChem Compound Summary for CID 442424, Genipin. https://pubchem.ncbi.nlm.nih.gov/compound/Genipin. Accessed Sept. 17, 2024.

Nayak, R., Philip, J., Rodrigues, F. C., & Thakur, G. (2019, October). Transport of curcumin from cross-linked chitosan matrices: A comparative study. In IOP conference series: materials science and engineering (Vol. 561, No. 1, p. 012029)

Ningsih, Y. F., Fauzi, M., Gunawan, E., Wati, H., Andini, S., Sawiji, R. T., ... & Judijanto, L. (2024). Ilmu Farmasetika: Teori dan Praktik. PT. Sonpedia Publishing Indonesia.

Nielsen, L. E. (1969). Cross-linking–effect on physical properties of polymers. Journal of Macromolecular Science, Part C, 3(1), 69-103.

Ng, X. W., Huang, Y., Liu, K. L., Lim, S. G., Chen, H. H., Burnett Jr, J. C., ... & Venkatraman, S. S. (2014). In Vitro Evaluation of Cenderitide-Eluting Stent I—An Anti Restenosis and Pro Endothelization Approach. Journal of pharmaceutical sciences, 103(11), 3631-3640.

Nguyen, K. T., Shaikh, N., Shukla, K. P., Su, S. H., Eberhart, R. C., & Tang, L. (2004). Molecular responses of vascular smooth muscle cells and phagocytes to

UNIVERSITAS
GADJAH MADA
Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

curcumin-eluting bioresorbable stent materials. *Biomaterials*, *25*(23), 5333-5346.

Nguyen, H.T., Tran, T.N., Ha, A.C., & Huynh, P.D. (2022). Impact of Deacetylation Degree on Properties of Chitosan for Formation of Electrosprayed Nanoparticles. Journal of Nanotechnology

O'brien, B. & Carroll, W. (2009). The evolution of cardiovascular stent materials and surfaces in response to clinical drivers: a review. *Acta Biomater.* 5, 945–958.

Oh, B.; Lee, C. H. (2013). Advanced Cardiovascular Stent Coated with Nanofiber. Mol. Pharmaceutics 10, 4432−4442.

Oryan, A., Kamali, A., Moshiri, A., Baharvand, H., & Daemi, H. (2018). Chemical crosslinking of biopolymeric scaffolds: Current knowledge and future directions of crosslinked engineered bone scaffolds. International journal of biological macromolecules, 107, 678-688.

Otsuka, M., Nakagawa, H., Ito, A., & Higuchi, W. I. (2010). Effect of geometrical structure on drug release rate of a three-dimensionally perforated porous apatite/collagen composite cement. Journal of pharmaceutical sciences, 99(1), 286-292.

Otsuka, F., Byrne, R. A., Yahagi, K., Mori, H., Ladich, E., Fowler, D. R., …Joner, M. (2015). Neoatherosclerosis: overview of histopathologic findings and implications for intravascular imaging assessment. European Heart Journal, 36(32), 2147–2159. https://doi.org/10.1093/eurheartj/ehv205.

Paarakh, M. P., Jose, P. A., Setty, C. M., & Peterchristoper, G. V. (2018). Release kinetics–concepts and applications. International Journal of Pharmacy Research & Technology (IJPRT), 8(1), 12-20.

Paghdal K.V.and R.A. Schwartz, "Sirolimus (rapamycin): from the soil of Easter Island to a bright future," Journal of the American Academy of Dermatology, 57(6), 2007, pp.1046–50.

Pan. Ch. J, J.J. Tang, Y.J. Weng, J. Wang and N. Huang, 2006. "Preparation, characterization and anticoagulation of curcumin-eluting controlled biodegradable coating stents," Journal of Controlled Release, 116, pp.42–49

Pan, C.J., Tang, J.J. and Weng, Y.J. (2007), "Preparation and characterization of rapamycin-loaded PLGA coating stent", J. Mater. Sci. Mater. Med., 18(11), 2193-2198.

Pan, Chang-Jiang, Jia-Ju Tang, Ya-Jun Weng, Jin Wang, and Nan Huang. "Preparation and in vitro release profiles of drug-eluting controlled biodegradable polymer coating stents." Colloids and Surfaces B: Biointerfaces 73, no. 2 (2009): 199-206.

Papafaklis, M. I., Chatzizisis, Y. S., Naka, K. K., Giannoglou, G. D., &Michalis, L. K. (2012). Drug-eluting stent restenosis: Effect of drug type, release kinetics, hemodynamics and coating strategy. Pharmacology and Therapeutics, 134(1), 43–53

Parhi, R. (2020). Drug delivery applications of chitin and chitosan: a review. Environmental Chemistry Letters, 18, 577-594. https://doi.org/10.1007/s10311-020-00963-5.

Parize AL, Stulzer KH. 2012. Evaluation of chitosan microsphere contains curcumin cross linked with sodium tripolyphosphate. Quim Nova 35:1127-1132.

Park, T. G., Cohen, S., & Langer, R. (1992). Poly (L-lactic acid)/pluronic blends: characterization of phase separation behavior, degradation, and morphology and use as protein-releasing matrixes. Macromolecules, 25(1), 116-122.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Parsons, H., Ekman, D., Collette, T., & Viant, M. (2009). Spectral relative standard deviation: a practical benchmark in metabolomics.. The Analyst, 134 3, 478-85 .

Patenaude, M., & Hoare, T. (2012). Injectable, mixed natural-synthetic polymer hydrogels with modular properties. Biomacromolecules, 13(2), 369-378.

Peppas, N. A., & Sahlin, J. J. (1989). A simple equation for the description of solute release. III. Coupling of diffusion and relaxation. International journal of pharmaceutics, 57(2), 169-172.

Peppas NA, Ritger PL. A simple equation for description of solute release I. Fickian and non-Fickian release from non-swellable devices in the form of slabs, spheres, cylinders or discs. Jr of controlled release 1987; 5: 23-36.

Peppas, N. A., & Narasimhan, B. (2014). Mathematical models in drug delivery: How modeling has shaped the way we design new drug delivery systems. Journal of Controlled Release, 190, 75-81.

Pérez-Anes, A., Gargouri, M., Laure, W., Van Den Berghe, H., Courcot, E., Sobocinski, J., ... & Lyskawa, J. (2015). Bioinspired titanium drug eluting platforms based on a poly-β-cyclodextrin–chitosan layer-by-layer self-assembly targeting infections. ACS applied materials & interfaces, 7(23), 12882-12893.

Perkampus. H.H, UV-Visible Atlas of Organic Compounds, Heinz-Helmut, Weinheim,New York (1992).

Petersen, S., Hussner, J., Reske, T., Grabow, N., Senz, V., Begunk, R., …Sternberg, K. (2013). In vitro study of dual drug-eluting stents with locally focused sirolimus and atorvastatin release. Journal of Materials Science. Materials inMedicine, 24(11), 2589–2600

Picollo, M., Aceto, M., & Vitorino, T. (2019). UV-Vis spectroscopy. Physical sciences reviews, 4(4), 20180008.

Pilgrim, T., Heg, D., Roffi, M., Tüller, D., Muller, O., Vuilliomenet, A., ... & Windecker, S. (2014). Ultrathin strut biodegradable polymer sirolimus-eluting stent versus durable polymer everolimus-eluting stent for percutaneous coronary revascularisation (BIOSCIENCE): a randomized, single-blind, non-inferiority trial. *The Lancet*, *384*(9960), 2111-2122.

Pleva, L., Kukla, P. and Hlinomaz, O. (2018) 'Treatment of coronary in-stent restenosis: A systematic review'. *Journal of Geriatric Cardiology*. 15(2), 30 pp. 173–184.

Pozzo, L. D. Y., da Conceição, T. F., Spinelli, A., Scharnagl, N., & Pires, A. T. (2018). Chitosan coatings crosslinked with genipin for corrosion protection of AZ31 magnesium alloy sheets. Carbohydrate polymers, 181, 71-77.

Puranik A.S., E.R. Dawson and N.A. Peppas.2013. "Recent Advances in Drug Eluting Stents," Int J Pharm. 30; 441(1-2) pp. 665–679.

Raafat D., Sahl H.G. 2009. Chitosan and its antimicrobial potential—A critical literature survey. *Microb. Biotechnol.* 2:186–201.

Rahmitasari, F. and Sularsih (2019) 'Agen Crosslink dalam Pembuatan Biomimetic Scaffold Sebagai Material Rekayasa Jaringan Tulang', Jurnal Material Kedokteran Gigi, 2(8), pp. 65–71.

Rahman, M. (2022). Development of UV spectrophotometric method for estimation of curcumin in bulk drug and nanogel formulation: A hydrolytic degradation studies. International Journal of Pharmaceutical Chemistry and Analysis.

Rastogi A, Stavchansky S. 2008. Drug Eluting Stents and Beyond. *Current Pharmaceutical Design.* 14:2111–2120.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Raval, A., Parikh, J., & Engineer, C. (2010). Mechanism of controlled release kinetics from medical devices. *Brazilian Journal of Chemical Engineering*, *27*, 211-225.

Reay, S. L., Jackson, E. L., Ferreira, A. M., Hilkens, C. M., & Novakovic, K. (2022). In vitro evaluation of the biodegradability of chitosan–genipin hydrogels. Materials Advances, 3(21), 7946-7959.

Reddy, N., Reddy, R., & Jiang, Q. (2015). Crosslinking biopolymers for biomedical applications.. *Trends in biotechnology*, 33 6, 362-9 .

Ritger, P. L., & Peppas, N. A. (1987). A simple equation for description of solute release I. Fickian and non-fickian release from non-swellable devices in the form of slabs, spheres, cylinders or discs. Journal of controlled release, 5(1), 23-36.

Rizas, K. D., & Mehilli, J. (2016). Stent polymers: Do they make a difference? Circulation: Cardiovascular Interventions, 9(6), 1–13.

Rykowska, I., Nowak, I., & Nowak, R. (2020). Drug-eluting stents and balloons—materials, structure designs, and coating techniques: A review. Molecules, 25(20), 4624. https://doi.org/https://doi.org/10.3390/molecules25204624

Ruan, H., Huang, Q., Wan, B., & Yang, M. (2021). Curcumin Alleviates LPS-Induced Inflammation and Apoptosis in Vascular Smooth Muscle Cells Via Inhibition of the NF- κ B and JNK Signaling Pathways.

Sahari, Y., Rahmat, S. D., Rahmawati, S. R., Firmansyah, A., & Sundalian, M. (2023). Penentuan Kelarutan Kurkumin Dalam Delapan Pelarut Organik Guna Pengembangan Sediaan Farmasi Berbahan Dasar Kurkumin Menggunakan Spektrofotometri Visible dan Gravimetri. Jurnal Sains dan Teknologi Farmasi Indonesia, 12(2), 114-125.

Saikia C, Gogoi P, Maji TK (2015) Chitosan: a promising biopolymer in drug delivery applications. J Mol Genet Med S4 006:1–10.

Sane, M., Dighe, V., Patil, R., Hassan, P. A., Gawali, S., & Patravale, V. (2021). Bivalirudin and sirolimus co-eluting coronary stent: Potential strategy for the prevention of stent thrombosis and restenosis. International Journal of Pharmaceutics, 600, 120403.

Sanopoulou, M., & Papadokostaki, K. G. (2017). Controlled drug release systems: Mechanisms and kinetics. Biomed. Membr.(Bio) Artif. Organs, 2, 1-33.

Sansdrap, P., Moës, A.J., 1997. In vitro evaluation of the hydrolytic degradation of dispersed and aggregated poly(d,l-lactide-co-glycolide) microspheres. J. Control. Release 43, 47–58.

Sareło, P., Sobieszczańska, B., Wysokińska, E., Gąsior-Głogowska, M., Kałas, W., Podbielska, H., ... & Kopaczyńska, M. (2023). In vitro examinations of the anti-inflammatory interleukin functionalized polydopamine based biomaterial as a potential coating for cardiovascular stents. Biocybernetics and Biomedical Engineering, 43(1), 369-385.

Serruys, P. W., Onuma, Y., Garg, S., Vranckx, P., De Bruyne, B., Morice, M. C., ... & Arts II Investigators. (2010). 5-year clinical outcomes of the ARTS II (Arterial Revascularization Therapies Study II) of the sirolimus-eluting stent in the treatment of patients with multivessel de novo coronary artery lesions. Journal of the American College of Cardiology, 55(11), 1093-1101.

Senecal, P. K., Schmidt, D. P., Nouar, I., Rutland, C. J., Reitz, R. D., & Corradini, M. L. (1999). Modeling high-speed viscous liquid sheet atomization. International journal of multiphase flow, 25(6-7), 1073-1097.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Shang, L., Zhang, S., Venkatraman, S. S., & Du, H. (2016). Control of Drug Release from Coatings: Theories and Methodologies. Biological and Biomedical Coatings Handbook: Applications, 195.

Sharma, S., Sharma, J., Bhatt, S., & Kumar, M. (2020). Method Development and Validation of UV Spectrophotometric Method for the Quantitative Estimation of Curcumin in Simulated Nasal Fluid. Drug Research, 70, 356 - 359.

Shen, J., Lin, X., Liu, J., & Li, X. (2018). Effects of cross-link density and distribution on static and dynamic properties of chemically cross-linked polymers. Macromolecules, 52(1), 121-134.

Shimomura, S., Higuchi, M., Matsuda, R., Yoneda, K., Hijikata, Y., Kubota, Y., ... & Kitagawa, S. (2010). Selective sorption of oxygen and nitric oxide by an electron-donating flexible porous coordination polymer. Nature Chemistry, 2(8), 633-637.

Seidlitz, A., Nagel, S., Semmling, B., Grabow, N., Martin, H., Senz, V., ... & Weitschies, W. (2011). Examination of drug release and distribution from drug-eluting stents with a vessel-simulating flow-through cell. European Journal of Pharmaceutics and Biopharmaceutics, 78(1), 36-48.

Selin V, Ankner J, Sukhishvili S 2018. Ionically paired layer-by-layer hydrogels: water and polyelectrolyte uptake controlled by deposition time. Gels 4:7.

Shen, J., Lin, X., Liu, J., & Li, X. (2019). Effects of Cross-Link Density and Distribution on Static and Dynamic Properties of Chemically Cross-Linked Polymers. Macromolecules.

Sheu, M. J., Lin, H. Y., Yang, Y. H., Chou, C. J., Chien, Y. C., Wu, T. S., & Wu, C. H. (2013). Demethoxycurcumin, a major active curcuminoid from Curcuma longa, suppresses balloon injury induced vascular smooth muscle cell migration and neointima formation: An in vitro and in vivo study. Molecular nutrition & food research, 57(9), 1586-1597.

Siepmann J, Peppas NA. Modeling of drug release from delivery systems based on hydroxypropyl methylcellulose (HPMC). Adv Drug Delv Rev. 2001;48:139–57.harm. 1999;193:73–84.

Siepmann, J., & Siepmann, F. (2011). Swelling controlled drug delivery systems. In Fundamentals and applications of controlled release drug delivery (pp. 153-170). Boston, MA: Springer US.

Siepmann, J., Siegel, R. A., & Rathbone, M. J. (2012). Fundamentals and applications of controlled release drug delivery (Vol. 3, pp. 33-34). New York: Springer.

Sluiter, T. J., van Buul, J. D., Huveneers, S., Quax, P. H. A. A., & de Vries, M. R. (2021). Endothelial barrier function and leukocyte transmigration in atherosclerosis. Biomedicines, 9(4), 328.

Solanki, D., & Motiwale, M. (2020). Studies on drug release kinetics and mechanism from sustained release matrix tablets of isoniazid using natural polymer obtained from Dioscorea alata. Int J ChemTech Res, 13, 166-73.

Soleimani, V., Sahebkar, A., & Hosseinzadeh, H. (2018). Turmeric (Curcuma longa) and its major constituent (curcumin) as nontoxic and safe substances: Review. Phytotherapy Research, 32, 985 - 995.

Song, S. J., Park, Y. J., Park, J., Cho, M. D., Kim, J. H., Jeong, M. H., ... & Cho, D. L. (2010). Preparation of a drug-eluting stent using a TiO 2 film deposited by plasma enhanced chemical vapour deposition as a drug-combining matrix. Journal of Materials Chemistry, 20(23), 4792-4801.

Sperling, L. H. (2015). Introduction to physical polymer science. John Wiley & Sons.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Spisni, G., Massaglia, G., Pirri, F. C., Bianco, S., & Quaglio, M. (2023). Ultrasonic Spray Coating to Optimize Performance of Bio-Electrochemical Systems. Nanomaterials (Basel, Switzerland), 13(22), 2926.

Stone, G. W., Rizvi, A., Newman, W., Mastali, K., Wang, J. C., Caputo, R., …Kereiakes, D. J. (2010). Everolimus-Eluting versus Paclitaxel-Eluting Stents inCoronary Artery Disease. New England Journal of Medicine, 362(18), 1663–1674. https://doi.org/10.1056/NEJMoa0910496.

Stettler, C., Wandel, S., Allemann, S., Kastrati, A., Morice, M. C., Schömig, A., ... & Jüni, P. (2007). Outcomes associated with drug-eluting and bare-metal stents: a collaborative network meta-analysis. The Lancet, 370(9591), 937-948.

Su, L. C., Chen, Y. H., & Chen, M. C. (2013). Dual drug-eluting stents coated with multilayers of hydrophobic heparin and sirolimus. ACS Applied Materials & Interfaces, 5(24), 12944-12953.

Șucu, T., & Shaver, M. P. (2020). Inherently degradable cross-linked polyesters and polycarbonates: resins to be cheerful. Polymer Chemistry, 11(40), 6397-6412.

Suhail, M., Fang, C. W., Chiu, I. H., Ullah, H., Lin, I. L., Tsai, M. J., & Wu, P. C. (2024). Preparation, Swelling, and Drug Release Studies of Chitosan-based Hydrogels for Controlled Delivery of Buspirone Hydrochloride. Current pharmaceutical biotechnology, 25(14), 1867–1874.

Suhartati, T. (2017). Dasar-dasar spektrofotometri UV-Vis dan spektrometri massa untuk penentuan struktur senyawa organik.

Sung, H. W., Huang, R. N., Huang, L. L., & Tsai, C. C. (1999). In vitro evaluation of cytotoxicity of a naturally occurring cross-linking reagent for biological tissue fixation. Journal of Biomaterials Science, Polymer Edition, 10(1), 63-78.

Sommer, L. (2012). Analytical absorption spectrophotometry in the visible and ultraviolet: the principles. Elsevier.

Tada, T., Byrne, R. A., Simunovic, I., King, L. A., Cassese, S., Joner, M., Fusaro, M., 124 Schneider, S., Schulz, S., Ibrahim, T., Ott, I., Massberg, S., Laugwitz, K. L., &Kastrati, A. (2013). Risk of stent thrombosis among bare-metal stents, first- generation drug-eluting stents, and second-generation drug-eluting stents: results from a registry of 18,334 patients. JACC: Cardiovascular Interventions, 6(12), 1267–1274.

Talevi, A., & Quiroga, A. M. P. (2018). ADME processes in pharmaceutical sciences. Quiroga, Alan Talevi and Pablo AM}(Springer, 2018).

Tanner FC, Yang Z-Y, Duckers E, Gordon D, Nabel GJ, Nabel EG. (1998). Expression of Cyclin-Dependent Kinase Inhibitors in Vascular Disease. Circ Res, 82(3):396–403.

Tara, S., Rocco, K. A., Hibino, N., Sugiura, T., Kurobe, H., Breuer, C. K., & Shinoka, T. (2014). Vessel Bioengineering–Development of Small-Diameter Arterial Grafts–. Circulation Journal, 78(1), 12-19.

Topol EJ, Serruys PW. (1998). Frontiers in Interventional Cardiology. Circulation. 98(17):1802–1820.

Ullrich, H., Olschewski, M., Münzel, T., & Gori, T. (2021). Koronare In-stent-restenose: prädiktoren und therapie. Dtsch. Ärzteblatt Int, 118, 637-644.

Siepmann, J., Siegel, R. A., & Rathbone, M. J. (2012). Fundamentals and applications of controlled release drug delivery (Vol. 3, pp. 33-34). New York: Springer.

Vashist, S., Sharma, S., Kumari, J., Gadewar, M., & Arora, S. (2022). A Review on Curcumin and its Use as Novel Drug Delivery System.

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Venkatesan J, Kim SK (2010) Chitosan composites for bone tissue engineering--an overview. Mar Drugs 8:2252–2266.

Virmani, R., Guagliumi, G., Farb, A., Musumeci, G., Grieco, N., Motta, T., Mihalcsik, L., Tespili, M., Valsecchi, O., & Kolodgie, F. D. (2004). Localized hypersensitivity and late coronary thrombosis secondary to a sirolimus-eluting 125 stent: should we be cautious?. Circulation, 109(6), 701–705.

Vukajlovic, D., Parker, J., Bretcanu, O., & Novakovic, K. (2019). Chitosan based polymer/bioglass composites for tissue engineering applications. Materials Science and Engineering: C, 96, 955-967.

Wang, W., & Xu, D. (1994). Viscosity and flow properties of concentrated solutions of chitosan with different degrees of deacetylation. International journal of biological macromolecules, 16(3), 149-152.

Wang, Z., Liu, H., Luo, W., Cai, T., Li, Z., Liu, Y., Gao, W., Wan, Q., Wang, X., Wang, J., Wang, Y., & Yang, X. (2020). Regeneration of skeletal system with genipin crosslinked biomaterials. Journal of tissue engineering, 11, 2041731420974861.

Wang, Q., Chen, W., Zhu, W., McClements, D. J., Liu, X., & Liu, F. (2022). A review of multilayer and composite films and coatings for active biodegradable packaging. npj Science of Food, 6(1), 18.

Warule, P. S., Patel, V. P., & Gosavi, S. A. (2017). Development and Validation of UV Spectrophotometric Method for the Estimation of Curcumin in an Ayurvedic Formulation Haridrakhand. Int J Pharm Drug Anal, 5(5), 193-197.

Waseda, K.,Ako, J., Yamasaki, M., Koizumi, T., Sakurai, R., Hongo, Y., Koo, B. K., Ormiston, J., Worthley, S. G., Whitbourn, R. J., Walters, D. L., Meredith, I. T., Fitzgerald, P. J., & Honda, Y. (2011). Impact of polymer formulations on neointimal proliferation after zotarolimus-eluting stent with different polymers: insights from the RESOLUTE trial. Circulation. Cardiovascular Interventions, 4(3), 248–255.

Weiser, J., & Saltzman, W. (2014). Controlled release for local delivery of drugs: barriers and models.. Journal of controlled release : official journal of the Controlled Release Society, 190, 664-73 .

Wenzel, P., Knorr, M., Kossmann, S., Stratmann, J., Hausding, M., Schuhmacher, S., ... & Münzel, T. (2011). Lysozyme M–positive monocytes mediate angiotensin II–induced arterial hypertension and vascular dysfunction. Circulation, 124(12), 1370-1381.

Woźniak, A., & Biernat, M. (2022). Methods for crosslinking and stabilization of chitosan structures for potential medical applications. *Journal of Bioactive and Compatible Polymers*, *37*(3), 151-167.

Xiaolu Zhang., Liu, J., Pang, X., Zhao, J., & Xu, S. (2020). Curcumin Suppresses Aldosterone-Induced CRP Generation in Rat Vascular Smooth Muscle Cells via Interfering with the ROS-ERK1/2 Signaling Pathway. *Evidence-based Complementary and Alternative Medicine : eCAM*, 2020.

Xu, J., Yang, J., Huang, N., Uhl, C., Zhou, Y., & Liu, Y. (2016). Mechanical response of cardiovascular stents under vascular dynamic bending. Biomedical engineering online, 15, 21.

Yang YY, Chung TS, Bai XL, Chan WK. (2000). Effect of preparation conditions on morphology and release profiles of biodegradable polymeric microspheres containing protein fabricated by double-emulsion method. Chem Eng Sci 55 : 2223 -36

Desain Controlled Release Drug-Eluting Stent dengan Multi-Lapisan Kitosan dan Kurkumin
Jeremia Frandy Apitalau, drg. Heribertus Dedy Kusuma Yulianto, M.Biotech., Ph.D; dr. Dyah Listyarifah, M.Sc., D.Me
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, S., Wu, Z., Yang, W., & Yang, M. (2008). Thermal and mechanical properties of chemical crosslinked polylactide (PLA). *Polymer Testing*, 27, 957-963.

Yelamanchili, V. S., & Hajouli, S. (2023). Coronary Artery Stents. In StatPearls. StatPearls Publishing

Yi, H., Huang, J., Gu, X., & Ni, Z. (2011). Study on ultrasonic spray technology for the coating of vascular stent. Science China Technological Sciences, 54, 3358-3370.

Ying Zhou., Little, P., Xu, S., & Kamato, D. (2021). Curcumin Inhibits Lysophosphatidic Acid Mediated MCP-1 Expression via Blocking ROCK Signalling. *Molecules*, 26.

Yoo, J. S., Kim, Y. J., Kim, S. H., & Choi, S. H. (2011). Study on genipin: a new alternative natural crosslinking agent for fixing heterograft tissue. The Korean journal of thoracic and cardiovascular surgery, 44(3), 197..

Yoo, J., & Won, Y. (2020). Phenomenology of the initial burst release of drugs fromPLGA microparticles. ACS Biomaterials Science & Engineering, 6(11), 6053–6062.

Yunani, P. I. (2014). Analisis Peramalan Jumlah Pemakaian Stent di Indonesia (Studi Kasus di RSJPD Harapan Kita, RSUP Dr. Sardjito, RSUD Dr. Soetomo) (Doctoral dissertation, Universitas Gadjah Mada).

Yushu H, Venkatraman S. (2006). The effect of process variables on the morphology and release characteristics of protein-loaded PLGA particles. J Appl Polym Sci 101 : 3053 -61.

Zhang, Y., Huo, M., Zhou, J., Zou, A., Li, W., Yao, C., & Xie, S. (2010). DDSolver: an add-in program for modeling and comparison of drug dissolution profiles. The AAPS journal, 12(3), 263–271.

Zhang, H., Deng, W., Wang, X., Wang, S., Ge, J., & Toft, E. (2016). Solely abluminal drug release from coronary stents could possibly improve reendothelialization. Catheterization and Cardiovascular Interventions, 88(3), E59-E66.

Zhang, S. (Ed.). (2016). Biological and biomedical coatings handbook: applications. CRC Press.

Zhang, D., Yang, Y., Li, Y., Zhang, G., & Cheng, Z. (2020). Inhibitory Effect of Curcumin on Artery Restenosis Following Carotid Endarterectomy and Its Associated Mechanism in vitro and in vivo. *Drug design, development and therapy*, *14*, 855–866.

Zhao, J., Wang, L., Fan, C., Yu, K., Liu, X., Zhao, X., ... & Li, Y. (2017). Development of near zero-order release PLGA-based microspheres of a novel antipsychotic. International journal of pharmaceutics, 516(1-2), 32-38.

Zirak N., Maadani A., Salahinejad E., Abbasnezhad N., Shirinbayan M. 2022. Fabrication, drug delivery kinetics and cell viability assay of PLGA-coated vancomycin-loaded silicate porous microspheres. *Ceram. Int.* 48:48–54.

Zsila, F., Bikádi, Z., & Simonyi, M. (2003). Molecular basis of the Cotton effects induced by the binding of curcumin to human serum albumin. Tetrahedron: Asymmetry, 14(16), 2433-2444.