

DAFTAR PUSTAKA

- (APJII) APJII. (2024) Jumlah Pengguna Internet Indonesia Tembus 221 Juta Orang. 7 Februari 2024 ed.
- (WHO) WHO. *Cardiovascular Disease*. Available at: https://www.who.int/health-topics/cardiovascular-diseases#tab=tab_1.
- (WHO) WHO. (2010) *International Statistical Classification of Diseases and Related Health Problems 10th Revision (ICD-10) Version for 2010*
Available at: <https://icd.who.int/browse10/2010/en#/IX>.
- (WHO) WHO. (2021) Guideline for the pharmacological treatment of hypertension in adults.
- (WHO) WHO. (2023) *Hypertension*. Available at: <https://www.who.int/health-topics/hypertension#>.
- Abraham C and Sheeran P. (2015) The Health Belief Model.
- Ahmad NA, Mat Ludin AF, Shahar S, *et al.* (2022) Willingness, perceived barriers and motivators in adopting mobile applications for health-related interventions among older adults: a scoping review. *BMJ Open* 12: e054561.
- Al-Noumani H, Wu JR, Barksdale D, *et al.* (2018) Health Beliefs and Medication Adherence in Omanis With Hypertension. *J Cardiovasc Nurs* 33: 518-526.
- Alessa T, Hawley MS, Hock ES, *et al.* (2019) Smartphone Apps to Support Self-Management of Hypertension: Review and Content Analysis. *JMIR Mhealth Uhealth* 7: e13645.
- Alligood MR. (2013) *Nursing theory: Utilization & application*: Elsevier Health Sciences.
- Alyafei A and Easton-Carr R. (2024) The Health Belief Model of Behavior Change. *StatPearls*. Treasure Island (FL) ineligible companies. Disclosure: Raul Easton-Carr declares no relevant financial relationships with ineligible companies.: StatPearls Publishing
- Armitage LC, Kassavou A and Sutton S. (2020) Do mobile device apps designed to support medication adherence demonstrate efficacy? A systematic review of randomised controlled trials, with meta-analysis. *BMJ Open* 10: e032045.
- Avenzora A. (2023) Statistik Pendidikan 2023. In: Rakyat DSK (ed). Jakarta: Badan Pusat Statistik, 229.

- Babich N. (2019) *User Centered Design Principles & Methods*. Available at: <https://xd.adobe.com/ideas/principles/human-computer-interaction/user-centered-design/>.
- Badan Kebijakan Pembangunan Kesehatan RI. (2023) Survey Kesehatan Indonesia (SKI) Dalam Angka tahun 2023. In: Indonesia KKR (ed). Jakarta: Lembaga Badan Kebijakan Pembangunan Kesehatan, i -925.
- Badan Penelitian dan Pengembangan Kesehatan RI. (2019a) Laporan Nasional Riskesdas 2018. In: Indonesia KKR (ed). Jakarta: Lembaga penerbit Badan penelitian dan Pengembangan Kesehatan.
- Badan Penelitian dan Pengembangan Kesehatan RI. (2019b) Laporan Provinsi DI Yogyakarta Riskesdas 2018. In: Indonesia KKR (ed). Jakarta, Indonesia: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan.
- Bartholomew LK, Parcel GS, Kok G, *et al.* (2006) *Planning Health Promotion Programs: An Intervention Mapping Approach, second Edition*, USA: Jossey-Bass A Wiley Imprint.
- Bhandari B, Schutte AE, Jayasuriya R, *et al.* (2021) Acceptability of a mHealth strategy for hypertension management in a low-income and middle-income country setting: a formative qualitative study among patients and healthcare providers. 11: e052986.
- Birinci Ş. (2023) A Digital Opportunity for Patients to Manage Their Health: Turkey National Personal Health Record System (The e-Nabız). *Balkan Med J* 40: 215-221.
- Black JMH, J.H. (2014) *Medical-Surgical Nursing : Clinical Management for Positive Outcomes*. Diterjemahkan oleh Joko Mulyanto, dkk, Singapore: ELSEVIER.
- Bozorgi A, Hosseini H, Eftekhar H, *et al.* (2021) The effect of the mobile "blood pressure management application" on hypertension self-management enhancement: a randomized controlled trial. *Trials* 22: 413.
- Brooke J. (1995) SUS: A quick and dirty usability scale. *Usability Eval. Ind.* 189.
- Brooke JJous. (2013) SUS: a retrospective. 8: 29-40.
- Bundy JD and Williams BJC. (2021) Harmonization of the American College of Cardiology/American Heart Association and European Society of Cardiology/European Society of Hypertension Blood Pressure/Hypertension Guidelines. 144: 00-00.

- Byambasuren O, Beller E, Hoffmann T, *et al.* (2020) Barriers to and facilitators of the prescription of mHealth apps in Australian general practice: qualitative study. 8: e17447.
- Cao W, Milks MW, Liu X, *et al.* (2022) mHealth Interventions for Self-management of Hypertension: Framework and Systematic Review on Engagement, Interactivity, and Tailoring. *JMIR Mhealth Uhealth* 10: e29415.
- Cao Y, Sathish T, Haregu T, *et al.* (2021) Factors Associated With Hypertension Awareness, Treatment, and Control Among Adults in Kerala, India. *Front Public Health* 9: 753070.
- Caroline Saskia WKP. (2023) "Ada 354 Juta Ponsel Aktif di Indonesia, Terbanyak Nomor Empat Dunia". *Kompas.com*.
- Champion VL, Skinner CSJHb, health education: Theory r, *et al.* (2008) The health belief model. 4: 45-65.
- Chang E, Lin V, Goh R, *et al.* (2020) Differences Between Current and Desired Physician Hypertension Management Roles Among Chinese American Seniors: a Qualitative Study. *J Gen Intern Med* 35: 3471-3477.
- Chang SM, Lu IC, Chen YC, *et al.* (2021) Behavioral Factors Associated with Medication Nonadherence in Patients with Hypertension. *Int J Environ Res Public Health* 18.
- Dam RF. (2022) *The 5 Stages in the Design Thinking Process*. Available at: <https://www.interaction-design.org/literature/article/5-stages-in-the-design-thinking-process>.
- Danny SS, Tiksnadi A, Mumpuni ASS, *et al.* (2024) *Konsensus Panduan pengenalan dan tatalaksana hipertensi resisten di indonesia 2024*, Jakarta: Indonesian Society of Hypertension. Perhimpunan Dokter Hipertensi Indonesia.
- de Garibay VG, Fernández MA, de la Torre-Diez I, *et al.* (2016) Utility of a mHealth app for self-management and education of cardiac diseases in Spanish urban and rural areas. 40: 1-8.
- Debon R, Bellei EA, Biduski D, *et al.* (2020) Effects of using a mobile health application on the health conditions of patients with arterial hypertension: A pilot trial in the context of Brazil's Family Health Strategy. 10: 1-10.
- Dias A, Azariah F, Sequeira M, *et al.* (2019) Adaptation of problem-solving therapy for primary care to prevent late-life depression in Goa, India: the 'DIL' intervention. *Glob Health Action* 12: 1420300.

- Dos Santos Marques IC, Theiss LM, Johnson CY, *et al.* (2021) Implementation of virtual focus groups for qualitative data collection in a global pandemic. *Am J Surg* 221: 918-922.
- Dibba Y, Kachimanga C, Gassimu J, *et al.* (2024) Non-communicable disease care in Sierra Leone: a mixed-methods study of the drivers and barriers to retention in care for hypertension. *BMJ Open* 14: e077326.
- Douglas BM and Howard EP. (2015) Predictors of Self-Management Behaviors in Older Adults with Hypertension. *Advances in Preventive Medicine* 2015: 960263.
- Duan H, Wang Z, Ji Y, *et al.* (2020) Using goal-directed design to create a mobile health app to improve patient compliance with hypertension self-management: development and deployment. 8: e14466.
- Elo S, Kääriäinen M, Kanste O, *et al.* (2014) Qualitative content analysis: A focus on trustworthiness. 4: 2158244014522633.
- Erkoc SB, Isikli B, Metintas S, *et al.* (2012) Hypertension Knowledge-Level Scale (HK-LS): a study on development, validity and reliability. 9: 1018-1029.
- Ernawati I, Fandinata SS and Permatasari SNJOAMJoMS. (2020) Translation and validation of the Indonesian version of the hypertension knowledge-level scale. 8: 630-637.
- Fathurozak F, Nugroho IA and Santoso EB. (2022) The Relationship Of Self-Efficacy And Compliance With Healthy Lifestyle Of Hypertension Patients In Brebes. *Prosiding University Research Colloquium*. 76-87.
- Franklin MM, Harden JK and Peters RM. (2016) Getting to Normal: Women's Experiences Self-Managing Their Perceived Blood Pressure Changes. 31: 151-157.
- Gibbs BB, Hivert M-F, Jerome GJ, *et al.* (2021) Physical Activity as a Critical Component of First-Line Treatment for Elevated Blood Pressure or Cholesterol: Who, What, and How?: A Scientific Statement From the American Heart Association. 78: e26-e37.
- Goldmann E, Jacoby R, Finfer E, *et al.* (2020) Positive Health Beliefs and Blood Pressure Reduction in the DESERVE Study. *J Am Heart Assoc* 9: e014782.
- Gong K, Yan Y-L, Li Y, *et al.* (2020) Mobile health applications for the management of primary hypertension: A multicenter, randomized, controlled trial. *Medicine* 99: e19715.

- Gupta A, Ellis SD, Burkhardt C, *et al.* (2023) Implementing a home-based virtual hypertension programme-a pilot feasibility study. *Fam Pract* 40: 414-422.
- Gusty RP and Merdawati LJKK. (2020) Self-Care Behaviour Practices and Associated Factors Among Adult Hypertensive Patient in Padang. 11: 51-58.
- Haidari A, Moeini M and Khosravi A. (2017) The Impact of Peer Support Program on Adherence to the Treatment Regimen in Patients with Hypertension: A Randomized Clinical Trial Study. *Iran J Nurs Midwifery Res* 22: 427-430.
- Halliday M, Mill D, Johnson J, *et al.* (2021) Let's talk virtual! Online focus group facilitation for the modern researcher. *Research in Social and Administrative Pharmacy* 17: 2145-2150.
- Han H-R, Lee H, Commodore-Mensah Y, *et al.* (2014) Development and validation of the hypertension self-care profile: a practical tool to measure hypertension self-care. 29: E11.
- Hawthorne KH and Richards L. (2017) Personal health records: a new type of electronic medical record. *Records Management Journal* 27: 286-301.
- Hayani N, Azwarni, Sulistiany E, *et al.* (2021) Hubungan Pengetahuan Dan Dukungan Keluarga Dengan Kepatuhan Menjalankan Diet Hipertensi Di Puskesmas Kota Kuala Simpang Aceh Tamiang Tahun 2019. *Jurnal Inovasi Penelitian* Vol.2 No.4: 1325 - 1330.
- Hennink M, Kaiser BNJSS and Medicine. (2021) Sample sizes for saturation in qualitative research: A systematic review of empirical tests. 114523.
- Hoffmann TC, Glasziou PP, Boutron I, *et al.* (2014) Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *Bmj* 348: g1687.
- Holeman I and Kane D. (2019) Human-centered design for global health equity. *Inf Technol Dev* 26: 477-505.
- Hosseini A, Emami H, Sadat Y, *et al.* (2023) Integrated personal health record (PHR) security: requirements and mechanisms. *BMC Med Inform Decis Mak* 23: 116.
- Husain MJ, Datta BK, Kostova D, *et al.* (2020) Access to cardiovascular disease and hypertension medicines in developing countries: an analysis of essential medicine lists, price, availability, and affordability. 9: e015302.

- Hwang J, Lee T, Lee H, *et al.* (2022) A Clinical Decision Support System for Sleep Staging Tasks With Explanations From Artificial Intelligence: User-Centered Design and Evaluation Study. 24: e28659.
- Idu DMB, Ningsih OS and Ndorang TA. (2022) FAKTOR – FAKTOR YANG MEMPENGARUHI PERILAKU SELF- CARE PADA PASIEN HIPERTENSI DI WILAYAH KERJA PUSKESMAS LALANG TAHUN 2022. *Wawasan Kesehatan*: 30-38.
- Imtichan SN, Tamtomo D, Sulaeman ESJJoHP, *et al.* (2019) Path analysis: Application of health belief model on the determinants of clean and healthy behavior among elderly with hypertension. 4: 110-120.
- Israfil I, Kusnanto K, Yusuf A, *et al.* (2022) The effect of health education intervention through mobile phone on hypertension patients: A systematic review. 77: 232-236.
- Jahan Y, Rahman MM, Faruque ASG, *et al.* (2020) Awareness Development and Usage of Mobile Health Technology Among Individuals With Hypertension in a Rural Community of Bangladesh: Randomized Controlled Trial. *J Med Internet Res* 22: e19137.
- Jalali S, Roozbahani N and Shamsi M. (2022) The Effectiveness of Tailored Interactive Multimedia Software based on the Trans-Theoretical Model for the Promotion of Physical Activity Behaviours. *Malays J Med Sci* 29: 140-151.
- James PA, Oparil S, Carter BL, *et al.* (2014) 2014 Evidence-Based Guideline for the Management of High Blood Pressure in Adults: Report From the Panel Members Appointed to the Eighth Joint National Committee (JNC 8). *JAMA* 311: 507-520.
- Jemadu L and Prastya D. (2022) *Jumlah Perangkat Seluler di Indonesia Capai 370,1 Juta pada 2022*. Available at: <https://www.suara.com/tekno/2022/02/21/165644/jumlah-perangkat-seluler-di-indonesia-capai-3701-juta-pada-2022>.
- Jiang Y, Jiao N, Nguyen HD, *et al.* (2019) Effect of a mHealth programme on coronary heart disease prevention among working population in Singapore: A single group pretest–post-test design. 75: 1922-1932.
- John O, Campbell NRC, Brady TM, *et al.* (2021) The 2020 "WHO Technical Specifications for Automated Non-Invasive Blood Pressure Measuring Devices With Cuff". *Hypertension* 77: 806-812.

- Johnston W, Keogh A, Dickson J, *et al.* (2022) Human-Centered Design of a Digital Health Tool to Promote Effective Self-care in Patients With Heart Failure: Mixed Methods Study. *JMIR Form Res* 6: e34257.
- Jones L, Williams S, Bydalek K, *et al.* (2019) African American Women's Perceptions of Cardiovascular Disease After Myocardial Infarction: A Phenomenological Inquiry. 34: 503-510.
- Kao C-W, Chen T-Y, Cheng S-M, *et al.* (2019) A Web-Based Self-Titration Program to Control Blood Pressure in Patients With Primary Hypertension: Randomized Controlled Trial. *J Med Internet Res* 21: e15836.
- Kaplan AL, Cohen ER and Zimlichman E. (2017) Improving patient engagement in self-measured blood pressure monitoring using a mobile health technology. *Health Information Science and Systems* 5: 4.
- Kassavou A, Wang M, Mirzaei V, *et al.* (2022) The Association Between Smartphone App-Based Self-monitoring of Hypertension-Related Behaviors and Reductions in High Blood Pressure: Systematic Review and Meta-analysis. *JMIR Mhealth Uhealth* 10: e34767.
- Kathleen TH, Angelo BB, Garan H, *et al.* (2017) Evaluating the utility of mHealth ECG heart monitoring for the detection and management of atrial fibrillation in clinical practice. 9.
- Kayyali R, Peletidi A, Ismail M, *et al.* (2017) Awareness and use of mHealth apps: a study from England. 5: 33.
- Kim JY, Wineinger NE and Steinhubl SR. (2016) The Influence of Wireless Self-Monitoring Program on the Relationship Between Patient Activation and Health Behaviors, Medication Adherence, and Blood Pressure Levels in Hypertensive Patients: A Substudy of a Randomized Controlled Trial. *J Med Internet Res* 18: e116.
- Konlan KD, Afam-Adjei CJ, Afam-Adjei C, *et al.* (2020) Practice and Sociodemographic Factors Influencing Self-Monitoring of Blood Pressure in Ghanaians with Hypertension. *Int J Chronic Dis* 2020: 6016581.
- Krolikowski KA, Bi M, Baggott CM, *et al.* (2022) Design thinking to improve healthcare delivery in the intensive care unit: Promise, pitfalls, and lessons learned. 69: 153999.
- Kruse C, Betancourt J, Ortiz S, *et al.* (2019) Barriers to the Use of Mobile Health in Improving Health Outcomes in Developing Countries: Systematic Review. *J Med Internet Res* 21: e13263-e13263.

- Layton AM, Whitworth J, Peacock J, *et al.* (2014) Feasibility and acceptability of utilizing a smartphone based application to monitor outpatient discharge instruction compliance in cardiac disease patients around discharge from hospitalization. 2014.
- Li R, Liang N, Bu F, *et al.* (2020) The Effectiveness of Self-Management of Hypertension in Adults Using Mobile Health: Systematic Review and Meta-Analysis. *JMIR Mhealth Uhealth* 8: e17776.
- Lisón JF, Palomar G, Mensorio MS, *et al.* (2020) Impact of a Web-Based Exercise and Nutritional Education Intervention in Patients Who Are Obese With Hypertension: Randomized Wait-List Controlled Trial. *J Med Internet Res* 22: e14196.
- Listiana D, Effendi S, Saputra YEJJoN, *et al.* (2020) Faktor-faktor yang berhubungan dengan kepatuhan penderita hipertensi dalam menjalani pengobatan di Puskesmas Karang Dapo Kabupaten Muratara. 8: 11-22.
- Liu F, Song T, Yu P, *et al.* (2023) Efficacy of an mHealth App to Support Patients' Self-Management of Hypertension: Randomized Controlled Trial. *J Med Internet Res* 25: e43809.
- Liu P, Astudillo K, Velez D, *et al.* (2020) Use of Mobile Health Applications in Low-Income Populations: A Prospective Study of Facilitators and Barriers. *Circulation. Cardiovascular quality and outcomes* 13: CIRCOUTCOMES120007031.
- Loranger H. (2016) *Checklist for Planning Usability Studies* Available at: <https://www.nngroup.com/articles/usability-test-checklist/?lm=recruiting-test-participants-for-usability-studies&pt=article>.
- Loucks EB, Nardi WR, Gutman R, *et al.* (2019) Mindfulness-Based Blood Pressure Reduction (MB-BP): Stage 1 single-arm clinical trial. *PLoS One* 14: e0223095.
- Lu X, Yang H, Xia X, *et al.* (2019) Interactive Mobile Health Intervention and Blood Pressure Management in Adults. *Hypertension* 74: 697-704.
- Luchs MGJdNpdefP. (2015) A brief introduction to design thinking. 1-12.
- Magobe NBD, Poggenpoel M and Myburgh C. (2017) Experiences of patients with hypertension at primary health care in facilitating own lifestyle change of regular physical exercise. *Curationis* 40: e1-e8.

- Malo S, Aguilar-Palacio I, Feja C, *et al.* (2021) Effect of patient and treatment factors on persistence with antihypertensive treatment: A population-based study. *PLoS One* 16: e0245610.
- Mannemuddhu SS, Ojeda JC and Yadav A. (2020) Renovascular Hypertension. *Prim Care* 47: 631-644.
- Marquez Contreras E, Marquez Rivero S, Rodriguez Garcia E, *et al.* (2019) Specific hypertension smartphone application to improve medication adherence in hypertension: a cluster-randomized trial. *Current Medical Research and Opinion* 35: 167-173.
- Martínez-Ibáñez P, Marco-Moreno I, Peiró S, *et al.* (2023) Home Blood Pressure Self-monitoring plus Self-titration of Antihypertensive Medication for Poorly Controlled Hypertension in Primary Care: the ADAMPA Randomized Clinical Trial. *J Gen Intern Med* 38: 81-89.
- Michaelsen MM and Esch T. (2021) Motivation and reward mechanisms in health behavior change processes. *Brain Research* 1757: 147309.
- Morera EP, de la Torre Díez I, Garcia-Zapirain B, *et al.* (2016) Security Recommendations for mHealth Apps: Elaboration of a Developer’s Guide. *J Med Syst* 40: 152.
- Morawski K, Ghazinouri R, Krumme A, *et al.* (2018) Association of a Smartphone Application With Medication Adherence and Blood Pressure Control: The MedISAFE-BP Randomized Clinical Trial. *JAMA Intern Med* 178: 802-809.
- Mortensen DH. (2020) *Stage 1 in the Design Thinking Process: Empathise with Your Users*. Available at: <https://www.interaction-design.org/literature/article/stage-1-in-the-design-thinking-process-empathise-with-your-users>.
- Motlagh SFZ, Chaman R, Sadeghi E, *et al.* (2016) Self-care behaviors and related factors in hypertensive patients. 18.
- Muldoon MF, Einhorn J, Yabes JG, *et al.* (2021) Randomized feasibility trial of a digital intervention for hypertension self-management. *Journal of Human Hypertension*.
- Murphy K, Chuma T, Mathews C, *et al.* (2015) A qualitative study of the experiences of care and motivation for effective self-management among diabetic and hypertensive patients attending public sector primary health care services in South Africa. 15: 1-9.

- Ndejjo R, Musinguzi G, Nuwaha F, *et al.* (2022) Understanding factors influencing uptake of healthy lifestyle practices among adults following a community cardiovascular disease prevention programme in Mukono and Buikwe districts in Uganda: A qualitative study. *PLoS One* 17: e0263867.
- Nielsen J. (2001) *Usability Metrics*. Available at: <https://www.nngroup.com/articles/usability-metrics/>.
- Omboni S, Caserini M, Coronetti CJHBP, *et al.* (2016) Telemedicine and M-health in hypertension management: technologies, applications and clinical evidence. 23: 187-196.
- Omboni S, Panzeri E and Campolo L. (2020) E-Health in Hypertension Management: an Insight into the Current and Future Role of Blood Pressure Telemonitoring. *Curr Hypertens Rep* 22: 42.
- Padmasari S and Husna NJPJoI. (2023) Faktor Prediktor Ketercapaian Target Tekanan Darah Pasien Hipertensi di RS PKU Muhammadiyah Gamping. 9.
- Pais S, Petrova K and Parry D. (2021) Enhancing System Acceptance through User-Centred Design: Integrating Patient Generated Wellness Data. *Sensors (Basel)* 22.
- Pappaccogli M, Ponsa L, Goi J, *et al.* (2024) Management of Renovascular Hypertension and Renal Denervation in Patients with Hypertension: An Italian Nationwide Survey. *High Blood Press Cardiovasc Prev* 31: 501-512.
- Parati G, Dolan E, McManus RJ, *et al.* (2018) Home blood pressure telemonitoring in the 21st century. 20: 1128-1132.
- Persell SD, Peprah YA, Lipiszko D, *et al.* (2020) Effect of Home Blood Pressure Monitoring via a Smartphone Hypertension Coaching Application or Tracking Application on Adults with Uncontrolled Hypertension: A Randomized Clinical Trial. *JAMA Netw Open* 3: e200255.
- Polhemus AM, Novák J, Ferrao J, *et al.* (2020) Human-Centered Design Strategies for Device Selection in mHealth Programs: Development of a Novel Framework and Case Study. *JMIR Mhealth Uhealth* 8: e16043.
- Pourmand G, Doshmangir L, Ahmadi A, *et al.* (2020) An application of the theory of planned behavior to self-care in patients with hypertension. *BMC Public Health* 20: 1290.
- Prochaska J and Velicer WJAJHP. (1997) The transtheoretical model of health behaviour change. 12: 38-48.

- Prochaska JO, Redding CA and Evers KE. (2008) The Transtheoretical Model and Stages of Change. In: Karen Glanz BK and Rimer aKV (eds) *Health behavior and health education : theory, research, and practice* United States of America: Jossey-Bass A Wiley Imprint, 591.
- Puspita VT and Hariyati TS. (2019) Aplikasi mhealth dalam deteksi, monitoring dan perubahan gaya hidup penderita penyakit jantung. *Jurnal Ilmiah Kesehatan Keperawatan* Vol 15, No 2.
- Putri DMFS and supartayana KD. (2020) Hubungan Tingkat Pengetahuan Lansia tentang Hipertensi dengan Kepatuhan Diet Hipertensi di Panti Sosial Tresna Werdha Jasa Mara Pati Buleleng. *Jurnal Medika Usada* Volume 3 No 2: 41-47.
- Queirós PJP, Vidinha T and Almeida Filho AJRdE. (2014) Self-care: Orem's theoretical.
- Roller MR. (2019) A Quality Approach to Qualitative Content Analysis: Similarities and Differences Compared to Other Qualitative Methods. *Forum Qualitative Sozialforschung / Forum: Qualitative Social Research* 20.
- Roth GA, Mensah GA, Johnson CO, *et al.* (2020) Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019: Update From the GBD 2019 Study. *Journal of the American College of Cardiology* 76: 2982-3021.
- Rozani M. (2019) Perawatan Diri dan Faktor-faktor Terkait pada Pasien Hipertensi: Tinjauan Literatur. *Dinamika Kesehatan Jurnal Kebidanan dan Keperawatan* Vol 10, No 1.
- Sasongko DP, Soniawati D, Susanto A, *et al.* (2023) Hypertension Self Management Behaviors dan Ketercapaian Target Terapi Hipertensi Essensial Grade 1. 21: 8-17.
- Saputra AJJTIdM. (2019) Penerapan Usability pada Aplikasi PENTAS Dengan Menggunakan Metode System Usability Scale (SUS). 1: 206-212.
- Sarofah N, Handayani SD and Nuryakin NJMPPKI. (2021) Pengaruh Pengetahuan, Sikap, Tindakan Terhadap Kesadaran dan PHBS di Nomporejo. 4: 488-492.
- Schoenthaler A, Leon M, Butler M, *et al.* (2020) Development and Evaluation of a Tailored Mobile Health Intervention to Improve Medication Adherence in Black Patients With Uncontrolled Hypertension and Type 2 Diabetes: Pilot Randomized Feasibility Trial. *JMIR Mhealth Uhealth* 8: e17135.

- Setyowati D. (2022) *Jumlah Pengguna Baru Layanan Telemedicine Capai 44% dalam 6 Bulan*. Available at: <https://katadata.co.id/desysetyowati/digital/624e9b8b96669/jumlah-pengguna-baru-layanan-telemedicine-capai-44-dalam-6-bulan>.
- Shahaj O, Denny D, Schwappach A, *et al.* (2019) Supporting self-management for people with hypertension: a meta-review of quantitative and qualitative systematic reviews. *J Hypertens* 37: 264-279.
- Shamsi A, Nayeri ND, Esmaeili MJJocbn, *et al.* (2017) Living with hypertension: A qualitative research. 5: 219.
- Sharfina Z and Santoso HB. (2016) An Indonesian adaptation of the system usability scale (SUS). *2016 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*. IEEE, 145-148.
- Sica DA. (2008) Endocrine causes of secondary hypertension. *J Clin Hypertens (Greenwich)* 10: 534-540.
- Snelling AM. (2014) *Introduction to Health Promotion*, USA: Jossey-Bass A Wiley Brand.
- Soenarta AA, Erwinanto, Mumpuni ASS, *et al.* (2015) Pedoman Tatalaksana Hipertensi pada Penyakit Kardiovaskular; Perhimpunan Dokter Spesialis Kardiovaskular Indonesia.
- STRIDE. (2022) *STRIDE BP*. Available at: <https://stridebp.org/>.
- Su'ud AN, Murtaqib M and Kushariyadi KJJ. (2020) Hubungan Motivasi Dengan Perawatan Diri Pasien Hipertensi. 5: 137-149.
- Sulistyarini T and Hapsari MFJJSRBK. (2015) Delapan faktor penting yang mempengaruhi motivasi kepatuhan minum obat pasien hipertensi. 8.
- Tan CS, Hassali MA, Neoh CF, *et al.* (2017) A qualitative exploration of hypertensive patients' perception towards quality use of medication and hypertension management at the community level. 15.
- Tan F, Oka P, Dambha-Miller H, *et al.* (2021) The association between self-efficacy and self-care in essential hypertension: a systematic review. *BMC Fam Pract* 22: 44.
- Tapela NM, Clifton L, Tshisimogo G, *et al.* (2020) Prevalence and Determinants of Hypertension Awareness, Treatment, and Control in Botswana: A Nationally Representative Population-Based Survey. *Int J Hypertens* 2020: 8082341.

- Teting BT, Yani S and Jho YL. (2022) The Relationship of Self-Efficacy with Self-Care in Elderly with Hypertension *Caritas Et Fraternitas: Jurnal Kesehatan* 1: 10-16.
- Thalacker KM. (2011) Hypertension and the Hmong community: using the health belief model for health promotion. *Health Promot Pract* 12: 538-543.
- Toro-Ramos T, Kim Y, Wood M, *et al.* (2017) Efficacy of a mobile hypertension prevention delivery platform with human coaching. *J Hum Hypertens* 31: 795-800.
- Tursina HM, Nastiti EM and Sya'id A. (2022) Faktor-Faktor Yang Mempengaruhi Self Management (Manajemen Diri) pada Pasien Hipertensi. *Jurnal Keperawatan Cikini* Vol. 3, No. 1: 20-25.
- Unger T, Borghi C, Charchar F, *et al.* (2020) 2020 International Society of Hypertension Global Hypertension Practice Guidelines. 75: 1334-1357.
- Upoyo AS, Taufik A, Anam A, *et al.* (2021) Translation and validation of the Indonesian version of the hypertension self-care profile. 9: 980-984.
- Utarini A. (2021) *Penelitian Kualitatif dalam Pelayanan Kesehatan*, Yogyakarta: Gadjah Mada University Press.
- Villafuerte FU, Cánaves JL, Montalvo PL, *et al.* (2020) Effectiveness of a multifactorial intervention, consisting of self-management of antihypertensive medication, self-measurement of blood pressure, hypocaloric and low sodium diet, and physical exercise, in patients with uncontrolled hypertension taking 2 or more antihypertensive drugs: The MEDICHY study. 99.
- Visanuyothin S, Plianbangchang S and Somrongthong R. (2018) Appearance and potential predictors of poorly controlled hypertension at the primary care level in an urban community. *J Multidiscip Healthc* 11: 131-138.
- Wang J, Jiang Q, Gong D, *et al.* (2022) Effectiveness of an integrative programme in reducing hypertension incidence among the population at risk for hypertension: A community-based randomized intervention study in Shanghai, China. *J Glob Health* 12: 11013.
- Wahyudi JTJJKK. (2021) Studi Fenomenologi Tentang Alasan Pasien Dengan Penyakit Hipertensi Masih Tetap Menjadi Perokok Aktif Di Rumah Sakit Muhammadiyah Palembang. 17: 56-65.

- Weerahandi H, Paul S, Quintiliani LM, *et al.* (2020) A Mobile Health Coaching Intervention for Controlling Hypertension: Single-Arm Pilot Pre-Post Study. *JMIR Form Res* 4: e13989.
- Whelton PK, Carey RM, Aronow WS, *et al.* (2018) 2017 ACC/AHA/AAPA/ABC/ACPM/AGS/APhA/ASH/ASPC/NMA/PCNA Guideline for the Prevention, Detection, Evaluation, and Management of High Blood Pressure in Adults: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. 71: e13-e115.
- Whelton PK, Carey RM, Mancia G, *et al.* (2022) Harmonization of the American College of Cardiology/American Heart Association and European Society of Cardiology/European Society of Hypertension Blood Pressure/Hypertension Guidelines: Comparisons, Reflections, and Recommendations. 43: 3302-3311.
- Xu H and Long H. (2020) The Effect of Smartphone App-Based Interventions for Patients With Hypertension: Systematic Review and Meta-Analysis. *JMIR Mhealth Uhealth* 8: e21759.
- Yogyakarta DK. (2020) Profil Kesehatan DIY.
- Zoellner J, Reid A, Porter K, *et al.* (2023) Development of a Digital Behavioral Intervention to Reduce the Consumption of Sugar-Sweetened Beverages Among Rural Appalachian Adults: Multiphased, Human-Centered Design Approach. *JMIR Hum Factors* 10: e41262.
- Zou P. (2019) Facilitators and Barriers to Healthy Eating in Aged Chinese Canadians with Hypertension: A Qualitative Exploration. *Nutrients* 11.
- Zyambo C, Olowski P, Mulenga D, *et al.* (2023) Prevalence and Factors Associated with Tobacco Smoking in a National Representative Sample of Zambian Adults: Data from the 2017 STEPS - NCDs Survey. *Asian Pac J Cancer Prev* 24: 111-119.