

DAFTAR PUSTAKA

- Abdollahzad, H., Eghtesadi, S., Nourmohammadi, I., Khadem-Ansari, M., Nejad-Gashti, H., & Esmailzadeh, A. (2009). Effect of vitamin C supplementation on oxidative stress and lipid profiles in hemodialysis patients. *International Journal for Vitamin and Nutrition Research*, 79(56), 281–287. <https://doi.org/10.1024/0300-9831.79.56.2>
- Agarwal, R. (2015). Defining end-stage renal disease in clinical trials: a framework for adjudication: Table 1. *Nephrology Dialysis Transplantation*, 31(6), 864–867. <https://doi.org/10.1093/ndt/gfv289>
- Alkhunaizi, A. M., & Chan, L. (1996). Secondary Oxalosis: A Cause of Delayed Recovery of Renal Armas-Padilla, M. C., Armas-Herna Ndez, M. J., Sosa-Canache, B., Cammarata, R., Pacheco, B., Guerrero, J., Carvajal, A. R., Herna ndez-Herna Ndez, R., Zafar H. Israili, & Velasco, M. (2007). Nitric oxide and malondialdehyde in human hypertension. In *American Journal of Therapeutics* (Vol. 14, pp. 172–176).
- Arrigoni, O., & De Tullio, M. C. (2001). Ascorbic acid: much more than just an antioxidant. In *Biochimica Et Biophysica Acta* (Vol. 1569, pp. 1–9). <https://www.bba-direct.com>
- Bakaev V, Efremov A, Tityaev I. Low levels of dehydroascorbic acid in uraemic serum and the partial correction of dehydro-ascorbic acid deficiency by haemodialysis. *Nephrol DialTransplant* 1999; 14: 1472–1474
- Baxmann, A. C., Mendonc, A, C. D. O., & Heilberg, I. P. (2002). Effect of vitamin C supplements on urinary oxalate and pH in calcium stone-forming patients. In *Kidney International* (Vols. 63–63, pp. 1066–1071).
- Boaz, M., Matas, Z., Biro, A., Katzir, Z., Green, M., Fainaru, M., & Smetana, S. (1999). Serum malondialdehyde and prevalent cardiovascular disease in hemodialysis. In *Kidney International* (Vol. 56, pp. 1078–1083).
- Boaz, M., Smetana, S., Weinstein, T., Matas, Z., Gafter, U., Iaina, A., Kencht, A., Weissgarten, Y., Brunner, D., Fainaru, M. and Green, M.S. (2000) Secondary prevention with antioxidants of cardiovascular disease in endstage renal disease (SPACE): randomized placebo-controlled trial. *Lancet* 356, 1213 – 18.
- Bogacka, A., Sobczak-Czynsz, A., Balejko, E., Heberlej, A., & Ciechanowski, K. (2022b). Effect of Diet and Supplementation on Serum Vitamin C Concentration and Antioxidant Activity in Dialysis Patients. *Nutrients*, 15(1), 78. <https://doi.org/10.3390/nu15010078>
- Bsoul, S., & Terezhalmly, G. (2004). Vitamin C in Health and Disease. In *The Journal of Contemporary Dental Practice* (Vol. 5, Issue 2, pp. 001–013). https://liposhell.pl/images/pdf/25_Bsoul_S_2004.pdf
- Buettner GR & Jurkiewicz BA (1996) Catalytic metals, ascorbate and free radicals: combinations to avoid. *Radiat Res* 145, 532–541
- Buettner GR (1993) The pecking order of free radicals and antioxidants: lipid peroxidation, alpha-tocopherol, and ascorbate. *Arch Biochem Biophys* 300, 535–543.
- Canaud, B., Cristol, J. P., Morena, M., Leray-Moragues, H., Bosc, J. Y., & Vaussenat, F. (1999). Imbalance of Oxidants and Antioxidants in Haemodialysis Patients. In *Blood Purif* (Vols. 17–17, pp. 99–106). <http://BioMedNet.com/karger>
- Canavese, C., Petrarulo, M., Massarenti, P., Berutti, S., Fenoglio, R., Pauletto, D., Lanfranco, G., Bergamo, D., Sandri, L., & Marangella, M. (2005). Long-term, low-dose, intravenous vitamin C leads to plasma calcium oxalate supersaturation in hemodialysis patients. *American Journal of Kidney Diseases*, 45(3), 540–549. <https://doi.org/10.1053/j.ajkd.2004.10.025>
- Candan, F., Gültekin, F., & Candan, F. (2001). Effect of vitamin C and zinc on osmotic fragility and lipid peroxidation in zinc-deficient haemodialysis patients. *Cell Biochemistry and Function*, 20(2), 95–98. <https://doi.org/10.1002/cbf.947>

- Carr, A, Frei, B. (1999). Does vitamin C act as a pro-oxidant under physiological conditions? The FASEB Journal Vol. $\{article.issue.getVolum$
- Chaghouri, P., Maalouf, N., Peters, S. L., Nowak, P. J., Peczek, K., Zasowska-Nowak, A., & Nowicki, M. (2021). Two Faces of Vitamin C in Hemodialysis Patients: Relation to Oxidative Stress and Inflammation. *Nutrients*, 791. <https://doi.org/10.3390/nu13030791>
- Clermont, G., Lecour, S., Lahet, J. J., Siohan, P., Vergely, C., Chevet, D., Rifle, G., & Rochette, L. (2000d). Alteration in plasma antioxidant capacities in chronic renal failure and hemodialysis patients: a possible explanation for the increased cardiovascular risk in these patients. In *Cardiovascular Research* (Vol. 47, pp. 618–623). Elsevier Science B.V. <https://academic.oup.com/cardiovascres/article/47/3/618/346158>
- Coombes, J. S., & Fassett, R. G. (2012). Antioxidant therapy in hemodialysis patients: a systematic review. In *Kidney International* (Vols. 81–233, pp. 233–246). <https://doi.org/10.1038/ki.2011.341>
- Cordiano, R., Di Gioacchino, M., Mangifesta, R., Panzera, C., Gangemi, S., & Minciullo, P. L. (2023). Malondialdehyde as a Potential Oxidative Stress Marker for Allergy-Oriented Diseases: An Update. In *Molecules* (Vol. 28, p. 5979). <https://doi.org/10.3390/molecules28165979>
- Costello J, Sadovnic M, Cottington E. Plasma oxalate levels in hemodialysis patients despite decreased oxalate removal. *J Am Soc Nephrol* 1991; 1: 1289–1298
- De Grooth, H. J., Manubulu-Choo, W. P., Zandvliet, A. S., De Man, A. M. S., Girbes, A. R., Swart, E. L., & Straaten, H. M. O. V. (2018). Vitamin C Pharmacokinetics in Critically Ill Patients. *CHEST Journal*, 153(6), 1368–1377. <https://doi.org/10.1016/j.chest.2018.02.025>
- De Vriese, Borrey D, Mahieu E, Claeys, Stevens, Vanhaeverbeke, Roelens Langlois, 2008. Oral Vitamin C Administration Increases Lipid Peroxidation in Hemodialysis Patients. *Nephron Clin Pract* 2008;108:c28–c34 DOI: 10.1159/000112526, Accessible online at: www.karger.com/nec
- Deicher, R., & Hörl, W. H. (2003). Vitamin C in Chronic Kidney Disease and Hemodialysis Patients. *Kidney & Blood Pressure Research*, 26(2), 100–106. <https://doi.org/10.1159/000070991>
- Del Rio, D., Stewart, A. J., & Pellegrini, N. (2005). A review of recent studies on malondialdehyde as toxic molecule and biological marker of oxidative stress. *NMCD. Nutrition Metabolism and Cardiovascular Diseases*, 15(4), 316–328. <https://doi.org/10.1016/j.numecd.2005.05.003>
- Duni, A., Liakopoulos, V., Rapsomanikis, K. P., & Dounousi, E. (2017). Chronic Kidney Disease and Disproportionally Increased Cardiovascular Damage: Does Oxidative Stress Explain the Burden? *Oxidative Medicine and Cellular Longevity*, 2017, 1–15. <https://doi.org/10.1155/2017/9036450>
- Eiselt, J., Racek, J., Opatrný, K., Jr, Trefil, L., & Stehlík, P. (2006). The effect of intravenous iron on oxidative stress in hemodialysis patients at various levels of vitamin C. *Blood Purification*, 24(5–6), 531–537. <https://doi.org/10.1159/000096474>
- Ferraro, P. M., Curhan, G. C., Gambaro, G., & Taylor, E. N. (2016). Total, Dietary, and Supplemental Vitamin C Intake and Risk of Incident Kidney Stones. *American Journal of Kidney Diseases*, 67(3), 400–407. <https://doi.org/10.1053/j.ajkd.2015.09.005>
- Frei, B., England, L. and Ames, B.N. (1989) Ascorbate is an outstanding antioxidant in human blood plasma. *Proc. Natl. Acad. Sci. USA* 86,6377 – 6381
- Fumeron, C., Nguyen-Khoa, T., Saltiel, C., Kebede, M., Buisson, C., Drüeke, T. B., Lacour, B., & Massy, Z. A. (2005). Effects of oral vitamin C supplementation on oxidative stress and inflammation status in haemodialysis patients. *Nephrology, Dialysis, Transplantation/Nephrology Dialysis Transplantation*, 20(9), 1874–1879. <https://doi.org/10.1093/ndt/gfh928>
- Function in the Setting of Acute Renal Failure. In *Journal of the American Society of Nephrology* (Vol. 7, Issue 11, pp. 2320–2321).

- Gerritsen, W. B., Aarts, L. P., Morshuis, W. J., & Haas, F. J. (1997). Indices of Oxidative Stress in Urine of Patients Undergoing Coronary Artery Bypass Grafting. In *Eur J Clin Chem Clin Biochem* (Vols. 35–35, Issue 10, pp. 737–742). Walter de Gruyter. <https://URL>
- Ghiadoni, L., Cupisti, A., Huang, Y., Mattei, P., Cardinal, H., Favilla, S., et al. (2004). Endothelial dysfunction and oxidative stress in chronic renal failure. *J. Nephrol.* 17 (4), 512–519.
- Granata, S., Zaza, G., Simone, S., Villani, G., Latorre, D., Pontrelli, P., Carella, M., Schena, F. P., Grandaliano, G., & Pertosa, G. (2009). Mitochondrial dysregulation and oxidative stress in patients with chronic kidney disease. *BMC Genomics*, 10(1). <https://doi.org/10.1186/1471-2164-10-388>
- Halliwell, B. (1999). Vitamin C: poison, prophylactic or panacea? *Trends in Biochemical Sciences*, 24(7), 255–259. [https://doi.org/10.1016/s0968-0004\(99\)01418-8](https://doi.org/10.1016/s0968-0004(99)01418-8)
- Hamid Nasri, 2016, Antioxidant therapy for hemodialysis patients *Ann Res Antioxid.* 2016;1(1):e01 Review, Volume 1, Issue 1, January 2016
- Handelman, G. J. (2000). Evaluation of Oxidant Stress in Dialysis Patients. *Blood Purification*, 18(4), 343–349. <https://doi.org/10.1159/000014460>
- Harris AD, McGregor JC, Perencevich EN, Furuno JP, Zhu J, Peterson DE, Finkelstein J. The use and interpretation of quasi-experimental studies in medical informatics. *J Am Med Inform Assoc.* 2006 Jan-Feb;13(1):16-23. doi: 10.1197/jamia.M1749. Epub 2005 Oct 12. PMID: 16221933; PMCID: PMC1380192.
- Hecker, M., & Ullrich, V. (n.d.). On the Mechanism of Prostacyclin and Thromboxane A₂ Biosynthesis. In *THE JOURNAL OF BIOLOGICAL CHEMISTRY* (Vol. 264, Issue No. 1, pp. 141–150).
- Honore, P. M., Spapen, H. D., Marik, P., Boer, W., & Straaten, H. O. (2020). Dosing vitamin C in critically ill patients with special attention to renal replacement therapy: a narrative review. *Annals of Intensive Care*, 10(1). <https://doi.org/10.1186/s13613-020-0640-6>
- Jadoul, M. (1998). Dialysis-related amyloidosis: importance of biocompatibility and age. In *Nephrol Dial Transplant* (pp. 61–64).
- Janero DR: Malondialdehyde and thiobarbituric acid-reactivity as diagnostic indices of lipid peroxidation and peroxidative tissue injury. *Free Radic Biol Med* 1990;9:515–540.
- Jankowska, M., Rutkowski, B., & Dębska-Ślizień, A. (2017). Vitamins and microelement bioavailability in different stages of chronic kidney disease. *Nutrients*, 9(3), 282. <https://doi.org/10.3390/nu9030282>
- Kalantar-Zadeh, K., & Kopple, J. D. (2003). Trace elements and vitamins in maintenance dialysis patients. *Advances in Renal Replacement Therapy*, 10(3), 170–182. <https://doi.org/10.1053/j.arrt.2003.09.002>
- Kanda, E., Muenz, D., Bieber, B., Cases, A., Locatelli, F., Port, F. K., Pecoits-Filho, R., Robinson, B. M., & Perl, J. (2020). Beta-2 microglobulin and all-cause mortality in the era of high-flux hemodialysis: results from the Dialysis Outcomes and Practice Patterns Study. *Clinical Kidney Journal*, 14(5), 1436–1442. <https://doi.org/10.1093/ckj/sfaa155>
- Kaźmierczak-Barańska, J., Boguszevska, K., Adamus-Grabicka, A., & Karwowski, B. T. (2020). Two Faces of Vitamin C—Antioxidative and Pro-Oxidative Agent. *Nutrients*, 12(5), 1501. <https://doi.org/10.3390/nu12051501>
- Lakshmi, B. S., Devi, N. H., Suchitra, M. M., Rao, P. V. L. N. S., & Kumar, V. S. (2018). Changes in the inflammatory and oxidative stress markers during a single hemodialysis session in patients with chronic kidney disease. *Renal Failure*, 40(1), 534–540. <https://doi.org/10.1080/0886022x.2018.1487857>

LAMPIRAN

- Levine M, Padayatty SJ, Vitamin C. In : Ross AC, Cabalero B, Cousins RJ, Tucker KL., Ziegler TR., eds. *Modern Nutrition in Health and disease*, 11st ed. Baltimore, MD : Lippincott Williams and Wilkins; 2014:416-426.

- Liakopoulos, V., Roumeliotis, S., Zarogiannis, S., & Eleftheriadis, T. (2018). Oxidative stress in hemodialysis: Causative mechanisms, clinical implications, and possible therapeutic interventions. In *Seminars in Dialysis* (pp. 1–14). <https://doi.org/10.1111/sdi.12745>
- Lim HS , Kim HS , Kim JK , Park M , Cho S, 2019, Nutritional Status and Dietary Management According to Hemodialysis Duration, *Clin Nutr Res*. 2019 Jan;8(1):28-35, <https://doi.org/10.7762/cnr.2019.8.1.28> pISSN 2287-3732·eISSN 2287-3740
- Lin, W. V., Turin, C. G., McCormick, D. W., Haas, C., & Constantine, G. (2018). Ascorbic acid-induced oxalate nephropathy: a case report and discussion of pathologic mechanisms. *CEN Case Reports*, 8(1), 67–70. <https://doi.org/10.1007/s13730-018-0366-6>
- Linster, C. L., & Van Schaftingen, E. (2007). Vitamin C Biosynthesis, recycling and degradation in mammals. In *FEBS Journal* (Vol. 274, pp. 1–22) <https://doi.org/10.1111/j.1742-4658.2006.05607.x>
- Liu, J., Yeo, H. C., Doniger, S. J., & Ames, B. N. (1997). Assay of Aldehydes from Lipid Peroxidation: Gas Chromatography–Mass Spectrometry Compared to Thiobarbituric Acid. In *ANALYTICAL BIOCHEMISTRY* (Vol. 245, pp. 161–166).
- Liu, Y., Weisberg, L. S., Langman, C. B., Logan, A., Hunter, K., Prasad, D., Avila, J., Venkatchalam, T., Berns, J. S., Handelman, G. J., & Sirover, W. D. (2016). Plasma oxalate levels in prevalent hemodialysis patients and potential implications for ascorbic acid supplementation. *Clinical Biochemistry*, 49(15), 1133–1139. <https://doi.org/10.1016/j.clinbiochem.2016.05.025>
- Loboda, A, Damulewicz, M, Pyza, E, Jozkowicz , A, Dulak ,J, Role of Nrf2/HO-1 system in development, oxidative stress response and diseases: an evolutionarily conserved mechanism, *Cellular and Molecular Life Sciences, Cell. Mol. Life Sci.* (2016) 73:3221–3247 DOI 10.1007/s00018-016-2223-0, Springerlink.com
- Locatelli, F., Canaud, B., Eckardt, K. U., Stenvinkel, P., Wanner, C., & Zoccali, C. (2003). Oxidative stress in end-stage renal disease: an emerging threat to patient outcome. *Nephrology Dialysis Transplantation*, 18(7), 1272–1280. <https://doi.org/10.1093/ndt/gfg074>
- Lumlertgul, N., Siribamrungwong, M., Jaber, B. L., & Susantitaphong, P. (2018). Secondary Oxalate Nephropathy: A Systematic Review. In *Kidney Int Rep* (Vols. 3–1363, pp. 1363–1372). <https://doi.org/10.1016/j.ekir.2018.07.020>
- Lunec, J., Holloway, K. A., Cooke, M. S., Faux, S., Griffiths, H. R., & Evans, M. D. (2002). Urinary 8-oxo-2'-deoxyguanosine: redox regulation of DNA repair in vivo? 1 This article is part of a series of reviews on “Oxidative DNA Damage and Repair.” The full list of papers may be found on the homepage of the journal. *Free Radical Biology & Medicine*, 33(7), 875–885. [https://doi.org/10.1016/s0891-5849\(02\)00882-1](https://doi.org/10.1016/s0891-5849(02)00882-1)
- Lushchak, V. I. (2011). Glutathione homeostasis and functions: Potential targets for medical interventions. *Journal of Amino Acids*, 2012, 26. <https://doi.org/10.1155/2012/736837>
- Lykkesfeldt, 2007, Malondialdehyde as biomarker of oxidative damage to lipids caused by smoking *Clinica Chimica Acta* 380 (2007) 50 – 58
- Mackenzie, T. A., MD, Zawada, E. T., Jr. MD, & Stacy, W. K., MD. (1985). Hemodialysis. *Postgraduate Medicine*, 77(1), 95–104. <https://doi.org/10.1080/00325481.1985.11698842>
- Martins, M. L., Da Silva, A. T., Machado, R. P., Ramos, H. P., Martinelli, C., Silveira, T. T., Da Silva, E. L., & Wazlawik, E. (2021). Vitamin C decreases reduced glutathione in chronic haemodialysis patients: a pilot, randomised, double-blind trial. *International Urology and Nephrology*, 53(8), 1695–1704. <https://doi.org/10.1007/s11255-021-02797-8>
- Mohammedi, K., Patente, T. A., Bellili-Muñoz, N., Driss, F., Nagard, H. L., Fumeron, F., Roussel, R., Hadjadj, S., Corrêa-Giannella, M. L., Marre, M., & Velho, G. (2016). Glutathione peroxidase-1 gene (GPX1) variants, oxidative stress and risk of kidney complications in people with type 1 diabetes. *Metabolism, Clinical and Experimental*, 65(2), 12–19. <https://doi.org/10.1016/j.metabol.2015.10.004>
- Moradi, H., Ganji, S., Kamanna, V., Pahl, M., & Vaziri, N. (2010). Increased monocyte adhesion-promoting capacity of plasma in end-stage renal disease – response to antioxidant therapy. *Clinical Nephrology*, 74(4), 273–281. <https://URL to the item>

- Morena, M., Cristol, J. P., Bosc, J. Y., Tetta, C., Forret, G., Leger, C. L., et al (2002). Convective and diffusive losses of vitamin C during haemodiafiltration session: A contributive factor to oxidative stress in haemodialysis patients. *Nephrol. Dial. Transpl.* 17 (3), 422–427. doi:10.1093/ndt/17.3.422
- Morena, M.; Delbosc, S.; Dupuy, A.-M.; Canaud, B.; Cristol, J.-P. Overproduction of reactive oxygen species in end-stage renal disease patients: A potential component of hemodialysis-associated inflammation. *Hemodial. Int.* 2005, 9, 37–46. [CrossRef] [PubMed].
- Mu'nisa, 2023, Antioksidan Pada Tanaman Dan Peranannya Terhadap Penyakit Degeneratif, 2023, Brilian Internasional Surabaya, cetakan pertama, Februari, 2023
- Muller C, Eisenbrand G, Gradinger MB, Rath B, Franz, Albertb W, Jo Rg Vienken C, Rajinder Singh D, Farmerd P, Jean-Pierre Stockis, Janzowski A (2004). Effects of Hemodialysis, Dialyser Type and Iron Infusion on Oxidative Stress in Uremic Patients, *Free Radical Research*, Volume 38 Number 10 (October 2004), pp. 1093–1100 DOI: 10.1080/10715760400011452
- Nielsen, F., Mikkelsen, B. B., Nielsen, J. B., Andersen, H. R., & Grandjean, P. (1997b). Plasma malondialdehyde as biomarker for oxidative stress: reference interval and effects of life-style factors. In *Clinical Chemistry* (Vol. 43, Issue 7, pp. 1209–1214). <https://academic.oup.com/clinchem/article/43/7/1209/5640944>
- Notoatmodjo, S. *Metodologi Penelitian Kesehatan*, Rineka Cipta 2018. Jakarta
- Nursalam. *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis* 2013. Salemba Medika, Jakarta
- Omar, S., Borolossy, R. M. E., Elsaid, T., & Sabri, N. A. (2022). Evaluation of the combination effect of rutin and vitamin C supplementation on the oxidative stress and inflammation in hemodialysis patients. *Frontiers in Pharmacology*, 13. <https://doi.org/10.3389/fphar.2022.961590>
- Omar, S., El Borolossy, R., Elsaid, T., & Sabri, N. (n.d.). Bogacka, A., Sobczak-Czynsz, A., Balejko, E., Heberlej, A., & Ciechanowski, K. (2022). Effect of Diet and Supplementation on Serum Vitamin C Concentration and Antioxidant Activity in Dialysis Patients. *Frontiers*. <https://doi.org/10.3389/fphar.2022.961590>
- Packer L, Fuchs J. *Vitamin C in Health and Disease*. New York: Marcel Dekker Inc.; 1997
- Padayatty, S. J., Katz, A., Wang, Y., Eck, P., Kwon, O., Lee, J. H., Chen, S., Corpe, C., Dutta, A., Dutta, S. K., & Levine, M. (2003a). Vitamin C as an Antioxidant: Evaluation of Its Role in Disease Prevention. In *Journal of the American College of Nutrition* (Vols. 22–22, Issue 1, pp. 18–35). <https://doi.org/10.1080/07315724.2003.10719272>
- Pehlivan, F. E. (2017). Vitamin C: An Antioxidant Agent. In *InTech eBooks*. <https://doi.org/10.5772/intechopen.69660>
- Pei, J., Pan, X., Wei, G., & Hua, Y. (2023). Research progress of glutathione peroxidase family (GPX) in redoxidation. *Frontiers in Pharmacology*, 14, 1147414. <https://doi.org/10.3389/fphar.2023.1147414>
- Pfeffer, M. A., Burdmann, E. A., Chen, C. Y., Cooper, M. E., De Zeeuw, D., Eckardt, K. U., Feyzi, J. M., Ivanovich, P., Kewalramani, R., Levey, A. S., Lewis, E. F., McGill, J. B., McMurray, J. J., Parfrey, P., Parving, H. H., Remuzzi, G., Singh, A. K., Solomon, S. D., & Toto, R. (2009). A Trial of Darbepoetin Alfa in Type 2 Diabetes and Chronic Kidney Disease. *New England Journal of Medicine/the New England Journal of Medicine*, 361(21), 2019–2032. <https://doi.org/10.1056/nejmoa0907845>
- Podkowińska, A., & Formanowicz, D. (2020). Chronic Kidney Disease as Oxidative Stress- and Inflammatory-Mediated Cardiovascular Disease. *Antioxidants*, 9, 752. <https://doi.org/10.3390/antiox9080752>
- Prier, M., Carr, A. C., & Baillie, N. (2018). No Reported Renal Stones with Intravenous Vitamin C Administration: A Prospective Case Series Study. *Antioxidants*, 7(5), 68. <https://doi.org/10.3390/antiox7050068>
- Pru C, Eaton J, Kjellstrand C. Vitamin C intoxication and hyperoxalemia in chronic hemodialysis patients. *Nephron* 1985;39: 112–116

- Pryor WA. Oxy-radicals and related species: their formation, lifetimes and reactions. *Annu Rev Physiol* 1986; 48: 657–667
- Pryor, W. A., & Stanley, J. (1975). *Autoxidation of Polyunsaturated Fatty Acids II. A Suggested Mechanism for the Formation of TBA-Reactive Materials from Prostaglandin-like Endoperoxides*.
- R Ajiv A Garwal, N Ina Vasavada, Nadine G. S Achs , And S Hawn C Hase, 2004, Oxidative Stress And Renal Injury With Intravenous Iron In Patients With Chronic Kidney Disease, *Kidney International*, Vol. 65 (2004), pp. 2279–2289
- Ramos Rosa, Martínez-Castelao Alberto, 20 Lipoperoxidation and hemodialysis, *Metabolism Clinical and Experimental* 57 (2008) 1369 – 1374 www.metabolismjournal.com
- Rouhier, N., Lemaire, S. D., & Jacquot, J. P. (2008). The Role of Glutathione in Photosynthetic Organisms: Emerging Functions for Glutaredoxins and Glutathionylation. *Annual Review of Plant Biology*, 59(1), 143–166. <https://doi.org/10.1146/annurev.arplant.59.032607.092811>
- Rusu, C. C., Racasan, S., Kacso, I. M., Moldovan, D., Potra, A., Patiu, I. M., Vladutiu, D., & Caprioara, M. G. (2015). Malondialdehyde can predict survival in hemodialysis patients. *Medicine and Pharmacy Reports*, 89(2), 250–256. <https://doi.org/10.15386/cjmed-537>
- Rysz, J., Franczyk, B., & Ławiński, J. (2020). *Oxidative Stress in ESRD Patients on Dialysis and the Risk of Cardiovascular Diseases*. <https://doi.org/10.3390/antiox9111079>
- S. Karger AG. (1999). Haemolipodialysis. *Blood Purif* (Vol. 17, pp. 127–133). Retrieved from <http://BioMedNet.com/karger>
- Sarandol, E., Erdinc, S., Senol, E., Ersoy, A., & Surmen-Gur, E. (2023). Effects of vitamin C supplementation on oxidative stress and serum paraoxonase/arylesterase activities in patients on long-term hemodialysis. *Nefrologia/Nefrologia*, 43(3), 351–359. <https://doi.org/10.1016/j.nefro.2021.11.003>
- Senol, E., Ersoy, A., Erdinc, S., Sarandol, E., & Yurtkuran, M. (2007). Oxidative stress and ferritin levels in haemodialysis patients. *Nephrology Dialysis Transplantation*, 23(2), 665–672. <https://doi.org/10.1093/ndt/gfm588>
- Silvani Permatasari, M. Biomed, dr. Ratna Widayati, M. Biomed (2021) *Buku Penuntun Praktikum Biokimia Seri 2 (Buku Referensi Penelitian Biokimia Dan Biologi Molekuler)*, CV. PENERBIT QIARA MEDIA Penerbit IKAPI No. 237/JTI/2019
- Simpson, G. L., & Ortwerth, B. (2000). The non-oxidative degradation of ascorbic acid at physiological conditions. In *Biochimica Et Biophysica Acta* (Vol. 1501, pp. 12–24). <https://www.elsevier.com/locate/bba>
- Sullivan, J. F., & Eisenstein, A. B. (1972b). Ascorbic Acid Depletion During Hemodialysis. In *JAMA* (pp. 197–200). <http://jama.jamanetwork.com/>
- Valtuille, R. A., Rossi, G., & Gimenez, E. (2021). Protective effect of autologous arteriovenous fistulae against oxidative stress in hemodialyzed patients. *Cureus*. <https://doi.org/10.7759/cureus.15398>
- Vassilios Liakopoulos, Stefanos Roumeliotis, Xenia Gorny, Evangelia Dounousi, and Peter R. Mertens, 2017, Oxidative Stress in Hemodialysis Patients: A Review of the Literature, Review Article, *Hindawi Oxidative Medicine and Cellular Longevity* Volume 2017, Article ID 3081856, 22 pages <https://doi.org/10.1155/2017/3081856>
- Vera, M., Torramade-Moix, S., Martin-Rodriguez, S., Cases, A., Cruzado, J. M., Rivera, J., Escolar, G., Palomo, M., & Diaz-Ricart, M. (2018). Antioxidant and Anti-Inflammatory strategies based on the potentiation of glutathione peroxidase activity prevent endothelial dysfunction in chronic kidney disease. *Cellular Physiology and Biochemistry*, 51(3), 1287–1300. <https://doi.org/10.1159/000495540>
- Verma, S., Singh, P., Khurana, S., Ganguly, N. K., Kukreti, R., Saso, L., Rana, D. S., Taneja, V., & Bhargava, V. (2021). Implications of oxidative stress in chronic kidney disease: a review on current concepts and therapies. *Kidney Research and Clinical Practice*, 40(2), 183–193. <https://doi.org/10.23876/j.krcp.20.163>

- Wang, S., Eide, T. C., Sogn, E. M., Berg, K. J., & Sund, R. B. (1999). Plasma ascorbic acid in patients undergoing chronic haemodialysis. *European Journal of Clinical Pharmacology*, 55(7), 527–532. <https://doi.org/10.1007/s002280050668>
- Wang, Y., & Gao, L. (2022). Inflammation and Cardiovascular Disease Associated With Hemodialysis for End-Stage Renal Disease. *Front. Pharmacol.*, 13, 800950. <https://doi.org/10.3389/fphar.2022.800950>
- Wratten, M, Tetta, C Ursini F, And Sevania, A, Oxidant stress in hemodialysis: Prevention and treatment strategies. (2000). In *Kidney International* (Vol. 58, Issue Suppl. 76, p. S-126-S-132).
- Wratten, M. L., Tetta, C., Ursini, F., & Sevanian, A. (2000). Oxidant stress in hemodialysis: Prevention and treatment strategies. In *Kidney International* (Vol. 58, Issue Suppl. 76, p. S-126-S-132).
- Yang, C. C., Hsu, S. P., Wu, M. S., Hsu, S. M., & Chien, C. T. (2006). Effects of vitamin C infusion and vitamin E-coated membrane on hemodialysis-induced oxidative stress. *Kidney International*, 69(4), 706–714. <https://doi.org/10.1038/sj.ki.500010>
- Yeo HC, Helbock HJ, Chyu DW, Ames BN: Assay of malondialdehyde in biological fluids by gas chromatography-mass spectrometry. *Anal Biochem* 1994;220:391–396.
- Yohan, S., Fatimah, M., Yushila, M. Hubungan komposisi tubuh dengan kualitas hidup pada penderita penyakit ginjal stadium akhir yang menjalani hemodialisis. *Journal of Nutrition and Health*. 2020. 8 (1): 27-41
- Yuniastuti, A., & Iswari, R. S. (2016). *Dasar Molekuler Glutation Dan Perannya Sebagai Antioksidan*. FMIPA Unnes. <https://press.mipaunnes@gmail.com>
- Yuniastuti, A., Susanti, R., & Jurusan Biologi, Fakultas Matematika dan Ilmu Pengetahaun Alam Unuversitas Negeri Semarang. (n.d.). Analisis Sekuen Gen Glutation Peroksidase (Gpx1) Sebagai Deteksi Stres Oksidatif Akibat Infeksi Mycobacterium Tuberculosis. In Vol. 11 No.2 Desember 2013 [Journal-article].
- Zhang, K., Li, Y., Cheng, X., Liu, L., Bai, W., Guo, W., Wu, L., & Zuo, L. (2013). Cross-over study of influence of oral vitamin C supplementation on inflammatory status in maintenance hemodialysis patients. *BMC Nephrology*, 14(1). <https://doi.org/10.1186/1471-2369-14-252>
- Zhang, K., Liu, L., Cheng, X., Dong, J., Geng, Q., & Zuo, L. (2011). Low levels of vitamin C in dialysis patients is associated with decreased prealbumin and increased C-reactive protein. *BMC Nephrology*, 12(1). <https://doi.org/10.1186/1471-2369-12-18>
- Zorova, L. D., Popkov, V. A., Plotnikov, E. Y., Silachev, D. N., Pevzner, I. B., Jankauskas, S. S., Babenko, V. A., Zorov, S. D., Balakireva, A. V., & Zorov, D. B. (2017). Mitochondrial membrane potential. *Analytical Biochemistry*. <https://doi.org/10.1016/j.ab.2017.07.009>