

DAFTAR PUSTAKA

- Aberle, J., & Smart, G. M. (2010). The Influence of Roughness Structure On Flow Resistance on Steep Slopes. *Journal of Hydraulic Research*, 41(April 2013), 37–41.
- Andayono, T. (2003). Kajian Lokasi Pengambilan Sampel Terhadap Penentuan Debit Sedimen Suspensi Rata-Rata pada Aliran Dengan dan Tanpa Angkutan Bed Load [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/21729>
- Barinas, G., Good, S. P., & Tullos, D. (2024). Continental Scale Assessment of Variation in Floodplain Roughness With Vegetation and Flow Characteristics. *Geophysical Research Letters*, 51(1), 1–9. <https://doi.org/10.1029/2023GL105588>
- Bathurst, J. C. (2002). At-Site Variation and Minimum Flow Resistance for Mountain Rivers. *Journal of Hydrology*, 269(1–2), 11–26. [https://doi.org/10.1016/S0022-1694\(02\)00191-9](https://doi.org/10.1016/S0022-1694(02)00191-9)
- Boyer, M. (1954). Estimating The Manning Coefficient. *Transactions, American Geophysical Union*, 35(6), 957–961.
- Bray, D. I., & Davar, K. S. (1987). Resistance to Flow in Gravel-Bed Rivers. *Canadian Journal of Civil Engineering*, 14(1), 77–86. <https://doi.org/10.1139/187-010>
- Brownlie, W. R. (1983). Flow Depth in Sand-Bed Channels. *Journal of Hydraulic Engineering*, 109(7), 959–990. [https://doi.org/10.1061/\(asce\)0733-9429\(1983\)109:7\(959\)](https://doi.org/10.1061/(asce)0733-9429(1983)109:7(959))
- Bruschin, J. (1985). Discussion of “Flow Depth in Sand-Bed Channels” by William R. Brownlie (July, 1983). *Journal of Hydraulic Engineering*, 111(4), 736–739.
- Chen, Z., Zhou, J., & Chen, Q. (2023). Research and Application of the Calculation Method of River Roughness Coefficient with Vegetation. *Water (Switzerland)*, 15(14), 1–12. <https://doi.org/10.3390/w15142638>
- Chow, V. Te. (1959). *Open Channel Hydraulics*. McGraw-Hill. https://books.google.co.id/books?id=JG9_PwAACAAJ
- Coon, W. 1998. (1998). Estimation of Roughness Coefficients. in *U.S. Geological Survey Water Supply Paper* (Issue 2441). <https://pubs.er.usgs.gov/publication/wsp2441%0Ahttps://pubs.usgs.gov/wsp/2441/report.pdf>
- Corato, G., Ammari, A., & Moramarco, T. (2014). Conventional Point-Velocity Records and Surface Velocity Observations For Estimating High Flow Discharge. *Entropy*, 16(10),

- Cox, R. G. (1973). Effective Hydraulic Roughness for Channels Having Bed Roughness Different from Bank Roughness: A State-of-the-Art Report. In *Miscellaneous Paper* (Issue H-73-2). U.S. Army Engineer Research and Development Center (ERDC). <https://hdl.handle.net/20.500.11970/111939>
- Einstein, H. A., & Banks, R. B. (1950). Fluid Resistance of Composite Roughness. *Transactions, American Geophysical Union*, 31(4), 603.
- Einstein, H. A., & El-samni, E. A. (1949). Hydrodynamic Forces on a Rough Wall. *Reviews of Modern Physics*, 21(3).
- Foh, Z. X., Tan, C. Y., Haniffah, M. R. M., Kasiman, E. H., & Teo, F. Y. (2023). Numerical Analysis of Flow Characteristics for Idealised Y-Shaped Channels. In S. Harun, I. K. Othman, & M. H. Jamal (Eds.), *Proceedings of the 5th International Conference on Water Resources (ICWR) -- Volume 1* (pp. 261–271). Springer Nature Singapore.
- George, J., ARCEMENT, J., & VERNE, R. S. (1989). Guide for Selecting Manning's Roughness Coefficients for Natural Channels and Flood Plains. In *Area* (Vol. 2339, Issue 2339). United States Government Printing Office. <http://www.fhwa.dot.gov/BRIDGE/wsp2339.pdf>
- Giarto, R. B. (2016). Distribusi Konsentrasi Sedimen Suspensi pada Sungai Alami (Studi Kasus Sungai Opak dan Sungai Kuning Yogyakarta) [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/>
- Grass, A. J. (1971). Structural Features of Turbulent Flow Over Smooth and Rough Boundaries. *Journal of Fluid Mechanics*, 50(2), 233–255. <https://doi.org/10.1017/S0022112071002556>
- Hauet, A., Morlot, T., & Daubagnan, L. (2018). Velocity Profile and Depth-Averaged to Surface Velocity in Natural Streams: A Review Over a Large Sample of Rivers. *E3S Web of Conferences*, 40. <https://doi.org/10.1051/e3sconf/20184006015>
- Ikhsan, C. (2005). Pengukuran Distribusi Kecepatan dan Konsentrasi Sedimen Suspensi pada Aliran Seragam Tampang Segi Empat di Saluran Induk Mataram, Yogyakarta [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/>
- Karman, T. H. Von. (1934). Turbulence and Skin Friction. *Journal of the Aeronautical*

- Keulegan, G. H. (1938). Laws of Turbulent Flow in Open Channels. *Journal of Research of the National Bureau of Standards*, 21(6), 707. <https://doi.org/10.6028/jres.021.039>
- Kiptiah, M. (2016). Distribusi Kecepatan Aliran Sedimen Suspensi pada Sungai Alami (Studi Kasus Sungai Opak dan Sungai Kuning di Yogyakarta) [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/103480>
- Kironoto, B. A. (1992). Turbulence Characteristics of Uniform and Non-Uniform, *Rough Open-Channel Flow*. 4(10), 203.
- Kironoto, B. A., & Graf, W. H. (1994). Turbulence Characteristics in Rough Uniform Open-Channel Flow. *Proceedings of the Institution of Civil Engineers: Water, Maritime and Energy*, 106(4), 333–344. <https://doi.org/10.1680/iwtme.1995.28114>
- Kironoto, B. A., & Graf, W. H. (1995). Turbulence Characteristics in Rough Non-Uniform Open-Channel Flow. *Proceedings of the Institution of Civil Engineers: Water, Maritime and Energy*, 112(4), 336–348. <https://doi.org/10.1680/iwtme.1995.28114>
- Kouwen, N., Ruh-Ming Li, & Simons, D. B. (1981). Flow Resistance in Vegetated Waterways. *Transactions, American Society of Agricultural Engineers*, 24(3). <https://doi.org/10.13031/2013.34321>
- Li, Y., Anim, D. O., Wang, Y., Tang, C., Du, W., Yu, Z., & Acharya, K. (2014). An Open-Channel Flume Study of Flow Characteristics Through a Combined Layer of Submerged and Emerged Flexible Vegetation. *Ecohydrology*, 7(2), 633–647. <https://doi.org/10.1002/eco.1384>
- Lotter, G. K. (1933). Considerations on Hydraulic Design of Channels With Different Roughness of Walls. *Transactions, All-Union Scientific Research Institute of Hydraulic Engineering, Leningrad*, 9, 238–241.
- Maini, M., Kironoto, B. A., Istiarto, & Rahardjo, A. P. (2024). Evaluating Manning's Roughness Coefficient for Flows with Equilibrium and Non-equilibrium Sediment Transport. *Jordan Journal of Civil Engineering*, 18(1), 65–80. <https://doi.org/10.14525/JJCE.v18i1.06>
- Manning, R. (1891). On The Flow of Water in Open Channels and Pipes. *Ireland, Transactions of the Institution of Civil Engineers Of*, 20, 161–207.



- Mir, A. A., & Patel, M. (2024). Machine Learning Approaches for Adequate Prediction of Flow Resistance in Alluvial Channels With Bedforms. *Water Science and Technology*, 89(2), 290–318. <https://doi.org/10.2166/wst.2023.396>
- Muthusamy, K., & A., C. B. (1972). Equivalent Roughness for Shallow Channels. *Journal of the Hydraulics Division*, 98(12), 2257–2263. <https://doi.org/10.1061/JYCEAJ.0003542>
- Nezu, I., & Rodi, W. (1986). Open-channel Flow Measurements With a Laser Doppler Anemometer. *Journal of Hydraulic Engineering*, 112(5), 335–355. [https://doi.org/10.1061/\(asce\)0733-9429\(1986\)112:5\(335\)](https://doi.org/10.1061/(asce)0733-9429(1986)112:5(335))
- Nindito, D. A. (2003). Kajian Pengambilan Sampel Sedimen Suspensi Rata-Rata Melalui Pengukuran 1, 2 Dan 3 Titik; Dan Pengaruhnya Terhadap Lokasi Pengambilan Sampel Arah Transversal. Universitas Gadjah Mada.
- Noarayanan, L., Murali, K., & Sundar, V. (2012). Manning's (n) Coefficient for Flexible Emergent Vegetation in Tandem Configuration. *Journal of Hydro-Environment Research*, 6(1), 51–62. <https://doi.org/10.1016/j.jher.2011.05.002>
- Pereira, T. S. R., de Carvalho, T. P., Mendes, T. A., Reis, G. da C. dos, & Formiga, K. T. M. (2024). Hydrodynamic Modeling for Flow and Velocity Estimation from an Arduino Ultrasonic Sensor. *Hydrology*, 11(2), 1–15. <https://doi.org/10.3390/hydrology11020012>
- Powell, D. M. (2014). Flow Resistance in Gravel-Bed Rivers: Progress in Research. *Earth-Science Reviews*, 136, 301–338. <https://doi.org/10.1016/j.earscirev.2014.06.001>
- Rezaei Rad, H., Ebrahimian, H., Liaghat, A., Khalaji, F., & Shabani Arani, M. (2024). Temporal Variation of Manning Roughness Coefficient in Furrow Irrigation and Its Relationship With Various Field Parameters. *Applied Water Sciences*, 15(1), 1–19. <https://doi.org/10.1007/s13201-024-02334-9>
- Rijn, L. C. Van. (1993). Principles of Sediment Transport in Rivers, *Estuaries and Coastal Seas*. Aqua Publications.
- Schlichting, H. (1979). Hermann Schlichting Boundary Layer Theory-*McGraw-Hill*1979.
- Shen, E., Liu, G., Dan, C., Chen, X., Ye, S., Li, R., Li, H., Zhang, Q., Zhang, Y., & Guo, Z. (2023). Estimating Manning's Coefficient n for Sheet Flow During Rainstorms. *CATENA*, 226, 107093. <https://doi.org/10.1016/J.CATENA.2023.107093>
- Shirazi, F., Zahiri, A., Piri, J., & Dehghani, A. A. (2024). Estimation of River High Flow

- Discharges Using Friction-Slope Method and Hybrid Models. *Water Resources Management*, 38(3), 1099–1123. <https://doi.org/10.1007/s11269-023-03711-w>
- Shunyu, Y., Bazai, N. A., Jinbo, T., Hu, J., Shujian, Y., Qiang, Z., Ahmed, T., & Jian, G. (2022). Dynamic Process of a Typical Slope Debris Flow: a Case Study of The Wujia Gully, Zengda, Sichuan Province, China. *Natural Hazards*, 112(1), 565–586. <https://doi.org/10.1007/s11069-021-05194-7>
- Song, S., Schmalz, B., Xu, Y. P., & Fohrer, N. (2017). Seasonality of Roughness - The Indicator of Annual River Flow Resistance Condition in a Lowland Catchment. *Water Resources Management*, 31(11), 3299–3312. <https://doi.org/10.1007/s11269-017-1656-z>
- Sun, B., Yang, R., Tong, A., Chen, S., & Li, Z. (2023). The Changing Rules of The Composite Roughness in Drainage Pipelines With Sediments. *Water Supply*, 23(3), 975–995. <https://doi.org/10.2166/ws.2023.040>
- Takata, H., Obata, S., Sato, T., & Shimatani, Y. (2024). Back-Calculation of Manning's Roughness Coefficient by 2D Flow Simulation and Influence of in-Channel Physical Parameters in a Mountain River, Japan. *Water (Switzerland)*, 16(2). <https://doi.org/10.3390/w16020320>
- Vatanchi, S. M., & Maghrebi, M. F. (2024). Estimating Streamflow by an Innovative Rating Curve Model Based on Hydraulic Parameters. *Environmental Earth Sciences*, 83(9). <https://doi.org/10.1007/s12665-024-11493-6>
- Wang, J., Sun, Z., Xia, X., Wang, W., & Wu, X. (2023). Changing Characteristics and Influencing Factors of Manning's Roughness Coefficient Along Grass Swales. *Journal of Environmental Engineering Technology*, 13(4), 1395–1403.
- Yang, K., Cao, S., & Liu, X. (2005). Study on Resistance Coefficient in Compound Channels. *Acta Mechanica Sinica/Lixue Xuebao*, 21(4), 353–361. <https://doi.org/10.1007/s10409-005-0042-x>
- Yang, K., Cao, S., & Liu, X. (2007). Flow Resistance and Its Prediction Methods in Compound Channels. *Acta Mechanica Sinica/Lixue Xuebao*, 23(1), 23–31. <https://doi.org/10.1007/s10409-006-0043-4>
- Yang, S.-Q., & Tan, S.-K. (2008). Flow Resistance Over Mobile Bed in an Open-Channel Flow. *Journal of Hydraulic Engineering*, 134(7), 937–947. [https://doi.org/10.1061/\(asce\)0733-](https://doi.org/10.1061/(asce)0733-)



- Yang, S. Q., Tan, S. K., & Lim, S. Y. (2005). Flow Resistance and Bed Form Geometry in a Wide Alluvial Channel. *Water Resources Research*, 41(9), 1–8. <https://doi.org/10.1029/2005WR004211>
- Yarahmadi, M. B., Parsaie, A., Shafai-Bejestan, M., Heydari, M., & Badzanchin, M. (2023). Estimation of Manning Roughness Coefficient in Alluvial Rivers with Bed Forms Using Soft Computing Models. *Water Resources Management*, 37(9), 3563–3584. <https://doi.org/10.1007/s11269-023-03514-z>
- Yen, B. C. (1992a). Channel Flow Resistance: Centennial of Manning's Formula. Water Resources Pub. <https://books.google.co.id/books?id=CHq5XTCkyakC>
- Yen, B. C. (1992b). Channel Flow Resistance: Centennial of Manning's Formula. Water Resources Pub.
- Yen, B. C. (2002). Open Channel Flow Resistance. *Journal of Hydraulic Engineering*, 128(1), 20–39. [https://doi.org/10.1061/\(asce\)0733-9429\(2002\)128:1\(20\)](https://doi.org/10.1061/(asce)0733-9429(2002)128:1(20))