

DAFTAR PUSTAKA

- ACOG (2006) 'ACOG Committee Opinion No. 348: Umbilical Cord Blood Gas and Acid-Base Analysis', *Obstetrics & Gynecology*, 106(5), pp. 1319–1322.
- Aditiawarman, Salean, J. T., Sampurna, M. T. A., Ernawati, & Joewono, H. T. (2020). Comparison of short-term outcome and serum magnesium levels in premature infants of mothers after magnesium sulfate therapy. *EurAsian Journal of BioSciences*, 14(1), 1863-1867.
- Alfirevic, Z., Devane, D. and Gyte, G. M. L. (2013) 'Continuous cardiotocography (CTG) as a form of electronic fetal monitoring (EFM) for fetal assessment during labour', *Cochrane Database of Systematic Reviews*, 2013(5). doi: 10.1002/14651858.CD006066.pub2.
- American Academy of Pediatrics (2014) 'Neonatal Encephalopathy and Neurologic Outcome, Second Edition: Report of the American College of Obstetricians and Gynecologists' Task Force on Neonatal Encephalopathy', *Pediatrics*, 133(5), pp. e1482–e1488. doi: 10.1542/peds.2014-0724.
- Andersson, C. B., Klingenberg, C., Thellesen, L., Johnsen, S. P., Kesmodel, U. S., & Petersen, J. P. (2024). Umbilical Cord pH Levels and Neonatal Morbidity and Mortality. *JAMA network open*, 7(8), e2427604. <https://doi.org/10.1001/jamanetworkopen.2024.27604>
- Ayres-de-Campos, D., Spong, C. Y., Chandrachan, E., & FIGO Intrapartum Fetal Monitoring Expert Consensus Panel (2015). FIGO consensus guidelines on intrapartum fetal monitoring: Cardiotocography. *International journal of gynaecology and obstetrics: the official organ of the International Federation of Gynaecology and Obstetrics*, 131(1), 13–24. <https://doi.org/10.1016/j.ijgo.2015.06.020>
- Bhartiya, V. et al. (2016) 'Admission Cardiotocography: A Predictor of Neonatal Outcome', *Journal of Obstetrics and Gynecology of India*. Springer India, 66(1), pp. 321–329. doi: 10.1007/s13224-016-0912-0.
- Bhatia, M. et al. (2017) 'A cross-sectional comparison of three guidelines for intrapartum cardiotocography', *Int. J. Gynaecol. Obstet.*, 138, pp. 89–93. doi: 10.1002/ijgo.12161.
- Bogdanovic, G. et al. (2014) 'Cardiotocography in the prognosis of perinatal outcome.', *Medical archives (Sarajevo, Bosnia and Herzegovina)*, 68(2), pp. 102–105. doi: 10.5455/medarh.2014.68.102-105.
- Boos, V., Bührer, C. Trends in Apgar scores and umbilical artery pH: a population-based cohort study on 10,696,831 live births in Germany, 2008–2022 (2024). *Eur J Pediatr* 183, 2163–2172. <https://doi.org/10.1007/s00431-024-05475-w>
- Chandrachan, E. (2012) 'Fetal compromise: Diagnosis and management', *Obstetric and Intrapartum Emergencies: A Practical Guide to Management*, pp. 78–87. doi:

10.1017/CBO9780511842153.012.

- Chen, H. Y. *et al.* (2011) 'Electronic fetal heart rate monitoring and its relationship to neonatal and infant mortality in the United States', *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 204(6), pp. 491.e1-491.e10. doi: 10.1016/j.ajog.2011.04.024.
- Chen Y, Liu W, Gong X, Cheng Q. (2019) Comparison of Effects of General Anesthesia and Combined Spinal/Epidural Anesthesia for Cesarean Delivery on Umbilical Cord Blood Gas Values: A Double-Blind, Randomized, Controlled Study. *Med Sci Monit*. Jul 16;25:5272-5279. doi: 10.12659/MSM.914160. PMID: 31308355; PMCID: PMC6652376.
- Court, D. J. and Parer, J. T. (1984) 'Experimental studies of fetal asphyxia and fetal heart rate interpretation', in Nathanielsz, P. W. and Parer, J. T. (eds) *Research in Perinatal Medicine (I)*. New York: Perinatology Press, pp.113-69.
- Cunningham, F. G. *et al.* (eds) (2022) *Williams Obstetrics*. 26th edn. New York: McGraw Hill.
- Dongare PA, Nataraj MS. Anaesthetic management of obstetric emergencies. *Indian J Anaesth*. 2018 Sep;62(9):704-709. doi: 10.4103/ija.IJA_590_18. PMID: 30237596; PMCID: PMC6144558.
- Filippi L, Pascarella F, Pini A, Cammalleri M, Bagnoli P, Morganti R, Innocenti F, Castagnini N, Melosi A, Scaramuzzo RT. Fetal Oxygenation from the 23rd to the 36th Week of Gestation Evaluated through the Umbilical Cord Blood Gas Analysis. *International Journal of Molecular Sciences*. 2023; 24(15):12487. <https://doi.org/10.3390/ijms2415124>
- Fleischer A, Schulman H, Jorgani N, Mitchell J, Randolph G (1982). The development of fetal acidosis in the presence of an abnormal fetal heart rate testing: the average for gestational age fetus. *Am J Obstet Gynecol* 1982;144:55-60.
- Futrakul, S., Praisuwanna, P. and Thaitumyanon, P. (2006) 'Risk factors for hypoxic-ischemic encephalopathy in asphyxiated newborn infants', *Journal of the Medical Association of Thailand = Chotmaihet thangphaet*, 89(3), pp.322-328.
- Garabedian, C. *et al.* (2017) 'Understanding fetal physiology and second line monitoring during labor', *Journal of Gynecology Obstetrics and Human Reproduction*. Elsevier Masson SAS, 46(2), pp. 113-117. doi:10.1016/j.jogoh.2016.11.005.
- Ghanghoriya, D. V., Patel, D. K. and Raghuvansh, D. P. (2018) 'Correlation of cardiotocography results and perinatal outcome in gestational hypertension', *Obsgyne Review: Journal of Obstetric and Gynecology*, 4(1), pp. 1-5. doi: 10.17511/joog.2018.i01.01.
- Giussani D. A. (2016). The fetal brain sparing response to hypoxia: physiological mechanisms. *The Journal of physiology*, 594(5), 1215-1230. <https://doi.org/10.1113/JP271099>

- Gebregziabher, G. T., Hadgu, F. B. and Abebe, H. T. (2020) 'Prevalence and Associated Factors of Perinatal Asphyxia in Neonates Admitted to Ayder Comprehensive Specialized Hospital, Northern Ethiopia: A Cross-Sectional Study', *International Journal of Pediatrics (United Kingdom)*, 2020. doi: 10.1155/2020/4367248.
- German Society of Gynecology and Obstetrics (DGOG); Maternal Fetal Medicine Study Group (AGMFM); German Society of Prenatal Medicine and Obstetrics (DGPM); German Society of Perinatal Medicine (DGPM). S1-Guideline on the Use of CTG During Pregnancy and Labor: Long version - AWMF Registry No. 015/036. *Geburtshilfe Frauenheilkd.* 2014 Aug;74(8):721-732. doi: 10.1055/s-0034-1382874. PMID: 27065483; PMCID: PMC4812878.
- Gillam-Krakauer, M. and Gowen Jr, C. W. (2023) 'Birth Asphyxia', in *StatPearls.Treasure Island (FL): StatPearls. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK430782/>.*
- Giussani D. A. (2016). The fetal brain sparing response to hypoxia: physiological mechanisms. *The Journal of physiology*, 594(5), 1215–1230. <https://doi.org/10.1113/JP271099>
- Gravett C, Eckert LO, Gravett MG, Dudley DJ, Stringer EM, Mujobu TB, Lyabis O, Kochhar S, Swamy GK; Brighton Collaboration Non-reassuring fetal status Working Group. Non-reassuring fetal status: Case definition & guidelines for data collection, analysis, and presentation of immunization safety data. *Vaccine.* 2016 Dec 1;34(49):6084-6092. doi: 10.1016/j.vaccine.2016.03.043. Epub 2016 Jul 22. PMID: 27461459; PMCID: PMC5139811.
- Grivell RM, Alfirevic Z, Gyte GM, Devane D. Antenatal cardiotocography for fetal assessment. *Cochrane Database Syst Rev.* 2015 Sep 12;2015(9):CD007863. doi: 10.1002/14651858.CD007863.pub4. PMID: 26363287; PMCID: PMC6510058.
- Gwanzura, C., Gavi, S., Mangiza, M., Moyo, F. V., Lohman, M. C., Nhemachena, T., & Chipato, T. (2023). Effect of anesthesia administration method on apgar scores of infants born to women undergoing elective cesarean section. *BMC anesthesiology*, 23(1), 142. <https://doi.org/10.1186/s12871-023-02098-w>.
- Hadas, Israeli-Mendlovic, Joseph, Mendlovic, Luba, Zuk and Michal, Katz-Leurer. "Maturation of the cardiac autonomic regulation system, as function of gestational age in a cohort of low risk preterm infants born between 28 and 32 weeks of gestation" *Journal of Perinatal Medicine*, vol. 49, no. 5, 2021, pp. 624-629. <https://doi.org/10.1515/jpm-2020-0482>.
- Hidalgo-Lopezosa, P., Hidalgo-Maestre, M. and Rodríguez-Borrego, M. A. (2016)'Perinatal factors associated with umbilical cord blood ph values', *Enfermeria Global*, 15(3), pp. 40–58. doi: 10.6018/eglobal.15.3.219471.
- Hiwale, M., Rajole, K. and Aher, K. (2023) 'A cross-sectional study on role of laboradmission test by CTG as a predictor of perinatal outcome', *The New Indian Journal of OBGYN*,

- 9(2), pp. 243–247. doi: 10.21276/obgyn.2023.9.2.10.
- Ionescu, O.M. et al. (2021) ‘Cardiotocography in preterm birth’, *Romanian Journal of Medical Practice*, 16(S6), pp. 8–10. doi:10.37897/rjmp.2021.s6.2.
- Jepsen, I. et al. (2022) ‘The overuse of intrapartum cardiotocography (CTG) for low-risk women: An actor-network theory analysis of data from focus groups’, *Women and Birth*. Elsevier Ltd, 35(6), pp. 593–601. doi: 10.1016/j.wombi.2022.01.003.
- Kanagal, D. V. and Praveen, B. K. (2022) ‘Intrapartum Fetal Monitoring and Its Correlation with Umbilical Cord Blood pH and Early Neonatal Outcome: A Prospective Cohort Study’, *Journal of SAFOG*, 14(1), pp. 63–67. doi:10.5005/jp-journals-10006-2007.
- Kara, T., Narkiewicz, K. and Somers, V. K. (2003) ‘Chemoreflexes - Physiology and clinical implications’, *Acta Physiologica Scandinavica*, 177(3), pp. 377–384. doi: 10.1046/j.1365-201X.2003.01083.x.
- Kauffmann, T. and Silberman, M. (2023) ‘Fetal monitoring’, in *StatPearls*. Treasure Island (FL): StatPearls. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK589699/>.
- Kementerian Kesehatan Republik Indonesia (2019) ‘Keputusan Menteri Kesehatan Republik Indonesia No HK.01.07/MENKES/214/2019 tentang Pedoman Nasional pelayanan Kedokteran Tata Laksana Asfiksia’.
- Lau, S. L. et al. (2023) ‘Neonatal outcome of infants with umbilical cord arterial pH less than 7’, *Acta Obstetrica et Gynecologica Scandinavica*, 102(2), pp. 174–180. doi: 10.1111/aogs.14494.
- Lawn, J. E., Wilczynska-Ketende, K. and Cousens, S. N. (2006) ‘Estimating the causes of 4 million neonatal deaths in the year 2000’, *International Journal of Epidemiology*, 35(3), pp. 706–718. doi: 10.1093/ije/dyl043.
- Leung TY, Lao TT, Timing of caesarean section according to urgency, *Best Practice & Research Clinical Obstetrics and Gynaecology* (2012), <http://dx.doi.org/10.1016/j.bpobgyn.2012.09.005>
- Lopriore E, van Burk GF, Walther FJ, de Beaufort AJ (2004). Correct use of the Apgar score for resuscitated and intubated newborn babies: questionnaire study. *BMJ*. 2004 Jul 17;329(7458):143-4. doi: 10.1136/bmj.38117.665197.F7. PMID: 15208208; PMCID: PMC478222.
- Mylonas I, Friese K. Indications for and Risks of Elective Cesarean Section. *Dtsch Arztebl Int*. 2015 Jul 20;112(29-30):489-95. doi: 10.3238/arztebl.2015.0489. PMID: 26249251; PMCID: PMC4555060.
- Morgan, J. A. et al. (2020) ‘Prolonged Fetal Heart Rate Decelerations in Labor: Can We Reduce Unplanned Primary Cesarean Sections in This Group?’, *Advances in Therapy*. Springer Healthcare, 37(10), pp. 4325–4335. doi: 10.1007/s12325-020-01468-x.
- Moshiro, R., Mdoe, P. and Perlman, J. M. (2019) ‘A Global View of Neonatal Asphyxia and Resuscitation’, *Frontiers in Pediatrics*, 7(November), pp. 1– 6. doi:

10.3389/fped.2019.00489.

- Mota-Rojas, D. *et al.* (2022) 'Pathophysiology of Perinatal Asphyxia in Humans and Animal Models', *Biomedicines*, 10(2). doi: 10.3390/biomedicines10020347.
- Nagendra, V. *et al.* (2017) 'Evaluation of support vector machines and random forest classifiers in a real-time fetal monitoring system based on cardiotocography data', *2017 IEEE Conference on Computational Intelligence in Bioinformatics and Computational Biology, CIBCB 2017*. doi: 10.1109/CIBCB.2017.8058546.
- Olofsson P. (2023). Umbilical cord pH, blood gases, and lactate at birth: normal values, interpretation, and clinical utility. *American journal of obstetrics and gynecology*, 228(5S), S1222–S1240. <https://doi.org/10.1016/j.ajog.2022.07.001>
- Paladugu, V., Sreedhar, S., Chitra, R., Mannava, S. T., Sreekumar, S., & Mangalakanthi, J. (2023). Association of CTG Diagnosis of Intrapartum Fetal Distress and Immediate Postpartum Acidemia in Foetal Umbilical Artery. *Journal of obstetrics and gynaecology of India*, 73(1), 28–35. <https://doi.org/10.1007/s13224-022-01702-2>
- Panahi, Z., Ghotbizadeh Vahdani, F., Eslami Khotbesara, S., Akbari, R., Hantoushzadeh, S., Kazemi Aski, S., & Shariat, M. (2024). Correlation of Apgar Score and Umbilical Artery pH in Full-Term Newborns Delivered by Cesarean Section Due to Decreased Fetal Heart Rate. *Journal of Obstetrics, Gynecology and Cancer Research*, 9(2), 137-143. doi: 10.30699/jogcr.9.2.137
- Pereira, S. and Chandraharan, E. (2017) 'Recognition of chronic hypoxia and pre-existing foetal injury on the cardiotocograph (CTG): Urgent need to think beyond the guidelines', *Porto Biomedical Journal*. PBJ-Associação Porto Biomedical/Porto Biomedical Society, 2(4), pp. 124–129. doi: 10.1016/j.pbj.2017.01.004.
- Pitsawong, C. (2011) 'Risk Factors Associated with Birth Asphyxia in Phramongkutklao Hospital', 19(4), pp. 165–171.
- Polglase, G. R., Ong, T. and Hillman, N. H. (2016) 'Cardiovascular Alterations and Multiorgan Dysfunction After Birth Asphyxia', *Clinics in Perinatology*. Elsevier Inc, 43(3), pp. 469–483. doi: 10.1016/j.clp.2016.04.006.
- Rainaldi, M. A. and Perlman, J. M. (2016) 'Pathophysiology of Birth Asphyxia', *Clinics in Perinatology*. Elsevier Inc, 43(3), pp. 409–422. doi: 10.1016/j.clp.2016.04.002.
- Rudolph, A. M. and Heymann, M. A. (1967) 'The Circulation of the Fetus in Utero', *Circulation Research*, 21(2), pp. 163–184. doi: 10.1161/01.res.21.2.163.
- Ruth VJ, Raivio KO (1988). Perinatal brain damage: predictive value of metabolic acidosis and the Apgar score. *BMJ* 1988;297:24–7
- Saneh, H., Mendez, M. D. and Srinivasan, V. N. (2023) 'Cord Blood Gas', in *StatPearls Treasure Island (FL): StatPearls*. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK545290/>.
- Santo, S. *et al.* (2017) 'Agreement and accuracy using the FIGO, ACOG and NICE

- cardiotocography interpretation guidelines', *Acta Obstetrica et Gynecologica Scandinavica*, 96(2), pp. 166–175. doi: 10.1111/aogs.13064.
- Schifrin, B. S., Koos, B. J., Cohen, W. R., & Soliman, M. (2022). Approaches to Preventing Intrapartum Fetal Injury. *Frontiers in pediatrics*, 10, 915344. <https://doi.org/10.3389/fped.2022.915344>
- Sen, M. *et al.* (2019) 'Abnormal cardiotocographic findings and perinatal outcome: a prospective study', *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 8(11), p. 4261. doi: 10.18203/2320-1770.ijrcog20194841.
- Shah, S. A. A. *et al.* (2016) 'Decision Trees Based Classification of Cardiotocograms Using Bagging Approach', *Proceedings - 2015 13th International Conference on Frontiers of Information Technology, FIT 2015*, pp. 12–17. doi: 10.1109/FIT.2015.14.
- Silberstein, T. *et al.* (2017) 'Fetal heart rate monitoring category 3 during the 2nd stage of labor is an independent predictor of fetal acidosis', *Journal of Maternal-Fetal and Neonatal Medicine*, 30(3), pp. 257–260. doi: 10.3109/14767058.2016.1172064.
- Simon LV, Shah M, Bragg BN. APGAR Score. [Updated 2024 Mar 19]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK470569/>
- Singh, R., Rai, N., Sharma, N.R., Mohan, R., Srivastava, R. and Tiwari, H.C. (2016) 'Assessment of the effect of injection magnesium sulphate on fetal heart rate pattern in patients of eclampsia and preeclampsia', *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, 5(11), 3667+,
- Schifrin, B. S., Koos, B. J., Cohen, W. R., & Soliman, M. (2022). Approaches to Preventing Intrapartum Fetal Injury. *Frontiers in pediatrics*, 10, 915344. <https://doi.org/10.3389/fped.2022.915344>
- Tarvonen, M. J. *et al.* (2022) 'Increased variability of fetal heart rate during labour: a review of preclinical and clinical studies', *BJOG: An International Journal of Obstetrics and Gynaecology*, 129(12), pp. 2070–2081. doi:10.1111/1471-0528.17234.
- Tharindu, E. A. D. (2023) 'Admission Cardiotocography: Its Role in Predicting Perinatal Outcome in Term, Uncomplicated (Low Risk) Pregnant Women in Spontaneous Labour', *Open Journal of Obstetrics and Gynecology*, 13(03), pp. 528–549. doi: 10.4236/ojog.2023.133048.
- Tomich, M. F. *et al.* (2023) 'Accuracy of intrapartum cardiotocography in identifying fetal acidemia by umbilical cord blood analysis in low-risk pregnancies', *Revista da Associacao Medica Brasileira*, 69(6), pp. 1–7. doi:10.1590/1806-9282.20221182.
- Troha N, Razem K, Luzovec U, Lucovnik M (2023). Comparison of Four Intrapartum Cardiotocography Classifications for Predicting Neonatal Acidemia at Birth. *J Pregnancy*. Feb 13;2023:5853889. doi: 10.1155/2023/5853889. PMID: 36814692; PMCID: PMC9940944.

- Turner, J. M., Mitchell, M. D. and Kumar, S. S. (2020) 'The physiology of intrapartum fetal compromise at term', *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 222(1), pp. 17–26. doi: 10.1016/j.ajog.2019.07.032.
- Vintzileos, A. M. and Smulian, J. C. (2016) 'Decelerations, tachycardia, and decreased variability: have we overlooked the significance of longitudinal fetal heart rate changes for detecting intrapartum fetal hypoxia?', *American Journal of Obstetrics and Gynecology*. Elsevier Inc., 215(3), pp. 261–264. doi: 10.1016/j.ajog.2016.05.046.
- White CR, Doherty DA, Kohan R, Newnham JP, Pennell CE (2012). Evaluation of selection criteria for validating paired umbilical cord blood gas samples: a observational study. *BJOG* 2012;119:857–65
- Williams, C. E. *et al.* (1993) 'Pathophysiology of perinatal asphyxia', *Clinics in Perinatology*, 20(2), pp. 305–325. doi: 10.1016/s0095-5108(18)30395-6.
- Williams, K. P. and Galerneau, F. (2003) 'Intrapartum fetal heart rate patterns in the prediction of neonatal acidemia', *American Journal of Obstetrics and Gynecology*, 188(3), pp. 820–823. doi: 10.1067/mob.2003.183.
- Yang, W., Wang, L., Tian, T., Liu, L., Jin, L., Liu, J., & Ren, A. (2021). Maternal hypertensive disorders in pregnancy and risk of hypoxic-ischemia encephalopathy. *The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 34(11), 1754–1762. <https://doi.org/10.1080/14767058.2019.1647529>
- Yeh, P., Emary, K. and Impey, L. (2012) 'The relationship between umbilical cord arterial pH and serious adverse neonatal outcome: Analysis of 51 519 consecutive validated samples', *BJOG: An International Journal of Obstetrics and Gynaecology*, 119(7), pp. 824–831. doi: 10.1111/j.1471-0528.2012.0333