

DAFTAR PUSTAKA

- AL-Qaisy, B. A., Yaseen, N. Y., Alwachi, S. N., & AL-Shammari, A. M. (2014). Comparison between three different protocols for isolation and culture of mouse bone marrow derived mesenchymal stem cells. *Iraqi Journal of Cancer and Medical Genetics*, 7(1): 26–35.
- Ankrum, J. A., Ong, J. F., & Karp, J. M. (2014). Mesenchymal stem cells: immune evasive, not immune privileged. *Nat Biotechnol.*, 32(3): 252–260.
- Arnhold, S. J., Goletz, I., Klein, H., Stumpf, G., Beluche, L. A., Rohde, C., Addicks, K., & Litzke, L. F. (2007). Isolation and characterization of bone marrow-derived equine mesenchymal stem cells. *American Journal of Veterinary Research*, 68(10): 1095–1105.
- Arnhold, S., Klein, H., Klinz, F.-J., Absenger, Y., Schmidt, A., Schinköthe, T., Brixius, K., Kozłowski, J., Desai, B., Bloch, W., & Addicks, K. (2006). Human bone marrow stroma cells display certain neural characteristics and integrate in the subventricular compartment after injection into the liquor system. *European Journal of Cell Biology*, 85(6): 551–565.
- Atwan, Z. W. (2020). GAPDH spike RNA as an alternative for housekeeping genes in relative gene expression assay using real-time PCR. *Bulletin of the National Research Centre*, 44(1): 1–8.
- Augello, A., Tasso, R., Negrini, S. M., Cancedda, R., & Pennesi, G. (2007). Cell therapy using allogeneic bone marrow mesenchymal stem cells prevents tissue damage in collagen-induced arthritis. *Arthritis and Rheumatism*, 56(4): 1175–1186.
- Azahra, P. A., Listanto, P., Ramadhani, K. N., Indriansyah, T. A. G., Khairunnisa, L. A., & Arini, L. D. D. (2025). Peran Asam Nukleat dalam Proses Sintesis Protei: Analisis Mekanisme DNA, RNA, dan Ribosom dalam Regulasi Genetik Amelia. *Student Scientific Creativity Journal*, 3(2): 15–24.
- Ba, R., Kong, L., Wu, G., Liu, S., Dong, Y., Li, B., & Zhao, Y. (2020). Increased Expression of Sox9 during Balance of BMSCs/Chondrocyte Bricks in Platelet-Rich Plasma Promotes Construction of a Stable 3-D Chondrogenesis Microenvironment for BMSCs. *Stem Cells International*, 2020: 1–11.
- Baghaei, K., Hashemi, S. M., Tokhanbigli, S., Rad, A. A., Assadzadeh-Aghdaei, H., Sharifian, A., & Zali, M. R. (2017). Isolation, differentiation, and characterization of mesenchymal stem cells from human bone marrow. *Gastroenterology and Hepatology from Bed to Bench*, 10(3): 208–213.

- Baktir, A. (2017). *DNA Struktur dan Fungsi*. Surabaya: Airlangga University Press.
- Barber, R. D., Harmer, D. W., Coleman, R. A., & Clark, B. J. (2005). GAPDH as a housekeeping gene: Analysis of GAPDH mRNA expression in a panel of 72 human tissues. *Physiological Genomics*, 21: 389–395.
- Bianco, P. (2014). “Mesenchymal” stem cells. *Annual Review of Cell and Developmental Biology*, 30: 677–704.
- Borjesson, D. L., & Peroni, J. F. (2011). The Regenerative Medicine Laboratory: Facilitating Stem Cell Therapy for Equine Disease. *Clinics in Laboratory Medicine*, 31(1): 109–123.
- Boucher, S., Lakshmiathy, U., & Vemuri, M. (2009). A simplified culture and polymerase chain reaction identification assay for quality control performance testing of stem cell media products. *Cytotherapy*, 11(6): 761–767.
- Bourzac, C., Smith, L. C., Vincent, P., Beauchamp, G., Lavoie, J. P., & Laverty, S. (2010). Isolation of equine bone marrow-derived mesenchymal stem cells: a comparison between three protocols. *Equine Veterinary Journal*, 42(6): 519–527.
- Brakebusch, C., Bouvard, D., Stanchi, F., Sakai, T., & Fässler, R. (2002). Integrins in invasive growth. *Journal of Clinical Investigation*, 109(8): 999–1006.
- Bruder, S. P., Jaiswal, N., & Haynesworth, S. E. (1997). Growth kinetics, self-renewal, and the osteogenic potential of purified human mesenchymal stem cells during extensive subcultivation and following cryopreservation. *Journal of Cellular Biochemistry*, 64(2): 278–294.
- Bustin, S. A., Benes, V., Nolan, T., & Pfaffl, M. W. (2005). Quantitative real-time RT-PCR - A perspective. *Journal of Molecular Endocrinology*, 34(3): 597–601.
- Campbell, M. L. H. (2013). The role of veterinarians in equestrian sport: A comparative review of ethical issues surrounding human and equine sports medicine. *The Veterinary Journal*, 197(3): 535–540.
- Carter-Arnold, J. L., Neilsen, N. L., Amelse, L. L., Odoi, A., & Dhar, M. S. (2014). In vitro analysis of equine, bone marrow-derived mesenchymal stem cells demonstrates differences within age- and gender-matched horses. *Equine Veterinary Journal*, 46(5): 589–595.
- Chahal, J., Gómez-Aristizábal, A., Shestopaloff, K., Bhatt, S., Chaboureau, A., Fazio, A., Chisholm, J., Weston, A., Chiovitti, J., Keating, A., Kapoor, M.,

- Ogilvie-Harris, D. J., Syed, K. A., Gandhi, R., Mahomed, N. N., Marshall, K. W., Sussman, M. S., Naraghi, A. M., & Viswanathan, S. (2019). Bone Marrow Mesenchymal Stromal Cell Treatment in Patients with Osteoarthritis Results in Overall Improvement in Pain and Symptoms and Reduces Synovial Inflammation. *Stem Cells Translational Medicine*, 8(8): 746–757.
- Chen, C.-Y. A., & Shyu, A.-B. (1994). Selective Degradation of Early-Response-Gene mRNAs: Functional Analyses of Sequence Features of the AU-Rich Elements. *Molecular and Cellular Biology*, 14(12): 8471–8482.
- Chopp, M., Zhang, X. H., Li, Y., Wang, L., Chen, J., Lu, D., Lu, M., & Rosenblum, M. (2000). Spinal cord injury in rat: Treatment with bone marrow stromal cell transplantation. *NeuroReport*, 11(13): 3001–3005.
- Cordeiro-Spinetti, E., de Mello, W., Trindade, L. S., Taub, D. D., Taichman, R. S., & Balduino, A. (2014). Human bone marrow mesenchymal progenitors: Perspectives on an optimized in vitro manipulation. *Frontiers in Cell and Developmental Biology*, 2(7): 1–8.
- Corrêa, F., Borlone, C., Wittwer, F., Bustamante, H., Müller, A., Ramírez, A., & Menarim, B. (2014). How to obtain and isolate equine sternal bone marrow mononuclear cells with limited resources. *Archivos de Medicina Veterinaria*, 46(3): 471–476.
- Cui, P., He, X., Pu, Y., Zhang, W., Zhang, P., Li, C., Guan, W., Li, X., & Ma, Y. (2014). Biological characterization and pluripotent identification of sheep dermis-derived mesenchymal stem/progenitor cells. *BioMed Research International*, 2014: 1–14.
- Davies, O. G., Cooper, P. R., Shelton, R. M., Smith, A. J., & Scheven, B. A. (2015). Isolation of adipose and bone marrow mesenchymal stem cells using CD29 and CD90 modifies their capacity for osteogenic and adipogenic differentiation. *Journal of Tissue Engineering*, 6: 1–10.
- De Schauwer, C., Meyer, E., Van de Walle, G. R., & Van Soom, A. (2011). Markers of stemness in equine mesenchymal stem cells: A plea for uniformity. *Theriogenology*, 75(8): 1431–1443.
- Dezawa, M., Ishikawa, H., Itokazu, Y., Yoshihara, T., Hoshino, M., Takeda, S. I., Ide, C., & Nabeshima, Y. I. (2005). Developmental biology: Bone marrow stromal cells generate muscle cells and repair muscle degeneration. *Science*, 309(5732): 314–317.
- Djauhari, T. (2012). Sel Punca. *Saintika Medika*, 6(2): 91–96.

- Dominici, M., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F. C., Krause, D. S., Deans, R. J., Keating, A., Prockop, D. J., & Horwitz, E. M. (2006). Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*, 8(4): 315–317.
- Easley, J., & Dixon, P. M. (2011). *Equine Dentistry*. USA: Elsevier.
- Fatchiyah, E. L., Arumingtyas, S., & Widyarti, S. R. (2016). *Biologi Molekuler: Prinsip Dasar Analisis*. Surabaya: Penerbit Erlangga.
- Fortier, L. A. (2005). Stem cells: Classifications, controversies, and clinical applications. *Veterinary Surgery*, 34(5): 415–423.
- Freeman, W. M., Walker, S. J., & Vrana, K. E. (1999). Quantitative RT-PCR: Pitfalls and potential. *BioTechniques*, 26(1): 112–125.
- Freitag, J., Bates, D., Wickham, J., Shah, K., Huguenin, L., Tenen, A., Paterson, K., & Boyd, R. (2019). Adipose-derived mesenchymal stem cell therapy in the treatment of knee osteoarthritis: A randomized controlled trial. *Regenerative Medicine*, 14(3): 213–230.
- Gaina, C. D., & Foeh, N. D. F. K. (2018). STUDI PERFORMA UMUM TUBUH DAN STATUS FISIOLOGIS KUDA SUMBA. *Jurnal Kajian Veteriner*, 6(2): 38–44.
- Gugjoo, M. B., Amarpal, Makhdoomi, D. M., & Sharma, G. T. (2018). Equine Mesenchymal Stem Cells: Properties, Sources, Characterization, and Potential Therapeutic Applications. *Journal of Equine Veterinary Science*, 72(2019): 16–27.
- Gugjoo, M. B., & Pal, A. (2020). *Mesenchymal Stem Cell in Veterinary Sciences*. USA: Springer.
- Hajrah, Muthiadin, C., & Aziz, I. R. (2020). Potensi Mesenchymal Stem Cell (MSC) pada Hewan. *Prosiding Seminar Nasional Biologi Di Era Pandemi COVID-19*, 172–175.
- Hartono, B. (2016). Sel Punca : Karakteristik, Potensi dan Apoptosis. *Jurnal Kedokteran Meditek*, 22(60): 72–75.
- Hendijani, F. (2017). Explant culture: An advantageous method for isolation of mesenchymal stem cells from human tissues. *Cell Proliferation*, 50(2): 1–14.
- Hermawan, B., Nanda, R. D., & Andriya, N. N. (2024). Penggunaan Metode

Quantitative Polymerase Chain Reaction (qPCR) untuk Deteksi Fragmen DNA Babi pada Produk Olahan Daging (Use of Quantitative Polymerase Chain Reaction (qPCR) Method for Pork DNA Fragments Detection in Processed Meat Products). *Jurnal Ilmu Pertanian Indonesia (JIPI)*, 29(4), 527–532.

Hikmatyar, M. F., Royani, J. I., & . D. (2015). Isolasi dan Amplifikasi DNA Keladi Tikus (*Thyponium flagelliform*) untuk Identifikasi Keragaman Genetik. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, 2(2): 42–48.

Hilkens, P., Gervois, P., Fanton, Y., Vanormelingen, J., Martens, W., Struys, T., Politis, C., Lambrechts, I., & Bronckaers, A. (2013). Effect of isolation methodology on stem cell properties and multilineage differentiation potential of human dental pulp stem cells. *Cell and Tissue Research*, 353(1): 65–78.

Ishihara, A., Zachos, T. A., Bartlett, J. S., & Bertone, A. L. (2006). Evaluation of permissiveness and cytotoxic effects in equine chondrocytes, synovial cells, and stem cells in response to infection with adenovirus 5 vectors for gene delivery. *American Journal of Veterinary Research*, 67(7): 1145–1155.

Iyer, V. R., Eisen, M. B., Ross, D. T., Schuler, G., Moore, T., Lee, J. C. F., Trent, J. M., Staudt, L. M., Hudson, J., Boguski, M. S., Lashkari, D., Shalon, D., Botstein, D., & Brown, P. O. (1999). The transcriptional program in the response of human fibroblasts to serum. *Science*, 283(5398): 83–87.

Jevotovsky, D. S., Alfonso, A. R., Einhorn, T. A., & Chiu, E. S. (2018). Osteoarthritis and stem cell therapy in humans: a systematic review. *Osteoarthritis and Cartilage*, 26(6): 711–729.

Jeyaraman, M., Verma, T., Jeyaraman, N., Patro, B. P., Nallakumarasamy, A., & Khanna, M. (2023). Is mandible derived mesenchymal stromal cells superior in proliferation and regeneration to long bone-derived mesenchymal stromal cells? *World Journal of Methodology*, 13(2): 10–17.

Jing, W., Xiao, J., Xiong, Z., Yang, X., Huang, Y., Zhou, M., Chen, S., Lin, Y., & Tian, W. (2011). Explant Culture: An Efficient Method to Isolate Adipose-Derived Stromal Cells for Tissue Engineering. *Artificial Organs*, 35(2): 105–112.

Kallis, Y. N., Alison, M. R., & Forbes, S. J. (2007). Bone marrow stem cells and liver disease. *Gut*, 56(5): 716–724.

Kangari, P., Talaei-Khozani, T., Razeghian-Jahromi, I., & Razmkhah, M. (2020). Mesenchymal stem cells: amazing remedies for bone and cartilage defects.

Stem Cell Research and Therapy, 11(1): 1–21.

- Kasashima, Y., Ueno, T., Tomita, A., Goodship, A. E., & Smith, R. K. W. (2011). Optimisation of bone marrow aspiration from the equine sternum for the safe recovery of mesenchymal stem cells. *Equine Veterinary Journal*, 43(3): 288–294.
- Kaviani, S., Salahi-Niri, A., Mohammadi, M. H., Hamidpour, M., & Esmaeili, S. (2024). Methylation Dynamics of the PPAR Gamma (PPAR γ) Gene during Adipogenic Differentiation of Human Bone Marrow Mesenchymal Stem Cells. *Iranian Journal of Blood and Cancer*, 16(1): 67–77.
- Komori, T. (2008). Regulation of bone development and maintenance by Runx2. *Frontiers in Bioscience*, 13: 898–903.
- Kraus, K. H., & Kirker-Head, C. (2006). Mesenchymal stem cells and bone regeneration. *Veterinary Surgery*, 35(3): 232–242.
- Lee, H., Huang, G., Chiang, H., Chiou, L., Chen, M., Hsieh, C., & Jiang, C. (2003). Multipotential Mesenchymal Stem Cells from Femoral Bone Marrow Near the Site of Osteonecrosis. *Stem Cells*, 21(2): 190–199.
- Lee, K.-D., Kuo, T. K.-C., Whang-Peng, J., Chung, Y.-F., Lin, C.-T., Chou, S.-H., Chen, J.-R., Chen, Y.-P., & Lee, O. K.-S. (2004). In vitro hepatic differentiation of human mesenchymal stem cells. *Hepatology*, 40(6): 1275–1284.
- Lefebvre, V., Huang, W., Harley, V. R., Goodfellow, P. N., & de Crombrughe, B. (1997). SOX9 Is a Potent Activator of the Chondrocyte-Specific Enhancer of the Pro α 1(II) Collagen Gene. *Molecular and Cellular Biology*, 17(4): 2336–2346.
- Lekanne Deprez, R. H., Fijnvandraat, A. C., Ruijter, J. M., & Moorman, A. F. M. (2002). Sensitivity and accuracy of quantitative real-time polymerase chain reaction using SYBR green I depends on cDNA synthesis conditions. *Analytical Biochemistry*, 307(1): 63–69.
- Li, H., Xiong, S., Masieri, F. F., Monika, S., Lethaus, B., & Savkovic, V. (2023). Mesenchymal Stem Cells Isolated from Equine Hair Follicles Using a Method of Air-Liquid Interface. *Stem Cell Reviews and Reports*, 19(8): 2943–2956.
- Litzke, L.-F., Wagner, E., Baumgaertner, W., Hetzel, U., Josimović-Alasević, O., & Libera, J. (2004). Repair of Extensive Articular Cartilage Defects in Horses by Autologous Chondrocyte Transplantation. *Annals of Biomedical Engineering*, 32(1): 57–69.

- Liu, Z., Yao, X., Yan, G., Xu, Y., Yan, J., Zou, W., & Wang, G. (2016). Mediator MED23 cooperates with RUNX2 to drive osteoblast differentiation and bone development. *Nature Communications*, 7: 1–11.
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta CT}$ method. *Methods*, 25(4): 402–408.
- Merdekawati, F., & Nurhayati, B. (2023). Desain Primer Gen Pengkode Dependent RNA Polimerase (RdRp) untuk Deteksi SARS COV2 dengan menggunakan qPCR. *Jurnal Riset Kesehatan Poltekkes Depkes Bandung*, 15(1): 30–36.
- Mitsui, K., Tokuzawa, Y., Itoh, H., Segawa, K., Murakami, M., Takahashi, K., Maruyama, M., Maeda, M., & Yamanaka, S. (2003). The homeoprotein nanog is required for maintenance of pluripotency in mouse epiblast and ES cells. *Cell*, 113(5): 631–642.
- Mollah, A., Ashan, M. A., & Khatimah, A. H. (2022). Uji Kualitas dan Kuantitas DNA Porang (*Amorphophallus Muelleri* Blume) pada Beberapa Kawasan di Sulawesi Selatan. *Jurnal Agritechno*, 15(1): 1–7.
- Mollentze, J., Durandt, C., & Pepper, M. S. (2021). An in Vitro and in Vivo Comparison of Osteogenic Differentiation of Human Mesenchymal Stromal/Stem Cells. *Stem Cells International*, 2021: 1–23.
- Nafisa, A. R., Sebastian, A., Wijayanti, P., Patigu, R. F., & Purwestri, Y. A. (2022). Optimasi Primer yang Menargetkan Gen OsAP2, OsERF3 dan OsEREBP2 Menggunakan qPCR. *Bioeksperimen*, 8(1): 8–19.
- Noël, D., Djouad, F., & Jorgensen, C. (2002). Regenerative medicine through mesenchymal stem cells for bone and cartilage repair. *Current Opinion in Investigational Drugs*, 3(7): 1000–1004.
- Orlic, D., Kajstura, J., Chimenti, S., Limana, F., Jakoniuk, I., Quaini, F., Nadal-Ginard, B., Bodine, D. M., Leri, A., & Anversa, P. (2001). Mobilized bone marrow cells repair the infarcted heart, improving function and survival. *Proceedings of the National Academy of Sciences of the United States of America*, 98(18): 10344–10349.
- Pacini, S., Spinabella, S., Trombi, L., Fazzi, R., Galimberti, S., Dini, F., Carlucci, F., & Petrini, M. (2007). Suspension of bone marrow-derived undifferentiated mesenchymal stromal cells for repair of superficial digital flexor tendon in race horses. *Tissue Engineering*, 13(12): 2949–2955.
- Passeri, S., Nocchi, F., Lamanna, R., Lapi, S., Miragliotta, V., Giannessi, E.,

- Abramo, F., Stornelli, M. R., Matarazzo, M., Plenteda, D., Urciuoli, P., Scatena, F., & Coli, A. (2009). Isolation and expansion of equine umbilical cord-derived matrix cells (EUCMCs). *Cell Biology International*, 33(1): 100–105.
- Phinney, D. G., & Pittenger, M. F. (2017). Concise Review: MSC-Derived Exosomes for Cell-Free Therapy. *Stem Cells*, 35: 851–858.
- Pittenger, M. F. (2008). Mesenchymal stem cells from adult bone marrow. *Methods in Molecular Biology*, 449: 27–44.
- Priya, N., Sarcar, S., Majumdar, A. Sen, & SundarRaj, S. (2014). Explant culture: a simple, reproducible, efficient and economic technique for isolation of mesenchymal stromal cells from human adipose tissue and lipoaspirate. *Journal of Tissue Engineering and Regenerative Medicine*, 8(9): 706–716.
- Purwaningrum, M., Jamilah, N. S., Purbantoro, S. D., Sawangmake, C., & Nantavisai, S. (2021). Comparative characteristic study from bone marrow-derived mesenchymal stem cells. *Journal of Veterinary Science*, 22(6): 1–13.
- Rahmania, Y. L., Widayat, Agustini, T. W., Suzery, M., & Albaari, A. N. (2021). Pengukuran Kandungan Dna Babi Dalam Berbagai Produk Pangan Dengan Metode Real Time-Polymerase Chain Reaction (RT-PCR). *Indonesia Journal of Halal*, 129–133.
- Raso, A., & Biassoni, R. (2014). Twenty years of qPCR: A mature technology? *Methods in Molecular Biology*, 1160: 5–7.
- Richardson, L. E., Dudhia, J., Clegg, P. D., & Smith, R. (2007). Stem cells in veterinary medicine - attempts at regenerating equine tendon after injury. *Trends in Biotechnology*, 25(9): 409–416.
- Rinendyaputri, R., Noviantari, A., Biomedis, P., Kesehatan, D., & Ri, K. (2015). Produksi Mesenchymal Stem Cell (MSC) dari Sumsum Tulang Belakang Mencit kekurangan dan kelebihan masing-masing, dari tingkat proliferasi serta karakteristik Komposisi medium kultur juga dapat Informasi penggunaan medium untuk produksi MSC manusia dari. *Jurnal Biotek Medisiana Indonesia*, 4(1): 33–41.
- Ruiz-Villalba, A., Ruijter, J. M., & van den Hoff, M. J. B. (2021). Use and misuse of cq in qpcr data analysis and reporting. *Life*, 11(6): 1–22.
- Ryu, H. H., Kang, B. J., Park, S. S., Kim, Y., Sung, G. J., Woo, H. M., Kim, W. H., & Kweon, O. K. (2012). Comparison of mesenchymal stem cells derived from fat, bone marrow, Wharton's jelly, and umbilical cord blood for

treating spinal cord injuries in dogs. *Journal of Veterinary Medical Science*, 74(12): 1617–1630.

Salehinejad, P., Banu Alitheen, N., Ali, A. M., Omar, A. R., Mohit, M., Janzamin, E., Samani, F. S., Torshizi, Z., & Nematollahi-Mahani, S. N. (2012). Comparison of different methods for the isolation of mesenchymal stem cells from human umbilical cord Wharton's jelly. *In Vitro Cellular and Developmental Biology - Animal*, 48(2): 75–83.

Schmittgen, T. D., & Zakrajsek, B. A. (2000). Effect of experimental treatment on housekeeping gene expression: Validation by real-time, quantitative RT-PCR. *Journal of Biochemical and Biophysical Methods*, 46(1–2): 69–81.

Sellon, D. C., & Acvim, D. (2006). How to Obtain a Diagnostic Bone Marrow Sample From the Sternum of an Adult Horse. *American Association of Equine Practitioners*, 52: 621–625.

Shah, K., Zhao, A. G., & Sumer, H. (2018). New approaches to treat osteoarthritis with mesenchymal stem cells. *Stem Cells International*, 2018: 1–9.

Shi, Q., Rafii, S., Wu Hong-De, M., Wijelath, E. S., Yu, C., Ishida, A., Fujita, Y., Kothari, S., Mohle, R., Sauvage, L. R., Moore, M. A. S., Storb, R. F., & Hammond, W. P. (1998). Evidence for circulating bone marrow-derived endothelial cells. *Blood*, 92(2): 362–367.

Singh, B. (2018). The Forelimb of the Dog and Cat. In *Dyce, Sack, and Wensing's Textbook of Veterinary Anatomy*. USA: Elsevier Health Sciences.

Smith, R. K. W. (2008). Mesenchymal stem cell therapy for equine tendinopathy. *Disability and Rehabilitation*, 30(20–22): 1752–1758.

Smith, R. K. W., Korda, M., Blunn, G. W., & Goodship, A. E. (2003). Isolation and implantation of autologous equine mesenchymal stem cells from bone marrow into the superficial digital flexor tendon as a potential novel treatment. *Equine Veterinary Journal*, 35(1): 99–102.

Squillaro, T., Peluso, G., & Galderisi, U. (2016). Clinical trials with mesenchymal stem cells: An update. *Cell Transplantation*, 25(5): 829–848.

Sun, Z., Han, Q., Zhu, Y., Li, Z., Chen, B., Liao, L., Bian, C., Li, J., Shao, C., & Zhao, R. C. (2011). NANOG has a role in mesenchymal stem cells' immunomodulatory effect. *Stem Cells and Development*, 20(9): 1521–1528.

Suparno, A. C., Rubinadzari, N., & Kasasiah, A. (2022). Generasi Berikutnya: Sel Punca Mesenkim Sebagai Sistem Penghantaran Obat Berbasis Sel.

Majalah Farmasetika, 7(2): 121–140.

- Taylor, S. E., & Clegg, P. D. (2011). Collection and Propagation Methods for Mesenchymal Stromal Cells. *Veterinary Clinics of North America - Equine Practice*, 27(2): 263–274.
- Thanuja, M. Y., Anupama, C., & Ranganath, S. H. (2018). Bioengineered cellular and cell membrane-derived vehicles for actively targeted drug delivery: So near and yet so far. *Advanced Drug Delivery Reviews*, 132: 57–80.
- Theodorus, E., Cinthya D Valentina, D., Agverianti, T., & Kusumaningrum Samosir, R. (2022). Terapi Mesenchymal Stem Cell Sebagai Modalitas Tatalaksana Osteoarthritis. *Essential: Essence of Scientific Medical Journal*, 19(2): 1–4.
- Tontonoz, P., Hu, E., & Spiegelman, B. M. (1994). Stimulation of adipogenesis in fibroblasts by PPAR γ 2, a lipid-activated transcription factor. *Cell*, 79(7): 1147–1156.
- Tuan, R. S., Boland, G., & Tuli, R. (2003). *Ar614*. 5(1): 32–45.
- Ullah, I., Subbarao, R. B., & Rho, G. J. (2015). Human mesenchymal stem cells - Current trends and future prospective. *Bioscience Reports*, 35: 1–18.
- Vidal, M. A., Kilroy, G. E., Johnson, J. R., Lopez, M. J., Moore, R. M., & Gimble, J. M. (2006). Cell Growth Characteristics and Differentiation Frequency of Adherent Equine Bone Marrow-Derived Mesenchymal Stromal Cells: Adipogenic and Osteogenic Capacity. *Veterinary Surgery*, 35(7): 601–610.
- Vidal, M. A., Walker, N. J., Napoli, E., & Borjesson, D. L. (2012). Evaluation of senescence in mesenchymal stem cells isolated from equine bone marrow, adipose tissue, and umbilical cord tissue. *Stem Cells and Development*, 21(2): 273–283.
- Violini, S., Ramelli, P., Pisani, L. F., Gorni, C., & Mariani, P. (2009). Horse bone marrow mesenchymal stem cells express embryo stem cell markers and show the ability for tenogenic differentiation by in vitro exposure to BMP-12. *BMC Cell Biology*, 10(29): 1–10.
- Waluyo, S., Malau, J., Raekiansyah, M., Yulian, E., & Hardiman, I. (2023). Deteksi dan Kuantifikasi Cemaran Babi pada Sampel Olahan Daging Menggunakan Real-time PCR. *Al-Kaunyah: Jurnal Biologi*, 16(1): 46–52.
- Wittwer, C. T., Herrmann, M. G., Gundry, C. N., & Elenitoba-Johnson, K. S. J.

- (2001). Real-time multiplex PCR assays. *Methods*, 25(4): 430–442.
- Woodbury, D., Schwarz, E. J., Prockop, D. J., & Black, I. B. (2000). Adult rat and human bone marrow stromal cells differentiate into neurons. *Journal of Neuroscience Research*, 61(4): 364–370.
- Yang, Y., Hu, M., Zhang, Y., Li, H., & Miao, Z. (2014). CD29 of human umbilical cord mesenchymal stem cells is required for expansion of CD34+ cells. *Cell Proliferation*, 47(6): 596–603.
- Zahedi, M., Parham, A., Dehghani, H., & Mehrjerdi, H. K. (2018). Equine bone marrow-derived mesenchymal stem cells: Optimization of cell density in primary culture. *Stem Cell Investigation*, 5(31): 1–8.
- Zauli, D. A. G. (2019). PCR and Infectious Diseases. *IntechOpen*, 1–10.
- Zhao, B., Hu, M., Wu, H., Ren, C., Chen, J., Zhang, X., & Cui, S. (2018). Peroxisome proliferator-activated receptor- γ and its related pathway in bone marrow mesenchymal stem cell differentiation co-cultured with mechanically stretched ligament fibroblasts. *International Journal of Molecular Medicine*, 42(1): 219–227.
- Zheng, L., Tu, Q., Meng, S., Zhang, L., Yu, L., Song, J., Hu, Y., Sui, L., Zhang, J., Dard, M., Cheng, J., Murray, D., Tang, Y., Lian, J. B., Stein, G. S., & Chen, J. (2017). Runx2/DICER/miRNA Pathway in Regulating Osteogenesis. *Journal of Cellular Physiology*, 232(1): 182–191.
- Zucha, D., Kubista, M., & Valihrach, L. (2021). Tutorial: Guidelines for Single-Cell RT-qPCR. *Cells*, 10(2607): 1–16.