



## DAFTAR PUSTAKA

- Abuhelwa, A. Y., Williams, D. B., Upton, R. N., & Foster, D. J. (2017). Food, gastrointestinal pH, and models of oral drug absorption. *European journal of pharmaceutics and biopharmaceutics*, *112*, 234-248.
- Aggarwal, B.B., Surh, Y.J. dan Shishodia, S. (2007). *The Molecular Targets and Therapeutic Uses of Curcumin In Health and Disease*, Volume 595. New York: Springer Science & Business Media.
- Akamatsu, M., Fujikawa, M., Nakao, K. & Shimizu, R. (2009). *In silico* prediction of human oral absorption based on qsar analyses of PAMPA permeability. *Chemistry & Biodiversity*, *6*, 1845-1866. <https://doi.org/10.1002/cbdv.200900112>.
- AOAC International. (2016). *Official methods of analysis of AOAC International (20th ed.)*, Appendix F. AOAC International.
- Aryani, N. (2006). Penetapan nilai parameter lipofilisitas (log P, jumlah tetapan  $\pi$  Hansch dan tetapan F Rekker) asam pipemidat. *Jurnal Ilmiah Sains dan Teknologi*, *1*(2), 93–100.
- Avdeef, A. (2001). Physicochemical profiling (solubility, permeability and charge state). *Current topics in medicinal chemistry*, *1*(4), 277-351.
- Aziz, M. F. N. (2023). *Potensi Anti-Inflamasi Analog Kurkumin (A115, A146, B115): Penambatan Molekuler Tertarget MAPK P38 dan Penghambatan NO Pada Sel Raw 264.7*. Fakultas Farmasi Universitas Gadjah Mada. Yogyakarta.
- Bannan, C. C., Calabró, G., Kyu, D. Y., & Mobley, D. L. (2016). Calculating partition coefficients of small molecules in octanol/water and cyclohexane/water. *Journal of Chemical Theory and Computation*, *12*, 4015–4024. <https://doi.org/https://doi.org/10.1021/acs.jctc.6b00449>.
- Bernabé-Pineda, M., Ramírez-Silva, M. T., Romero-Romo, M., González-Vergara, E., & Rojas-Hernández, A. (2004). Determination of acidity constants of curcumin in aqueous solution and apparent rate constant of its decomposition. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, *60*(5), 1091–1097. [https://doi.org/10.1016/S1386-1425\(03\)00342-1](https://doi.org/10.1016/S1386-1425(03)00342-1).
- Berthod, A., Carda-Broch, S., & Garcia-Alvarez-Coque, M. C. (1999). Hydrophobicity of ionizable compounds. A theoretical study and measurements of diuretic octanol-water partition coefficients by countercurrent chromatography. *Analytical Chemistry*, *71*(4), 879–888. <https://doi.org/10.1021/ac9810563>.
- Bruice, P. Y. (2016). *Organic Chemistry*, 8<sup>th</sup> Edition. USA: Pearson Education.
- Cairns, D. (2004). *Intisari Kimia Farmasi*, Edisi 2. Jakarta: Penerbit Buku Kedokteran EGC.
- Chan, C. C., Lam, H., Lee, Y. C., & Zhang, X. (2004). *Analytical Method Validation and Instrument Performance Verrification*. New Jersey: John Wiley & Sons, Inc.



- Cumming, H., & Rücker, C. (2017). Octanol-water partition coefficient measurement by a simple <sup>1</sup>H NMR method. *ACS Omega*, 2(9), 6244–6249. <https://doi.org/10.1021/acsomega.7b01102>.
- Dearden, J. C., & Bresnen, G. M. (1988). The measurement of partition coefficients. *Quantitative Structure-Activity Relationships*, 7, 133–144. <https://doi.org/https://doi.org/10.1002/qsar.19880070304>.
- Disdier, Z., Savoye, S., & Dagnelie, R. V. H. (2022). Effect of solutes structure and pH on the n-octanol/water partition coefficient of ionizable organic compounds. *Chemosphere*, 304, 135115. <https://doi.org/10.1016/j.chemosphere.2022.135155i>.
- El Khoury, E. D., & Patra, D. (2013). Ionic liquid expedites partition of curcumin into solid gel phase but discourages partition into liquid crystalline phase of 1,2-dimyristoyl-sn-glycero-3-phosphocholine liposomes. *Journal of Physical Chemistry B*, 117(33), 9699–9708. <https://doi.org/10.1021/jp4061413>.
- Asuero, A. G., Sayago, A., & González, A. G. (2006). The correlation coefficient: An overview. *Critical reviews in analytical chemistry*, 36(1), 41-59.
- Hansch, C., Leo, A. (1979). *Substituent Constants for Correlation Analysis in Chemistry and Biology*. New York: Wiley-Interscience.
- Harimurti, S., Rahayu, W. P., Ikfini, H., Widada, H., Orbayinah, S., Wibowo, A. E., Kurnia, K. A. (2024). Partition coefficient of gamavuton-0 in different organic solvents and pH: Experimental study. *Journal of Molecular Structure*, 1295(2), 136553. <https://doi.org/10.1016/j.molstruc.2023.136553>.
- Hasselbalch, K. A. (1916). *Die Berechnung der Wasserstoffzahl des Blutes aus der freien und gebundenen Kohlensäure desselben, und die Sauerstoffbindung des Blutes als Funktion der Wasserstoffzahl*. Berlin: Julius Springer.
- Henderson, L.J. (1908). Concerning the relationship between the strength of acids and their capacity to preserve neutrality. *Survey of Anesthesiology*, 8, 504.
- International Council for Harmonisation. (2005). ICH guideline Q2(R1): *Validation of analytical procedures: Text and methodology*. International Council for Harmonisation of Technical Requirements for Pharmaceuticals for Human Use. <https://www.ich.org>.
- James, G., Witten, D., Hastie, T., Tibshirani, R., & Taylor, J. (2023). Linear regression. In *An introduction to statistical learning: With applications in python* (pp. 69-134). Cham: Springer International Publishing.
- Kilo, A. L., Aman, L. O., Sabihi, I., & Kilo, J. L. (2019). Study of Potential of 1-N-Substituted Pyrazoline Analogues of Thiosemicarbazones as Antiamoebic Agent using In Silico Screening. *Indonesian Journal of Chemical Research*, 7(1), 9-24.
- Laane, C., Boeren, S., Vos, K., & Veeger, C. (1987). Rules for optimization of biocatalysis in organic solvents. *Biotechnology and Bioengineering*, 30(1), 81-87.
- Lee W. H., Loo C. Y., Bebawy M., Luk F., Mason R. S., Rohanizadeh R. (2013). Curcumin and its derivatives: Their application in neuropharmacology and



- neuroscience in the twenty-first century. *Curr. Neuropharmacol*, *11*, 338–378.
- Leo, A., Hansch, C., & Elkins, D. (1971). Partition coefficients and their uses. *Chemical reviews*, *71*(6), 525-616.  
<https://doi.org/https://doi.org/10.1021/cr60274a001>.
- Leong, S. W., Mohd Faudzi, S. M., Abas, F., Mohd Aluwi, M. F. F., Rullah, K., Wai, L. K., Abdul Bahari, M. N., Ahmad, S., Tham, C. L., Shaari, K., & Lajis, N. H. (2014). Synthesis and SAR study of diarylpentanoid analogues as new anti-inflammatory agents. *Molecules*, *19*(10), 16058–16081.  
<https://doi.org/10.3390/molecules191016058>.
- Leung M. H. M., Colangelo H., Kee T. W. (2008). Encapsulation of curcumin in cationic micelles suppresses alkaline hydrolysis. *Langmuir*, *24*: 5672–5675.
- Liu, X., Testa, B., & Fahr, A. (2011). Lipophilicity and its relationship with passive drug permeation. *Pharmaceutical research*, *28*, 962-977.  
<https://doi.org/10.1007/s11095-010-0303-7>.
- Lu, Y., Lin, M., Zong, J., Zong, L., Zhao, Z., Wang, S., ... & Han, M. (2020). Highly bioavailable curcumin preparation with a co-grinding and solvent-free process. *Food Science & Nutrition*, *8*(12), 6415-6425.
- Martin, A., Bustamante, P., & Chun, A. H. C. (1993). *Physical pharmacy: Physical chemical principles in the pharmaceutical sciences*, 4<sup>th</sup> Edition. Philadelphia: Lea & Febige.
- Martin, A. N., Sinko, P. J., & Singh, Y. (2006). *Martin's physical pharmacy and pharmaceutical sciences: Physical chemical and biopharmaceutical principles in the pharmaceutical sciences*. Wolters Kluwer Health/Lippincott Williams & Wilkins.
- McMurry, J. (2008). *Organic Chemistry*, 7<sup>th</sup> Edition. USA: Thomson Learning, Inc.
- Mobley, W. C., Amiji, M. M., & Cook, T. J. (2021). *Applied Physical Pharmacy*, Edisi 3. New York: McGraw Hill.
- National Center for Biotechnology Information (2024). PubChem Compound Summary for CID 969516, Curcumin. Diakses September 24, 2024 dari <https://pubchem.ncbi.nlm.nih.gov/compound/Curcumin>.
- Nernst, W. (1891). Distribution of a substance between two solvents and between solvent and vapor. *Z. phys. Chem*, *8*, 110-139.
- OECD (2004) OECD Guidelines for the Testing of Chemicals: 107 Partition Coefficient (n-Octanol/Water): Shake Flask Method. Paris.
- OECD (2022) OECD Guidelines for the Testing of Chemicals: 117 Partition Coefficient (n-Octanol/Water): High Performance Liquid Chromatography (HPLC) Method. Paris.
- Patrick, G. L. (2013). *An Introduction to Medicinal Chemistry*, 5<sup>th</sup> Edition. Oxford: Onxford University Press.
- Pratt, D.E. & Hudson, B.J.F. (1990) Natural Antioxidants Not Exploited Commercially. In: Hudson, B.J.F., Ed., *Food Antioxidants*, Elsevier, Amsterdam, 171-192.  
[https://doi.org/10.1007/978-94-009-0753-9\\_5](https://doi.org/10.1007/978-94-009-0753-9_5)
- Priyadarsini, K. I. (2009). Photophysics, photochemistry and photobiology of curcumin: Studies from organic solutions, bio-mimetics and living



- cells. *Journal of Photochemistry and Photobiology C-photochemistry Reviews*, 10, 81-95.
- Purcell, W. P., & George, E. B. (1973). *Strategy of Drug Design, A Guide to Biological Activity*. New York: John Wiley & Sons.
- Ravindran, P. N., Babu, N., & Sivaraman, K. (2007). *Turmeric The Genus Curcuma*, Edisi 1. Florida: CRC Press.
- Saeidinia, A., Keihanian, F., Butler, A. E., Bagheri, R. K., Atkin, S. L., & Sahebkar, A. (2018). Curcumin in heart failure: a choice for complementary therapy? *Pharmacological Research*, 131, 112-119. <https://doi.org/10.1016/j.phrs.2018.03.009>.
- Sánchez-Castaño, G., Ruíz-García, A., Bañón, N., Bermejo, M., Merino, V., Freixas, J., Garrigues, T. M., & Plá-Delfina, J. M. (2000). Intrinsic absolute bioavailability prediction in rats based on in situ absorption rate constants and/or in vitro partition coefficients: 6-fluoroquinolones. *Journal of pharmaceutical sciences*, 89(11), 1395–1403. [https://doi.org/10.1002/1520-6017\(200011\)89:11<1395::aid-jps3>3.0.co;2-u](https://doi.org/10.1002/1520-6017(200011)89:11<1395::aid-jps3>3.0.co;2-u).
- Sangster, J. (1989). Octanol water partition coefficients of simple organic compounds. *Journal of Physical and Chemical Reference Data*, 18(3), 1111–1229. <https://doi.org/10.1063/1.555833>.
- Siswandono, Soekardjo B. (1995). *Kimia Medisinal*, Edisi 2, 709-713 Surabaya: Airlangga University Press.
- Siswandono. (2016). *Kimia Medisinal Jilid Satu*, Edisi, 2. Universitas Airlangga.
- Skrzypczak-Jankun, E., Zhou, K., McCabe, N.P., Selman, S.H., & Jankun, J. (2003). Structure of curcumin in complex with lipoxygenase and its significance in cancer. *International Journal of Molecular Medicine*, 12, 17-24. <https://doi.org/10.3892/ijmm.12.1.17>.
- Strope, C. L., Mansouri, K., Clewell, H. J., Rabinowitz, J. R., Stevens, C., & Wambaugh, J. F. (2018). High-throughput in-silico prediction of ionization equilibria for pharmacokinetic modelling. *The Science of the total environment*, 615, 150–160. <https://doi.org/10.1016/j.scitotenv.2017.09.033>.
- Suryarini, L. U. (2014). *Penentuan Parameter Kelarutan dan Koefisien Partisi Semu (Apparent Partition Coefficient/APC) Senyawa Yang Terduga MH2011*. Fakultas Farmasi Universitas Gadjah Mada. Yogyakarta.
- Tambunan, U. S. F., Amri, N., & Parikesit, A. A. (2012). In silico design of cyclic peptides as influenza virus, a subtype H1N1 neuraminidase inhibitor. *African Journal of Biotechnology*, 11(52), 11474-11491.
- Testa, B., Crivori, P., Reist, M., & Carrupt, P. A. (2000). The influence of lipophilicity on the pharmacokinetic behavior of drugs: Concepts and examples. *Perspectives in Drug Discovery and Design*, 19(1), 179–211. <https://doi.org/10.1023/A:1008741731244>
- Tønnesen, H. H., & Karlsen, J. (1985a). Studies on curcumin and curcuminoids V. alkaline degradation of curcumin. *Zeitschrift Fur Lebensmittel-Untersuchung Und-Forschung*, 180, 132–134.
- Tønnesen, H. H., & Karlsen, J. (1985b). Studies on curcumin and curcuminoids VI. kinetics of curcumin degradation in aqueous solution. *Zeitschrift Fur*



- Lebensmittel-Untersuchung Und-Forschung*, 180, 402–404.  
<https://doi.org/https://doi.org/10.1007/bf01027775>.
- U.S. Pharmacopeia. (2021). *The United States Pharmacopeia, USP 44/The National Formulary, NF 39*, U.S. Rockville: Pharmacopeial Convention, Inc.
- Völgyi, G., Deák, K., Vámos, J., Valkó, K., & Takács-Novák, K. (2008). RPTLC determination of log P of structurally diverse neutral compounds. *JPC-Journal of Planar Chromatography-Modern TLC*, 21(2), 143-149.
- Wang, Y. J., Pan, M. H., Cheng, A. L., Lin, L. I., Ho, Y. S., Hsieh, C. Y., & Lin, J. K. (1997). Stability of curcumin in buffer solutions and characterization of its degradation products. *Journal of pharmaceutical and biomedical analysis*, 15(12), 1867-1876. [https://doi.org/10.1016/S0731-7085\(96\)02024-9](https://doi.org/10.1016/S0731-7085(96)02024-9).
- WHO. (2004). *WHO Technical Report Series 922 Evaluation of Certain Food Additives and Contaminants Sixty-first report of the Joint FAO/WHO Expert Committee on Food Additives*.
- Wright, A. E. (1998). Isolation of Marine Natural Products. In: Cannell, R.J.P. (eds) *Natural Products Isolation. Methods in Biotechnology*, vol 4. New Jersey: Humana Press. [https://doi.org/10.1007/978-1-59259-256-2\\_13](https://doi.org/10.1007/978-1-59259-256-2_13)