

- Aatthisugan, I., & Murugesan, R. (2022). Influence of silicon addition on mechanical properties and wear behaviour of AZ91D magnesium alloy using stir casting method. *Silicon*, 14(14), 8777-8784.
- Albright, D. L., & Haagensen, J. O. (1997). *Life cycle inventory of magnesium*. In *Proceedings of the 54th Annual World Magnesium Conference* (pp. 32–37). International Magnesium Association, Toronto, Canada.
- Andri., D. Masnur, (2015) ‘Studi fluiditas Aluminium minuman kaleng cair dengan variasi temperatur tuang dan ketebalan rongga’ *Jom F Teknik* ,2, No. 1 Februari 2015 pp. 1-6.
- Andriyansyah, A. 2014. Pengaruh Parameter Pemotongan Terhadap Kekasaran permukaan Dalam Pengefreisan Magnesium Tersuplai Udara Dingin. Tugas Akhir. Universitas Lampung. Bandar Lampung.
- Apris, Latif K. W., et al. "Studi Karakteristik Mekanik dan Struktur Mikro Coran Aluminium Minuman Kaleng." *Jurnal Online Mahasiswa Fakultas Teknik Universitas Riau*, vol. 3, no. 2, Oct. 2016, pp. 1-9.
- Arndt, Steve, and Rob Canum. 2007. “Overview of Chemical Paint Strippers. The Ongoing Development of Safer Solvent Paint Removers Has Yielded Versatile, User-Friendly Products.” *Metal Finishing* 105(5): 49–50. [http://dx.doi.org/10.1016/S0026-0576\(07\)80552-6](http://dx.doi.org/10.1016/S0026-0576(07)80552-6). Available at: <https://pastel.archives-ouvertes.fr/pastel-00843104>.
- Azad, A. (2012). *Grain refinement of magnesium alloy AZ91E* (Doctoral dissertation, University of British Columbia).
- Azis S. R., 2019. Simulasi Pada Cooling Slope Dengan Metode Pengecoran Gravitasi Menggunakan ANSYS 16.0. Universitas Sumatera Utara, Medan)
- AZO Materials (2013) *Physical Properties*. Available at: <https://www.azom.com/article.aspx?ArticleID=8670>.
- B.B. Buldum, A. Sik, I. Ozkul. 2011. Investigation of machining alloys machinability. *International Journal of Electronic: Mechanical and Mechatronics Engineering* Vol.2 Num.3 pp. (261-268).
- Baek, U. H., Lee, B. D., Lee, K. W., Yoon, J. Y., Han, G. S., & Han, J. W. (2016). Removal of Ca from magnesium melt by flux refining. *Materials Transactions*, 57(7), 1156-1164.
- Baker, H., ASM Handbooks Online, & ASM International Staff, ASM handbook: alloy phase diagrams, ASM International, Materials Park, 1992.
- Barone, M. R., Caulk, D. A., 2005, A Foam Ablation Model for Lost Foam Casting of Aluminum, *International Journal of Heat and Mass Transfer*, Vol. 48, pp. 4132–4149
- Bayuseno, A.P. and Chamdani, N.A., 2011. Adc 12 Sebagai Material Sepatu Rem Menggunakan Pengecoran High Pressure Die Casting Dengan Variasi Temperatur Penuangan. *ROTASI*, 13(1) pp.17-23
- Ben-Hamu, G., Eliezer, D., & Shin, K. S. (2007). The role of Si and Ca on new wrought Mg–Zn–Mn based alloy. *Materials Science and Engineering: A*, 447(1-2), 35-43.
- Bintoro, Wahyu Prio. 2018. Perancangan dan Analisis Gating System Untuk pengecoran Produk Fly Wheel Cast Iron Berbantuan Komputer. Tugas Akhir Teknik Mesin. Institut Sains & Teknologi AKPRIND, Yogyakarta.
- Birru, A.K., Karunakar, D.B., and Mahapatra, M.M., 2012, A Study on Hot Tearing Susceptibility of Al–Cu, Al–Mg, and Al–Zn alloys, *Transactions of the Indian Institute of Metals*, Vol.65(1), pp.97–105.
- Blawert, C., Hort, N., dan Kainer, K.U. 2004. Automotive Applications Of Magnesium And Its Alloys. *Trans. Indian Inst. Met.* Vol.57, No. 4, pp. 397- 408.



**PENGARUH VARIASI TEMPERATUR TUANG DAN CETAKAN TERHADAP FLUIDITAS LEBURAN SKRAP MAGNESIUM PADA PROSES PENGECORAN**

Jones Parmahan Siagian, Dr. Budi Arifvianto, S.T., M.Biotech

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- C.N. Young, C.R. Clayton, J.P. Yesinowski, J.H. Wynne, K.E. Watson, Physicochemical investigation of chemical paint removers: Interactions of methylene chloride with polyurethane coatings, *Progress in Organic Coatings*, 77 (2014) 232-241.
- Caliari, D., Timelli, G., Bonollo, F., Amalberto, P., Giordano, P. (2015) 'Fluidity of aluminium foundry alloys: Development of a testing procedure', *Metallurgia Italiana*, 107(6), pp. 11-18.
- Campbell John and Harding A Richard.(1994) *TALAT Lecture 3203- The Filling Of Casting*, ( pp 7- 9). EAA: European Alluminium Association.
- Campbell, J., Harding, R. A. (1994) 'The Fluidity of Molten Metals', *TALAT Lecture 3205*, pp. 1- 19.
- Cao, H., Jiang, H., Huang, Y., Yang, C., & Long, S. (2017). A comparative study on inclusions in Mg-Nd-Zn-Zr melt employing flux and fluxless purification approach. *International Journal of Precision Engineering and Manufacturing*, 18, 1591-1598.
- Cengel, Yunus A. 2003. *Heat Transfer A Practical Approach*, Second Edition. McGrawHill Companies. Inc
- Campbell, J. 1991. *The New Metalurgi of Coast Metal Casting*, Second Edition., Butterworth-Heimann Ltd, UK.
- Chen, T.J.. (2011) "Semisolid microstructure evolution of AZ91D magnesium alloy refined by Al-Ti-B," *Materials Research*, 14(4), pp. 532-540. doi:10.1590/S1516-14392011005000085.
- Cingi, C. (2006) Mold-metal reactions in magnesium investment castings. aaltodoc.aalto.fi.
- Durmuş, M., Dispinar, D., Gavgali, M., Uslu, E., & Çolak, M. (2024). Evaluation of Fe content on the fluidity of A356 aluminum alloy by new fluidity index. *International Journal of Metalcasting*, 1-15.
- Diamond, H., 1965. *Investment Casting. A Manufacturing Possibility for Elberton*. Georgia Institute of Technology, Georgia.
- Dieter, G. E. 1986. *Metalurgi Mekanik*. Translate by Djaprie, S. 1993, Jakarta: Penerbit Erlangga.
- Duskiardi, D., & Tjitro, S. (2002). Pengaruh tekanan dan temperatur die proses squeeze casting terhadap kekerasan dan struktur mikro pada material piston komersial lokal. *Jurnal Teknik Mesin*, 4(1).
- Go, Y., & Kim, Y. M. (2024). Influence of Sn Addition on the Ignition Resistance and Microstructural Evolution of Non-Flammable Mg-9Al-0.8 Zn-0.1 Mn-0.3 Ca-0.2 Y Alloy. *Metals and Materials International*, 1-12.
- Gruzleski, John E., Bernard M. Closset, *The Treatment of Aluminum-Silicon Alloys*, Americans Foundrymans Society, Inc, USA, 1990.
- Hafid, dkk. 2011. Membuat Desain Pengecoran Dengan Simulasi Adestefan Untuk Menanggulangi Cacat Pada Produk Cor. *Jurnal Riset Industri*. 5(3), 205- 217.
- Hanko, G., Antrekowitsch, H. and Ebner, P. (2002) Recycling Automotive Magnesium Scrap. *Jom*, 54(2), 51-54. <https://doi.org/10.1007/BF02701075>
- Hanko, G., Antrekowitsch, H., & Ebner, P. (2002). Recycling automotive magnesium scrap. *Jom*, 54(2), 51-54. <https://doi.org/10.1007/BF02701075>
- Hao, X., Xu, Z., Gourlay, C. M., & Li, Q. (2024). Grain refinement of magnesium castings using recycled machining chips. *Materials & Design*, 244, 113138.
- Harjanto, S., & Suharno, B. (2007). Kaji Kelayakan Nilai Fluiditas sebagai Indikator Kualitas Ingot Paduan Aluminium di Industri. *Indonesian Journal of Materials Science*, 9(1), 488235.
- <http://ankushdiecastingsolutions.com/LPDC%20Casting%20process.pdf>. Diakses tanggal 16 Januari 2012 pukul 14.20.
- <http://www.azom.com/details.asp?ArticleID=1392>. Diakses tanggal 8 Januari 2012 pukul 23.05.



## PENGARUH VARIASI TEMPERATUR TUANG DAN CETAKAN TERHADAP FLUIDITAS LEBURAN SKRAP MAGNESIUM PADA PROSES PENGECORAN

Jones Parmahan Siagian, Dr. Budi Arifvianto, S.T., M.Biotech

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<http://www.open.edu/openlearn/science-maths-technology/engineering>

[technology/manupedia/high-pressure-die-casting](http://www.open.edu/openlearn/science-maths-technology/engineering/technology/manupedia/high-pressure-die-casting) diakses pada tanggal 1 november 2023.

<http://www.toshiba-machine.co.jp/english/product/diecast/index.html>. Diakses tanggal 15 Januari 2012 pukul 9.45.

<https://www.archive.bps.go.id/exim/> diakses pada 03-12-2023

<https://www.totalmateria.com/page.aspx?ID=CheckArticle&site=ktn&NM=387>. diakses pada tanggal 1 november 2023.

Ibrahim, G.A. 2014. Analisa Kekasaran Permukaan pada Pemesinan Paduan Magnesium. Jurusan Teknik Mesin. Universitas Lampung. Bandar Lampung.

Kalpakjian, Serope. (1995) Manufacturing Engineering and Technology, (3rd edition pp 272-283). Illinois: Institute of Technology. Addison–Wesley Publishing Company.

Kielbus, A., Jarosz, R., & Gryc, A. (2020). Effect of modification on microstructure and properties of AZ91 magnesium alloy. *Crystals*, 10(6), 1–10. <https://doi.org/10.3390/cryst10060536>.

Kurniawan, A. E., Purwanto, H., dan Respati, S. M. B. 2014. Analisa Pengaruh Variasi Temperatur Cetakan pada Sepatu Kampas Rem Berbahan Paduan Aluminium Silikon (Al-Si) Daur Ulang dengan Penambahan Unsur Titanium (Ti) 0,059%. *Jurnal Momentum*. 10(2): 55- 61.

Lee, J. H., Parthiban, P., Jin, G. Z., Knowles, J. C., & Kim, H. W. (2021). Materials roles for promoting angiogenesis in tissue regeneration. *Progress in Materials Science*, 117, 100732.

Li, Y. Q., Li, F., Kang, F. W., Du, H. Q., & Chen, Z. Y. (2023). Recent research and advances in extrusion forming of magnesium alloys: A review. *Journal of Alloys and Compounds*, 953, 170080.

Li, Y., Wu, G., Chen, A., Liu, W., Wang, Y., & Zhang, L. (2017). Effects of processing parameters and addition of flame-retardant into moulding sand on the microstructure and fluidity of sand-cast magnesium alloy Mg-10Gd-3Y-0.5 Zr. *Journal of materials science & technology*, 33(6), 558-566.

Lorraine F. Francis. 2016. Chapter 6-Dispersion and Solution Processes. *Materials Processing*.

Lucci, R., Padilla, R. L., Cantero, S., Bariles, R., & Oldani, C. (2015). Refining of AZ91 magnesium alloy obtained in machining chips recycling. *Procedia Materials Science*, 8, 886-893.

Lu, Y. Z., Wang, Q. D., Zeng, X. Q., Ding, W. J. and Zhu, Y. P., “Effects of silicon on microstructure, fluidity, mechanical properties and fracture behaviour of Mg-6Aln alloy”, *Material Science and Technology*, Vol. 17, No. 2, 2001, pp. 207-214.

M. Di Sabatino. (2005). Influence of Temperature and Alloying Elements on Fluidity of Al-Si Alloys, (vol 18 No 1). *International Journal of Cast Metal Research*.

M.C. Flemming, (1974). *Solidification Processing*. London: McGraw Hills Inc

Marsyahyo, Dr. Eko, S.T., M.Sc. 2009 “Teknik Pengecoran Logam” , Teknik Mesin ITN Malang, Malang

Masnur, D. 2008. Analisa Cacat Coran pada High Pressure Die Casting (HPDC) dengan Bahan ADC12. Tesis. Teknik Mesin, Fakultas Teknik. Universitas Gadjah Mada, Yogyakarta.

Meskers, C. E. M., Xiao, Y., Boom, R., Boin, U., & Reuter, M. A. (2007). Evaluation of the recycling of coated magnesium using exergy analysis. *Minerals Engineering*, 20(9 SPEC. ISS.), 913–925. <https://doi.org/10.1016/j.mineng.2007.02.006>

Mohammed, S. J., & Mahdi, S. M. (2018). Fatigue Behavior of Heat Treated AZ31 Magnesium Alloy. *European Journal of Engineering and Technology Research*, 3(2), 31-34.



## PENGARUH VARIASI TEMPERATUR TUANG DAN CETAKAN TERHADAP FLUIDITAS LEBURAN SKRAP MAGNESIUM PADA PROSES PENGECORAN

Jones Parmahan Siagian, Dr. Budi Arifvianto, S.T., M.Biotech

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Nie, J.F. (2012). *Precipitation and Hardening in Magnesium Alloys*. Professor, is with the Department of Materials Engineering, Monash University, Clayton, VIC 3800, Australia
- Niyama Eisuke., Anzai Koichi., Funakabo., Tatsuya. Hiratsuka Sadato., Some Basic Research for Thin-Wall Casting Technology. *Journal of Material Processing Technology* (2005)
- Patel, S. M., Patel, M. M., & Rao, V. J. (2021). Synthesis and characterization of magnesium melting fluxes. *Materials Research Express*, 8(11), 116503.
- P.R. Beeley, B.Met, Ph.D, FIM, Foundry Technology, Butter Worth, London, 1972.
- Padmanaban, G., Balasubramaniana, V., Madhusudhan Redd, G., 2011, <sup>3</sup>Fatigue crack growth behaviour of pulsed current gas tungsten arc, friction stir and laser beam welded AZ31B magnesium alloy Centre for Materials Joining & Research (CEMAJOR), Department of Manufacturing Engineering, Annamalai University, Annamalai Nagar 608002, India.
- Pambudi, I. N., & Patna Partono, S. T. (2019). *Pengaruh Variasi Temperatur Tuang Terhadap Produk Pengecoran Alumunium Dengan Metode Lost Foam Casting Menggunakan Cetakan Pasir* (Doctoral dissertation, Universitas Muhammadiyah Surakarta).
- Qudong, W., Yizhen, L., Xiaoqin, Z., Wenjiang, D., Yanping, Z., Qinghua, L. dan Lie, L., 1999, "Study on the fluidity of AZ91 + xRE magnesium alloy", *Materials Science and Engineering A*, pp109-115.
- Ramdani, O., 2016. Bab II Perancangan Pola Dan Sistem Saluran Tuang. [Online] Available at: <https://www.scribd.com/doc/312480791/Bab>
- Raza, M., 2015, *Process development for investment casting of thin-walled components*, ISBN 978- 91-7485-204-2, ISSN 1651-9256, Malardalen University Press, Sweden
- Rzychoń, T., Kielbus, A., Serba, M. (2010) 'The influence of pouring temperature on the microstructure and fluidity of AE42 alloy', *Archives of Materials Science and Engineering*, 55(1), pp. 7–13
- Di Sabatino, M., Arnberg, L., Rørvik, S., & Prestmo, A. (2005). The influence of oxide inclusions on the fluidity of Al–7 wt.% Si alloy. *Materials Science and Engineering: A*, 413, 272-276.
- Salam, Resty Yanuar. 2015. *Studi Eksperimental Pengaruh Model Sistem Saluran Dan Variasi Tempratur Tuang Terhadap Prosentase Porositas, Kekerasan Dan Harga IMPACT Pada Pengecoran ADC 12 Dengan Metode Lost foam Casting*. Teknik Mesin. Institut Teknologi Sepuluh Nopember. Surabaya
- Setia, Irawan., Harjanto, B., dan Subagsono. 2016. Analisis Pengaruh Penambahan Unsur Magnesium (Mg) 2% dan 5% terhadap Ketangguhan Impak, Tingkat Kekerasan dan Struktur Mikro pada Velg Aluminium (Al-5,68Si). *Jurnal Nosel* 4(3): 1-7.
- Siavashi, K., 2011, The effect of casting parameters on the fluidity and porosity of aluminium alloys in the lost foam casting process, Thesis, University of Birmingham, United Kingdom.
- Sudjana, Hardi. 2008. *Teknik Pengecoran Logam (Jilid II)*. Jakarta: Direktorat Pembinaan Sekolah Mengengah Kejuruan, Direktorat Jenderal Pendidikan Dasar dan Menengah, Departemen Pendidikan Indonesia
- Sugiarto, T. Obandono. 2014. Analisis Distribusi Ketebalan dan Kekerasan Hasil Coran Sentrifugal Aluminium paduan (Al-Si-Mg) Akibat Perubahan Laju Putaran dan Kemiringan Sumbu Cetakan. *Journal Of Environmental Engineering & Sustainable Technology*, 1/1: 13-20.
- Suharno Bambang, Is Prima Nanda dan Agung Baskoro. (2007). Pengaruh Kadar Besi Terhadap Pembentukan Fasa Intermetalik Al-Fe-Si dan Nilai Fluiditas Paduan Hipoeutektik Aluminium Silikon. (Edisi No 3 Tahun XXI, September 2007, pp 201-208). *Jurnal Teknologi*,



- Supriyanto, “Analisis Hasil Pengecoran Aluminium dengan Variasi Media Pendinginan,” *Jana Tek.*, vol. 11, no. 2, pp. 117–125, 2009, doi: 10.1361/asmhba0003537
- Surdia Tata, Chijiwa Kenji [1984] *Teknik Pengecoran Logam*, Pradnya Pramita, Jakarta
- Surdia, T. dan Saito, S. 2000. *Pengetahuan Bahan Teknik*. Cetakan Kelima. Jakarta: PT Pradnya Paramita.
- Surdia, T., & chijiwa, kenji. (2006). *Teknik pengecoran logam (9th ed.)*. Jakarta: PT. Pradnya Paramita.
- Surdia, Tata, dan Saito S. 1999. *Pengetahuan Bahan Teknik*. Jakarta: Pradnya Paramita
- Surdia, Tata., dan Chijiwa. K. 2000. *Teknik Pengecoran Logam*. Cetakan Kedelapan. Jakarta: PT. Pradnya Paramita
- Sutiyoko. 2013. *Metode Pengecoran Lost foam Menjawab Tantangan Dunia Industri Pengecoran Logam*. Jurusan Teknik Pengecoran Logam. Politeknik Manufaktur Ceper Klaten.
- Suyitno, & Sutiyoko. (2012). Effect of pouring temperature and casting thickness on fluidity, porosity and surface roughness in lost foam casting of gray cast iron. *Procedia Engineering*, 50, 88-94.
- Sutiyoko, & Suyitno. (2012). Riser (Penambah) dalam Pengecoran Besi Cor Kelabu dengan Metode Pengecoran Lost Foam. *Politekno Sains Edisi Khusus Dies Natalis*, Juli 2012, 24–31.
- Syah, Kadarisman, dkk. 2017. Desain Gating System dan Parameter Proses Pengecoran Untuk Mengatasi Cacat Rongga Poros Engkol. *Jurnal Teknologi Rekayasa*. Politeknik Sukabumi. 2(1), 55-62.
- Taylor, J. a. (2004). The Effect of Iron in Al-Si Casting Alloys. *35th Australian Foundry Institute National Conference, December*, 148–157.
- Truglas, T., Duchoslav, J., Riener, C., Arndt, M., Commenda, C., Stifter, D., ... & Groiss, H. (2020). Correlative characterization of Zn-Al-Mg coatings by electron microscopy and FIB tomography. *Materials Characterization*, 166, 110407.
- Victor Anjo, R. K., 2013. Gating System Design for Casting thin Aluminium Alloy (Al-Si) Plates. *Leonardo Electronic Journal of Practices and Technologies*, Issue 23, pp. 54-56.
- Walock, M. (2013) *Nanocomposite coatings based on quaternary metalnitrogen*.
- Wang, L., Liang, D., Tian, Y., Chai, J., Li, R., Wu, S., ... & Deng, Y. (2025). Thermodynamic and experimental evaluation of the sustainable recycling of magnesium alloy scrap by vacuum distillation based on vapor-liquid equilibrium. *Journal of Magnesium and Alloys*, 13(1), 283-295.
- Wang, H., Zhou, Y., Dong, Q., Chen, X., & Tan, J. (2022). First-principles study on the thermodynamic, electronic and mechanical properties of Mg-Al-Si ternary compounds. *Journal of Materials Research and Technology*, 19, 2848–2862. <https://doi.org/10.1016/j.jmrt.2022.06.049>.
- Wen, L., Ji, Z. and Li, X. (2008) “Effect of extrusion ratio on microstructure and mechanical properties of Mg-Nd-Zn-Zr alloys prepared by a solid recycling process,” *Materials Characterization*, 59(11), pp. 1655–1660. doi:10.1016/j. matchar.2008.03.009.
- Young, Christopher N. et al. 2015. “Physicochemical Investigation of Chemical Paint Removers. II: Role and Mechanism of Phenol in the Removal of Polyurethane Coatings.” *Progress in Organic Coatings* 88: 212–19. <http://dx.doi.org/10.1016/j.porgcoat.2015.06.014>.
- Zhang, J., Jie, Z. Q., Liu, M. N., & Guo, M. (2024). Versatile fluidity test model for cast superalloys and comparison between IN718 and IN939. *Transactions of Nonferrous Metals Society of China*, 34(9), 2881-2888.



**PENGARUH VARIASI TEMPERATUR TUANG DAN CETAKAN TERHADAP FLUIDITAS LEBURAN SKRAP MAGNESIUM PADA PROSES PENGECORAN**

Jones Parmahan Siagian, Dr. Budi Arifvianto, S.T., M.Biotech

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

UNIVERSITAS  
GADJAH MADA

Zhou, Y., Mao, P., Wang, Z., Zhou, L., Wang, F., & Liu, Z. (2021). Experimental investigation and simulation assessment on fluidity and hot tearing of Mg-Zn-Cu system alloys. *Journal of Materials Processing Technology*, 297, 117259.