


DAFTAR PUSTAKA

- ACOG Committee Opinion No. 757: Screening for Perinatal Depression. (2018). *Obstetrics and Gynecology*, 132(5), E208–E212. <https://doi.org/10.1097/AOG.0000000000002927>
- Adewuya, A. O. (2006). Early postpartum mood as a risk factor for postnatal depression in Nigerian women. *The American Journal of Psychiatry*, 163(8), 1435–1437. <https://doi.org/10.1176/AJP.2006.163.8.1435>
- Al Rawahi, A., Al Kiyumi, M. H., Al Kimyani, R., Al-Lawati, I., Murthi, S., Davidson, R., Al Maniri, A., & Al Azri, M. (2020). The Effect of Antepartum Depression on the Outcomes of Pregnancy and Development of Postpartum Depression: A prospective cohort study of Omani women. *Sultan Qaboos University Medical Journal*, 20(2), e179. <https://doi.org/10.18295/SQUMJ.2020.20.02.008>
- Alifah, F. N., Hardianto, G. , & Herawati, L. (2016). *Hubungan Faktor Psikososial terhadap Kejadian Post Partum Blues di Ruang Nifas RSUD dr. Arbdoeer Rahem Situbondo*. Universitas Airlangga.
- Alzahrani, J., Al-Ghamdi, S., Aldossari, K., Al-Ajmi, M., Al-Ajmi, D., Alanazi, F., Aldossary, A., & Alharbi, A. (2022). Postpartum Depression Prevalence and Associated Factors: An Observational Study in Saudi Arabia. *Medicina*, 58(11). <https://doi.org/10.3390/MEDICINA58111595>
- American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorders*. American Psychiatric Association. <https://doi.org/10.1176/appi.books.9780890425596>
- Arum Ariasih, & Meiwita Budiharsana. (2023). PREVALENCE AND SOCIODEMOGRAPHIC FACTORS ASSOCIATED WITH PERIPARTUM DEPRESSION IN INDONESIA: NATIONAL BASIC HEALTH RESEARCH DATA 2018. *JURNAL KESEHATAN REPRODUKSI*, 13(2), 141–149. <https://doi.org/10.58185/JKR.V13I2.45>
- Ayano, G., Tesfaw, G., & Shumet, S. (2019). Prevalence and determinants of antenatal depression in Ethiopia: A systematic review and meta-analysis. *PLOS ONE*, 14(2), e0211764. <https://doi.org/10.1371/JOURNAL.PONE.0211764>
- Baattaiah, B. A., Alharbi, M. D., Babteen, N. M., Al-Maqbool, H. M., Babgi, F. A., & Albatati, A. A. (2023). The relationship between fatigue, sleep quality, resilience, and the risk of postpartum depression: an emphasis on maternal mental health. *BMC Psychology* 2023 11:1, 11(1), 1–17. <https://doi.org/10.1186/S40359-023-01043-3>



- Grote, N. K., Bridge, J. A., Gavin, A. R., Melville, J. L., Iyengar, S., & Katon, W. J. (2010). A Meta-analysis of Depression During Pregnancy and the Risk of Preterm Birth, Low Birth Weight, and Intrauterine Growth Restriction. *Archives of General Psychiatry*, 67(10), 1012–1024. <https://doi.org/10.1001/ARCHGENPSYCHIATRY.2010.111>
- Guedeney, N., Fermanian, J., Guelfi, J. D., & Kumar, R. C. (2000). The Edinburgh Postnatal Depression Scale (EPDS) and the detection of major depressive disorders in early postpartum: some concerns about false negatives. *Journal of Affective Disorders*, 61(1–2), 107–112. [https://doi.org/10.1016/S0165-0327\(99\)00186-X](https://doi.org/10.1016/S0165-0327(99)00186-X)
- Hirshkowitz, M., Whiton, K., Albert, S. M., Alessi, C., Bruni, O., DonCarlos, L., Hazen, N., Herman, J., Katz, E. S., Kheirandish-Gozal, L., Neubauer, D. N., O'Donnell, A. E., Ohayon, M., Peever, J., Rawding, R., Sachdeva, R. C., Setters, B., Vitiello, M. V., Ware, J. C., & Adams Hillard, P. J. (2015). National Sleep Foundation's sleep time duration recommendations: methodology and results summary. *Sleep Health*, 1(1), 40–43. <https://doi.org/10.1016/J.SLEH.2014.12.010>
- Hutchens, B. F., & Kearney, J. (2020). Risk Factors for Postpartum Depression: An Umbrella Review. *Journal of Midwifery & Women's Health*, 65(1), 96–108. <https://doi.org/10.1111/JMWH.13067>
- Idaiani, S. (Sri), & Basuki, B. (Bastaman). (2012). Postpartum Depression in Indonesia Women: a National Study. *Health Science Journal of Indonesia*, 3(1), 3–8. <https://doi.org/10.22435/HSJI.V3I1>
- Ingram, J., & Taylor, J. (2007). Predictors of postnatal depression: using an antenatal needs assessment discussion tool. *Journal of Reproductive and Infant Psychology*, 25(3), 210–222. <https://doi.org/10.1080/02646830701467272>
- Jahan, N., Went, T. R., Sultan, W., Sapkota, A., Khurshid, H., Qureshi, I. A., & Alfonso, M. (2021). Untreated Depression During Pregnancy and Its Effect on Pregnancy Outcomes: A Systematic Review. *Cureus*, 13(8). <https://doi.org/10.7759/CUREUS.17251>
- Khanghah, A. G., Khalesi, Z. B., & Rad, A. H. (2020). The importance of depression during pregnancy. *JBRA Assisted Reproduction*, 24(4), 405. <https://doi.org/10.5935/1518-0557.20200010>
- Klainin, P., & Arthur, D. G. (2009). Postpartum depression in Asian cultures: a literature review. *International Journal of Nursing Studies*, 46(10), 1355–1373. <https://doi.org/10.1016/J.IJNURSTU.2009.02.012>

- Kroenke, K., Spitzer, R. L., & Williams, J. B. W. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of General Internal Medicine*, 16(9), 606–613. <https://doi.org/10.1046/J.1525-1497.2001.016009606.X>
- Laurenzi, C. A., Gordon, S., Abrahams, N., Du Toit, S., Bradshaw, M., Brand, A., Melendez-Torres, G. J., Tomlinson, M., Ross, D. A., Servili, C., Carvajal-Aguirre, L., Lai, J., Dua, T., Fleischmann, A., & Skeen, S. (2020). Psychosocial interventions targeting mental health in pregnant adolescents and adolescent parents: A systematic review. *Reproductive Health*, 17(1), 1–15. <https://doi.org/10.1186/S12978-020-00913-Y/TABLES/4>
- Leigh, B., & Milgrom, J. (2008). Risk factors for antenatal depression, postnatal depression and parenting stress. *BMC Psychiatry*, 8(1), 1–11. <https://doi.org/10.1186/1471-244X-8-24/FIGURES/1>
- Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan. (2019). *Laporan Nasional RISKESDAS 2018*.
- Levis, B., Negeri, Z., Sun, Y., Benedetti, A., & Thombs, B. D. (2020). Accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for screening to detect major depression among pregnant and postpartum women: systematic review and meta-analysis of individual participant data. *BMJ (Clinical Research Ed.)*, 371. <https://doi.org/10.1136/BMJ.M4022>
- Lewis, B. A., Billing, L., Schuver, K., Gjerdingen, D., Avery, M., & Marcus, B. H. (2017). The relationship between employment status and depression symptomatology among women at risk for postpartum depression. *Women's Health*, 13(1), 3–9. <https://doi.org/10.1177/1745505717708475>
- Li, X., Gao, R., Dai, X., Liu, H., Zhang, J., Liu, X., Si, D., Deng, T., & Xia, W. (2020). The association between symptoms of depression during pregnancy and low birth weight: a prospective study. *BMC Pregnancy and Childbirth*, 20(1). <https://doi.org/10.1186/S12884-020-2842-1>
- Matsuo, S., Ushida, T., Iitani, Y., Imai, K., Nakano-Kobayashi, T., Moriyama, Y., Yoshida, S., Yamashita, M., Kajiyama, H., & Kotani, T. (2022). Pre-pregnancy sleep duration and postpartum depression: a multicenter study in Japan. *Archives of Women's Mental Health*, 25(1), 181–189. <https://doi.org/10.1007/S00737-021-01136-1>
- Meijer, J. L., Beijers, C., Van Pampus, M. G., Verbeek, T., Stolk, R. P., Milgrom, J., Bockting, C. L. H., & Burger, H. (2014). Predictive accuracy of Edinburgh postnatal depression scale assessment during pregnancy for the risk of developing postpartum depressive symptoms: a prospective cohort study. *BJOG: An International Journal of Obstetrics and Gynaecology*, 121(13), 1604–1610. <https://doi.org/10.1111/1471-0528.12759>

- Míguez, M. C., & Vázquez, M. B. (2021). Risk factors for antenatal depression: A review. *World Journal of Psychiatry*, 11(7), 325. <https://doi.org/10.5498/WJP.V11.I7.325>
- Modak, A., Ronghe, V., Gomase, K. P., Mahakalkar, M. G., & Taksande, V. (2023). A Comprehensive Review of Motherhood and Mental Health: Postpartum Mood Disorders in Focus. *Cureus*, 15(9). <https://doi.org/10.7759/CUREUS.46209>
- Nasri, Z., Wibowo, A., & Ghazali, E. W. (2017). Faktor determinan depresi postpartum di Kabupaten Lombok Timur. *Buletin Penelitian Sistem Kesehatan*, 20(3), 89–95.
- Nurbaeti, I., Deoisres, W., & Hengudomsub, P. (2018). Postpartum Depression in Indonesian Mothers: Its Changes and Predicting Factors. *Pacific Rim International Journal of Nursing Research*.
- Nurbaeti, I., Deoisres, W., & Hengudomsub, P. (2019). Association between psychosocial factors and postpartum depression in South Jakarta, Indonesia. *Sexual & Reproductive Healthcare: Official Journal of the Swedish Association of Midwives*, 20, 72–76. <https://doi.org/10.1016/J.SRHC.2019.02.004>
- Ogbo, F. A., Eastwood, J., Hendry, A., Jalaludin, B., Agho, K. E., Barnett, B., & Page, A. (2018). Determinants of antenatal depression and postnatal depression in Australia. *BMC Psychiatry*, 18(1). <https://doi.org/10.1186/S12888-018-1598-X>
- O'Hara, M. W., & McCabe, J. E. (2013). Postpartum Depression: Current Status and Future Directions. *Annual Review of Clinical Psychology*, 9(1), 379–407. <https://doi.org/10.1146/annurev-clinpsy-050212-185612>
- Putriarsih, R., Budihastuti, U. R., & Murti, B. (2018). Prevalence and Determinants of Postpartum Depression in Sukoharjo District, Central Java. *Journal of Maternal and Child Health*, 3(1), 11–24. <https://doi.org/10.26911/thejmch.2018.03.01.02>
- Ratna, R., Wibowo, H., & Ardianto, R. (2020). Risk factors for postpartum depression among Indonesian women: A comprehensive review. . . *Journal of Community Health*, 45(3), 410–418.
- Sari, D. N., Diatri, H., Siregar, K., & Pratomo, H. (2021). Adaptation of the Edinburgh Postnatal Depression Scale in the Indonesian Version: Self-reported Anxiety and Depression Symptoms in Pregnant Women Adaptation of the Edinburgh Postnatal Depression Scale in the Indonesian Version: Self-reported Anxiety and Depression Symptoms in Pregnant Women. *Open*

Access Macedonian Journal of Medical Sciences, 9(B), 1654–1659.
<https://doi.org/10.3889/OAMJMS.2021.7783>

Sedov, I. D., Cameron, E. E., Madigan, S., & Tomfohr-Madsen, L. M. (2018). Sleep quality during pregnancy: A meta-analysis. *Sleep Medicine Reviews*, 38, 168–176. <https://doi.org/10.1016/J.SMRV.2017.06.005>

Silverman, M. E., Reichenberg, A., Savitz, D. A., Cnattingius, S., Lichtenstein, P., Hultman, C. M., Larsson, H., & Sandin, S. (2017). The risk factors for postpartum depression: A population-based study. *Depression and Anxiety*, 34(2), 178–187. <https://doi.org/10.1002/DA.22597>

Slomian, J., Honvo, G., Emonts, P., Reginster, J. Y., & Bruyère, O. (2019). Consequences of maternal postpartum depression: A systematic review of maternal and infant outcomes. *Women's Health*, 15. <https://doi.org/10.1177/1745506519844044>

Smorti, M., Ponti, L., & Pancetti, F. (2019). A Comprehensive Analysis of Postpartum Depression Risk Factors: The Role of Socio-Demographic, Individual, Relational, and Delivery Characteristics. *Frontiers in Public Health*, 7. <https://doi.org/10.3389/FPUBH.2019.00295>

Sutanto, A., Sari, M. P., & Prabowo, H. (2018). The role of social support in the development of postpartum depression in Indonesia. *Indonesian Journal of Mental Health*, 70(2), 75–83.

Szurek-Cabanas, R., Navarro-Carrillo, G., Martínez-Sánchez, C. A., Oyanedel, J. C., & Villalobos, D. (2024). Socioeconomic status and maternal postpartum depression: a PRISMA-compliant systematic review. *Current Psychology*. <https://doi.org/10.1007/S12144-024-05774-3>

Vilagut, G., Forero, C. G., Barbaglia, G., & Alonso, J. (2016). Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. *PloS One*, 11(5). <https://doi.org/10.1371/JOURNAL.PONE.0155431>

Wahyuni, S., & Kesehatan Kementerian Kesehatan Republik Indonesia, P. (2021). FAKTOR DETERMINAN DEPRESI POSTPARTUM DI WILAYAH KABUPATEN KLATEN JAWA TENGAH. *JURNAL SIPAKALEBBI*, 5(1), 18–31. <https://doi.org/10.24252/JSIPAKALLEBBI.V5I1.21074>

Wang, Z., Liu, J., Shuai, H., Cai, Z., Fu, X., Liu, Y., Xiao, X., Zhang, W., Krabbendam, E., Liu, S., Liu, Z., Li, Z., & Yang, B. X. (2021). Mapping global prevalence of depression among postpartum women. *Translational Psychiatry*, 11(1). <https://doi.org/10.1038/S41398-021-01663-6>

- Weobong, B., Ten Asbroek, A. H. A., Soremekun, S., Manu, A. A., Owusu-Agyei, S., Prince, M., & Kirkwood, B. R. (2014). Association of Antenatal Depression with Adverse Consequences for the Mother and Newborn in Rural Ghana: Findings from the DON Population-Based Cohort Study. *PLoS ONE*, 9(12). <https://doi.org/10.1371/JOURNAL.PONE.0116333>
- Witt, W. P., Wisk, L. E., Cheng, E. R., Hampton, J. M., Creswell, P. D., Hagen, E. W., Spear, H. A., Maddox, T., & DeLeire, T. (2011). Poor prepregnancy and antepartum mental health predicts postpartum mental health problems among US women: a nationally representative population-based study. *Women's Health Issues : Official Publication of the Jacobs Institute of Women's Health*, 21(4), 304–313. <https://doi.org/10.1016/J.WHI.2011.01.002>
- Woody, C. A., Ferrari, A. J., Siskind, D. J., Whiteford, H. A., & Harris, M. G. (2017). A systematic review and meta-regression of the prevalence and incidence of perinatal depression. *Journal of Affective Disorders*, 219, 86–92. <https://doi.org/10.1016/J.JAD.2017.05.003>
- Wu, Y., Zhang, C., Liu, H., Wang, X., & Meng, T. (2021). The effect of antenatal care on the risk of postpartum depression: A meta-analysis. *International Journal of Environmental Research and Public Health*, 18(4).
- Yu, J., Zhang, Z., Deng, Y., Zhang, L., He, C., Wu, Y., Xu, X., & Yang, J. (2023). Risk factors for the development of postpartum depression in individuals who screened positive for antenatal depression. *BMC Psychiatry*, 23(1). <https://doi.org/10.1186/S12888-023-05030-1>
- Zanardo, V., Volpe, F., de Luca, F., Giliberti, L., Giustardi, A., Parotto, M., Straface, G., & Soldera, G. (2020). Maternity blues: a risk factor for anhedonia, anxiety, and depression components of Edinburgh Postnatal Depression Scale. *The Journal of Maternal-Fetal & Neonatal Medicine : The Official Journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians*, 33(23), 3962–3968. <https://doi.org/10.1080/14767058.2019.1593363>
- Zaidi F, Nigam A, Anjum R, Agarwalla R. (2017). Postpartum Depression in Women: A Risk Factor Analysis. *J Clin Diagn Res*. 2017 Aug;11(8):QC13-QC16. <https://doi.org/10.7860/JCDR/2017/25480.10479>