

- Agustiyani, D., Imamuddin, H., & Haryanto, T. (2008). Karakter Pertumbuhan Dan Aktivitas Nitrifikasi Kultur Mikroba N-Sw. *Indonesian Journal of Biology*, 5(1). <https://download.garuda.kemdikbud.go.id/article.php?article=581918&val=9634&title=Karakter%20Pertumbuhan%20dan%20Aktivitas%20Nitrifikasi%20Kultur%20Mikroba%20N-Sw>
- Aida, N., Aulia, F., Teuku Muhammad Ashari, & Juliansyah Harahap. (2024). Analisis Penggunaan Media Filtrasi Multi Layer untuk Limbah Cair di SPBU Kuta Alam, Banda Aceh. *AMINA*, 6(1), 1–8. <https://doi.org/10.22373/amina.v6i1.4332>
- Aji, K. B., Amin, M., & Yuwana, D. S. A. (2021). Analisis Pengaruh Filtrasi terhadap Penurunan BOD dan COD pada Limbah Rumah Tangga di Kelurahan Cacaban, Kecamatan Magelang Tengah, Kota Magelang. *Reviews in Civil Engineering*, 5(2), 75. <https://doi.org/10.31002/rice.v5i2.4798>
- Al Fauzan, A. J., & Yustiana, F. (2022). Analisis Fluktuasi Air Produksi PDAM Tirtawening Kota Bandung Wilayah Distribusi Bandung Timur. *Prosiding FTSP*. Seminar Nasional dan Diseminasi Tugas Akhir 2022.
- Alia, F., Wardhani, P. K., & Putra, R. N. (2023). Analisa Pengaruh Kerapatan Tanaman Terhadap Kinerja Constructed Wetland Pada Pengolahan Limbah Greywater Perumahan. *Teras Jurnal: Jurnal Teknik Sipil*, 13(2), 414. <https://doi.org/10.29103/tj.v13i2.875>
- Anestri, A. L., Gunawan, A., & Besperi. (2013). Sumur resapan air limbah kamar mandi untuk keseimbangan permukaan air tanah di daerah permukiman (studi kasus di Perumahan RT II, RT III, dan RT IV Perumnas Lingkar Timur Bengkulu). *Inersia: Jurnal Teknik Sipil*, 5(1). <https://ejournal.unib.ac.id/inersiajurnal/article/view/6719>
- Anzjarwati, S., Basilia, L. S., Aradiyah, R. A., & Purnaini, R. (2023). Penyisihan Kadar TDS, pH, Dan Total Coliform Dalam Pengolahan Air Hujan Menjadi Air Siap Minum: Allowance for TDS, pH, and Total Coliform Levels In The Treatment of Rainwater Into Ready-Drinking Water. *JURNAL SAINS TEKNOLOGI & LINGKUNGAN*, 9(3), 429–438. <https://doi.org/10.29303/jstl.v9i3.324>
- Badu, R. R., Palilati, A. H., Sahabir, B. C., Antu, Y. S., Malo, F., Haji, H. R., Bakari, I., Matiti, B., Nusi, R., Yasin, I., & Sugeha, Y. (2023). Pengolahan Air Sumur Gali Menggunakan Filter dengan Karbon Aktif Untuk Mengurangi Parameter pH dan TDS. *CivETech*, 5(2), 45–53. <https://doi.org/10.47200/civetech.v5i2.1804>
- Bezerra, P. H., Coutinho, A. P., Lassabatere, L., Santos Neto, S. M. D., Melo, T. D. A. T. D., Antonino, A. C. D., Angulo-Jaramillo, R., & Montenegro, S. M. G. L. (2022). Water Dynamics in an Infiltration Trench in an Urban Centre in Brazil: Monitoring and Modelling. *Water*, 14(4), 513. <https://doi.org/10.3390/w14040513>
- BPS. (2021). *Berita Resmi Statistik: Hasil Sensus Penduduk 2020* (No. No. 08/01/34/Th. XXIII). Badan Pusat Statistik (BPS).
- BPS Kab. Sleman. (2024a). *Indikator Iklim Sleman 2023*.



BPS Kab. Sleman. (2024b). *Kabupaten Sleman Dalam Angka 2024*. Badan Pusat Statistik (BPS).

<https://slemankab.bps.go.id/id/publication/2024/02/28/a5194f8cfd3cc96a35805f6e/kabupaten-sleman-dalam-angka-2024.html>

Cescon, A., & Jiang, J.-Q. (2020). Filtration Process and Alternative Filter Media Material in Water Treatment. *Water*, 12(12), 3377. <https://doi.org/10.3390/w12123377>

Cochran, W. G. (1977). *Sampling Techniques* (3 ed.). John Wiley & Sons.

da Costa, E. M. A. L., Junias, M. S., & Sahdan, M. (2022). Efektivitas Pengolahan Limbah Grey Water melalui Ecotech Garden Skala Rumah Tangga di Kota Kupang. *Media Kesehatan Masyarakat*, 4(1), 108–114. <https://doi.org/10.35508/mkm>

Dinas PUPESDM DIY. (2023). *Rekap muka air tanah (MAT),” Dinas Pekerjaan Umum, Perumahan Dan Energi Sumber Daya Mineral DIY*. Dinas Pekerjaan Umum, Perumahan dan Energi Sumber Daya Mineral DIY. <https://dpupesdm.jogjaprov.go.id/rekap-mat/>

Ditjen Cipta Karya, Kementerian Pekerjaan Umum. (1996). *Kriteria Perencanaan Air Bersih*. Kementerian Pekerjaan Umum.

Dong, H., Huang, R., & Gao, Q.-F. (2017). Rainfall infiltration performance and its relation to mesoscopic structural properties of a gravelly soil slope. *Engineering Geology*, 230, 1–10. <https://doi.org/10.1016/j.enggeo.2017.09.005>

Donner, E., Eriksson, E., Revitt, Dm., Scholes, L., Lützhøft, H.-C. H., & Ledin, A. (2010). Presence and fate of priority substances in domestic greywater treatment and reuse systems. *Science of The Total Environment*, 408(12), 2444–2451. <https://doi.org/10.1016/j.scitotenv.2010.02.033>

DSDAN. (2022). *Rekomendasi Tinjauan Peran Sumur Resapan dan Lubang Biopori untuk Mitigasi Genangan*. Dewan Sumber Daya Air Nasional (DSDAN). <https://www.dsdan.go.id/mdocs-posts/rekomendasi-tinjauan-peran-sumur-resapan-dan-lubang-biopori-untuk-mitigasi-genangan>

Ekoputri, S. F., Rahmatunnissa, A., Nulfaidah, F., Ratnasari, Y., Djaeni, M., & Sari, D. A. (2023). Pengolahan Air Limbah dengan Metode Koagulasi Flokulasi pada Industri Kimia. *Jurnal Serambi Engineering (JSE)*, 9(1), 7781–7787. <https://doi.org/10.32672/jse.v9i1.715>

Eriksson, C., & Zehaie, F. (2005). Population Density, Pollution and Growth. *Environmental and Resource Economics*, 30(4), 465–484.

Erwin. (2009). *Genesis beberapa jenis tanah di Lereng Selatan Gunung Merapi Kecamatan Cangkringan Sleman Daerah Istimewa Yogyakarta* [Universitas Gadjah Mada]. https://etd.repository.ugm.ac.id/home/detail_pencarian/43014

Fachria, R., Ramdan, H., & Aryantha, I. (2020). Efektivitas pengolahan limbah cair industri penyamakan kulit Sukaregang Garut dengan adsorben karbon aktif dan ijuk. *Jurnal Pengelolaan Lingkungan Berkelanjutan (Journal of Environmental Sustainability Management)*, 379–388. <https://doi.org/10.36813/jplb.3.3.379-388>



- Fadhilah, A. S., Rahmaniah, M., Putri, S. D., Febrian, M. D., Prakoso, M. C., & Raden Siti Nurlaela. (2024). Sistem Pengambilan Contoh dalam Metode Penelitian. *Karimah Tauhid*, 3(6), 7228–7237. <https://doi.org/10.30997/karimahtauhid.v3i6.14047>
- Fajar, M., Rakhim, A., & Furoida, K. (2020). *Perancangan Vertical Garden pada Daerah Padat Penduduk di Kelurahan Mojosongo Kecamatan Jebres* [Universitas Muhammadiyah Surakarta]. <https://publikasiilmiah.ums.ac.id/handle/11617/12394>
- Fakhrana, D. (2016). Efisiensi Media Filter (Zeolit dan Ijuk) dalam Mengelola Limbah Tinja (Black Water). *Jurnal Teknologi Lingkungan Lahan Basah*, 4(1). <https://doi.org/10.26418/jtllb.v4i1.13554>
- Farghali, M., Chen, Z., Osman, A. I., Ali, I. M., Hassan, D., Ihara, I., Rooney, D. W., & Yap, P.-S. (2024). Strategies for ammonia recovery from wastewater: A review. *Environmental Chemistry Letters*, 22(6), 2699–2751. <https://doi.org/10.1007/s10311-024-01768-6>
- Friedler, E. (2004). Quality of Individual Domestic Greywater Streams and its Implication for On-Site Treatment and Reuse Possibilities. *Environmental Technology*, 25(9), 997–1008. <https://doi.org/10.1080/09593330.2004.9619393>
- Ganing, A., & Mappau, Z. (2019). Pengembangan Model Konstruksi Sumur Resapan dalam Menurunkan BOD dan COD pada Air Limbah Rumah Tangga. *Jurnal Kesehatan Manarang*, 5(1), 58. <https://doi.org/10.33490/jkm.v5i1.135>
- Ghaly, A. E., Mahmoud, N. S., Ibrahim, M. M., Mostafa, E. A., Abdelrahman, E. N., Emam, R. H., Kassem, M. A., & Hatem, M. H. (2021). Greywater Sources, Characteristics, Utilization and Management Guidelines: A review. *Advance in Environmental Waste Management & Recycling*, 4(2), 134–151.
- Handayani, B. W. (2011). Faktor yang Mempengaruhi Penggunaan Informasi Akuntansi Usaha Kecil dan Menengah. *Jurnal Ilmiah Akuntansi : Akuntabilitas*, 11(1).
- Hasanah, A. U., Buety, A., & Iswadi. (2014). Desain Model Sumur Resapan untuk Pengolahan Limbah Cair Rumah Tangga [Design of Infiltration Well Model for Domestic Wastewater Treatment]. *JFT: Jurnal Fisika dan Terapannya*, 1. <https://doi.org/10.24252/jft.v1i1.15737>
- Hibberts, M., Burke Johnson, R., & Hudson, K. (2012). Common Survey Sampling Techniques. Dalam L. Gideon (Ed.), *Handbook of Survey Methodology for the Social Sciences* (hlm. 53–74). Springer New York. https://doi.org/10.1007/978-1-4614-3876-2_5
- Hillel, D. (1997). *Small-scale irrigation for arid zones*. Food and Agriculture Organization (FAO). <https://www.fao.org/4/w3094e/w3094e05.htm>
- Hirijanto, H., Mundra, I. W., & Wedyantadji, B. (2021). Infiltration Wells Alternatives to Reduce Water Puddle in Lowokwaru District, Malang City. *Journal of Sustainable Technology and Applied Science (JSTAS)*, 2(1), 1–8. <https://doi.org/10.36040/jstas.v2i1.3018>
- Hollweck, T. (2015). Robert K. Yin. (2014). *Case Study Research Design and Methods (5th ed.)*. *Canadian Journal of Program Evaluation*, 30(1), 108–110. <https://doi.org/10.3138/cjpe.30.1.108>



- Houser, P. R. (2004). Infiltration and Soil Moisture Processes. Dalam J. H. Lehr & J. Keeley (Ed.), *Water Encyclopedia* (1 ed., hlm. 484–489). Wiley. <https://doi.org/10.1002/047147844X.pc2193>
- Irianto, E. W. (2009). Pemanfaatan Zeolit pada Sumur Resapan Air Hujan untuk Mengurangi Risiko Pencemaran Air Tanah akibat Limpasan Hujan untuk Pengembangan SNI 06-2459-2002 [Utilization of Zeolite in Rainwater Infiltration Wells to Reduce Groundwater Pollution Risk from Rainwater Runoff for the Development of SNI 06-2459-2002]. *Jurnal Sumber Daya Air*, 5(1). <https://doi.org/10.32679/jsda.v5i1.464>
- Islamudin, Ahmad, I., Ali, N., & Jamal, Y. (2016). Treatment of Domestic Wastewater by Natural Adsorbents Using Multimedia Filter Technology. *International Journal of Emerging Technologies in Engineering Research (IJETER)*, 4(4). <https://www.ijeter.everscience.org/Manuscripts/Volume-4/Issue-4/Vol-4-issue-4-M-36.pdf>
- Jefferson, B., Palmer, A., Jeffrey, P., Stuetz, R., & Judd, S. (2004). Grey water characterisation and its impact on the selection and operation of technologies for urban reuse. *Water Science and Technology*, 50(2), 157–164. <https://doi.org/10.2166/wst.2004.0113>
- Kalsum, Sy. U., Napoleon, A., & Yudono, B. (2014). Efektivitas Eceng Gondok (*Eichhornia crassipes*), Hydrilla (*Hydrilla verticillata*), dan Rumput Payung (*Cyperus alternifolius*) dalam Pengolahan Limbah Grey Water. *Jurnal Penelitian Sains*, 17(1). <https://ejurnal.mipa.unsri.ac.id/index.php/jps/article/view/44>
- Kandra, H. S., McCarthy, D., Fletcher, T. D., & Deletic, A. (2014). Assessment of clogging phenomena in granular filter media used for stormwater treatment. *Journal of Hydrology*, 512, 518–527. <https://doi.org/10.1016/j.jhydrol.2014.03.009>
- Keles, H., Yayla, O., Tarinc, A., & Keles, A. (2023). The Effect of Environmental Management Practices and Knowledge in Strengthening Responsible Behavior: The Moderator Role of Environmental Commitment. *Sustainability*, 15(2), 1398. <https://doi.org/10.3390/su15021398>
- Khofifah, K., & Utami, M. (2022). Analisis Kadar Total Dissolved Solid (TDS) dan Total Suspended Solid (TSS) Pada Limbah Cair Dari Industri Gula Tebu. *INDONESIAN JOURNAL OF CHEMICAL RESEARCH*, 43–49. <https://doi.org/10.20885/ijcr.vol7.iss1.art6>
- Khotimah, K. N. (2018). Uji Toksisitas IPAL Komunal di Kecamatan Bantul Menggunakan Metode Whole Effluent Toxicity (WET) pada *Daphnia magna* [Tugas Akhir, Universitas Islam Indonesia]. <https://dspace.uii.ac.id/handle/123456789/7943>
- Khotimah, S. N., Anisa Mardhotillah, N., Arifaini, N., & Sumiharni. (2021). Karakterisasi Limbah Cair Greywater pada level Rumah Tangga Berdasarkan Sumber Emisi: Greywater Characterization at Household Scale by Emission Source. *JURNAL SAINTIS*, 21(02), 71–78. [https://doi.org/10.25299/saintis.2021.vol21\(02\).7876](https://doi.org/10.25299/saintis.2021.vol21(02).7876)
- Kim, H. J., Choi, J.-W., Kim, T.-H., Park, J.-S., & An, B. (2018). Effect of TSS Removal from Stormwater by Mixed Media Column on T-N, T-P, and Organic Material Removal. *Water*, 10(8), 1069. <https://doi.org/10.3390/w10081069>



- Kořaska, S., Jeř-Walkowiak, J., & Dymaczeński, Z. (2018). Experiment in infiltration studies as a water treatment process. *E3S Web of Conferences*, 59, 00015. <https://doi.org/10.1051/e3sconf/20185900015>
- Li, F., Wichmann, K., & Otterpohl, R. (2009). Review of the technological approaches for grey water treatment and reuses. *Science of The Total Environment*, 407(11), 3439–3449. <https://doi.org/10.1016/j.scitotenv.2009.02.004>
- Listyaningrum, R. (2022). *Analisis Kandungan DO, BOD, COD, TS, TDS, TSS dan Analisis Karakteristik Fisikokimia Limbah Cair Industri Tahu di UMKM Daerah Imogiri Barat Yogyakarta* Ristyana Listyaningrum. https://www.researchgate.net/publication/361636418_Analisis_Kandungan_DO_BO D_COD_TS_TDS_TSS_dan_Analisis_Karakteristik_Fisikokimia_Limbah_Cair_Industri_Tahu_di_UMKM_Daerah_Imogiri_Barat_Yogyakarta_Ristyana_Listyaningrum
- Liyanage, C., & Yamada, K. (2017). Impact of Population Growth on the Water Quality of Natural Water Bodies. *Sustainability*, 9(8), 1405. <https://doi.org/10.3390/su9081405>
- Maliga, I., Asdak, C., & Winata, E. Y. (2021). Analisis Keberlanjutan Pengendalian Pencemaran Air Limbah Domestik Greywater Menggunakan Teknologi Lahan Basah Buatan. *JURNAL SUMBER DAYA AIR*, 17(1), 13–24. <https://doi.org/10.32679/jsda.v17i1.654>
- Mangoua-Allali, A. L. C., & Coulibaly, L. (2022). Effect of flow rate on the performance of Biosand Filter. *International Journal of Biological and Chemical Sciences*, 15(5), 2224–2232. <https://doi.org/10.4314/ijbcs.v15i5.40>
- Matti, L. Y. (2010). Performance Comparison of Various Filters Media in Water Treatment (Statistical Study). *Tikrit Journal of Engineering Sciences*, 17(1), 36–48. <https://doi.org/10.25130/tjes.17.1.05>
- McCabe, W., Smith, J. L., & Harriott, P. (1993). *Unit Operations Of Chemical Engineering Fifth Edition*. Mc Graw Hill.
- Metcalf, & Eddy. (2003). *Wastewater Engineering: Treatment and Reuse* (4 ed.). McGraw-Hill.
- Multazam, N., Sungkowo, A., & Wicaksono, A. P. (2023). Identifikasi Tingkat Pencemaran Air Tanah Di Desa Sariharjo, Kecamatan Ngaglik, Kabupaten Sleman, Daerah Istimewa Yogyakarta. *Prosiding Seminar Nasional Teknik Lingkungan Kebumihan SATU BUMI, 1*. <https://doi.org/10.31315/psb.v1i1>
- Ncube, P., Pidou, M., Stephenson, T., Jefferson, B., & Jarvis, P. (2016). The effect of high hydraulic loading rate on the removal efficiency of a quadruple media filter for tertiary wastewater treatment. *Water Research*, 107, 102–112. <https://doi.org/10.1016/j.watres.2016.10.060>
- Nurhidayanti, N., Ardiatma, D., & Tarnita, T. (2021). Studi Pengolahan Limbah Greywater Domestik menggunakan Sistem Hidroponik dengan Filter Ampas Kopi. *Jurnal Tekno Insentif*, 15(1), 15–29. <https://doi.org/10.36787/jti.v15i1.394>



- Driscoll, M., Clinton, S., Jefferson, A., Manda, A., & McMillan, S. (2010). Urbanization Effects on Watershed Hydrology and In-Stream Processes in the Southern United States. *Water*, 2(3), 605–648. <https://doi.org/10.3390/w2030605>
- Oteng-Peprah, M., Acheampong, M. A., & deVries, N. K. (2018). Greywater Characteristics, Treatment Systems, Reuse Strategies and User Perception—A Review. *Water, Air, & Soil Pollution*, 229(8), 255. <https://doi.org/10.1007/s11270-018-3909-8>
- Pangesti, F. S. P., & Ariismayana, A. (2022). Tinjauan Analisis Perhitungan Kebutuhan Air Bersih dan Air Limbah untuk Perencanaan Sistem Penyaluran Air Limbah di Perumahan Bumi Ciruas Permai 1, Kabupaten Serang. *Journal of Sustainable Civil Engineering (JOSCE)*, 4(01), 1–9. <https://doi.org/10.47080/josce.v4i01.1831>
- Pasquier, U., Vahmani, P., & Jones, A. D. (2022). Quantifying the City-Scale Impacts of Impervious Surfaces on Groundwater Recharge Potential: An Urban Application of WRF–Hydro. *Water*, 14(19), 3143. <https://doi.org/10.3390/w14193143>
- Peng, Y., Liu, X., Zhu, Y., & Yang, Q. (2019). Effects of Pressure Heads and Soil Bulk Density on Infiltration Characteristics of Vertically Inserted Moistube Irrigation. *Environmental and Earth Sciences Research Journal*, 6(3), 119–124. <https://doi.org/10.18280/eesrj.060304>
- Peraturan Daerah Kabupaten Sleman Nomor 12 Tahun 2012 tentang Rencana Tata Ruang Wilayah Kabupaten Sleman Tahun 2011-2031, Pub. L. No. Nomor 12 Tahun 2012 (2012).
- Pinangkaan, M. J. S., Pongtuluran, E. H., & Sunarno. (2019). Permodelan Pengolahan Air Limbah (Grey Water) Industri Rumah Tangga. *Nusantara Civil Engineering Journal*. <https://ojs.poltekba.ac.id/ojs/index.php/jutateks/article/download/205/157/>
- Prihatini, N. S., Anwar, N. S., Nirtha, I., Noor, R., & Mu'min, B. (2022). Perancangan Bangunan Pengolahan Grey Water Dengan Sistem Lahan Basah Buatan Aliran Bawah Permukaan (LBB-AHBP) Skala Kelurahan. *Jurnal Pengabdian Pada Masyarakat*, 7(1). <https://doi.org/10.30653/002.202271.4>
- Redner, S., & Datta, S. (2000). Clogging Time of a Filter. *Physical Review Letters*, 84(26), 6018–6021. <https://doi.org/10.1103/PhysRevLett.84.6018>
- Ronny, & Saleh, M. (2018). Penurunan Kadar COD dengan Metode Filtrasi Multimedia Filter pada Air Limbah Laundry. *Higiene: Jurnal Kesehatan Lingkungan*, 4(2). <https://doi.org/10.24252/higiene.v4i1.5839>
- Royan, M. R., Solim, M. H., & Santanumurti, M. B. (2019). Ammonia-eliminating potential of *Gracilaria* sp. And zeolite: A preliminary study of the efficient ammonia eliminator in aquatic environment. *IOP Conference Series: Earth and Environmental Science*, 236, 012002. <https://doi.org/10.1088/1755-1315/236/1/012002>
- RPJMD Kabupaten Sleman 2021-2026 (2021).
- Sabiham, S., Rumawas, S., Idris, F., & Komarudin. (1993). *Studi asam fenol tanah gambut pedalaman dari berengbengkel pada keadaan anaerob* [Institut Pertanian Bogor]. https://repository.ipb.ac.id/handle/123456789/122166?utm_source=chatgpt.com



Said, N. I., & Marsidi, R. (2005). Mikroorganismes Patogen dan Parasit di dalam Air Limbah Domestik serta Alternatif Teknologi Pengolahan. *Jurnal Air Indonesia*, 1(1). <https://doi.org/10.29122/jai.v1i1.2293>

Santoso, A. (2023). Rumus Slovin: Panacea Masalah Ukuran Sampel? *Suksma: Jurnal Psikologi Universitas Sanata Dharma*, 4(2), 24–43. <https://doi.org/10.24071/suksma.v4i2.6434>

Sapei, A., Purwanto, M. Y. J., Sutoyo, & Kurniawan, A. (2011). Desain instalasi pengolahan limbah WC komunal masyarakat pinggir sungai Desa Lingkar Kampus. *Jurnal Ilmu Pertanian Indonesia*, 16(2). <https://journal.ipb.ac.id/index.php/JIPI/article/view/6454>

Satu Data Sleman. (2023). *Jumlah rumah berdasar kelayakan di Kabupaten Sleman tahun 2019 s.d. 2023*. DPUPKP. <https://data.slemankab.go.id/data/dataset/jumlah-rumah-berdasar-kelayakan-di-kabupaten-sleman/resource/5c01796e-f276-4535-9f72-21f4c363ec3f>

Sbahi, S., Mandi, L., Masunaga, T., Ouazzani, N., & Hejjaj, A. (2022). Multi-Soil-Layering, the Emerging Technology for Wastewater Treatment: Review, Bibliometric Analysis, and Future Directions. *Water*, 14(22), 3653. <https://doi.org/10.3390/w14223653>

Schiff. (1953). The Effect of surface head on infiltration rates based on the performance of ring infiltrometers and ponds. *Eos, Transactions American Geophysical Union*, 34(2), 257–266. <https://doi.org/10.1029/TR034i002p00257>

Sejati, S. P. (2020). Potensi pencemaran air tanah bebas pada sebagian kawasan resapan air di Lereng Selatan Gunungapi Merapi. *Jurnal Pendidikan Geografi*, 25(1), 25–38. <https://doi.org/10.17977/um017v25i12020p025>

Setiawan, B., Crismaningwang, G., Purwana, Y. M., & Indra, R. H. D. H. (2023). Analisis Model 2 Dimensi Sumur Resapan Skala Kecil Laboratorium dengan Software GeoStudio [Analysis of a 2D Model of a Small-Scale Laboratory Infiltration Well Using GeoStudio Software]. *Jurnal Riset Rekayasa Sipil*, 7(1), 70. <https://doi.org/10.20961/jrrs.v7i1.67770>

Siahaan, J. Y. N., & Sudarmadji. (2016). *Pengaruh Limbah Laundry Terhadap Kualitas Airtanah di Sebagian Wilayah Desa Sinduadi, Kecamatan Mlati, Sleman, Daerah Istimewa Yogyakarta [Effect of Laundry Waste on Groundwater Quality in Parts of Sinduadi Village, Mlati District, Sleman, Special Region of Yogyakarta]* [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/105679>

Sinaga, L. F., Munandar, A., & Azizah, R. N. (2023). Reduction of Chemical Oxygen Demand (COD) and Total Suspended Solid (TSS) Levels in Rubber Wastewater Using Biosand Filter Reactor with Activated Carbon Media Based on the Effect of Residence Time. *Journal of Community Based Environmental Engineering and Management*, 7(1), 1–10. <https://doi.org/10.23969/jcbeem.v7i1.6285>

Sindelar, M. (2015). Soils Clean and Capture Water. *Soil Science Society of America*. <https://www.soils.org/files/sssai/yys/april-soils-overview.pdf>

- Singh, A. S., & Masuku, M. B. (2014). Sampling Techniques and Determination of Sample size in Applied Statistics Research: An Overview. *International Journal of Economics, Commerce and Management*, 2(11).
- Siswanto, B. A. P., & Purwanti, I. F. (2016). *Perencanaan Instalasi Pengolahan Greywater di Kecamatan Rungkut, Kota Surabaya* [Institut Teknologi Sepuluh Nopember]. <https://repository.its.ac.id/63391/1/3312100010-Undergradute%20Thesis.pdf>
- Sosthene, K. M., & Gahi, N. (2018). Low Cost Filtration of Domestic Wastewater for Irrigation Purpose. *World Journal of Engineering and Technology*, 06(03), 585–602. <https://doi.org/10.4236/wjet.2018.63036>
- Subkhi, W. B., & Mardiansjah, F. H. (2019). Pertumbuhan dan Perkembangan Kawasan Perkotaan di Kabupaten: Studi Kasus Kabupaten Sleman, Daerah Istimewa Yogyakarta. *Jurnal Wilayah dan Lingkungan*, 7(2), 105–120. <https://doi.org/10.14710/jwl.7.2.105-120>
- Sugiyono. (2011). *Metodologi penelitian kuantitatif kualitatif dan R&D*. Alfabeta.
- Supinah, K., Murti Laksono, & Wahjunie, E. D. (2017). *Analisis kemampuan tanah memegang air, permeabilitas, dan erodibilitas pada dua jenis tanah dan beberapa penggunaan lahan di Kabupaten Bogor* [Institut Pertanian Bogor]. <https://repository.ipb.ac.id/handle/123456789/126198>
- Supriatna, Mahmudi, M., Musa, M., & Kusriani. (2020). Model pH dan Hubungannya dengan Parameter Kualitas Air pada Tambak Intensif Udang Vaname (*Litopenaeus vannamei*) di Banyuwangi, Jawa Timur. *JFMR-Journal of Fisheries and Marine Research*, 4(3), 368–374. <https://doi.org/10.21776/ub.jfmr.2020.004.03.8>
- Syahputra, B. (2012). Penentuan Faktor Jam Puncak dan Harian Maksimum terhadap Pola Pemakaian Air Domestik di Kecamatan Kalasan, Sleman, Yogyakarta. *Jurnal Lingkungan Sultan Agung*, 1(1). <https://jurnal.unissula.ac.id/index.php/jlsa/article/view/227>
- Sze, Y. S., Aris, A., Zaidi, N. S., & Bahrodin. (2021). Performance of Sand Filtration System with Different Sand Bed Depth for Polishing Wastewater Treatment. *Journal of Environmental Treatment Techniques*, 9(2), 451–456. [https://doi.org/10.47277/JETT/9\(2\)456](https://doi.org/10.47277/JETT/9(2)456)
- Tchobanoglous, G., Burton, F. L., & Stensel, H. D. (2003). *Wastewater Engineering, Treatment and Reuse* (4 ed.). McGraw-Hill.
- Trisnawulan, I. A. M., Suyasa, I. W. B., & Sundra, I. K. (2012). Analisis Kualitas Air Sumur Gali di Kawasan Pariwisata Sanur Analysis of Dug Well Water Quality in the Sanur Tourism Area]. *ECOTROPHIC : Jurnal Ilmu Lingkungan (Journal of Environmental Science)*, 2(2). <https://ojs.unud.ac.id/index.php/ecotrophic/article/view/2479>
- Tusiime, A., Solihu, H., Sekasi, J., & Mutanda, H. E. (2022). Performance of lab-scale filtration system for grey water treatment and reuse. *Environmental Challenges*, 9, 100641. <https://doi.org/10.1016/j.envc.2022.100641>
- UNOPS. (2019). The critical role of infrastructure for the sustainable development goals. *The Economist*.



- Utari, A. W., Asteria, D., & Nowo Martono, D. (2021). The effect of motivation for public participation in environmental management. *IOP Conference Series: Earth and Environmental Science*, 716(1), 012052. <https://doi.org/10.1088/1755-1315/716/1/012052>
- Utari, A. W., & Herdiansyah, H. (2020). Using filtration as a technology to remove pollutants in domestic wastewater. *IOP Conference Series: Materials Science and Engineering*, 725(1), 012025. <https://doi.org/10.1088/1757-899X/725/1/012025>
- Walker, W. E., Loucks, D. P., & Carr, G. (2015). Social Responses to Water Management Decisions. *Environmental Processes*, 2(3), 485–509. <https://doi.org/10.1007/s40710-015-0083-5>
- Wilian, R. M., Fitria, L., & Sutrisno, H. (2019). Pengaruh Susunan Multimedia Filter dalam Kolom Filtrasi terhadap Penurunan Parameter Zat Organik (Effect of Multimedia Filter Composition in Filtration Column Against the Decrease in Organic Matter Parameters). *Jurnal Teknologi Lingkungan Lahan Basah*, 7(2), 045. <https://doi.org/10.26418/jtlb.v7i2.35978>
- Wirawan, W. A., Wirosedarmo, R., & Susanawati, L. D. (2014). Pengolahan Limbah Cair Domestik Menggunakan Tanaman Kayu Apu (*Pistia Stratiotes* L.) Dengan Teknik Tanam Hidroponik Sistem DFT (Deep flow technique). *Jurnal Sumber Daya Alam dan Lingkungan*, 1(2). <https://jsal.ub.ac.id/index.php/jsal/article/view/134>
- Yurika, N., & Wikaningrum, T. (2022). The Study of Ammonia Removal in Wastewater Using Natural Granular Zeolite Filter. *IOP Conference Series: Earth and Environmental Science*, 995(1), 012037. <https://doi.org/10.1088/1755-1315/995/1/012037>