

DAFTAR PUSTAKA

- Abbas Z. G., and Archibald L. K., (2007) ‘Challenges for management of the diabetic foot in Africa: Doing more with less’, *International Wound Journal*, 4(4), pp. 305–313. doi: 10.1111/j.1742-481X.2007.00376.x.
- Adams C. T., and Lakra A. (2023). *Below-Knee Amputation*, StatPearls Publishing.
- Afshar F., Daraie M., Mohammadi F., Seifouri K., Afshari S., Some’eh S., Yadegar A., Naghavi P., Esteghamati A., Rabizadeh S., Abbaszadeh M., Nakhjavani M., and Reyhan S., (2025) ‘Neutrophil-lymphocyte ratio (NLR); an accurate inflammatory marker to predict diabetic foot ulcer amputation: a matched case-control study’, *BMC Endocr Disord* 25: 120
- Agrawal J., Singh V., Meena B., Yadav R., Shareef M., and Saini V., (2017) ‘Mean paltelet volume (MPV) the neglected marker of cardiovascular risk and glycosylated hemoglobin in diabetic patient’, *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. Diabetes India, 11(2), pp. 109–112. doi: 10.1016/j.dsx.2016.08.014.
- Aydın M., Eren M., Uyar N., Kankilic N., Karaaslan H., Sabuncu T., and Celik H., (2023) ‘Relationship between systemic immune inflammation index and amputation in patients with diabetic foot ulcer’, *Journal of Orthopaedic Science*. doi: <https://doi.org/10.1016/j.jos.2023.07.015>.
- Borkosky S. L., and Roukis T. S., (2012) ‘Incidence of re-amputation following partial first ray amputation associated with diabetes mellitus and peripheral sensory neuropathy: A systematic review’, *Diabetic Foot and Ankle*, 3. doi: 10.3402/dfa.v3i0.12169.
- Budak Y. U., Polat M., and Huysal K., (2016) ‘The use of platelet indices, plateletcrit, mean platelet volume and platelet distribution width in emergency non-traumatic abdominal surgery: A systematic review’, *Biochemia Medica*, 26(2), pp. 178–193. doi: 10.11613/BM.2016.020.
- Bus S., Sacco I., Monteiro-Soares M., Rapovic A., Paton J., Rasmussen A., Lavery L., and Netten J., (2020) ‘Guidelines on the prevention of foot ulcers in persons with diabetes (IWGDF 2019 update)’, *Diabetes/Metabolism Research and Reviews*, 36(S1), pp. 1–18. doi: 10.1002/dmrr.3269.



Cheuy V. A., Hastings M. K., and Mueller M. J., (2016) ‘Metatarsophalangeal Hyperextension Movement Pattern Related to Diabetic Forefoot Deformity.’, *Physical therapy*. United States, 96(8), pp. 1143–1151. doi: 10.2522/ptj.20150361.

Cosarca M., Halmaciu I., Muresan A., Suci B., Molnar C., Russu E., Horvath E., Niculescu R., Puscasiu L., Bacalbasa N., Balescu I., and Bud I., (2022) ‘Neutrophil-to-lymphocyte, platelet-to-lymphocyte and lymphocyte-to-monocyte ratios are associated with amputation rates in patients with peripheral arterial disease and diabetes mellitus who underwent revascularization: A Romanian regional center study’, *Experimental and Therapeutic Medicine*, 24(5). doi: 10.3892/etm.2022.11639.

Dahlan M. S., (2013) *Besar Sampel dan Cara Pengambilan Sampel*. Tiga. Jakarta: Salemba Medika.

Davis F. M., and Gallagher K., (2020) ‘Epigenetic Mechanisms in Monocyte/Macrophage Regulate Inflammation in Cardiometabolic and Vascular Disease’, *Arteriosclerosis, Thrombosis, and Vascular Biology*, 176(1), pp. 100–106. doi: 10.1177/0022146515594631.Marriage.

Deng H., Li B., Shen Q., Zhang C., Kuang L., Chen R., Wang S., M Z., and Li G., (2023) ‘Mechanisms of diabetic foot ulceration: A review’, *Journal of Diabetes*, 15(4), pp. 299–312. doi: 10.1111/1753-0407.13372.

Elsharawy M. A., (2011) ‘Outcome of midfoot amputations in diabetic gangrene’, *Annals of Vascular Surgery*. *Annals of Vascular Surgery Inc.*, 25(6), pp. 778–782. doi: 10.1016/j.avsg.2010.11.013.

Fernando M., Seneviratne R., Tan Y., Lazzarini P., Sngla K., Cunningham M., Buttner P., and Golledge J., (2013) ‘Intensive versus conventional glycaemic control for treating diabetic foot ulcers’, *Cochrane Database of Systematic Reviews*, 2013(10). doi: 10.1002/14651858.CD010764.

Fu K., Zheng X., Chen Y., Wu L., Yang Z., Chen X., and Song W., (2022) ‘Role of matrix metalloproteinases in diabetic foot ulcers: Potential therapeutic targets’, *Frontiers in Pharmacology*, 13(October), pp. 1–10. doi: 10.3389/fphar.2022.1050630.



Gunes A., Eren M., Karakas E., Demir M., Aslam H., and Sabuncu T., (2017) 'Relation With Mean Platelet Volume and Diabetic Foot Ulcers', *Acta Medica Mediterranea*, 33(6), pp. 401–4. doi: 10.19193/0393-6384.

Guo Z., Yue C., Qian Q., He H., and Mo Z., (2019) 'Factors associated with lower-extremity amputation in patients with diabetic foot ulcers in a Chinese tertiary care hospital', *International Wound Journal*, 16(6), pp. 1304–1313. doi: 10.1111/iwj.13190.

İçer M., and Durgun H. M., (2017) 'Factors Affecting Amputations in Patients with Diabetic Foot Ulcer Referring To the Emergency Units', *Dicle Tip Dergisi*, pp. 91–91. doi: 10.5798/dicletip.298615.

Indonesia, K. K. R. (2018). 'Laporan Nasional Riset Kesehatan Dasar', *Kementerian Kesehatan RI*, pp. 1–582.

International Diabetes Federation. (2021). *International Diabetes Federation Diabetes Atlas*. 10th editi, *International Diabetes Federation*. 10th editi. doi: 10.1016/j.diabres.2013.10.013.

Izumi Y., Satterfield K., Lee S., Harkless L., and Lavery L., (2009) 'Mortality of first-time amputees in diabetics: A 10-year observation', *Diabetes Research and Clinical Practice*, 83(1), pp. 126–131. doi: 10.1016/j.diabres.2008.09.005.

Kapukaya R., Kapukaya A., Keklikcioglu B., and Ayca A., (2021) 'How important are mean platelet volume and neutrophil values in diabetic foot amputation decision?', *European Journal of Plastic Surgery*. *European Journal of Plastic Surgery*, 44(4), pp. 507–510. doi: 10.1007/s00238-020-01773-2.

Kementerian Kesehatan Republik Indonesia. (2014). *Situasi dan Analisis Diabetes*. Available at: <http://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin-diabetes.pd>.

Kulwas A., Drela E., Jundzill W., Goralczyk B., Ruszkowska-Ciastek B., and Rosc D., (2015) 'Circulating endothelial progenitor cells and angiogenic factors in diabetes complicated diabetic foot and without foot complications', *Journal of Diabetes and its Complications*, 29(5), pp. 686–690. doi: 10.1016/j.jdiacomp.2015.03.013.



Liao F., An R., Pu F., Burns S., Shen S., and Jan Y., (2019) ‘Effect of exercise on risk factors of diabetic foot ulcers: A systematic review and meta-analysis’, *American Journal of Physical Medicine and Rehabilitation*, 98(2), pp. 103–116. doi: 10.1097/PHM.0000000000001002.

Liao X., Li S., El Akkawi M., Fu X., Liu H., and Huang Y., (2022) ‘Surgical amputation for patients with diabetic foot ulcers: A Chinese expert panel consensus treatment guide’, *Frontiers in Surgery*, 9(November), pp. 1–8. doi: 10.3389/fsurg.2022.1003339.

Mardia A. I., Gatot D., and Lindarto D., (2018) ‘Comparison platelet indices in diabetic patients with and without diabetic foot ulcer’, *IOP Conference Series: Earth and Environmental Science*, 125(1). doi: 10.1088/1755-1315/125/1/012134.

Meloni M., Valentina I., Daniele M., Da Ros V., Andrea P., Gandini R., Laura G., and Uccioli L., (2021) ‘Peripheral Arterial Disease in Persons with Diabetic Foot Ulceration: a Current Comprehensive Overview’, *Current Diabetes Reviews*, 17(4).

Mills J., Conte M., Armstrong D., Pomposelli F., Schanzer A., Sidawy A., and Andros G., (2014) ‘The society for vascular surgery lower extremity threatened limb classification system: Risk stratification based on Wound, Ischemia, and foot Infection (WIFI)’, *Journal of Vascular Surgery*. Society for Vascular Surgery, 59(1), p. 220–234.e2. doi: 10.1016/j.jvs.2013.08.003.

Min D., Nube V., Tao A., Yuan X., Williams P., Brooks B., Wong J., Twigg S., and McLennan S., (2021) ‘Monocyte phenotype as a predictive marker for wound healing in diabetes-related foot ulcers’, *Journal of Diabetes and its Complications*. Elsevier Inc., 35(5), p. 107889. doi: 10.1016/j.jdiacomp.2021.107889.

Nather A., and Wong K. L., (2013) ‘Distal amputations for the diabetic foot’, *Diabetic Foot and Ankle*, 4. doi: 10.3402/dfa.v4i0.21288.

Ningsih O., Iwa K., Simon M., and Sinar K., (2021) ‘Diabetic Foot Ulcers and Risk Fall in People with Type 2 Diabetes Mellitus in BLUD RSUD Dr. Ben Mboi Manggarai Regency, NTT’, *Jurnal Keperawatan Soedirman*, 16(3), pp. 119–126. doi: 10.20884/1.jks.2021.16.3.1561.

Oliver T. I., and Mutluoglu M., (2023) *Diabetic Foot Ulcer*, StatPearls Publishing. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK537328/>.



- Pang J., Maienschein-Cline M., and Koh T. J., (2021) 'Enhanced proliferation of Ly6C+ monocytes macrophages contributes to chronic inflammation in skin wounds of diabetic mice', *Journal of Immunology*, 206(3), pp. 621–630. doi: 10.4049/jimmunol.2000935.Enhanced.
- Parisi M., Zantut-Wittmann D., Pavin E., Machado H., Nery M., and Jeffcoate W., (2008) 'Comparison of three systems of classification in predicting the outcome of diabetic foot ulcers in a Brazilian population', *European Journal of Endocrinology*, 159(4), pp. 417–422. doi: 10.1530/EJE-07-0841.
- Primadhi R., Septrina R., Hapsari P., and Kusumawati M., (2023) 'Amputation in diabetic foot ulcer: A treatment dilemma', *World Journal of Orthopedics*, 5836(5).
- Raja J., Maturana M., Kayali S., Khouzam A., and Efeovbokhan N., (2023) 'Diabetic foot ulcer: A comprehensive review of pathophysiology and management modalities', *World Journal of Clinical Cases*, 11(8), pp. 1684–1693. doi: 10.12998/wjcc.v11.i8.1684.
- Ramanujam C. L., and Zgonis T., (2016) 'Stepwise surgical approach to diabetic partial foot amputations with autogenous split thickness skin grafting', *Diabetic Foot and Ankle*, 7. doi: 10.3402/dfa.v7.27751.
- Raser H. E. S. F., (2009) 'All-Cause Mortality After Diabetes-Related Amputation in Barbados', 32(2), pp. 306–307. doi: 10.2337/dc08-1504.
- Rehak L., Giutaro L., Meloni M., Panunzi A., Manti G., and Uccioli L., (2022) 'The Immune-Centric Revolution in the Diabetic Foot: Monocytes and Lymphocytes Role in Wound Healing and Tissue Regeneration—A Narrative Review', *Journal of Clinical Medicine*, 11(3). doi: 10.3390/jcm11030889.
- Rubitschung. K., Sherwood A., Crisologo A., Bhavan K., Haley R., Wukich D., Castellino L., Hwang H., Fontaine J., Chhabra A., Lavery L., and Oz O.,(2021) 'Pathophysiology and molecular imaging of diabetic foot infections', *International Journal of Molecular Sciences*, 22(21). doi: 10.3390/ijms222111552.
- Serban D., Papanas N., Dascalu A., Kempler P., Raz I., Rizvi A., Rizzo M., Tudor C., Tudosie M., Tanasescu D., Stoian A., Gouveri E., and Costea D., (2021) 'Significance of Neutrophil to Lymphocyte Ratio (NLR) and Platelet Lymphocyte Ratio (PLR) in Diabetic Foot Ulcer and



Potential New Therapeutic Targets’, *The International Journal of Lower Extremity Wounds*, p. 15347346211057742. doi: 10.1177/15347346211057742.

Tisi P.V., and Than M.M., (2014) ‘Type of incision for below knee amputation’, *Cochrane Database of Systematic Reviews*, 2014(4). doi: 10.1002/14651858.CD003749.pub3.

Treece K. A., Macfarlane R., Pound N., Game F., and Jeffcoate W., (2004) ‘Validation of a system of foot ulcer classification in diabetes mellitus.’, *Diabetic medicine: a journal of the British Diabetic Association*. England, 21(9), pp. 987–991. doi: 10.1111/j.1464-5491.2004.01275.x.

Tutak F. N., Doğan F., and Vural A., (2022) ‘Investigation of Mean Platelet Volume as a Prognostic Criterion in Non-Healing Wounds’, *Acta Medica*, 53(1), pp. 15–23. doi: 10.32552/2022.actamedica.673.

Wagner, F. W. J. (1981) ‘The dysvascular foot: a system for diagnosis and treatment.’, *Foot & ankle*. United States, 2(2), pp. 64–122. doi: 10.1177/107110078100200202.

Wang X., Yuan C., Xu B., and Yu Z., (2022) ‘Diabetic foot ulcers: Classification, risk factors and management’, *World Journal of Diabetes*, 13(12), pp. 1049–1065. doi: 10.4239/wjd.v13.i12.1049.

Wong, S. L., Demers M., Martinod K., Gallant M., Wang Y., Goldfine A., Kahn R., and Wagner D., (2015) ‘Which Severely Impairs Wound Healing’, *Nature medicine*, 21(7), pp. 1–9. doi: 10.1038/nm.3887.Diabetes.

Wynn, T. A. and Vannella, K. M., (2016) ‘Macrophages in Tissue Repair, Regeneration, and Fibrosis’, *Immunity*. Elsevier Inc., 44(3), pp. 450–462. doi: 10.1016/j.immuni.2016.02.015.

Xu L., Kanasaki K., Kitada M., and Koya D., (2012) ‘Diabetic angiopathy and angiogenic defects’, *Fibrogenesis and Tissue Repair*. *Fibrogenesis & Tissue Repair*, 5(1), p. 1. doi: 10.1186/1755-1536-5-13.

Yesil S., Akinci B., and Yener S., (2009) ‘Predictor of Amputation in Diabetics with Foot Ulcers : Single Center experience in a Large Turkish Cohort’, *Hormones*, 8(4) : 286–295

Zhang P., Lu J., Jing Y., Tang S., Zhu D., and Bi Y., (2017) ‘Annals of Medicine Global epidemiology of diabetic foot ulceration: a systematic review and meta-analysis’, 3890. doi: 10.1080/07853890.2016.1231932.