

## DAFTAR PUSTAKA

- Aida, P. N., Astuti, F. D., & Azka, A. (2023). Keanekaragaman Spesies dan Bionomik Anopheles spp. Pada Daerah Endemis Malaria di Indonesia. *ASPIRATOR - Journal of Vector-Borne Diseases Studies*, 14(2), 89–104. <https://doi.org/10.58623/aspirator.v14i2.11>
- Al Shami, S., Siti Nuthanani, H., Che Salmah, M. R., Nur Huda, A., & Abu Hasan, A. (2014). Developmental instability in Odonata larvae in relation to water quality of Serdang River, Kedah, Malaysia. *Life Science Journal*, 11(7), 152–159.
- Alberdi, A., Aizpurua, O., Gilbert, M. T. P., & Bohmann, K. (2018). Scrutinizing key steps for reliable metabarcoding of environmental samples. *Methods in Ecology and Evolution*, 9(1), 134–147. <https://doi.org/10.1111/2041-210X.12849>
- Amrullah, S. H. (2019). Pengendalian Hayati (Biocontrol): Pemanfaatan Serangga Predator sebagai Musuh Alami untuk Serangga Hama (Sebuah Review). *Prosiding Seminar Nasional Biodiversitas Indonesia*. <http://journal.uin-alauddin.ac.id/index.php/psb>
- Andújar, C., Arribas, P., Yu, D. W., Vogler, A. P., & Emerson, B. C. (2018). Why the COI barcode should be the community DNA metabarcode for the metazoa. *Molecular Ecology*, 27(20), 3968–3975. <https://doi.org/10.1111/mec.14844>
- Astuti, A., Nayasilana, I. N., Sugiyarto, S., & Budiharjo, A. (2022). Community structure of dragonflies (Odonata) in Gunung Bromo's Forest Area with Special Purpose (FASP), Karanganyar, Central Java, Indonesia. *Biodiversitas Journal of Biological Diversity*, 23(5). <https://doi.org/10.13057/biodiv/d230529>
- BKSDA Yogyakarta. (2025). *Cagar Biosfer Merapi Menoreh Merbabu*. <https://bksdajogja.org/kawasan-insitu/detail/91/cagar-biosfer-merapi-menoreh-merbabu.html>
- Bolyen, E. (n.d.). Reproducible, interactive, scalable and extensible microbiome data science using QIIME 2. *Nature Biotechnology*.
- Choi, L., Majambere, S., & Wilson, A. L. (2019). Larviciding to prevent malaria transmission. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD012736.pub2>
- Clarke, L., Soubrier, J., Weyrich, L., & Cooper, A. (2014). Environmental metabarcodes for insects: In silico PCR reveals potential for taxonomic bias. *Molecular Ecology Resources*, 14, 1160–1170. <https://doi.org/10.1111/1755-0998.12265>
- Cribellier, A., Van Erp, J. A., Hiscox, A., Lankheet, M. J., Van Leeuwen, J. L., Spitzen, J., & Muijres, F. T. (2018). Flight behaviour of malaria mosquitoes around odour-baited traps: Capture and escape dynamics. *Royal Society Open Science*, 5(8), 180246. <https://doi.org/10.1098/rsos.180246>
- Dinas Kesehatan Kulon Progo. (2023). *Profil Kesehatan Data Tahun 2022*.
- Folmer, O., Hoeh, W., Black, M., & Vrijenhoek, R. (1994). Conserved primers for PCR amplification of mitochondrial DNA from different invertebrate phyla.

- Molecular Marine Biology and Biotechnology*, 3, 294–299.
- Forsman, A. M., Savage, A. E., Hoenig, B. D., & Gaither, M. R. (2022). DNA Metabarcoding Across Disciplines: Sequencing Our Way to Greater Understanding Across Scales of Biological Organization. *Integrative and Comparative Biology*, 62(2), 191–198. <https://doi.org/10.1093/icb/icac090>
- Francioli, D., Lentendu, G., Lewin, S., & Kolb, S. (2021). DNA Metabarcoding for the Characterization of Terrestrial Microbiota—Pitfalls and Solutions. *Microorganisms*, 9(2), 361. <https://doi.org/10.3390/microorganisms9020361>
- Gamage, P. P. H. M., Rathnayake, W. A. S. P. P., Gunawardana, O. G. Y. D., & Janith, H. C. (2023). Feeding behaviour of *Orthetrum sabina sabina* from Sri Lanka Chathura. *Scientific Reports in Life Sciences*, 4(3), 33–37. <https://doi.org/DOI:10.5281/zenodo>
- Geller, J., Meyer, C., Parker, M., & Hawk, H. (2013). Redesign of PCR primers for mitochondrial cytochrome c oxidase subunit i for marine invertebrates and application in all-taxa biotic surveys. *Molecular Ecology Resources*, 13, 851–861. <https://doi.org/DOI10.1111/1755-0998.12138>
- Gerling, D., Alomar, Ò., & Arnò, J. (2001). Biological control of *Bemisia tabaci* using predators and parasitoids. *Crop Protection*, 20(9), 779–799. [https://doi.org/10.1016/S0261-2194\(01\)00111-9](https://doi.org/10.1016/S0261-2194(01)00111-9)
- Gibb, T. (2015). Insect Identification Techniques. In *Contemporary Insect Diagnostics* (pp. 67–151). Elsevier. <https://doi.org/10.1016/B978-0-12-404623-8.00004-1>
- Gillott, C. (2005). *Entomology* (3. ed). Springer.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London B*. *Proceedings of the Royal Society of London B*, 270(1512), 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Isworo, Y. (2023). *Evaluasi Pengendalian Kerentanan Sosial dan Lingkungan dalam Mempertahankan Eliminasi Malaria di Kabupaten Kulon Progo, DIY*. Universitas Diponegoro.
- Jusino, M., Banik, M., Palmer, J., Wray, A., Xiao, L., Pelton, E., Barber, J., Kawahara, A., Gratton, C., & Peery, M. (2019). An improved method for utilizing high-throughput amplicon sequencing to determine the diets of insectivorous animals. *Molecular Ecology Resources*, 19, 176–190. <https://doi.org/DOI10.1111/1755-0998.12951>
- Karima, Z. (2021). Chironomidae: Biology, Ecology and Systematics. In F. Khan Perveen (Ed.), *The Wonders of Diptera—Characteristics, Diversity, and Significance for the World's Ecosystems*. IntechOpen. <https://doi.org/10.5772/intechopen.95577>
- Kaunisto, K. M., Roslin, T., Sääksjärvi, I. E., & Vesterinen, E. J. (2017). Pellets of proof: First glimpse of the dietary composition of adult odonates as revealed by metabarcoding of feces. *Ecology and Evolution*, 7(20), 8588–8598. <https://doi.org/10.1002/ece3.3404>
- Kemenkes RI. (2018). *Panduan Monitoring Resistensi Vektor terhadap Insektisida*.
- Kemenkes RI. (2023). *Laporan Malaria Tahun 2022*.

- Kolesik, P., & Gagné, R. J. (2020). A review of the gall midges (Diptera: Cecidomyiidae) of Indonesia: taxonomy, biology and adult key to genera. *Zootaxa*, 4847(1). <https://doi.org/10.11646/zootaxa.4847.1.1>
- Kurniawan, H. A., & Fitria, F. (2021). Life Balance of Whitefly (*Bemisia tabaci* Genn.) (Hemiptera: Aleyrodidae) in Chili Plant (*Capsicum annum* L.). *Agrinula: Jurnal Agroteknologi dan Perkebunan*, 4(1), 22–26. <https://doi.org/10.36490/agri.v4i1.108>
- Leray, M., Yang, J., Meyer, C., Mills, S., Agudelo, N., Ranwez, V., Boehm, J., & Machida, R. (2013). A new versatile primer set targeting a short fragment of the mitochondrial COI region for metabarcoding metazoan diversity: Application for characterizing coral reef fish gut contents. *Frontiers in Zoology*, 10, 1–14. <https://doi.org/DOI 10.1186/1742-9994-10-34>
- Li, H., Jiang, Z., Zhou, J., Liu, X., Zhang, Y., & Chu, D. (2023). Ecological Factors Associated with the Distribution of *Bemisia tabaci* Cryptic Species and Their Facultative Endosymbionts. *Insects*, 14(3), 252. <https://doi.org/10.3390/insects14030252>
- Liu, M., Clarke, L. J., Baker, S. C., Jordan, G. J., & Burrige, C. P. (2020). A practical guide to DNA metabarcoding for entomological ecologists. *Ecological Entomology*, 45(3), 373–385. <https://doi.org/10.1111/een.12831>
- Magurran, A. M. (2004). *Measuring Biological Diversity*. Blackwell Publishing.
- Martin, M. (n.d.). *Cutadapt remove adapter sequences from high-throughput sequencing reads*.
- May, M. (2019). Odonata: Who They Are and What They Have Done for Us Lately: Classification and Ecosystem Services of Dragonflies. *Insects*, 10(3), 62. <https://doi.org/10.3390/insects10030062>
- Miyagi, I., Toma, T., Tamashiro, M., Higa, Y., Kinjyo, T., & Takara, T. (2010). Colonization and Biology of the Frog-Feeding Mosquito *Uranotaenia macfarlanei* in the Ryukyu Archipelago. *Journal of the American Mosquito Control Association*, 26(1), 99–102. <https://doi.org/10.2987/09-5917.1>
- Morrill, A., Kaunisto, K. M., Mlynarek, J. J., Sippola, E., Vesterinen, E. J., & Forbes, M. R. (2021). Metabarcoding prey DNA from fecal samples of adult dragonflies shows no predicted sex differences, and substantial inter-individual variation, in diets. *PeerJ*, 9, e12634. <https://doi.org/10.7717/peerj.12634>
- Mullen, G. R., & Murphree, C. S. (2019). Biting Midges (Ceratopogonidae). In *Medical and Veterinary Entomology* (pp. 213–236). Elsevier. <https://doi.org/10.1016/B978-0-12-814043-7.00013-3>
- Nel, A., Prokop, J., Pecharová, M., Engel, M. S., & Garrouste, R. (2018). Palaeozoic giant dragonflies were hawker predators. *Scientific Reports*, 8(1), 12141. <https://doi.org/10.1038/s41598-018-30629-w>
- Nicolla, A., Irsyad, A., Firdasia, W., Sarifah, Z., Nilamsari, E., Umah, N., & Sukirno, S. (2021). Comparison of damselfly (Odonata: Zygoptera) diversity in wet dune slack habitat with canopied and non-canopied areas of Gumuk Pasir Parangkusumo, Yogyakarta, Indonesia. *IOP Conf Ser: Earth Environ Sci*, 736, 012046. <https://doi.org/DOI: 10.1088/1755-1315/736/1/012046>.

- Nihayah, H., & Purwatiningsih, P. (2023). Morphological Characteristic of Adult *Armigeres subalbatus* from Summersari Jember. *BERKALA SAINSTEK*, 11(1), 34. <https://doi.org/10.19184/bst.v11i1.37098>
- Nugroho, A. D. (2011). *Kematian Larva Aedes Aegypti Setelah Pemberian Abate Dibandingkan Dengan Pemberian Serbuk Serai*.
- Nurlailiy, N., & Nuraisyah, F. (2019). *Identifikasi Persebaran Kasus Malaria Berbasis SIG Untuk Keperluan Surveilans Di Kecamatan Kokap Kabupaten Kulon Progo*.
- Pahlepi, R. I., Santoso, Taviv, Y., Riandi, M. U., Febriyanto, Mahdalena, V., Permadi, I. G. W., Komaria, R. H., Asyati, D., Setiawan, A., Emawati, & Anggraini. (2023). Bionomik *Anopheles* spp. Di Kecamatan Sindang Beliti Ulu Kabupaten Rejang Lebong Provinsi Bengkulu Tahun 2021. *ASPIRATOR - Journal of Vector-Borne Diseases Studies*, 14(2), 133–144. <https://doi.org/10.58623/aspikator.v14i2.14>
- Prasetya, B. Y. (2018). *Keanekaragaman Jenis Capung (Odonata) di Waduk Sermo Yogyakarta*. Universitas Atma Jaya.
- Priyadarshana, T. S., & Slade, E. M. (2023). A meta-analysis reveals that dragonflies and damselflies can provide effective biological control of mosquitoes. *Journal of Animal Ecology*, 92. <https://doi.org/DOI:10.1111/1365-2656.13965>
- R Core Team. (2023). *R (4.3.1): A language and environment for statistical computing*. R Foundation for Statistical Computing, Vienna, Austria. <https://www.R-project.org>
- Rahadi, W. S., Feriwibisono, B., Nugrahani, M. P., Dalia, B. P. I., & Makitan, T. (2013). *Naga terbang Wendit: Keanekaragaman capung perairan Wendit, Malang, Jawa Timur*. Indonesia Dragonfly Society.
- Rahman, K. M. Z., Rahman, M. A., Sharif, M. J., Mia, M. S., Kamal, M. M., Razzak, M. A., & Bashar, K. (2022). Predatory efficiency of dragonfly nymphs, *Crocothemis servilia* and *Rhyothemis variegata* against the mosquito, *Culex quinquefasciatus* Say. *Asian-Australasian Journal of Bioscience and Biotechnology*, 7(3), 82–89. <https://doi.org/10.3329/aaajbb.v7i3.62338>
- Rejeki, D. S. S., Murhandarwati, E. H., & Kusnanto, H. (2018). *Analisis Spasial Malaria di Ekosistem Perbukitan Menoreh: Studi Kasus Malaria Bulan September-Desember 2015*. 12(2).
- Rennstam Rubbmark, O., Sint, D., Horngacher, N., & Traugott, M. (2018). A broadly applicable COI primer pair and an efficient single-tube amplicon library preparation protocol for metabarcoding. *Ecology and Evolution*, 8(24), 12335–12350. <https://doi.org/10.1002/ece3.4520>
- Santana, H. S., Lima, V. A., & Simião-Ferreira, J. (2016). Surface-Floating Pupal Exuviae of Chironomidae (Diptera) in Urban Streams: Is There a Best Time of Day to Sample Them? *EntomoBrasilis*, 9(2), 101–107. <https://doi.org/10.12741/ebrasilis.v9i2.551>
- Sari, S., Nurtjahya, E., & Suwito, A. (2022). Bioekologi Nyamuk *Armigeres*, *Mansonia*, *Aedes*, *Anopheles* dan *Coquilletidia* (Diptera: Culicidae) di Kecamatan Jebus Kabupaten Bangka Barat. *EKOTONIA: Jurnal Penelitian*

- Biologi, Botani, Zoologi dan Mikrobiologi*, 7(1), 44–60.  
<https://doi.org/10.33019/ekotonia.v7i1.3142>
- Serite, C. P., Emami-Khoyi, A., Ntshudisane, O. K., James, N. C., Jansen Van Vuuren, B., Bodill, T., Cowley, P. D., Whitfield, A. K., & Teske, P. R. (2023). eDNA metabarcoding vs metagenomics: An assessment of dietary competition in two estuarine pipefishes. *Frontiers in Marine Science*, 10, 1116741. <https://doi.org/10.3389/fmars.2023.1116741>
- Setiyono, J., Diniarsih, S., Respatika, E. N. R., & Budi, N. S. (2017). *Dragonfly of Yogyakarta*. Indonesia Dragonfly Society.
- Singhal, S., Thakkar, B., Pandya, P., & Parikh, P. (2018). Unraveling the diversity, phylogeny, and ecological role of cryptic Coleopteran species of Vadodara district: A first comparative approach from India. *The Journal of Basic and Applied Zoology*, 79(1), 53. <https://doi.org/10.1186/s41936-018-0062-2>
- Snider, A. M., Bonisoli-Alquati, A., Pérez-Umphrey, A. A., Stouffer, P. C., & Taylor, S. S. (2022). Metabarcoding of stomach contents and fecal samples provide similar insights about Seaside Sparrow diet. *Ornithological Applications*, 124(1), duab060. <https://doi.org/10.1093/ornithapp/duab060>
- Solikhah. (2012). Pola penyebaran penyakit malaria di Kecamatan Kokap Kabupaten Kulonprogo. *Bul Penelit Kesehat.*, 3.
- Sriwidodo DEW, B. A. (2013). Keanekaragaman jenis ikan di kawasan inlet dan outlet Waduk Gajah Mungkur Wonogiri. *Bioteknologi*, 10(2). <https://doi.org/10.13057/biotek/c100201>
- Sudarmadji, & Widyastuti. (2014). Dampak dan Kendala Wisata Waduk Sermo dari Aspek Lingkungan Hidup dan Risiko Bencana. *Jurnal Teknosains*, 3(2). <https://doi.org/10.22146/teknosains.6027>
- Susanto, M. A. D., Firdhausi, N. F., & Bahri, S. (2023). Diversity and Community Structure of Dragonflies (Odonata) in Various Types of Habitat at Lakarsantri District, Surabaya, Indonesia. *Journal of Tropical Biodiversity and Biotechnology*, 8(2), 76690. <https://doi.org/10.22146/jtbb.76690>
- Vatandoost, H. (2021). Dragonflies as an Important Aquatic Predator Insect and Their Potential for Control of Vectors of Different Diseases. *Journal of Marine Science*, 3(3). <https://doi.org/10.30564/jms.v3i3.3121>
- Vega, F. E., Infante, F., & Johnson, A. J. (2015). The Genus *Hypothenemus*, with Emphasis on *H. hampei*, the Coffee Berry Borer. In *Bark Beetles* (pp. 427–494). Elsevier. <https://doi.org/10.1016/B978-0-12-417156-5.00011-3>
- Vilenica, M. (2017). Ecological traits of dragonfly (Odonata) assemblages along an oligotrophic Dinaric karst hydrosystem. *Annales de Limnologie - International Journal of Limnology*, 53, 377–389. <https://doi.org/10.1051/limn/2017019>
- Virgiawan, C. (2016). Studi Keanekaragaman Capung (Odonata) Sebagai Bioindikator Kualitas Air Sungai Brantas Batu-Malang Dan Sumber Belajar Biologi. *JPBI*, 1(2). <https://doi.org/10.22219/jpbi.v1i2.3330>
- Zeale, M., Butlin, R., Barker, G., Less, D., & Jones, G. (2011). Taxon-specific PCR for DNA barcoding arthropod prey in bat faeces. *Molecular Ecology Resources*, 11, 236–244. <https://doi.org/10.1111/j.1755-0998.2010.02920.x>