

## DAFTAR PUSTAKA

- Abdallah, M.S., Mustafa, M., Nallappan, M.A., Choi, S., Paik, J.H., Rusea, G., 2021. Determination of Phenolics and Flavonoids of Some Useful Medicinal Plants and Bioassay-Guided Fractionation Substances of *Sclerocarya birrea* (A. Rich) Hochst Stem (Bark) Extract and Their Efficacy Against *Salmonella typhi*. *Front. Chem.* 9: 1–13. doi:10.3389/fchem.2021.670530
- Abdullah. N and K. F. Kasim., 2017. In-Vitro Antidiabetic Activity of *Clinacanthus nutans* Extracts. *Int. J. Pharmacogn. Phytochem. Res.* 9. doi:10.25258/phyto.v9i6.8189
- ACTT. <https://www.atcc.org/products/crl-1772>. Diakses 22 Juni 2024, pukul 13.00 WIB
- Adawiyah, R., Shabrina, A., Yuliani, S., Nurkhasanah, N., 2023. Potential Plants With Antidiabetic Activity In GLUT4 Translocation: A Narrative Review. *J. Ilmu Farm. dan Farm. Klin.* 43. doi:10.31942/jiffk.v0i1.9344
- Adi, S., 2019. Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia. *PB Perkeni* 133.
- Alim, A.A., Ghazali, W.A.S.W., Ali, N.A.M., Ponnuraj, K.T., Mohamad, S., Azlina, A., 2022. Phytochemical analysis and cytotoxicity of *Clinacanthus nutans* on human gingival fibroblast cell line. *Biomed.* 42: 241–246. doi:10.51248/.v42i2.1136
- Azemi, A.K., Mokhtar, S.S., Sharif, S.E.T., Rasool, A.H.G., 2021. *Clinacanthus nutans* attenuates atherosclerosis progression in rats with type 2 diabetes by reducing vascular oxidative stress and inflammation. *Pharm. Biol.* 59: 1432–1440. doi:10.1080/13880209.2021.1990357
- Bhattacharjee, S., Das, N., Mandala, A., Mukhopadhyay, S., Roy, S.S., 2015. Fenofibrate reverses palmitate induced impairment in glucose uptake in skeletal muscle cells by preventing cytosolic ceramide accumulation. *Cell. Physiol. Biochem.* 37: 1315–1328. doi:10.1159/000430399
- Cao, Y., Si, Y., Li, M., Fan, D., Cao, M., Cheon, S.H., Liang, J., Lu, P., 2021. Licochalcone E improves insulin sensitivity in palmitic acid-treated HepG2 cells through inhibition of the NLRP3 signaling pathway. *Int. Immunopharmacol.* 99: 107923. doi:10.1016/j.intimp.2021.107923
- Chadt, A., Al-Hasani, H., 2020. Glucose transporters in adipose tissue, liver, and skeletal muscle in metabolic health and disease. *Pflugers Arch. Eur. J. Physiol.* 472: 1273–1298. doi:10.1007/s00424-020-02417-x
- Chandra, K., Jain, V., Jain, S.K., 2021. Plasma Non-Esterified Fatty Acids (NEFA) in Type 2 Diabetes Mellitus: Evidence on Pathophysiology. *J. Diabetes Clin. Res.* 3. doi:10.33696/diabetes.3.037
- Chen, S.C., Chen, P.Y., Wu, Y.L., Chen, C.W., Chen, H.W., Lii, C.K., Sun, H.L., Liu, K.L., 2016. Long-chain polyunsaturated fatty acids amend palmitate-induced inflammation and insulin resistance in mouse C2C12 myotubes. *Food Funct.* 7: 270–278. doi:10.1039/c5fo00704f
- Chia, T.Y., Gan, C.Y., Murugaiyah, V., Hashmi, S.F., Fatima, T., Ibrahim, L., Abdulla, M.H., Alswailmi, F.K., Johns, E.J., Ahmad, A., 2022. A narrative review on the phytochemistry, pharmacology and therapeutic potentials of *clinacanthus nutans*

- (Burm. f.) lindau leaves as an alternative source of future medicine. *Molecules* 27. doi:10.3390/molecules27010139
- de Hart, N.M., Petrocelli, J.J., Nicholson, R.J., Yee, E.M., Ferrara, P.J., Bastian, E.D., Ward, L.S., Petersen, B.L., Summers, S.A., Drummond, M.J., 2023. Palmitate-Induced Inflammation and Myotube Atrophy in C2C12 Cells Are Prevented by the Whey Bioactive Peptide, Glycomacropeptide. *J. Nutr.* 153: 2915–2928. doi:10.1016/j.tjnut.2023.08.033
- Den Hartogh, D.J., Vlavecski, F., Giacca, A., Tsiani, E., 2020. Attenuation of free fatty acid (FFA)-induced skeletal muscle cell insulin resistance by resveratrol is linked to activation of AMPK and inhibition of mTOR and p70 S6K. *Int. J. Mol. Sci.* 21: 1–17. doi:10.3390/ijms21144900
- Dewinta, N.R., Mukono, I.S., Mustika, A., 2020. The Effect of Dandang Gendis (*Clinacanthus nutans*) Extracts on Blood Glucose Levels in Wistar Rats Diabetes Mellitus Model. *J. Med. Vet.* 3: 76–81. doi:10.20473/jmv.vol3.iss1.2020.76-81
- Dimitriadis, G., Maratou, E., Kountouri, A., Board, M., 2021. Metabolism by insulin-dependent and insulin-independent mechanisms : An integrative approach. *Nutrients* 13: 1–33.
- Ebersbach-Silva, P., Poletto, A.C., David-Silva, A., Seraphim, P.M., Anhê, G.F., Passarelli, M., Furuya, D.T., Machado, U.F., 2018. Palmitate-induced Slc2a4/GLUT4 downregulation in L6 muscle cells: Evidence of inflammatory and endoplasmic reticulum stress involvement. *Lipids Health Dis.* 17: 2–9. doi:10.1186/s12944-018-0714-8
- Elabscience Protokol. 2024. Western Blot Detection.
- Feng, S.Y., Wu, S.J., Chang, Y.C., Ng, L.T., Chang, S.J., 2022. Stimulation of GLUT4 Glucose Uptake by Anthocyanin-Rich Extract from Black Rice (*Oryza sativa* L.) via PI3K/Akt and AMPK/p38 MAPK Signaling in C2C12 Cells. *Metabolites* 12. doi:10.3390/metabo12090856
- Feriotto, G., Tagliati, F., Costa, V., Monesi, M., Tabolacci, C., Beninati, S., Mischiati, C., 2024.  $\alpha$ -Pinene, a Main Component of Pinus Essential Oils, Enhances the Expression of Insulin-Sensitive Glucose Transporter Type 4 in Murine Skeletal Muscle Cells. *Int. J. Mol. Sci.* 25. doi:10.3390/ijms25021252
- Fu, W.C., Li, H.Y., Li, T.T., Yang, K., Chen, J.X., Wang, S.J., Liu, C.H., Zhang, W., 2021. Pentadecanoic acid promotes basal and insulin-stimulated glucose uptake in C2C12 myotubes. *Food Nutr. Res.* 65: 1–9. doi:10.29219/fnr.v65.4527
- Garcia, U., Benito-vicente, A., Jebari, S., Larrea-sebal, A., 2020. *Costus ignus*: Insulin plant and it's preparations as remedial approach for diabetes mellitus. *Int. J. Mol. Sci.* 1–34.
- GBIF. 2024. <https://www.gbif.org/species/3774284>. Diakses 12 Agustus 2024, pukul 16.09.
- Ghasemi, M., Turnbull, T., Sebastian, S., Kempson, I., 2021. The mtt assay: Utility, limitations, pitfalls, and interpretation in bulk and single-cell analysis. *Int. J. Mol. Sci.* 22. doi:10.3390/ijms222312827

- Haghani, K., Pashaei, S., Vakili, S., Taheripak, G., Bakhtiyari, S., 2015. TNF- $\alpha$  knockdown alleviates palmitate-induced insulin resistance in C2C12 skeletal muscle cells. *Biochem. Biophys. Res. Commun.* 460: 977–982. doi:10.1016/j.bbrc.2015.03.137
- Huang, Y., Zhou, T., Zhang, Y., Huang, H., Ma, Y., Wu, C., Wang, Q., Lin, Q., Yang, X., Pang, K., 2021. Antidiabetic activity of a Flavonoid-Rich extract from flowers of *Wisteria sinensis* in type 2 diabetic mice via activation of the IRS-1/PI3K/Akt/GLUT4 pathway. *J. Funct. Foods* 77: 104338. doi:10.1016/j.jff.2020.104338
- IDF. 2021. International Diabetes Federation, Diabetes Research and Clinical Practice. doi:10.1016/j.diabres.2013.10.013
- Imam, M., Ismail, M., George, A., Chinnappan, S.M., Yusof, A., 2019. Aqueous leaf extract of *Clinacanthus nutans* improved metabolic indices and sorbitol-related complications in type II diabetic rats (T2D). *Food Sci. Nutr.* 7: 1482–1493. doi:10.1002/fsn3.988
- Ishikawa, K., Yoshida, K., Kanie, K., Omori, K., Kato, R., 2019. Morphology-Based Analysis of Myoblasts for Prediction of Myotube Formation. *SLAS Discov.* 24: 47–56. doi:10.1177/2472555218793374
- Jiang, L.P., Sun, H.Z., 2022. Long-chain saturated fatty acids and its interaction with insulin resistance and the risk of nonalcoholic fatty liver disease in type 2 diabetes in Chinese. *Front. Endocrinol. (Lausanne)*. 13: 1–9. doi:10.3389/fendo.2022.1051807
- Kamarudin, M.N.A., Sarker, M.M.R., Kadir, H.A., Ming, L.C., 2017. Ethnopharmacological uses, phytochemistry, biological activities, and therapeutic applications of *Clinacanthus nutans* (Burm. f.) Lindau: A comprehensive review. *J. Ethnopharmacol.* 206: 245–266. doi:10.1016/j.jep.2017.05.007
- Khan, M.A.B., Hasyim, M.J., King, J.K., Govender, R.D. 2020. Epidemiology of Type 2 Diabetes – Global Burden of Disease and Forecasted Trends. *Journal of Epidemiology and Global Health.* 10(1): 107-111. doi: <https://doi.org/10.2991/jegh.k.191028.001>
- Kuo, X., Herr, D.R., Ong, W.Y., 2021. Anti-inflammatory and Cytoprotective Effect of *Clinacanthus nutans* Leaf But Not Stem Extracts on 7-Ketocholesterol Induced Brain Endothelial Cell Injury. *NeuroMolecular Med.* 23: 176–183. doi:10.1007/s12017-020-08621-3
- Lautaoja, J.H., Pekkala, S., Pasternack, A., Laitinen, M., Ritvos, O., Hulmi, J.J., 2020. Differentiation of murine C2C12 myoblasts strongly reduces the effects of myostatin on intracellular signaling. *Biomolecules* 10. doi:10.3390/biom10050695
- Lavanya, L., Veeraraghavan, V., Srihari, R., Prashantha, C.N., 2022. Study of in vitro activity on glucose uptake of 3T3L1 cells, RIN5f cells, and glycemic index stimulation inhibitory effect of *Abutilon indicum* (L.) extract. *J. Appl. Biol. Biotechnol.* 10: 145–156. doi:10.7324/JABB.2021.100118
- Lee, J.H., Jang, J.Y., Kwon, Y.H., Lee, S.H., Park, C., Choi, Y.H., Kim, N.D., 2023. Effects of Rosemary Extract on C2C12 Myoblast Differentiation and 5-Aminoimidazole-4-carboxamide Ribonucleoside (AICAR)-Induced Muscle Cell Atrophy. *Appl. Sci.* 13. doi:10.3390/app13020986

- Lee, S.H., Park, S.Y., Choi, C.S., 2022. Insulin Resistance: From Mechanisms to Therapeutic Strategies. *Diabetes Metab. J.* 46: 15–37. doi:10.4093/DMJ.2021.0280
- Li, H.B., Yang, Y.R.Y., Mo, Z.J., Ding, Y., Jiang, W.J., 2015. Silibinin improves palmitate-induced insulin resistance in C2C12 myotubes by attenuating IRS-1/PI3K/Akt pathway inhibition. *Brazilian J. Med. Biol. Res.* 48: 440–446. doi:10.1590/1414-431X20144238
- Libretextsttiactics.2025.[https://stats.libretexts.org/Courses/Kansas\\_State\\_University/EDC\\_EP\\_917%3A\\_Experimental\\_Design\\_\(Yang\)/01%3A\\_Introduction\\_to\\_Research\\_Designs/1.04%3A\\_Common\\_Experimental\\_Designs](https://stats.libretexts.org/Courses/Kansas_State_University/EDC_EP_917%3A_Experimental_Design_(Yang)/01%3A_Introduction_to_Research_Designs/1.04%3A_Common_Experimental_Designs). Diakses 15 April 2025, pukul 16.00 WIB.
- Lin, C.M., Chen, H.H., Lung, C.W., Chen, H.J., 2021. Recent Advancement in Anticancer Activity of *Clinacanthus nutans* (Burm. f.) Lindau. *Evidence-based Complement. Altern. Med.* 2021. doi:10.1155/2021/5560502
- Mani, J., Johnson, J., Hosking, H., Hoyos, B.E., Walsh, K.B., Neilsen, P., Naiker, M., 2022. Bioassay Guided Fractionation Protocol for Determining Novel Active Compounds in Selected Australian Flora. *Plants* 11. doi:10.3390/plants11212886
- Mas'ulun, M.J., Mustika, A., Qurnianingsih, E., 2021. The Effect of Dandang Gendis Extract (*Clinacanthus nutans*) on Kidney Histopathological Features of Diabetic Rats Model. *Heal. Notions* 5: 19–22. doi:10.33846/hn50104
- Mustika, A., Fatimah, N., Safitri, I., Susanti, N., Noor, N.S., 2023. *Clinacanthus nutans* L Extracts Reduce the Serum Tumor Necrosis Factor- $\alpha$ , Malondialdehyde, and Interleukin-6 Levels and Improve the Langerhans Islet Area in Diabetic Rat Models. *Clin. Med. Insights Endocrinol. Diabetes* 16: 1–7. doi:10.1177/11795514231196462
- Njanje, I., Bagla, V.P., Beseni, B.K., Mbazima, V., Lebogo, K.W., Mampuru, L., Mokgotho, M.P., 2017. Defatting of acetone leaf extract of *Acacia karroo* (Hayne) enhances its hypoglycaemic potential. *BMC Complement. Altern. Med.* 17: 1–11. doi:10.1186/s12906-017-1987-6
- Olaokun, O.O., McGaw, L.J., Awouafack, M.D., Eloff, J.N., Naidoo, V., 2014. The potential role of GLUT4 transporters and insulin receptors in the hypoglycaemic activity of *Ficus lutea* acetone leaf extract. *BMC Complement. Altern. Med.* 14. doi:10.1186/1472-6882-14-269
- Olaokun, O.O., Alaba, A.E., Ligege, K., Mkolo, N.M., 2020. Phytochemical content, antidiabetes, anti-inflammatory antioxidant and cytotoxic activity of leaf extracts of *Elephantorrhiza elephantina* (Burch.) Skeels. *South African J. Bot.* 128: 319–325. doi:10.1016/j.sajb.2019.11.030
- Pan, X.Y., Liu, C., Wang, X., Zhao, M., Zhang, Z., Zhang, X., Wang, C., Song, G., 2023. Resveratrol improves palmitic acid-induced insulin resistance via the DDIT4/mTOR pathway in C2C12 cells. *Mol. Med. Rep.* 28: 1–11. doi:10.3892/mmr.2023.13068
- Papur, O., Glatz, J.F.C., Luiken, J.J.F.P., 2024. Protein kinase-D1 and downstream signaling mechanisms involved in GLUT4 translocation in cardiac muscle. *Biochim. Biophys. Acta - Mol. Cell Res.* 1871: 119748. doi:10.1016/j.bbamcr.2024.119748
- Perkeni. 2019. Pedoman Pengelolaan dan Pencegahan diabetes Melitus Tipe 2 Dewasa di Indonesia 2019. PB PERKENI.

- Prasetyaningrum, P.W., Septisetyani, E.P., Suyoko, A., Santoso, A., 2021. Recloning and Characterization of C2C12 Myoblast and Its Clonal Derivatives. *Indones. J. Cancer Chemoprevention* 12: 99. doi:10.14499/indonesianjcanchemoprev12iss2pp99-105
- Prasetyo, Y, C. 2023. Efek Fraksi Aktif Herba Ciplukan (*Physalis angulata* Linn) Terhadap Konsumsi Glukosa Sel C2C12 Myotube: Kajian Pada Model Resistensi Insulin Secara In Vitro. *Tesis*. 1-37
- Russo, B., Picconi, F., Malandrucchio, I., Frontoni, S., 2019. Flavonoids and insulin-resistance: from molecular evidences to clinical trials. *Int. J. Mol. Sci.* 20. doi:10.3390/ijms20092061
- Sarega, N., Imam, M.U., Esa, N.M., Zawawi, N., Ismail, M., 2016. Effects of phenolic-rich extracts of *Clinacanthus nutans* on high fat and high cholesterol diet-induced insulin resistance. *BMC Complement. Altern. Med.* 16: 1–11. doi:10.1186/s12906-016-1049-5
- Sun, H., Saeedi, P., Karuranga, S., Pinkepank, M., Ogurtsova, K., Duncan, B.B., Stein, C., Basit, A., Chan, J.C.N., Mbanya, J.C., Pavkov, M.E., Ramachandaran, A., Wild, S.H., James, S., Herman, W.H., Zhang, P., Bommer, C., Kuo, S., Boyko, E.J., Magliano, D.J., 2022. IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045. *Diabetes Res. Clin. Pract.* 183: 1–23. doi:10.1016/j.diabres.2021.109119
- Susanti, N., Mustika, A., Khotib, J., 2024. *Clinacanthus nutans* leaf extract reduces pancreatic  $\beta$ -cell apoptosis by inhibiting JNK activation and modulating oxidative stress and inflammation in streptozotocin-induced diabetic rats. *Open Vet. J.* 14: 730–737. doi:10.5455/OVJ.2024.v14.i2.13
- Vega-Moreno, K., Suárez-Cuenca, J.A., 2024. Understanding glucose transporter type 4, aka GLUT4: a novel review. *Rev. Mex. Endocrinol. Metab. y Nutr.* 11: 53–59. doi:10.24875/rme.23000023
- Vitello, R., Taouba, H., Derand, M., Liégeois, J.F., 2024. The Bis(1,2,3,4-tetrahydroisoquinoline) Alkaloids Cepharranthine and Berbamine Are Ligands of SK Channels. *ACS Med. Chem. Lett.* 15: 215–220. doi:10.1021/acsmchemlett.3c00452
- Wahyuningsih, M., Afiyah Syarif, R., Suharmi, S., Murini, T., Saputra, F., Suryo, A.W., 2013. Selectivity of Purified Extract From The Leaves of *Tithonia diversifolia* (Hemsley) A. Gray Against Hela Cells. *Tradit. Med. J.* 18: 2013.
- Wahyuningsih, M.S.H., Putri, S.U., Viktaria, V., Nugrahaningsih, D.A.A., Wicaksono, A.J., 2025. Bioassay Guided Partition of Dandang Gendis (*Clinacanthus nutans* L.) Monitored by Glucose Consumption Assay on Myoblast Cells and GLUT4 Molecular Docking Analysis. *Trop. J. Nat. Prod. Res.* 9: 1136–1143. doi:10.26538/tjnpr/v9i3.31
- Wong, C.Y., Al-Salami, H., Dass, C.R., 2020. C2C12 cell model: its role in understanding of insulin resistance at the molecular level and pharmaceutical development at the preclinical stage. *J. Pharm. Pharmacol.* 72: 1667–1693. doi:10.1111/jphp.13359
- Yudhani, R.D., Sari, Y., Nugrahaningsih, D.A.A., Sholikhah, E.N., Rochmanti, M., Purba, A.K.R., Khotimah, H., Nugrahenny, D., Mustofa, M., 2023. In Vitro Insulin Resistance Model: A Recent Update. *J. Obes.* 2023. doi:10.1155/2023/1964732

Zarrinmehr, M.J., Daneshvar, E., Nigam, S., Gopinath, K.P., Biswas, J.K., Kwon, E.E., Wang, H., Farhadian, O., Bhatnagar, A., 2022. The effect of solvents polarity and extraction conditions on the microalgal lipids yield, fatty acids profile, and biodiesel properties. *Bioresour. Technol.* 344: 126303. doi:10.1016/j.biortech.2021.126303

Zulkipli, I.N., Rajabalaya, R., Idris, A., Sulaiman, N.A., David, S.R., 2017. *Clinacanthus nutans*: A review on ethnomedicinal uses, chemical constituents and pharmacological properties. *Pharm. Biol.* 55: 1093–1113. doi:10.1080/13880209.2017.1288749