UNIVERSITAS
GADJAH MADA
**Masalah Tata Letak Multi-Objective Multi Row Dengan Pertimbangan Jarak Aman Dan Panjang Baris Yang
Tidak Sama**
Mochamad Egidio Pramudya Kafi, Ir. Achmad Pratama Rifai, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abramson, D., & Randall, M. (1999). A simulated annealing code for general integer linear programs. *Annals of Operations Research*, *86*, 3–21. https://doi.org/10.1023/a:1018915104438

Amaral, A. R. S. (2022). A heuristic approach for the double row layout problem. *Annals of Operations Research*, *316*(2), 1–36. https://doi.org/10.1007/s10479-020-03617-5

Anjos, M. F., Fischer, A., & Hungerländer, P. (2018). Improved exact approaches for row layout problems with departments of equal length. *European Journal of Operational Research*, *270*(2), 514–529. https://doi.org/10.1016/j.ejor.2018.04.008

Asiedu, E. A., Appiagyei, J. N., Amfo-Otu, R., Parku, K., & Obuobisa-Darko, T. (2023). Occupational health and safety, cost reduction in accident and employee task performance: perspectives of selected service organizations. *Journal of Public Health (Germany)*, *2017*. https://doi.org/10.1007/s10389-023-02150-6

Bandyopadhyay, S., Saha, S., Maulik, U., & Deb, K. (2008). A simulated annealing-based multiobjective optimization algorithm: AMOSA. *IEEE Transactions on Evolutionary Computation*, *12*(3), 269–283. https://doi.org/10.1109/TEVC.2007.900837

Bazaraa, M. S., Sherali, H. D., & Shetty, C. M. (2006). Nonlinear Programming: Theory and Algorithms (3rd ed.). John Wiley & Sons.

Bezerra, L. C. T., López-Ibáñez, M., & Stützle, T. (2017). An empirical assessment of the properties of inverted generational distance on multi- and many-objective optimization. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, *10173 LNCS*, 31–45. https://doi.org/10.1007/978-3-319-54157-0_3

BPJS Ketenagakerjaan. (2024). https://www.bpjsketenagakerjaan.go.id/berita/28681/Kecelakaan-Kerja Makin-Marak-dalam-Lima-Tahun-Terakhir

Chae, J., & Regan, A. C. (2020). A mixed integer programming model for a double row layout problem. *Computers and Industrial Engineering*, *140*(November 2019), 106244. https://doi.org/10.1016/j.cie.2019.106244

Choudhury, M., Sarker, A., Khan, M. M., & Yeoh, W. (2020). A particle swarm inspired approach for continuous distributed constraint optimization problems. *arXiv*. https://doi.org/10.48550/arXiv.2010.10192

Cubukcu, K. M., & Taha, H. (2016). Are Euclidean Distance and Network Distance

UNIVERSITAS
GADJAH MADA
**Masalah Tata Letak Multi-Objective Multi Row Dengan Pertimbangan Jarak Aman Dan Panjang Baris Yang
Tidak Sama**
Mochamad Egidio Pramudya Kafi, Ir. Achmad Pratama Rifai, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Related ? *Environment-Behaviour Proceedings Journal*, *1*(4), 167. https://doi.org/10.21834/e-bpj.v1i4.137

Das, S. (2014). An Algorithm for Binary Linear Programming. *Journal of Applied Mathematics & Bioinformatics*, *4*(3), 1792–6939. https://www.researchgate.net/publication/335751390

Deb, A. K. (2001). *Nonlinear Goal Programming Using Multi-Objective Genetic Algorithms Society Linked references are available on JSTOR for this article : Nonlinear goal programming using multi-objective genetic algorithms*. *52*(3), 291–302.

Dickey, J. W., & Hopkins, J. W. (1972). Campus building arrangement using topaz. Transportation Research, 6(1). https://doi.org/10.1016/0041-1647(72)90111-6

Elshafei, A. N. (1977). HOSPITAL LAYOUT AS A QUADRATIC ASSIGNMENT PROBLEM. Operational Research Quarterly, 28(1). https://doi.org/10.1057/jors.1977.29

Friedrich, C., Klausnitzer, A., & Lasch, R. (2018). Integrated slicing tree approach for solving the facility layout problem with input and output locations based on contour distance. *European Journal of Operational Research*, *270*(3), 837–851. https://doi.org/10.1016/j.ejor.2018.01.001

Guerreiro, A. P., Fonseca, C. M., & Paquete, L. (2021). The Hypervolume Indicator: Computational Problems and Algorithms. ACM Computing Surveys, 54(6), Article 119, 42 pages. https://doi.org/10.1145/3453474

Gurobi Optimization, LLC. (2019). *Gurobi 9.0 Overview Webinar Slides*. Retrieved from https://cdn.gurobi.com/wp-content/uploads/Gurobi-9.0-Overview-Webinar-Slides-1.pdf

Gülşen, M., Murray, C. C., & Smith, A. E. (2019). Double-row facility layout with replicate machines and split flows. *Computers and Operations Research*, *108*, 20–32. https://doi.org/10.1016/j.cor.2019.03.009

Heragu, S. S., & Kusiak, A. (1988). Machine layout problem in flexible manufacturing systems. Operations Research, 36(2), 258–268. https://doi.org/10.1287/opre.36.2.258

Heragu, S. S., & Kusiak, A. (1991). Efficient models for the facility layout problem. *European Journal of Operational Research*, *53*(1), 1–13. https://doi.org/10.1016/0377-2217(91)90088-D

Herrán, A., Manuel Colmenar, J., & Duarte, A. (2021). An efficient variable neighborhood search for the Space-Free Multi-Row Facility Layout problem. *European Journal of Operational Research*, *295*(3), 893–907. https://doi.org/10.1016/j.ejor.2021.03.027

Hosseini-Nasab, H., Fereidouni, S., Fatemi Ghomi, S. M. T., & Fakhrzad, M. B.

UNIVERSITAS
GADJAH MADA
**Masalah Tata Letak Multi-Objective Multi Row Dengan Pertimbangan Jarak Aman Dan Panjang Baris Yang
Tidak Sama**
Mochamad Egidio Pramudya Kafi, Ir. Achmad Pratama Rifai, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

(2018). Classification of facility layout problems: a review study. *International Journal of Advanced Manufacturing Technology*, *94*(1–4), 957–977. https://doi.org/10.1007/s00170-017-0895-8

Hu, B., & Yang, B. (2019). A particle swarm optimization algorithm for multi-row facility layout problem in semiconductor fabrication. *Journal of Ambient Intelligence and Humanized Computing*, *10*(8), 3201–3210. https://doi.org/10.1007/s12652-018-1037-3

Hungerländer, P. (2014). Single-row equidistant facility layout as a special case of single-row facility layout. *International Journal of Production Research*, *52*(5), 1257–1268. https://doi.org/10.1080/00207543.2013.828163

Hungerländer, P., & Anjos, M. F. (2015). A semidefinite optimization-based approach for global optimization of multi-row facility layout. *European Journal of Operational Research*, *245*(1), 46–61. https://doi.org/10.1016/j.ejor.2015.02.049

Ji, D., Zhang, Z., Liang, W., Wang, C., & He, Z. (2023). Mathematical formulation and a novel two-stage algorithm for double-row layout problem with fixed loading and unloading points. *Journal of Manufacturing Systems*, *69*(June), 242–254. https://doi.org/10.1016/j.jmsy.2023.06.013

Kaur, J., & Kumar, A. (2016). An introduction to fuzzy linear programming problems. Cham: Springer. https://doi.org/10.1007/978-3-319-31274-3

Keller, B., & Buscher, U. (2015). Single row layout models. *European Journal of Operational Research*, *245*(3), 629–644. https://doi.org/10.1016/j.ejor.2015.03.016

Kementerian Pekerjaan Umum dan Perumahan Rakyat. (2015). *Penerapan SMK3 di proyek konstruksi kurangi kecelakaan kerja*. https://pu.go.id/berita/penerapan-smk3-di-proyek-konstruksi-kurangi kecelakaan-kerja

Krisam, P., Rosin, L., Glombik, S., & Schischke, E. (2023). Metaheuristic vs. mathematical optimization: A comparison of methods for the design optimization of residential building energy systems. *36th International Conference on Efficiency, Cost, Optimization, Simulation and Environmental Impact of Energy Systems, ECOS 2023*, *June*, 2569–2580. https://doi.org/10.52202/069564-0231

Liu, H., & Jia, X. (2005). Linear programming approaches to optimization problems of energy efficiency in wireless ad hoc networks. In M. Ilyas & I. Mahgoub (Eds.), Mobile computing handbook (pp. 16-1–16-14). CRC Press. https://doi.org/10.1201/9780203323687-16

Liu, Z. F., Tan, J., An, G. P., & Wang, J. H. (2011). A novel layout approach to production line using an efficient genetic algorithm. Key Engineering Materials, 467–469, 1680–1685.

UNIVERSITAS
GADJAH MADA
**Masalah Tata Letak Multi-Objective Multi Row Dengan Pertimbangan Jarak Aman Dan Panjang Baris Yang
Tidak Sama**
Mochamad Egidio Pramudya Kafi, Ir. Achmad Pratama Rifai, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.4028/www.scientific.net/KEM.467-469.1680

Madhusudanan Pillai, V., Hunagund, I. B., & Krishnan, K. K. (2011). Design of robust layout for Dynamic Plant Layout Problems. *Computers and Industrial Engineering*, *61*(3), 813–823. https://doi.org/10.1016/j.cie.2011.05.014

Marler, R. T., & Arora, J. S. (2004). Survey of multi-objective optimization methods for engineering. *Structural and Multidisciplinary Optimization*, *26*(6), 369–395. https://doi.org/10.1007/s00158-003-0368-6

Misener, R., & Floudas, C. A. (2014). ANTIGONE: Algorithms for coNTinuous/Integer Global Optimization of Nonlinear Equations. Journal of Global Optimization, 59(3), 503–526. https://doi.org/10.1007/s10898-014 0166-2

Moarefdoost, M. (2018, October 10). *Optimization modeling in Python: PuLP, Gurobi, and CPLEX*. Medium. https://medium.com/@m.moarefdoost/optimization-modeling-in-python-pulp-gurobi-and-cplex-7f25acb03d7d

Mohamadghasemi, A., & Hadi-Vencheh, A. (2012). An integrated synthetic value of fuzzy judgments and nonlinear programming methodology for ranking the facility layout patterns. *Computers and Industrial Engineering*, *62*(1), 342–348. https://doi.org/10.1016/j.cie.2011.10.004

Muda, N., & Sim, R. (2015). Determination of optimum values for maximizing the profit in bread production: Daily bakery Sdn Bhd. AIP Conference Proceedings, 1643(1), 787–794. https://doi.org/10.1063/1.4907528

Murray, W., & Ng, K.-M. (2008). An algorithm for nonlinear optimization problems with binary variables. Computational Optimization and Applications, 47(2), 257–288. https://doi.org/10.1007/s10589-008-9218-1

Nivetha, S. K., Asokan, R., & Senthilkumaran, N. (2019). Metaheuristics in Mobile AdHoc Network Route Optimization. 2019 International Conference on Electrical, Electronics and Information Engineering (ICEEIE), 1–6. https://doi.org/10.1109/IMICPW.2019.8933284

Nursari, E. (2023). Optimasi Tata Letak Double Row Dengan Pertimbangan Safety Factor Untuk Pencegahan Kecelakaan Kerja. (Skripsi Sarjana, Universitas Gadjah Mada).

Ofele, M., Rottenegger, D., & Braunreuther, S. (2024). The influence of distance metrics on the facility layout problem. *Procedia CIRP*, *126*, 99–104. https://doi.org/10.1016/j.procir.2024.08.307

Ou-Yang, C., & Utamima, A. (2013). Hybrid Estimation of Distribution Algorithm for solving Single Row Facility Layout Problem. *Computers and Industrial Engineering*, *66*(1), 95–103. https://doi.org/10.1016/j.cie.2013.05.018

Palubeckis, G. (2012). A branch-and-bound algorithm for the single-row

UNIVERSITAS
GADJAH MADA
**Masalah Tata Letak Multi-Objective Multi Row Dengan Pertimbangan Jarak Aman Dan Panjang Baris Yang
Tidak Sama**
Mochamad Egidio Pramudya Kafi, Ir. Achmad Pratama Rifai, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

equidistant facility layout problem. *OR Spectrum*, *34*(1), 1–21. https://doi.org/10.1007/s00291-010-0204-5

Palubeckis, G. (2015). Fast local search for single row facility layout. *European Journal of Operational Research*, *246*(3), 800–814. https://doi.org/10.1016/j.ejor.2015.05.055

Palubeckis, G. (2017). Single row facility layout using multi-start simulated annealing. *Computers and Industrial Engineering*, *103*, 1–16. https://doi.org/10.1016/j.cie.2016.09.026

Pawlak, T. P., & O'Neill, M. (2021). Grammatical evolution for constraint synthesis for mixed-integer linear programming. *Swarm and Evolutionary Computation*, *64*(August 2020), 100896. https://doi.org/10.1016/j.swevo.2021.100896

Pérez-Gosende, P., Mula, J., & Díaz-Madroñero, M. (2021). Facility layout planning. An extended literature review. *International Journal of Production Research*, *59*(12), 3777–3816. https://doi.org/10.1080/00207543.2021.1897176

Priambodo, R. B. (2024). Optimasi Double Row Layout Problem dengan Pertimbangan Unequal Area dan Safety Factor. (Skripsi Sarjana, Universitas Gadjah Mada)

Rajwar, K., Deep, K., & Das, S. (2023). An exhaustive review of the metaheuristic algorithms for search and optimization: Taxonomy, applications, and open challenges. *Artificial Intelligence Review*, 56(11), 13187–13257. https://doi.org/10.1007/s10462-023-10470-y

Rifai, A. P., Tri, S., & Mara, W. (2022). Multi-objective double row layout problem with safety distance and geometrical constraints consideration. *Applied Soft Computing*, *i*.

Rifai, A. P., Windras Mara, S. T., Ridho, H., & Norcahyo, R. (2021). The double row layout problem with safety consideration: a two-stage variable neighborhood search approach. *Journal of Industrial and Production Engineering*, *39*(3), 181–195. https://doi.org/10.1080/21681015.2021.1968964

Safarzadeh, S., & Koosha, H. (2017). Solving an extended multi-row facility layout problem with fuzzy clearances using GA. *Applied Soft Computing*, *61*, 819–831. https://doi.org/10.1016/j.asoc.2017.09.003

Secchin, L. D., & Amaral, A. R. S. (2019). An improved mixed-integer programming model for the double row layout of facilities. *Optimization Letters*, *13*(1), 193–199. https://doi.org/10.1007/s11590-018-1263-9

Shafigh, F., Defersha, F. M., & Moussa, S. E. (2015). A mathematical model for the design of distributed layout by considering production planning and system reconfiguration over multiple time periods. *Journal of Industrial Engineering*

UNIVERSITAS
GADJAH MADA
**Masalah Tata Letak Multi-Objective Multi Row Dengan Pertimbangan Jarak Aman Dan Panjang Baris Yang
Tidak Sama**
Mochamad Egidio Pramudya Kafi, Ir. Achmad Pratama Rifai, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

International, *11*(3), 283–295. https://doi.org/10.1007/s40092-015-0102-1

Souar, Y. (2014). Using Genetic Algorithms in Integer Programming for Decision Support. *Academic Journal of Interdisciplinary Studies*, *3*(6), 11–16. https://doi.org/10.5901/ajis.2014.v3n6p11

Uribe, N. R., Herrán, A., Colmenar, J. M., & Duarte, A. (2021). An improved GRASP method for the multiple row equal facility layout problem. *Expert Systems with Applications*, *182*(May), 115184. https://doi.org/10.1016/j.eswa.2021.115184

Vass, J., Lackner, M. L., Mrkvicka, C., Musliu, N., & Winter, F. (2022). Exact and meta-heuristic approaches for the production leveling problem. *Journal of Scheduling*, *25*(3), 339–370. https://doi.org/10.1007/s10951-022-00721-1

Verma, S., Pant, M., & Snasel, V. (2021). A Comprehensive Review on NSGA-II for Multi-Objective Combinatorial Optimization Problems. *IEEE Access*, *9*, 57757–57791. https://doi.org/10.1109/ACCESS.2021.3070634

Xie, Y., Zhou, S., Xiao, Y., Kulturel-Konak, S., & Konak, A. (2018). A β-accurate linearization method of Euclidean distance for the facility layout problem with heterogeneous distance metrics. *European Journal of Operational Research*, *265*(1), 26–38. https://doi.org/10.1016/j.ejor.2017.07.052

Zhang, L., Gao, F., & Zhu, W. (1999). Nonlinear integer programming and global optimization. Journal of Computational Mathematics, 17(2), 179-190. https://www.jstor.org/stable/43692772

Zhou, Z., Ma, W., Wu, Z., & Li, X. (2005). Problem solution of linear programming using dual simplex method neural network. Proceedings of the Eighth International Conference on Electrical Machines and Systems (ICEMS), 1, 160–163. https://doi.org/10.1109/ICEMS.2005.202921

Zuo, X., Gao, S., Zhou, M. C., Yang, X., & Zhao, X. (2019). A Three-Stage Approach to a Multirow Parallel Machine Layout Problem. *IEEE Transactions on Automation Science and Engineering*, *16*(1), 433–447. https://doi.org/10.1109/TASE.2018.2866377

Zuo, X., Murray, C. C., & Smith, A. E. (2014). Solving an extended double row layout problem using multiobjective tabu search and linear programming. *IEEE Transactions on Automation Science and Engineering*, *11*(4), 1122–1132. https://doi.org/10.1109/TASE.2014.2304471