

Referensi

- Allett, N. (2012). 'As soon as that track starts, i feel ...' unravelling attachments to extreme metal music with 'music elicitation.' Dalam S. Heath & C. Walker (Ed.), *Innovations in Youth Research* (hlm. 21–36). Palgrave Macmillan UK. https://doi.org/10.1057/9780230355880_2
- Alves, A. C., Pereira, C. C. M., Ribeiro, M. I. L. C., Almeida, A. S. D., Carvalho, J. C., & Vedana, K. G. G. (2022). Finding new meaning through music after a suicide attempt. *Research, Society and Development*, 11(9), e25411932024. <https://doi.org/10.33448/rsd-v11i9.32024>
- Andrade, C. (2021). The inconvenient truth about convenience and purposive samples. *Indian Journal of Psychological Medicine*, 43(1), 86–88. <https://doi.org/10.1177/0253717620977000>
- Bautista, A. D., Reyes, M. E. S., & Delariarte, C. F. (2023). A missing piece in the puzzle: exploring the phenomenon of suicide recovery in developing a recovery-focused suicide management program. *Clinical Medicine Insights: Psychiatry*, 14, 11795573231218126. <https://doi.org/10.1177/11795573231218126>
- Brooks, J. R., Madubata, I. J., Jewell, R. D., Ortiz, D. A., & Walker, R. L. (2023). Depression and suicide ideation: the role of self-acceptance for black young adults. *Journal of Black Psychology*, 49(3), 382–403. <https://doi.org/10.1177/00957984211037440>
- Cady, E. T., Harris, R. J., & Knappenberger, J. B. (2008). Using music to cue autobiographical memories of different lifetime periods. *Psychology of Music*, 36(2), 157–177. <https://doi.org/10.1177/0305735607085010>
- Chi, M., Long, A., Jeang, S., Ku, Y., Lu, T., & Sun, F. (2014). Healing and recovering after a suicide attempt: A grounded theory study. *Journal of Clinical Nursing*, 23(11–12), 1751–1759. <https://doi.org/10.1111/jocn.12328>
- Creswell, J. W., & Creswell, D. W. (2017). *Research design: Qualitative, quantitative, and mixed methods approaches* (5th edition). Sage Publications.
- Crosby, A., Ortega, L., & Melanson, C. (2011). *Self-directed violence surveillance: uniform definitions and recommended data elements*. <https://stacks.cdc.gov/view/cdc/11997>
- Davis, W. B., Gfeller, K. E., & Thaut, M. (2008). *An introduction to music therapy: Theory and practice* (Third edition). American Music Therapy Association.
- De Leo, D., Goodfellow, B., Silverman, M., Berman, A., Mann, J., Arensman, E., Hawton, K., Phillips, M. R., Vijayakumar, L., Andriessen, K., Chavez-Hernandez, A.-M., Heisel, M., & Kolves, K. (2021). International study of definitions of english-language terms for suicidal behaviours: A survey exploring preferred terminology. *BMJ Open*, 11(2), e043409. <https://doi.org/10.1136/bmjopen-2020-043409>
- Engle, D. E., & Arkowitz, H. (2006). *Ambivalence in psychotherapy: Facilitating readiness to change*. Guilford Press.

- Esmaeili, E. D., Farahbakhsh, M., Sarbazi, E., Khodamoradi, F., Gaffari Fam, S., & Azizi, H. (2022). Predictors and incidence rate of suicide re-attempt among suicide attempters: A prospective study. *Asian Journal of Psychiatry*, 69, 102999. <https://doi.org/10.1016/j.ajp.2021.102999>
- Ford, J. H., Addis, D. R., & Giovanello, K. S. (2011). Differential neural activity during search of specific and general autobiographical memories elicited by musical cues. *Neuropsychologia*, 49(9), 2514–2526. <https://doi.org/10.1016/j.neuropsychologia.2011.04.032>
- Francis, W., & Bance, L. O. (2017). Protective role of spirituality from the perspective of indian college students with suicidal ideation: “i am here because god exists.” *Journal of Religion and Health*, 56(3), 962–970. <https://doi.org/10.1007/s10943-016-0296-6>
- Garrido, S., & Schubert, E. (2015). Moody melodies: Do they cheer us up? A study of the effect of sad music on mood. *Psychology of Music*, 43(2), 244–261. <https://doi.org/10.1177/0305735613501938>
- Gili, M., Castellví, P., Vives, M., De La Torre-Luque, A., Almenara, J., Blasco, M. J., Cebrià, A. I., Gabilondo, A., Pérez-Ara, M. A., A, M.-M., Lagares, C., Parés-Badell, O., Piqueras, J. A., Rodríguez-Jiménez, T., Rodríguez-Marín, J., Soto-Sanz, V., Alonso, J., & Roca, M. (2019). Mental disorders as risk factors for suicidal behavior in young people: A meta-analysis and systematic review of longitudinal studies. *Journal of Affective Disorders*, 245, 152–162. <https://doi.org/10.1016/j.jad.2018.10.115>
- Hatkevich, C., Penner, F., & Sharp, C. (2019). Difficulties in emotion regulation and suicide ideation and attempt in adolescent inpatients. *Psychiatry Research*, 271, 230–238. <https://doi.org/10.1016/j.psychres.2018.11.038>
- Hoertel, N., Franco, S., Wall, M. M., Oquendo, M. A., Kerridge, B. T., Limosin, F., & Blanco, C. (2015). Mental disorders and risk of suicide attempt: A national prospective study. *Molecular Psychiatry*, 20(6), 718–726. <https://doi.org/10.1038/mp.2015.19>
- Irigoyen, M., Porras-Segovia, A., Galván, L., Puigdevall, M., Giner, L., De Leon, S., & Baca-García, E. (2019). Predictors of re-attempt in a cohort of suicide attempters: A survival analysis. *Journal of Affective Disorders*, 247, 20–28. <https://doi.org/10.1016/j.jad.2018.12.050>
- Kahija, Y. F. (2017). *Penelitian Fenomenologis: Jalan Memahami Pengalaman Hidup*. Penerbit PT Kanisius.
- Koelsch, S., Bashevkin, T., Kristensen, J., Tvedt, J., & Jentschke, S. (2019). Heroic music stimulates empowering thoughts during mind-wandering. *Scientific Reports*, 9(1), 10317. <https://doi.org/10.1038/s41598-019-46266-w>
- Kucharska, K., & Gajewski, R. (2023). Risk factors and protective factors of suicidal behavior in people diagnosed with depression. *Kwartalnik Naukowy Fides et Ratio*, 56(4), 175–192. <https://doi.org/10.34766/fetr.v56i4.1227>

- Leubner, D., & Hinterberger, T. (2017). Reviewing the effectiveness of music interventions in treating depression. *Frontiers in Psychology*, 8, 1109. <https://doi.org/10.3389/fpsyg.2017.01109>
- Levell, J. (2019). “Those songs were the ones that made me, nobody asked me this question before”: music elicitation with ex-gang involved men about their experiences of childhood domestic violence and abuse. *International Journal of Qualitative Methods*, 18, 1609406919852010. <https://doi.org/10.1177/1609406919852010>
- Lippman, J. R., & Greenwood, D. N. (2012). A song to remember: emerging adults recall memorable music. *Journal of Adolescent Research*, 27(6), 751–774. <https://doi.org/10.1177/0743558412447853>
- Liu, B., Di, X., & Apuke, O. D. (2023). Comparative analysis of the effect of interactive audio-visual based art therapy and music therapy in reducing suicidal ideation among school children who survived abduction. *Psychiatry Research*, 327, 115408. <https://doi.org/10.1016/j.psychres.2023.115408>
- Mahrudin, S., Rahmat, I., & Tri, R. (2025). *Studi analisis coping pelaku percobaan bunuh diri usia dewasa muda di Kabupaten Gunungkidul* [Skripsi]. Universitas Gadjah Mada.
- May, A. M., & Klonsky, E. D. (2016). What distinguishes suicide attempters from suicide ideators? A meta-analysis of potential factors. *Clinical Psychology: Science and Practice*, 23(1), 5–20. <https://doi.org/10.1111/cpsp.12136>
- Mihaljevic, S., Aukst-Margetic, B., Karnicnik, S., & Vuksan-Cusa, B. (2017). Personality and spirituality as predictors of suicidality in depressed patients. *European Psychiatry*, 41(S1), S86–S86. <https://doi.org/10.1016/j.eurpsy.2017.01.272>
- Moitra, M., Santomauro, D., Degenhardt, L., Collins, P. Y., Whiteford, H., Vos, T., & Ferrari, A. (2021). Estimating the risk of suicide associated with mental disorders: a systematic review and meta-regression analysis. *Journal of Psychiatric Research*, 137, 242–249. <https://doi.org/10.1016/j.jpsychires.2021.02.053>
- Murtonen, S. (2018). The role of music in young adults’ spiritual development. *International Journal of Children’s Spirituality*, 23(2), 209–223. <https://doi.org/10.1080/1364436X.2018.1449737>
- Onie, S., Usman, Y., Widyastuti, R., Lusiana, M., Angkasawati, T. J., Musadad, D. A., Nilam, J., Vina, A., Kamsurya, R., Batterham, P., Arya, V., Pirkis, J., & Larsen, M. (2024). Indonesia’s first suicide statistics profile: An analysis of suicide and attempt rates, underreporting, geographic distribution, gender, method, and rurality. *The Lancet Regional Health - Southeast Asia*, 22, 100368. <https://doi.org/10.1016/j.lansea.2024.100368>
- Pietkiewicz, I., & Smith, J. A. (2014). A practical guide to using Interpretative Phenomenological Analysis in qualitative research psychology. *Czasopismo Psychologiczne Psychological Journal*, 20(1). <https://doi.org/10.14691/CPPJ.20.1.7>

- Ridge, D., Smith, H., Fixsen, A., Broom, A., & Oliffe, J. (2021). How men step back – and recover – from suicide attempts: A relational and gendered account. *Sociology of Health & Illness*, 43(1), 238–252. <https://doi.org/10.1111/1467-9566.13216>
- Ropaj, E., Haddock, G., & Pratt, D. (2023). Developing a consensus of recovery from suicidal ideations and behaviours: A Delphi study with experts by experience. *PLOS ONE*, 18(9), e0291377. <https://doi.org/10.1371/journal.pone.0291377>
- Rosenberg, N., Greenberg, D. M., & Lamb, M. E. (2021). Musical engagement is linked to posttraumatic resilience: the role of gender, personality, and music listening styles after childhood trauma. *Music & Science*, 4, 2059204321993731. <https://doi.org/10.1177/2059204321993731>
- Rossom, R. C., Coleman, K. J., Ahmedani, B. K., Beck, A., Johnson, E., Oliver, M., & Simon, G. E. (2017). Suicidal ideation reported on the PHQ9 and risk of suicidal behavior across age groups. *Journal of Affective Disorders*, 215, 77–84. <https://doi.org/10.1016/j.jad.2017.03.037>
- Schäfer, K., Saarikallio, S., & Eerola, T. (2020). Music may reduce loneliness and act as social surrogate for a friend: evidence from an experimental listening study. *Music & Science*, 3, 2059204320935709. <https://doi.org/10.1177/2059204320935709>
- Sedikides, C., Leunissen, J., & Wildschut, T. (2022). The psychological benefits of music-evoked nostalgia. *Psychology of Music*, 50(6), 2044–2062. <https://doi.org/10.1177/03057356211064641>
- Semenza, D. C. (2018). Feeling the beat and feeling better: musical experience, emotional reflection, and music as a technology of mental health. *Sociological Inquiry*, 88(2), 322–343. <https://doi.org/10.1111/soin.12194>
- Simon, G. E., Rutter, C. M., Peterson, D., Oliver, M., Whiteside, U., Operskalski, B., & Ludman, E. J. (2013). Does response on the phq-9 depression questionnaire predict subsequent suicide attempt or suicide death? *Psychiatric Services*, 64(12), 1195–1202. <https://doi.org/10.1176/appi.ps.201200587>
- Sokol, Y., Levin, C., Linzer, M., Rosensweig, C., Hubner, S., Gromatsky, M., Walsh, S., Dixon, L., & Goodman, M. (2022). Theoretical model of recovery following a suicidal episode (COURAGE): Scoping review and narrative synthesis. *BJPsych Open*, 8(6), e200. <https://doi.org/10.1192/bjo.2022.599>
- Stewart, J., Garrido, S., Hense, C., & McFerran, K. (2019). Music use for mood regulation: self-awareness and conscious listening choices in young people with tendencies to depression. *Frontiers in Psychology*, 10, 1199. <https://doi.org/10.3389/fpsyg.2019.01199>
- Stickley, T., Wright, N., & Slade, M. (2018). The art of recovery: Outcomes from participatory arts activities for people using mental health services. *Journal of Mental Health*, 27(4), 367–373. <https://doi.org/10.1080/09638237.2018.1437609>

- Sun, F., Lu, C., Tseng, Y. S., & Chiang, C. (2017). Factors predicting recovery from suicide in attempted suicide patients. *Journal of Clinical Nursing*, 26(23–24), 4404–4412. <https://doi.org/10.1111/jocn.13769>
- Swarbrick, D., Rosas, F. E., & Vuoskoski, J. K. (2022). Collectively classical: social connection at a classical concert. *Conference on Interdisciplinary Musicology*. <https://doi.org/10.2218/cim22.1a53>
- Van Den Tol, A. J. M., Edwards, J., & Heflick, N. A. (2016). Sad music as a means for acceptance-based coping. *Musicae Scientiae*, 20(1), 68–83. <https://doi.org/10.1177/1029864915627844>
- Vatne, M., & Nåden, D. (2016). Crucial resources to strengthen the desire to live: Experiences of suicidal patients. *Nursing Ethics*, 23(3), 294–307. <https://doi.org/10.1177/0969733014562990>
- World Health Organization. (2014). *Preventing suicide: A global imperative*. World Health Organization. <https://iris.who.int/handle/10665/131056>
- World Health Organization. (2021). *Suicide Worldwide In 2019: Global Health Estimates* (1st ed). World Health Organization.
- Zaheer, J., Shera, W., Sing Hong Lam, J., Fung, W. L. A., Law, S., & Links, P. S. (2019). “I think i am worth it. I can give up committing suicide”: pathways to recovery for chinese-canadian women with a history of suicidal behaviour. *Transcultural Psychiatry*, 56(2), 305–326. <https://doi.org/10.1177/1363461518818276>